

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц АВГУСТ

Год 1957

III/5

Число	Г л у б и н а , м											Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	15.0	20.0			
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11	0.0	0.0	-1.2	-2.4	-3.2	-3.5	-2.7	-1.8	-1.4			0
12	0.0	0.0	-1.1	-2.4	-3.2	-3.5	-2.7	-1.8	-1.4			0
13	0.0	0.0	-1.0	-2.3	-3.2	-3.4	-2.7	-1.8	-1.4			0
14	0.0	0.0	-1.0	-2.3	-3.2	-3.4	-2.7	-1.8	-1.4			0
15	0.0	0.0	-0.9	-2.3	-3.1	-3.4	-2.7	-1.8	-1.4			0
16	0.0	0.0	-0.9	-2.3	-3.1	-3.4	-2.7	-1.8	-1.4			0
17	0.0	0.0	-0.8	-2.3	-3.1	-3.4	-2.7	-1.8	-1.4			0
18	0.0	0.0	-0.7	-2.3	-3.1	-3.4	-2.7	-1.8	-1.4			0
19	0.0	0.0	-0.7	-2.2	-3.0	-3.4	-2.7	-1.8	-1.4			0
20	0.0	0.0	-0.6	-2.1	-3.0	-3.4	-2.7	-1.8	-1.4			0
21	0.0	0.0	-0.7	-2.0	-2.9	-3.4	-2.7	-1.8	-1.4			0
22	-0.3	0.0	-0.6	-2.0	-2.9	-3.3	-2.7	-1.8	-1.4			0
23	-0.4	0.0	-0.6	-2.0	-2.9	-3.3	-2.7	-1.8	-1.4			0
24	-0.3	0.0	-0.6	-2.0	-2.9	-3.3	-2.7	-1.8	-1.4			0
25	-0.4	0.0	-0.6	-2.0	-2.8	-3.3	-2.7	-1.8	-1.4			0
26	-0.7	0.0	-0.6	-2.0	-2.8	-3.3	-2.7	-1.8	-1.4			0
27	-1.2	0.0	-0.7	-2.0	-2.8	-3.3	-2.7	-1.8	-1.4			0
28	-0.9	-0.2	-0.8	-1.9	-2.7	-3.3	-2.7	-1.8	-1.3			0
29	-0.8	-0.3	-0.9	-1.9	-2.7	-3.3	-2.8	-1.8	-1.4			0
30	-1.0	-0.6	-1.0	-1.9	-2.7	-3.3	-2.7	-1.8	-1.4			0
31	-1.2	-0.6	-1.0	-1.8	-2.7	-3.3	-2.7	-1.8	-1.3			0
Среднее за месяц	-0.3	-0.1	-0.8	-2.1	-3.0	-3.3	-2.7	-1.8	-1.4			0

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

месяц СЕНТЯБРЬ

год 1957

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	15.0	20.0		
1	-1.3	-0.8	-1.2	-1.8	-2.6	-3.3	-2.7	-1.8	-1.3		0
2	-2.0	-1.3	-1.5	-1.9	-2.6	-3.3	-2.7	-1.8	-1.3		0
3	-1.7	-1.4	-1.6	-1.9	-2.5	-3.2	-2.6	-1.7	-1.3		5
4	-1.2	-1.4	-1.6	-1.9	-2.5	-3.2	-2.6	-1.7	-1.3		
5	-1.2	-1.2	-1.6	-1.9	-2.5	-3.2	-2.6	-1.8	-1.4		
6	-1.0	-1.0	-1.4	-1.9	-2.5	-3.2	-2.6	-1.8	-1.3		10
7	-1.0	-1.1	-1.4	-1.9	-2.5	-3.2	-2.6	-1.8	-1.3		20
8	-1.0	-1.1	-1.4	-1.9	-2.5	-3.2	-2.6	-1.8	-1.3		20
9	-0.9	-1.1	-1.4	-1.9	-2.5	-3.1	-2.6	-1.8	-1.3		18
10	-0.8	-1.1	-1.4	-1.9	-2.5	-3.1	-2.6	-1.8	-1.3		19
11	-1.2	-1.2	-1.5	-1.9	-2.5	-3.1	-2.6	-1.8	-1.3		18
12	-1.3	-1.3	-1.5	-1.9	-2.5	-3.1	-2.6	-1.8	-1.3		21
13	-2.5	-1.4	-1.6	-2.0	-2.4	-3.1	-2.6	-1.8	-1.3		28
14	-1.7	-1.5	-1.6	-2.0	-2.4	-3.0	-2.6	-1.8	-1.4		28
15	-2.4	-1.5	-1.7	-2.0	-2.4	-3.0	-2.6	-1.8	-1.4		35
16	-2.0	-1.5	-1.7	-2.0	-2.5	-3.0	-2.6	-1.8	-1.4		40
17	-2.1	-1.6	-1.8	-2.0	-2.5	-3.0	-2.6	-1.8	-1.4		45
18	-1.8	-1.6	-1.8	-2.1	-2.5	-3.0	-2.6	-1.8	-1.4		43
19	-1.0	-1.6	-1.8	-2.1	-2.5	-3.0	-2.6	-1.8	-1.4		40
20	-1.5	-1.7	-1.8	-2.1	-2.5	-3.0	-2.6	-1.8	-1.4		38
21	-2.0	-1.6	-1.8	-2.1	-2.5	-3.0	-2.6	-1.8	-1.4		35
22	-1.8	-1.6	-1.8	-2.1	-2.5	-2.9	-2.6	-1.8	-1.4		35
23	-1.2	-1.6	-1.8	-2.1	-2.5	-2.9	-2.6	-1.8	-1.4		35
24	-1.3	-1.6	-1.8	-2.1	-2.5	-2.9	-2.6	-1.8	-1.4		35
25	-1.4	-1.6	-1.8	-2.1	-2.5	-2.9	-2.6	-1.8	-1.3		35
26		-1.6	-1.8	-2.1	-2.5	-2.9	-2.6	-1.8	-1.3		35
27		-1.7	-1.9	-2.2	-2.5	-2.9	-2.6	-1.8	-1.4		35
28		-1.9	-2.0	-2.3	-2.5	-2.9	-2.6	-1.8	-1.4		35
29		-2.0	-2.1	-2.4	-2.5	-2.9	-2.6	-1.8	-1.4		35
30		-2.4	-2.2	-2.4	-2.5	-2.9	-2.6	-1.8	-1.4		38
31											36
Среднее за месяц	-1.7	-1.5	-1.7	-2.0	-2.5	-3.0	-2.6	-1.8	-1.4		36
											36
											28

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц ОКТЯБРЬ

Год 1957

III/5

Число	Г л у б и н а , м											Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	15.0	20.0			
1	0.0	-2.5	-2.2	-2.3	-2.5	-2.9	-2.6	-1.8	-1.4			35
2		-2.9	-2.7	-2.3	-2.6	-2.8	-2.6	-1.8	-1.4			35
3		-3.1	-2.8	-2.4	-2.6	-2.8	-2.6	-1.8	-1.4			35
4		-3.2	-2.9	-2.4	-2.6	-2.8	-2.6	-1.8	-1.4			36
5		-3.1	-2.9	-2.4	-2.6	-2.8	-2.6	-1.8	-1.4			35
6	-3.2	-2.8	-2.9	-2.5	-2.6	-2.8	-2.6	-1.8	-1.4			35
7	-1.5	-2.9	-3.0	-2.6	-2.6	-2.8	-2.6	-1.8	-1.4			35
8	-2.7	-2.8	-3.0	-2.6	-2.6	-2.8	-2.6	-1.8	-1.4			35
9	-1.4	-2.8	-3.0	-2.6	-2.6	-2.8	-2.6	-1.8	-1.4			35
10	-2.2	-2.8	-3.0	-2.6	-2.7	-2.8	-2.6	-1.8	-1.4			35
11	-2.0	-2.7	-2.9	-2.7	-2.7	-2.8	-2.6	-1.8	-1.4			36
12	-1.7	-2.5	-2.8	-2.7	-2.7	-2.8	-2.5	-1.8	-1.4			36
13	-1.5	-2.6	-2.7	-2.7	-2.7	-2.7	-2.5	-1.8	-1.4			41
14	-4.8	-2.8	-2.6	-2.7	-2.7	-2.7	-2.5	-1.8	-1.4			40
15	-4.5	-2.8	-2.7	-2.7	-2.7	-2.7	-2.5	-1.8	-1.4			40
16	-2.2	-2.9	-2.8	-2.7	-2.7	-2.7	-2.5	-1.8	-1.4			40
17	-4.4	-3.1	-2.8	-2.7	-2.7	-2.6	-2.5	-1.8	-1.4			45
18	-5.6	-3.3	-2.9	-2.7	-2.7	-2.6	-2.5	-1.8	-1.4			45
19	-3.4	-3.4	-3.1	-2.7	-2.7	-2.6	-2.5	-1.8	-1.4			40
20	-4.4	-3.4	-3.2	-2.8	-2.7	-2.6	-2.5	-1.8	-1.4			46
21	-7.7	-3.6	-3.3	-2.8	-2.7	-2.6	-2.5	-1.8	-1.4			50
22	-3.6	-3.8	-3.4	-2.8	-2.7	-2.6	-2.4	-1.8	-1.4			50
23	-3.4	-4.0	-3.5	-2.9	-2.8	-2.6	-2.4	-1.8	-1.4			50
24	-4.0	-4.2	-3.4	-2.9	-2.8	-2.6	-2.4	-1.8	-1.4			49
25	-5.0	-4.3	-3.6	-3.0	-2.8	-2.6	-2.4	-1.8	-1.4			49
26	-7.2	-4.5	-3.9	-3.1	-2.8	-2.6	-2.4	-1.8	-1.4			47
27	-6.5	-4.6	-4.2	-3.2	-2.8	-2.6	-2.4	-1.8	-1.4			47
28	-5.7	-4.8	-4.2	-3.3	-2.9	-2.6	-2.4	-1.8	-1.4			47
29	-4.4	-4.8	-4.2	-3.4	-2.9	-2.6	-2.4	-1.8	-1.4			47
30	-3.2	-4.7	-4.3	-3.4	-2.9	-2.6	-2.4	-1.8	-1.4			45
31	-4.9	-4.6	-4.3	-3.4	-3.0	-2.6	-2.4	-1.8	-1.4			50
Среднее за месяц	-4.0	-3.4	-3.2	-2.8	-2.7	-2.7	-2.5	-1.8	-1.4			42

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц НОЯБРЬ

год 1957

III/5

Число	Г л у б и н а , м											Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	15.0	20.0			
1	-4.2	-4.7	-4.3	-3.4	-3.0	-2.6	-2.4	-1.8	-1.4			49
2	-5.3	-4.9	-4.4	-3.5	-3.0	-2.6	-2.4	-1.8	-1.4			49
3	-5.9	-5.0	-4.6	-3.5	-3.1	-2.6	-2.4	-1.8	-1.4			48
4	-6.5	-5.2	-4.6	-3.5	-3.1	-2.6	-2.4	-1.8	-1.4			47
5	-6.4	-5.4	-4.7	-3.6	-3.1	-2.6	-2.4	-1.8	-1.4			47
6	-6.7	-5.6	-4.8	-3.6	-3.1	-2.6	-2.4	-1.8	-1.4			47
7	-5.9	-5.5	-4.8	-3.7	-3.2	-2.6	-2.4	-1.8	-1.4			47
8	-4.1	-5.5	-4.9	-3.7	-3.2	-2.6	-2.4	-1.8	-1.4			47
9	-6.2	-5.5	-5.0	-3.7	-3.3	-2.6	-2.4	-1.8	-1.4			50
10	-7.6	-5.5	-5.1	-3.8	-3.3	-2.6	-2.4	-1.8	-1.4			62
11	-10.8	-5.6	-5.1	-3.9	-3.5	-2.6	-2.4	-1.8	-1.4			61
12	-7.0	-5.7	-5.2	-3.9	-3.4	-2.6	-2.3	-1.8	-1.4			60
13	-5.1	-5.7	-5.2	-4.0	-3.4	-2.6	-2.3	-1.8	-1.4			60
14	-4.8	-5.7	-5.2	-4.0	-3.4	-2.6	-2.3	-1.8	-1.4			59
15	-4.0	-5.6	-5.2	-4.1	-3.4	-2.6	-2.3	-1.8	-1.4			60
16	-5.2	-5.4	-5.2	-4.1	-3.5	-2.6	-2.3	-1.8	-1.4			60
17	-5.3	-5.2	-5.1	-4.1	-3.5	-2.6	-2.3	-1.8	-1.4			58
18	-5.4	-5.3	-5.1	-4.2	-3.5	-2.6	-2.3	-1.8	-1.4			60
19	-5.4	-5.3	-5.1	-4.2	-3.5	-2.6	-2.3	-1.8	-1.4			60
20	-5.6	-5.3	-5.1	-4.2	-3.5	-2.6	-2.3	-1.8	-1.4			59
21	-5.7	-5.4	-5.1	-4.2	-3.6	-2.6	-2.3	-1.8	-1.4			60
22	-5.0	-5.4	-5.1	-4.2	-3.6	-2.6	-2.3	-1.8	-1.4			60
23	-6.3	-5.5	-5.2	-4.3	-3.6	-2.6	-2.3	-1.8	-1.4			57
24	-5.9	-5.6	-5.2	-4.3	-3.6	-2.6	-2.3	-1.8	-1.4			56
25	-5.9	-5.7	-5.2	-4.4	-3.6	-2.6	-2.3	-1.8	-1.4			57
26	-4.9	-5.7	-5.2	-4.4	-3.7	-2.6	-2.3	-1.7	-1.4			56
27	-5.8	-5.5	-5.3	-4.4	-3.7	-2.6	-2.3	-1.8	-1.4			59
28	-7.3	-6.3	-5.6	-4.5	-3.8	-2.7	-2.3	-1.8	-1.4			55
29	-7.3	-6.3	-5.6	-4.5	-3.9	-2.7	-2.3	-1.8	-1.4			55
30	-7.3	-6.3	-5.6	-4.5	-3.9	-2.7	-2.3	-1.8	-1.4			55
31												
Среднее за месяц	-6.0	-5.5	-5.1	-4.2	-3.4	-2.6	-2.3	-1.8	-1.4			56

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц

ДЕКАБРЬ

Год 1957

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	15.0	20.0		
1											
2	-7.0	-6.3	-5.8	-4.8	-3.9	-2.7	-2.3	-1.8	-1.4		61
3											
4											
5	-7.3	-6.4	-6.0	-4.8	-4.0	-2.7	-2.3	-1.8	-1.4		60
6	-7.6	-6.5	-6.1	-4.9	-4.0	-2.7	-2.2	-1.8	-1.4		60
7	-7.6	-6.6	-6.1	-5.0	-4.1	-2.7	-2.2	-1.8	-1.4		61
8	-6.9	-6.7	-6.2	-5.0	-4.1	-2.7	-2.2	-1.8	-1.4		60
9	-6.7	-6.8	-6.3	-5.1	-4.2	-2.7	-2.2	-1.8	-1.4		61
10	-7.0	-6.9	-6.3	-5.1	-4.2	-2.7	-2.2	-1.8	-1.4		61
11	-7.0	-6.9	-6.3	-5.1	-4.2	-2.7	-2.2	-1.8	-1.4		61
12	-7.0	-6.8	-6.4	-5.2	-4.3	-2.7	-2.2	-1.8	-1.4		61
13	-8.9	-6.9	-6.5	-5.2	-4.3	-2.7	-2.1	-1.8	-1.4		61
14	-8.0	-7.2	-6.5	-5.2	-4.3	-2.7	-2.1	-1.8	-1.4		63
15	-7.7	-7.3	-6.5	-5.3	-4.3	-2.7	-2.2	-1.8	-1.4		63
16	-8.9	-7.4	-6.6	-5.3	-4.4	-2.7	-2.2	-1.8	-1.4		68
17	-8.6	-7.5	-6.7	-5.4	-4.4	-2.8	-2.2	-1.7	-1.4		68
18	-7.5	-7.5	-6.8	-5.5	-4.5	-2.8	-2.2	-1.7	-1.4		68
19	-7.9	-7.5	-6.9	-5.5	-4.5	-2.8	-2.2	-1.8	-1.4		68
20	-8.1	-7.6	-7.0	-5.6	-4.5	-2.8	-2.2	-1.8	-1.5		68
21	-8.0	-7.7	-7.1	-5.6	-4.5	-2.8	-2.2	-1.8	-1.5		68
22	-6.6	-7.7	-7.1	-5.7	-4.6	-2.8	-2.2	-1.8	-1.5		68
23		-7.2	-5.8	-4.6	-2.8	-2.2	-1.8	-1.5			68
24	-9.0	-7.6	-7.2	-5.8	-4.7	-2.8	-2.2	-1.8	-1.5		68
25	-II.5	-9.0	-7.4	-6.0	-5.0	-2.8	-2.2	-1.8	-1.4		67
26		-8.8	-7.5	-6.0	-4.9	-2.8	-2.2	-1.8	-1.5		63
27	-II.0	-8.7	-7.6	-5.8	-4.8	-2.9	-2.2	-1.8	-1.5		60
28	-II.2	-8.8	-7.7	-5.9	-4.8	-2.9	-2.2	-1.7	-1.5		60
29	-9.8	-9.0	-7.8	-6.0	-4.8	-2.9	-2.2	-1.8	-1.5		60
30	-7.8	-8.9	-8.0	-6.1	-4.8	-2.9	-2.2	-1.8	-1.5		62
31	-9.3	-8.8	-8.1	-6.1	-4.9	-2.9	-2.2	-1.8	-1.5		61
Среднее за месяц	-8.1	-7.4	-6.7	-5.4	-4.4	-2.8	-2.2	-1.8	-1.4		63

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц ЯНВАРЬ

Год 1958

III/5

Число	Г л у б и н а , м.										Глу- бина снега	
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	15.0	20.0			
1												
2	-II.9	-9.3	-8.2	-6.1	-4.9	-2.9	-2.2	-I.8	-I.5		63	
3	-8.8	-9.4	-8.2	-6.2	-5.0	-2.9	-2.2	-I.8	-I.5		62	
4	-I0.9	-9.5	-8.5	-6.3	-5.1	-2.9	-2.2	-I.8	-I.5		62	
5	-II.2	-9.6	-8.6	-6.3	-5.1	-3.0	-2.2	-I.8	-I.5		62	
6	-I2.5	-9.8	-8.6	-6.4	-5.2	-3.0	-2.2	-I.8	-I.5		62	
7	-I0.2	-9.5	-8.7	-6.5	-5.2	-3.0	-2.2	-I.8	-I.5		63	
8	-8.7	-9.4	-8.8	-6.6	-5.2	-3.0	-2.2	-I.8	-I.5		63	
9	-9.3	-9.2	-8.8	-6.7	-5.3	-3.0	-2.2	-I.8	-I.5		69	
10	-9.9	-8.9	-8.7	-6.7	-5.3	-3.0	-2.2	-I.8	-I.5		69	
11	-9.0	-8.9	-8.5	-6.8	-5.4	-3.0	-2.2	-I.8	-I.5		70	
12	-9.1	-8.9	-8.5	-6.8	-5.5	-3.0	-2.2	-I.8	-I.5		70	
13	-I0.0	-8.9	-8.4	-6.9	-5.5	-3.0	-2.2	-I.8	-I.5		68	
14	-I0.1	-8.9	-8.4	-6.9	-5.5	-3.0	-2.2	-I.8	-I.5		68	
15	-9.7	-9.0	-8.4	-6.9	-5.6	-3.0	-2.2	-I.8	-I.5		66	
16	-9.7	-9.0	-8.4	-6.9	-5.6	-3.0	-2.2	-I.8	-I.5		66	
17	-9.7	-9.0	-8.5	-6.9	-5.6	-3.1	-2.2	-I.8	-I.5		66	
18	-9.9	-9.0	-8.4	-7.0	-5.6	-3.1	-2.2	-I.8	-I.5		67	
19	-9.7	-8.9	-8.4	-7.0	-5.6	-3.1	-2.2	-I.8	-I.5		66	
20	-9.6	-8.9	-8.4	-7.0	-5.6	-3.1	-2.1	-I.8	-I.5		66	
21	-9.6	-9.0	-8.4	-7.0	-5.6	-3.1	-2.1	-I.8	-I.5		65	
22		-9.0	-8.4	-7.0	-5.7	-3.1	-2.1	-I.8	-I.5		65	
23	-9.2	-9.0	-8.4	-7.1	-5.7	-3.1	-2.2	-I.8	-I.5		65	
24	-I0.0	-9.1	-8.4	-7.1	-5.8	-3.2	-2.2	-I.8	-I.5		64	
25	-I0.2	-9.2	-8.5	-7.1	-5.8	-3.2	-2.2	-I.8	-I.5		64	
26	-I0.3		-8.6	-7.2	-5.9	-3.2	-2.2	-I.8	-I.5		65	
27	-I0.3	-9.7	-8.6	-7.2	-5.9	-3.2	-2.2	-I.8	-I.5		65	
28	-II.2	-9.7	-8.9	-7.3	-6.0	-3.3	-2.2	-I.8	-I.5		65	
29	-I2.6	-9.8	-9.0	-7.3	-6.0	-3.3	-2.2	-I.8	-I.5		65	
30	-I0.5	-9.8	-9.0	-7.3	-6.0	-3.3	-2.2	-I.8	-I.5		64	
31	-9.3	-9.9	-9.1	-7.3	-6.0	-3.3	-2.2	-I.8	-I.5		65	
Среднее за месяц		-I0.1	-9.3	-8.5	-6.9	-5.5	-3.1	-2.2	-I.8	-I.5		66

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц ФЕВРАЛЬ

Год 1958

III/5

Число	Г л у б и н а , м											Глубина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	15.0	20.0			
1	-II.1	-9.8	-9.1	-7.4	-6.1	-3.4	-2.2	-I.8	-I.5			67
2	-I0.6	-9.8	-9.1	-7.6	-6.1	-3.4	-2.2	-I.8	-I.5			70
3	-I0.3	-9.8	-9.1	-7.6	-6.1	-3.4	-2.2	-I.8	-I.5			71
4	-I0.1	-9.8	-9.1	-7.6	-6.1	-3.4	-2.2	-I.8	-I.5			72
5	-I0.0	-9.8	-9.1	-7.6	-6.2	-3.4	-2.2	-I.8	-I.5			75
6	-II.2	-9.8	-9.1	-7.6	-6.2	-3.4	-2.2	-I.8	-I.5			73
7		-9.8	-9.1	-7.6	-6.2	-3.4	-2.2	-I.8	-I.5			70
8		-9.8	-9.1	-7.6	-6.2	-3.4	-2.2	-I.8	-I.5			68
9		-9.8	-9.1	-7.6	-6.2	-3.4	-2.2	-I.8	-I.5			65
10		-9.8	-9.1	-7.6	-6.2	-3.4	-2.2	-I.8	-I.5			65
11	-9.5	-9.8	-9.1	-7.6	-6.2	-3.4	-2.2	-I.8	-I.5			66
12	-I0.2	-9.8	-9.1	-7.6	-6.3	-3.5	-2.2	-I.8	-I.5			66
13	-I0.5	-9.8	-9.1	-7.6	-6.3	-3.5	-2.2	-I.8	-I.5			65
14	-II.4	-9.8	-9.1	-7.6	-6.4	-3.5	-2.2	-I.8	-I.5			65
15	-II.0	-9.7	-9.2	-7.7	-6.4	-3.5	-2.2	-I.8	-I.5			65
16	-I0.4	-9.8	-9.2	-7.7	-6.4	-3.6	-2.2	-I.8	-I.5			65
17	-I0.4	-9.8	-9.2	-7.7	-6.4	-3.6	-2.2	-I.8	-I.5			65
18	-I0.3	-9.7	-9.2	-7.7	-6.4	-3.6	-2.2	-I.8	-I.5			65
19	-I0.3	-9.8	-9.2	-7.7	-6.5	-3.6	-2.2	-I.8	-I.5			66
20	-9.6	-9.7	-9.2	-7.8	-6.5	-3.6	-2.2	-I.8	-I.5			66
21	-9.9	-9.7	-9.2	-7.8	-6.5	-3.6	-2.2	-I.8	-I.5			67
22	-I0.0	-9.7	-9.2	-7.8	-6.6	-3.7	-2.3	-I.8	-I.5			67
23	-9.8	-9.7	-9.2	-7.9	-6.6	-3.7	-2.3	-I.8	-I.5			68
24	-I0.0	-9.7	-9.2	-7.9	-6.6	-3.7	-2.3	-I.8	-I.5			69
25	-I0.2	-9.6	-9.2	-7.9	-6.6	-3.7	-2.3	-I.8	-I.5			69
26	-I0.3	-9.7	-9.3	-8.0	-6.7	-3.7	-2.3	-I.8	-I.5			71
27	-I0.0	-9.7	-9.3	-8.0	-6.7	-3.7	-2.3	-I.8	-I.5			72
28	-9.8	-9.6	-9.3	-8.0	-6.7	-3.7	-2.3	-I.8	-I.5			73
29												
30												
31												
Среднее за месяц	-I0.3	-9.8	-9.2	-7.7	-6.4	-3.6	-2.2	-I.8	-I.5			68

Таблица измерений температуры в глубинных слоях льда

Число	СКВАЖИНА № 2										Глубина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	15.0	20.0	месяц МАРТ	
1	-9.2	-9.7	-9.2	-8.0	-6.8	-3.7	-2.3	-1.8	-1.5		
2	-II.7	-9.7	-9.2	-8.0	-6.8	-3.7	-2.3	-1.8	-1.5		
3	-8.6	-9.7	-9.2	-8.0	-6.8	-3.7	-2.3	-1.8	-1.5		
4	-IO.9	-9.7	-9.2	-8.0	-6.8	-3.7	-2.3	-1.8	-1.5		
5	-II.0	-9.8	-9.3	-8.0	-6.8	-3.7	-2.3	-1.8	-1.5		
6	-9.9	-9.8	-9.4	-8.0	-6.9	-3.7	-2.3	-1.8	-1.5		
7	-IO.6	-9.8	-9.4	-8.1	-7.0	-3.7	-2.3	-1.8	-1.5		
8	-IO.7	-9.8	-9.5	-8.3	-7.1	-3.7	-2.3	-1.8	-1.5		
9	-IO.6	-9.7	-9.4	-8.3	-7.1	-3.7	-2.3	-1.8	-1.5		
10	-8.7	-9.7	-9.4	-8.2	-7.0	-3.8	-2.4	-1.8	-1.5		
11	-II.1	-9.6	-9.5	-8.3	-7.2	-3.8	-2.4	-1.8	-1.5		
12	-II.1	-9.6	-9.4	-8.3	-7.2	-3.8	-2.4	-1.8	-1.5		
13	-IO.1	-9.6	-9.4	-8.3	-7.2	-3.8	-2.4	-1.8	-1.5		
14	-8.2	-9.5	-9.3	-8.2	-7.0	-3.9	-2.4	-1.8	-1.5		
15	-8.0	-9.5	-9.2	-8.1	-6.9	-3.9	-2.4	-1.8	-1.5		
16	-9.2	-9.3	-9.1	-8.0	-6.9	-3.9	-2.4	-1.8	-1.5		
17	-9.1	-9.2	-9.0	-8.0	-7.0	-3.8	-2.4	-1.8	-1.5		
18	-8.8	-9.2	-8.9	-8.0	-6.9	-3.8	-2.4	-1.8	-1.5		
19	-8.9	-9.2	-8.9	-8.0	-7.0	-3.8	-2.4	-1.8	-1.5		
20	-IO.5	-9.1	-9.1	-7.9	-6.9	-3.8	-2.4	-1.8	-1.5		
21	-9.9	-9.1	-9.1	-8.0	-6.9	-3.9	-2.4	-1.8	-1.5		
22	-9.8	-9.1	-8.8	-8.0	-6.9	-3.9	-2.4	-1.8	-1.5		
23	-7.1	-9.1	-8.7	-8.0	-6.9	-3.9	-2.4	-1.8	-1.5		
24											
25											
26											
27											
28											
29											
30											
31	-6.9	-8.6	-8.5	-7.8	-6.9	-4.0	-2.4	-1.8	-1.5		
Среднее за месяц	-9.4	-9.3	-9.1	-8.1	-6.9	-3.8	-2.4	-1.8	-1.5		

## Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц АПРЕЛЬ

Год 1958

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	15.0	20.0		
1											
2											
3	-7.6	-8.3	-8.3	-7.8	-6.8	-4.1	-2.4	-1.8	-1.5		
4	-8.4	-8.1	-8.2	-7.7	-6.8	-4.1	-2.4	-1.8	-1.5		
5											
6	-7.5	-7.5	-7.7	-7.6	-6.8	-4.2	-2.4	-1.8	-1.5		
7											
8	-6.7	-7.4	-7.7	-7.5	-6.8	-4.2	-2.5	-1.8	-1.5		
9	-6.6	-7.4	-7.7	-7.5	-6.7	-4.2	-2.5	-1.8	-1.5		
10	-7.6	-7.4	-7.6	-7.5	-6.7	-4.3	-2.5	-1.8	-1.5		
11	-7.5	-7.3	-7.5	-7.4	-6.7	-4.2	-2.5	-1.8	-1.5		
12	-6.0	-7.4	-7.6	-7.4	-6.7	-4.2	-2.5	-1.8	-1.5		
13	-7.5	-7.4	-7.5	-7.3	-6.7	-4.3	-2.5	-1.8	-1.5		
14	-7.4	-7.2	-7.4	-7.3	-6.7	-4.3	-2.5	-1.8	-1.5		
15	-6.6	-7.2	-7.4	-7.3	-6.7	-4.3	-2.5	-1.8	-1.5		
16	-6.6	-7.0	-7.3	-7.2	-6.7	-4.3	-2.5	-1.8	-1.5		
17											70
18	-6.5	-6.7	-7.2	-7.2	-6.6	-4.3	-2.5	-1.8	-1.5		70
19	-6.5	-6.7	-7.0	-7.2	-6.6	-4.3	-2.5	-1.8	-1.5		70
20	-6.4	-6.6	-7.0	-7.1	-6.6	-4.3	-2.5	-1.8	-1.5		70
21	-6.4	-6.6	-7.0	-7.1	-6.6	-4.3	-2.5	-1.8	-1.5		70
22	-6.3	-6.7	-7.0	-7.1	-6.7	-4.3	-2.5	-1.8	-1.5		78
23	-6.3	-6.4	-7.0	-7.1	-6.6	-4.3	-2.5	-1.8	-1.5		78
24	-6.3	-6.7	-7.0	-7.1	-6.7	-4.3	-2.5	-1.8	-1.5		78
25	-6.3	-6.4	-6.8	-7.0	-6.5	-4.4	-2.5	-1.8	-1.5		80
26	-6.0	-6.3	-6.7	-6.9	-6.5	-4.4	-2.5	-1.8	-1.5		80
27	-5.9	-6.3	-6.7	-6.9	-6.5	-4.4	-2.5	-1.8	-1.5		77
28	-5.7	-6.1	-6.7	-6.8	-6.4	-4.4	-2.5	-1.8	-1.5		77
29	-5.8	-6.2	-6.6	-6.8	-6.4	-4.4	-2.6	-1.8	-1.5		90
30	-5.7	-6.1	-6.4	-6.7	-6.4	-4.4	-2.6	-1.8	-1.5		90
31											
Среднее за месяц	-6.8	-7.1	-7.4	-7.3	-6.6	-4.3	-2.5	-1.8	-1.5		

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц МАЙ

Год 1958

III/5

Число	Г л у б и н а , м										Родина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	15.0	20.0		
1	-5.7	-6.2	-6.5	-6.7	-6.4	-4.4	-2.6	-1.8	-1.5		96
2	-5.7	-6.1	-6.5	-6.7	-6.4	-4.4	-2.6	-1.8	-1.5		I04
3	-5.7	-6.1	-6.5	-6.7	-6.3	-4.4	-2.6	-1.8	-1.5		II4
4	-5.8	-6.0	-6.4	-6.6	-6.3	-4.4	-2.6	-1.8	-1.5		II4
5	-5.7	-5.9	-6.4	-6.6	-6.3	-4.4	-2.6	-1.8	-1.5		II4
6	-5.5	-5.7	-6.3	-6.6	-6.3	-4.4	-2.6	-1.8	-1.5		II4
7	-5.4	-5.6	-6.2	-6.6	-6.3	-4.4	-2.6	-1.8	-1.5		II4
8	-5.3	-5.6	-6.1	-6.6	-6.3	-4.4	-2.6	-1.8	-1.5		II6
9	-5.3	-5.6	-6.0	-6.6	-6.3	-4.4	-2.6	-1.8	-1.5		II6
10	-4.9	-5.6	-6.0	-6.5	-6.3	-4.4	-2.6	-1.8	-1.5		II8
11	-5.3	-5.6	-6.0	-6.5	-6.2	-4.5	-2.7	-1.8	-1.5		II6
12	-5.2	-5.6	-6.0	-6.5	-6.2	-4.5	-2.7	-1.8	-1.5		I20
13	-5.2	-5.4	-6.0	-6.5	-6.2	-4.4	-2.7	-1.8	-1.5		I26
14	-5.1	-5.3	-5.9	-6.5	-6.2	-4.4	-2.7	-1.8	-1.5		I39
15	-5.0	-5.3	-5.9	-6.4	-6.1	-4.4	-2.7	-1.8	-1.5		I43
16	-5.0	-5.3	-5.9	-6.4	-6.1	-4.5	-2.7	-1.8	-1.5		I46
17	-5.0	-5.4	-5.9	-6.4	-6.1	-4.4	-2.7	-1.8	-1.5		I49
18	-4.9	-5.4	-5.9	-6.4	-6.1	-4.4	-2.7	-1.8	-1.5		I56
19	-4.9	-5.4	-5.9	-6.4	-6.1	-4.4	-2.7	-1.8	-1.5		I54
20	-4.9	-5.3	-5.8	-6.3	-6.1	-4.4	-2.7	-1.8	-1.5		I60
21	-4.8	-5.3	-5.7	-6.3	-6.0	-4.4	-2.7	-1.8	-1.5		I66
22	-0.9	-3.0	-5.4	-6.2	-5.9	-4.4	-2.7	-1.8	-1.5		I70
23	-0.3	-2.0	-4.7	-6.1	-5.9	-4.4	-2.7	-1.8	-1.5		I74
24	-0.5	-1.7	-4.3	-6.0	-5.9	-4.4	-2.7	-1.8	-1.5		I71
25				-6.0	-5.8	-4.4	-2.7	-1.8	-1.5		I73
26	-0.2	-1.2	-3.0	-5.9	-5.8	-4.4	-2.7	-1.8	-1.5		I73
27	-0.4	-1.3	-2.9	-5.8	-5.8	-4.4	-2.7	-1.8	-1.5		I78
28	-0.2	-1.1	-2.9	-5.6	-5.8	-4.4	-2.7	-1.8	-1.5		I74
29	-0.2	-1.2	-2.8	-5.5	-5.7	-4.4	-2.7	-1.8	-1.5		I70
30	0.0	-1.1	-2.7	-5.4	-5.6	-4.4	-2.7	-1.8	-1.5		I65
31	-0.1	-1.2	-2.7	-5.3	-5.6	-4.5	-2.7	-1.8	-1.5		I58
Среднее за месяц	-3.8	-4.5	-5.4	-6.3	-6.1	-4.4	-2.7	-1.8	-1.5		I51
											I42

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц ИЮНЬ

Год 1958

III/5

Число	Г Л У 6 И Н а , м										Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	15.0	20.0		
1	-0.2	-1.2	-2.6	-5.2	-5.5	-4.4	-2.7	-1.8	-1.5		I45
2	-0.1	-1.0	-2.5	-5.1	-5.4	-4.3	-2.7	-1.8	-1.5		I45
3	-0.2	-1.0	-2.4	-5.0	-5.4	-4.4	-2.7	-1.8	-1.5		I45
4	-0.2	-0.9	-2.4	-4.8	-5.3	-4.5	-2.7	-1.8	-1.5		I46
5	0.0	-0.9	-2.3	-4.8	-5.2	-4.3	-2.7	-1.8	-1.5		I52
6	-0.1	-0.9	-2.3	-4.7	-5.2	-4.4	-2.7	-1.8	-1.5		I57
7	-0.1	-0.8	-2.3	-4.6	-5.1	-4.3	-2.7	-1.8	-1.5		I50
8	-0.1	-0.8	-2.2	-4.6	-5.1	-4.4	-2.7	-1.8	-1.5		I41
9	-0.2	-0.8	-2.2	-4.5	-5.0	-4.4	-2.8	-1.8	-1.5		I38
10	-0.2	-0.8	-2.1	-4.5	-5.0	-4.4	-2.8	-1.8	-1.5		I35
11	-0.2	-0.8	-2.0	-4.3	-5.0	-4.4	-2.8	-1.8	-1.5		I34
12	-0.2	-0.8	-2.0	-4.2	-4.9	-4.3	-2.8	-1.8	-1.5		I32
13	-0.3	-0.8	-1.9	-4.1	-4.8	-4.3	-2.8	-1.8	-1.5		I29
14	-0.3	-0.8	-1.8	-3.9	-4.9	-4.3	-2.8	-1.8	-1.5		I27
15	-0.3	-0.8	-1.8	-3.9	-4.7	-4.3	-2.8	-1.8	-1.5		I33
16	-0.2	-0.8	-1.8	-3.8	-4.6	-4.3	-2.8	-1.8	-1.5		I35
17	-0.2	-0.8	-1.6	-3.7	-4.5	-4.3	-2.8	-1.8	-1.5		I35
18	0.0	-0.7	-1.5	-3.7	-4.5	-4.3	-2.7	-1.8	-1.5		I36
19	-0.2	-0.8	-1.5	-3.6	-4.6	-4.3	-2.8	-1.8	-1.5		I34
20	-0.2	-0.8	-1.4	-3.4	-4.5	-4.3	-2.8	-1.8	-1.5		I33
21	-0.2	-0.7	-1.4	-3.2	-4.4	-4.3	-2.8	-1.8	-1.5		I36
22	-0.2	-0.6	-1.4	-3.1	-4.3	-4.3	-2.9	-1.8	-1.5		I35
23	-0.1	-0.6	-1.3	-3.0	-4.3	-4.3	-2.8	-1.8	-1.5		I28
24	-0.2	-0.6	-1.3	-2.9	-4.2	-4.3	-2.8	-1.8	-1.5		I31
25	-0.1	-0.5	-1.3	-2.8	-4.2	-4.3	-2.8	-1.8	-1.5		I28
26	-0.2	-0.5	-1.3	-2.8	-4.1	-4.2	-2.8	-1.8	-1.5		I25
27	-0.1	-0.5	-1.3	-2.8	-4.1	-4.2	-2.9	-1.8	-1.5		I33
28	-0.2	-0.6	-1.3	-2.7	-4.1	-4.2	-2.9	-1.8	-1.5		I35
29	-0.2	-0.5	-1.2	-2.7	-4.1	-4.2	-2.8	-1.8	-1.5		I45
30	-0.3	-0.6	-1.3	-2.7	-4.0	-4.2	-2.9	-1.8	-1.5		I40
31											
Среднее за месяц	-0.2	-0.8	-1.8	-3.8	-4.7	-4.3	-2.8	-1.8	-1.5		I37

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц ИЮЛЬ

Год 1958

III/5

Число	Г л у б и н а , м										Глубина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	15.0	20.0		
1	-0.3	-0.6	-1.2	-2.7	-4.0	-4.2	-2.9	-1.8	-1.5		138
2	-0.2	-0.6	-1.2	-2.6	-3.9	-4.2	-2.9	-1.8	-1.5		130
3	-0.2	-0.5	-1.2	-2.6	-3.9	-4.2	-2.9	-1.8	-1.5		130
4	-0.2	-0.5	-1.1	-2.6	-3.8	-4.2	-2.9	-1.8	-1.5		119
5	-0.2	-0.5	-1.0	-2.5	-3.8	-4.2	-2.9	-1.8	-1.5		116
6	0.0	-0.5	-1.0	-2.4	-3.7	-4.1	-2.8	-1.8	-1.5		103
7	-0.2	-0.4	-0.9	-2.4	-3.7	-4.1	-2.8	-1.8	-1.5		110
8	-0.2	-0.5	-1.0	-2.4	-3.7	-4.1	-2.9	-1.8	-1.5		104
9	-0.2	-0.5	-1.0	-2.3	-3.6	-4.1	-2.9	-1.8	-1.5		95
10	-0.2	-0.5	-0.9	-2.3	-3.6	-4.1	-2.9	-1.8	-1.5		90
11	-0.2	-0.5	-1.0	-2.3	-3.6	-4.2	-2.9	-1.8	-1.5		83
12	-0.2	-0.5	-1.0	-2.3	-3.6	-4.1	-2.8	-1.8	-1.5		80
13	-0.2	-0.4	-0.9	-2.2	-3.5	-4.1	-2.9	-1.8	-1.5		78
14	-0.2	-0.4	-0.9	-2.2	-3.5	-4.1	-2.9	-1.8	-1.5		76
15	-0.3	-0.3	-0.8	-2.2	-3.5	-4.1	-2.9	-1.8	-1.5		72
16	-0.3	-0.5	-0.9	-2.2	-3.5	-4.1	-2.9	-1.8	-1.5		74
17	-0.1	-0.3	-0.9	-2.2	-3.5	-4.1	-2.9	-1.8	-1.5		76
18	-0.2	-0.4	-0.8	-2.1	-3.4	-4.1	-2.9	-1.8	-1.5		78
19	-0.2	-0.5	-0.8	-2.0	-3.3	-4.1	-2.8	-1.8	-1.5		85
20	-0.2	-0.4	-0.8	-2.0	-3.3	-4.0	-2.9	-1.8	-1.5		75
21	-0.2	-0.4	-0.7	-2.0	-3.3	-4.0	-2.9	-1.8	-1.5		70
22	-0.2	-0.4	-0.8	-2.0	-3.3	-4.0	-2.9	-1.8	-1.5		65
23	-0.3	-0.5	-0.7	-2.0	-3.2	-4.0	-2.9	-1.8	-1.5		60
24	-0.2	-0.5	-0.7	-2.0	-3.2	-3.9	-2.9	-1.8	-1.5		55
25	-0.2	-0.4	-0.7	-2.0	-3.2	-3.9	-2.9	-1.8	-1.5		50
26	-0.3	-0.4	-0.6	-1.9	-3.2	-3.9	-2.9	-1.8	-1.5		45
27	-0.3	-0.4	-0.7	-1.9	-3.1	-3.9	-2.9	-1.8	-1.5		40
28	-0.2	-0.4	-0.6	-1.8	-3.0	-3.8	-2.8	-1.8	-1.5		33
29	-0.1	-0.4	-0.6	-1.8	-3.0	-3.8	-2.9	-1.8	-1.5		25
30	-0.2	-0.3	-0.6	-1.8	-3.0	-3.9	-2.9	-1.8	-1.5		18
31	-0.2	-0.3	-0.6	-1.8	-3.0	-3.9	-2.9	-1.8	-1.5		11
Среднее за месяц	-0.2	-0.4	-0.8	-2.2	-3.4	-4.1	-2.9	-1.8	-1.5		78

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц АВГУСТ

Год 1958

III/5

Число	Г л у б и н а , м												Абля- ция льда	Глу- бинна снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	15.0	20.0					
1	-0.2	-0.4	-0.7	-1.8	-2.9	-3.8	-2.9	-1.8	-1.5					5
2	-0.0	-0.2	-0.6	-1.8	-2.9	-3.8	-2.9	-1.8	-1.5				I	0
3	-0.0	-0.3	-0.5	-1.7	-2.9	-3.7	-2.8	-1.8	-1.5				3	0
4	0.0	-0.1	-0.5	-1.7	-2.9	-3.7	-2.9	-1.8	-1.5				5	0
5	0.0	-0.1	-0.4	-1.7	-2.9	-3.7	-2.9	-1.8	-1.5				7	0
6	0.0	0.0	-0.5	-1.7	-2.9	-3.7	-2.9	-1.8	-1.5				8	0
7	0.0	0.0	-0.4	-1.6	-2.8	-3.7	-2.9	-1.8	-1.5				9	0
8	0.0	0.0	-0.4	-1.7	-2.8	-3.7	-2.9	-1.8	-1.5				9	0
9	0.0	0.0	-0.3	-1.6	-2.8	-3.8	-2.9	-1.8	-1.5				10	0
10	0.0	0.0	-0.3	-1.6	-2.8	-3.7	-2.9	-1.8	-1.5				10	0
11	0.0	0.0	-0.2	-1.6	-2.8	-3.8	-2.9	-1.8	-1.5				II	0
12	0.0	0.0	-0.2	-1.6	-2.8	-3.7	-2.9	-1.9	-1.5				II	0
13	0.0	0.0	-0.2	-1.5	-2.8	-3.7	-2.9	-1.9	-1.5				II2	0
14	0.0	0.0	-0.3	-1.5	-2.7	-3.7	-2.9	-1.9	-1.5				13	0
15	0.0	0.0	-0.3	-1.5	-2.7	-3.7	-2.9	-1.9	-1.5				15	0
16	0.0	0.0	-0.2	-1.5	-2.7	-3.7	-3.0	-1.9	-1.5				17	0
17	0.0	0.0	-0.3	-1.5	-2.7	-3.6	-2.9	-1.9	-1.5				19	0
18	0.0	0.0	-0.3	-1.5	-2.8	-3.6	-3.0	-1.9	+1.5				20	0
19	0.0	0.0	-0.3	-1.5	-2.7	-3.7	-3.0	-1.9	-1.5				21	0
20	0.0	0.0	-0.3	-1.5	-2.7	-3.6	-3.0	-1.9	-1.5				22	0
21	0.0	0.0	-0.1	-1.4	-2.5	-3.7	-2.9	-1.9	-1.5				22	0
22	0.0	0.0	-0.1	-1.4	-2.5	-3.6	-2.9	-1.9	-1.5				23	0
23	0.0	0.0	0.0	-1.4	-2.5	-3.6	-2.9	-1.9	-1.5				23	0
24	0.0	0.0	0.0	-1.4	-2.5	-3.6	-2.9	-1.9	-1.5				24	0
25	-0.2	0.0	0.0	-1.4	-2.5	-3.6	-2.9	-1.9	-1.5				24	0
26	-0.5	-0.3	-0.2	-1.4	-2.5	-3.5	-2.9	-1.8	-1.5				25	0
27	-0.6	-0.4	-0.3	-1.4	-2.4	-3.5	-2.9	-1.8	-1.5				27	0
28	-0.6	-0.3	-0.3	-1.3	-2.4	-3.5	-2.9	-1.9	-1.5				28	0
29	-0.3	-0.3	-0.3	-1.3	-2.4	-3.5	-2.8	-1.9	-1.5				29	0
30	-0.6	-0.3	-0.2	-1.3	-2.4	-3.4	-2.8	-1.9	-1.5				30	0
31	-0.8	-0.3	-0.2	-1.2	-2.3	-3.4	-2.9	-1.9	-1.5				30	0
Среднее за месяц	-0.1	-0.1	-0.3	-1.5	-2.7	-3.6	-2.9	-1.9	-1.5				0	

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц СЕНТЯБРЬ

Год 1958

III/5

Число	Г л у б и н а , м									Глу- бина снега
	0.20	0.70	1.70	2.70	5.70	9.70	14.70	19.70		
1	-0.3	-0.3	-1.2	-2.3	-3.4	-2.8	-1.9	-1.5		0
2	-0.2	-0.3	-1.3	-2.3	-3.3	-2.8	-1.9	-1.5		0
3	-0.2	-0.2	-1.4	-2.3	-3.4	-2.9	-1.9	-1.5		21
4	-0.2	-0.2	-1.4	-2.3	-3.3	-2.8	-1.9	-1.5		
5	-0.2	-0.2	-1.3	-2.3	-3.3	-2.8	-1.9	-1.5		
6	-0.2	-0.2	-1.2	-2.3	-3.3	-2.8	-1.9	-1.5		
7	-0.2	-0.3	-1.2	-2.2	-3.3	-2.8	-1.8	-1.5		7
8	-0.2	-0.3	-1.2	-2.2	-3.3	-2.8	-1.9	-1.5		24
9	-0.2	-0.2	-1.2	-2.2	-3.4	-2.9	-1.9	-1.5		25
10	-0.2	-0.2	-1.3	-2.3	-3.4	-2.8	-1.9	-1.5		27
11	-0.1	-0.1	-1.2	-2.2	-3.3	-2.8	-1.9	-1.5		29
12	-0.1	-0.1	-1.1	-2.2	-3.3	-2.7	-1.9	-1.5		30
13	-0.2	-0.1	-1.1	-2.2	-3.3	-2.7	-1.9	-1.5		43
14	-0.2	-0.1	-1.1	-2.2	-3.3	-2.7	-1.9	-1.5		63
15	-0.2	-0.1	-1.1	-2.1	-3.3	-2.7	-1.9	-1.5		60
16	-0.1	-0.2	-1.1	-2.1	-3.3	-2.7	-1.9	-1.5		58
17	-0.1	-0.1	-1.1	-2.1	-3.3	-2.7	-1.9	-1.5		55
18	-0.2	-0.1	-1.1	-2.1	-3.3	-2.7	-1.9	-1.5		50
19	-0.2	-0.2	-1.2	-2.1	-3.3	-2.7	-1.9	-1.5		48
20	-0.2	-0.3	-1.3	-2.1	-3.3	-2.8	-1.9	-1.5		45
21	-0.2	-0.4	-1.3	-2.1	-3.3	-2.8	-1.9	-1.5		44
22	-0.3	-0.4	-1.3	-2.1	-3.3	-2.7	-1.9	-1.5		43
23	-0.4	-0.6	-1.3	-2.1	-3.2	-2.7	-1.9	-1.5		42
24	-0.4	-0.6	-1.3	-2.1	-3.2	-2.7	-1.9	-1.5		40
25	-0.6	-0.8	-1.3	-2.1	-3.2	-2.7	-1.9	-1.5		38
26	-1.8	-1.1	-1.3	-2.1	-3.1	-2.7	-1.9	-1.5		35
27	-2.0	-1.2	-1.4	-2.1	-3.2	-2.7	-1.9	-1.5		37
28	-2.1	-1.3	-1.4	-2.1	-3.1	-2.7	-1.9	-1.5		36
29	-2.2	-1.5	-1.5	-2.1	-3.1	-2.8	-1.9	-1.5		36
30	-2.3	-1.6	-1.6	-2.1	-3.1	-2.7	-1.9	-1.5		34
31										36
Среднее за месяц	-0.6	-0.4	-1.2	-2.2	-3.2	-2.7	-1.9	-1.5		35

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц ОКТЯБРЬ

Год 1958

III/5

Число	Г л у б и н а , м											Глу- бина снега
	0.20	0.70	1.70	2.70	5.70	9.70	14.70	19.70				
1	-2.4	-1.7	-1.6	-2.1	-3.1	-2.8	-1.9	-1.5				35
2	-2.5	-1.8	-1.7	-2.1	-3.1	-2.8	-1.9	-1.5				40
3	-2.6	-1.9	-1.8	-2.2	-3.1	-2.8	-1.9	-1.5				38
4	-2.6	-2.0	-1.8	-2.2	-3.2	-2.8	-1.8	-1.5				36
5	-2.8	-2.2	-1.9	-2.2	-3.2	-2.8	-1.8	-1.5				33
6	-2.8	-2.3	-2.0	-2.2	-3.1	-2.8	-1.8	-1.5				29
7	-2.9	-2.5	-2.0	-2.3	-3.1	-2.8	-1.8	-1.5				27
8	-3.0	-2.6	-2.0	-2.3	-3.2	-2.8	-1.8	-1.5				29
9	-3.2	-2.7	-2.0	-2.3	-3.2	-2.8	-1.8	-1.5				26
10	-3.4	-2.7	-2.1	-2.3	-3.0	-2.8	-1.8	-1.5				25
11	-3.4	-2.8	-2.1	-2.3	-3.0	-2.8	-1.8	-1.5				20
12	-3.4	-2.8	-2.2	-2.4	-3.0	-2.7	-1.8	-1.5				15
13	-3.5	-2.9	-2.4	-2.4	-3.0	-2.8	-1.8	-1.5				15
14	-3.7	-3.0	-2.5	-2.5	-3.1	-2.7	-1.8	-1.5				13
15	-3.9	-3.0	-2.6	-2.5	-3.0	-2.7	-1.9	-1.5				14
16	-4.0	-3.2	-2.6	-2.5	-3.0	-2.8	-1.8	-1.5				12
17	-4.1	-3.3	-2.6	-2.6	-3.0	-2.7	-1.9	-1.5				13
18	-4.4	-3.5	-2.6	-2.6	-3.0	-2.7	-1.8	-1.5				12
19	-4.3	-3.5	-2.6	-2.6	-3.0	-2.7	-1.8	-1.5				12
20	-4.3	-3.6	-2.7	-2.7	-3.1	-2.7	-1.8	-1.5				10
21	-4.4	-3.6	-2.7	-2.7	-3.1	-2.8	-1.8	-1.5				19
22	-4.4	-3.6	-2.8	-2.8	-3.0	-2.7	-1.8	-1.5				19
23	-4.3	-3.6	-2.8	-2.7	-3.0	-2.7	-1.8	-1.5				19
24	-4.3	-3.6	-2.8	-2.7	-3.0	-2.7	-1.8	-1.5				19
25	-4.3	-3.7	-2.8	-2.7	-3.0	-2.7	-1.8	-1.5				20
26	-4.3	-3.7	-2.9	-2.7	-3.0	-2.7	-1.8	-1.5				19
27	-4.3	-3.7	-2.9	-2.7	-3.0	-2.7	-1.8	-1.5				18
28	-4.3	-3.7	-3.0	-2.7	-3.0	-2.7	-1.8	-1.5				18
29	-4.4	-3.7	-3.0	-2.8	-3.0	-2.7	-1.8	-1.5				16
30	-4.4	-3.7	-3.0	-2.8	-3.0	-2.7	-1.8	-1.5				16
31	-4.4	-3.7	-3.2	-2.8	-3.0	-2.7	-1.8	-1.5				18
Среднее за месяц	-3.7	-3.0	-2.4	-2.5	-3.0	-2.7	-1.8	-1.5				21

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА №2

месяц НОЯБРЬ

год 1958

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.20	0.70	1.70	2.70	5.70	9.70	14.70	19.70			
1	-4.5	-3.9	-3.2	-2.8	-2.9	-2.6	-1.8	-1.5			46
2	-4.4	-4.0	-3.2	-2.8	-2.9	-2.6	-1.8	-1.5			60
3	-4.5	-4.1	-3.3	-2.8	-2.9	-2.6	-1.8	-1.5			60
4	-4.5	-4.2	-3.3	-2.8	-2.9	-2.6	-1.8	-1.5			58
5	-4.5	-4.2	-3.3	-2.8	-2.9	-2.5	-1.8	-1.5			56
6	-5.1	-4.3	-3.3	-2.9	-2.9	-2.5	-1.8	-1.5			54
7	-5.1	-4.3	-3.3	-2.9	-2.9	-2.5	-1.8	-1.5			55
8	-5.1	-4.4	-3.4	-2.9	-2.9	-2.5	-1.8	-1.5			57
9	-5.1	-4.4	-3.4	-3.0	-2.9	-2.4	-1.8	-1.5			59
10	-5.1	-4.5	-3.4	-3.0	-2.9	-2.4	-1.8	-1.5			57
11	-5.2	-4.5	-3.5	-3.0	-2.9	-2.5	-1.8	-1.5			55
12	-5.2	-4.5	-3.5	-3.0	-2.9	-2.4	-1.8	-1.5			55
13	-5.2	-4.5	-3.5	-3.0	-2.9	-2.4	-1.8	-1.5			55
14	-5.3	-4.6	-3.5	-3.1	-2.9	-2.4	-1.8	-1.5			55
15	-5.3	-4.6	-3.6	-3.1	-2.8	-2.4	-1.8	-1.5			56
16	-5.4	-4.6	-3.6	-3.2	-2.8	-2.4	-1.8	-1.5			58
17	-5.4	-4.6	-3.7	-3.2	-2.9	-2.4	-1.8	-1.5			63
18	-5.4	-4.7	-3.7	-3.2	-2.8	-2.4	-1.8	-1.5			62
19	-5.4	-4.7	-3.7	-3.2	-2.9	-2.4	-1.8	-1.5			68
20	-5.4	-4.7	-3.7	-3.2	-2.9	-2.4	-1.8	-1.5			68
21	-5.4	-4.6	-3.7	-3.2	-2.9	-2.4	-1.8	-1.5			69
22	-5.4	-4.7	-3.8	-3.2	-2.9	-2.4	-1.8	-1.5			69
23	-6.8	-5.8	-4.1	-3.6	-3.0	-2.4	-1.8	-1.5			70
24	-6.8	-6.0	-4.3	-3.6	-2.9	-2.3	-1.8	-1.5			70
25	-6.8	-6.0	-4.3	-3.6	-2.9	-2.4	-1.8	-1.5			70
26	-6.9	-6.1	-4.4	-3.7	-3.0	-2.4	-1.8	-1.5			63
27	-6.9	-6.2	-4.4	-3.7	-3.0	-2.4	-1.8	-1.5			63
28	-7.0	-6.2	-4.5	-3.7	-3.0	-2.4	-1.8	-1.5			63
29	-7.1	-6.3	-4.5	-3.7	-3.0	-2.4	-1.8	-1.5			63
30	-7.3	-6.3	-4.5	-3.8	-3.0	-2.3	-1.8	-1.5			62
31											61
Среднее за месяц	-5.6	-4.9	-3.7	-3.2	-2.9	-2.4	-1.8	-1.5			60

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц ДЕКАБРЬ

Год 1958

III/5

Число	Г л у б и н а , м											Глубина снега
	0.20	0.70	1.70	2.70	5.70	9.70	14.70	19.70				
1	-7.3	-6.4	-4.6	-3.8	-3.0	-2.4	-1.8	-1.5				62
2	-7.3	-6.5	-4.7	-3.9	-3.0	-2.4	-1.8	-1.5				62
3	-7.2	-6.5	-4.8	-4.0	-3.0	-2.4	-1.8	-1.5				63
4	-7.2	-6.4	-4.8	-4.0	-3.0	-2.4	-1.8	-1.5				63
5	-6.9	-6.3	-4.8	-4.1	-3.0	-2.4	-1.8	-1.5				60
6	-6.8	-6.3	-4.8	-4.0	-3.0	-2.4	-1.8	-1.5				71
7	-6.7	-6.3	-4.8	-4.0	-3.0	-2.3	-1.8	-1.5				71
8	-6.7	-6.4	-4.8	-4.1	-3.0	-2.3	-1.8	-1.5				70
9	-6.7	-6.4	-4.8	-4.1	-3.0	-2.3	-1.8	-1.5				70
10	-6.7	-6.4	-4.8	-4.1	-3.0	-2.3	-1.8	-1.5				70
11	-6.8	-6.4	-4.9	-4.1	-3.0	-2.4	-1.8	-1.5				68
12	-6.8	-6.3	-4.8	-4.2	-3.0	-2.3	-1.8	-1.5				68
13	-6.7	-6.4	-4.8	-4.2	-3.0	-2.3	-1.8	-1.5				68
14	-6.7	-6.3	-5.0	-4.2	-3.0	-2.3	-1.8	-1.5				70
15	-6.7	-6.4	-4.9	-4.3	-3.0	-2.3	-1.8	-1.5				70
16	-6.8	-6.3	-5.0	-4.2	-3.1	-2.3	-1.8	-1.5				70
17	-6.8	-6.4	-5.0	-4.2	-3.1	-2.3	-1.8	-1.5				70
18	-7.3	-6.4	-5.0	-4.3	-3.1	-2.2	-1.8	-1.5				70
19	-6.9	-6.4	-5.1	-4.3	-3.1	-2.2	-1.8	-1.5				70
20	-7.6	-6.6	-5.1	-4.4	-3.1	-2.2	-1.8	-1.5				72
21	-7.5	-6.7	-5.1	-4.4	-3.1	-2.2	-1.8	-1.5				75
22	-7.5	-6.8	-5.3	-4.5	-3.1	-2.2	-1.8	-1.5				65
23	-7.6	-6.9	-5.4	-4.5	-3.1	-2.2	-1.8	-1.5				58
24	-7.7	-6.9	-5.3	-4.5	-3.1	-2.2	-1.8	-1.5				58
25	-7.5	-7.0	-5.2	-4.5	-3.2	-2.2	-1.8	-1.5				58
26	-7.5	-7.0	-5.2	-4.5	-3.2	-2.2	-1.8	-1.5				58
27	-7.6	-7.2	-5.3	-4.6	-3.2	-2.2	-1.8	-1.5				58
28	-8.4	-7.3	-5.4	-4.7	-3.2	-2.2	-1.8	-1.5				59
29	-8.4	-7.4	-5.5	-4.7	-3.2	-2.2	-1.8	-1.5				59
30	-8.4	-7.4	-5.5	-4.7	-3.2	-2.2	-1.8	-1.5				58
31	-8.4	-7.5	-5.6	-4.7	-3.3	-2.2	-1.8	-1.5				62
Среднее за месяц	-7.2	-6.6	-5.0	-4.3	-3.1	-2.3	-1.8	-1.5				66

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц ЯНВАРЬ

Год 1959

III/5

Число	Г л у б и н а снега								Год 1959
	0.20	0.70	1.70	2.70	5.70	9.70	I4.70	I9.70	
1	-8.4	-7.5	-5.6	-4.7	-3.2	-2.2	-I.8	-I.5	61
2	-8.4	-7.5	-5.7	-4.8	-3.3	-2.2	-I.8	-I.5	61
3	-8.4	-7.5	-5.7	-4.8	-3.3	-2.2	-I.8	-I.5	61
4	-8.5	-7.5	-5.7	-4.8	-3.3	-2.2	-I.8	-I.5	62
5	-8.5	-7.6	-5.7	-4.8	-3.3	-2.2	-I.8	-I.5	62
6	-8.5	-7.7	-5.8	-4.8	-3.3	-2.2	-I.8	-I.5	62
7	-8.6	-7.7	-5.8	-4.9	-3.3	-2.2	-I.8	-I.5	62
8	-8.6	-7.7	-5.8	-4.9	-3.3	-2.2	-I.8	-I.5	62
9	-8.7	-7.7	-5.8	-4.9	-3.3	-2.2	-I.8	-I.5	62
10	-8.7	-7.8	-5.9	-4.9	-3.3	-2.2	-I.8	-I.5	62
11	-8.8	-7.8	-5.9	-5.0	-3.3	-2.2	-I.8	-I.5	63
12	-8.8	-7.9	-5.9	-5.0	-3.4	-2.2	-I.8	-I.5	62
13	-8.9	-7.9	-6.0	-5.0	-3.4	-2.2	-I.8	-I.5	62
14	-8.9	-7.9	-6.1	-5.1	-3.4	-2.2	-I.8	-I.5	63
15	-9.0	-8.0	-6.1	-5.1	-3.4	-2.2	-I.8	-I.5	63
16	-9.1	-8.1	-6.2	-5.2	-3.5	-2.2	-I.8	-I.5	63
17	-9.2	-8.2	-6.3	-5.2	-3.5	-2.2	-I.8	-I.5	64
18	-9.3	-8.3	-6.4	-5.2	-3.5	-2.2	-I.8	-I.5	63
19	-9.3	-8.4	-6.4	-5.3	-3.5	-2.2	-I.8	-I.5	65
20	-9.4	-8.5	-6.5	-5.3	-3.5	-2.2	-I.8	-I.5	64
21	-9.4	-8.5	-6.6	-5.4	-3.5	-2.2	-I.8	-I.5	64
22	-9.6	-8.6	-6.7	-5.9	-3.5	-2.2	-I.8	-I.5	64
23	-9.9	-8.8	-6.8	-5.6	-3.5	-2.2	-I.8	-I.5	64
24	-9.7	-8.9	-7.0	-5.7	-3.5	-2.2	-I.8	-I.5	64
25	-9.6	-8.9	-7.0	-5.8	-3.5	-2.2	-I.8	-I.5	64
26	-9.4	-8.6	-6.9	-5.8	-3.5	-2.2	-I.8	-I.5	64
27	-9.6	-8.8	-6.9	-5.8	-3.5	-2.2	-I.8	-I.5	67
28	-9.4	-8.6	-7.0	-5.8	-3.6	-2.2	-I.8	-I.5	67
29	-9.1	-8.6	-7.0	-5.8	-3.6	-2.2	-I.8	-I.5	70
30	-9.2	-8.6	-7.0	-5.9	-3.7	-2.2	-I.8	-I.5	70
31	-9.2	-8.6	-7.0	-5.9	-3.7	-2.2	-I.8	-I.5	75
Среднее за месяц	-9.0	-8.1	-6.3	-5.2	-3.4	-2.2	-I.8	-I.5	64

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА №2

Месяц ФЕВРАЛЬ

Год 1959

III/5

Число	Г л у б о и н а , м											Глу- бина снега
	0.20	0.70	1.70	2.70	5.70	9.70	14.70	19.70				
1	-9.2	-8.5	-7.0	-6.0	-3.8	-2.2	-1.8	-1.5				82
2	-9.2	-8.5	-7.0	-6.1	-3.8	-2.2	-1.8	-1.5				82
3	-9.2	-8.5	-7.0	-6.1	-3.8	-2.2	-1.8	-1.5				82
4	-9.2	-8.5	-7.0	-6.1	-3.8	-2.2	-1.8	-1.5				90
5	-9.2	-8.5	-7.0	-6.1	-3.8	-2.2	-1.8	-1.5				88
6	-9.2	-8.5	-7.0	-6.2	-3.8	-2.2	-1.8	-1.5				88
7	-9.3	-8.5	-7.1	-6.2	-3.8	-2.2	-1.8	-1.5				88
8	-9.4	-8.5	-7.1	-6.2	-3.8	-2.2	-1.8	-1.5				88
9	-9.4	-8.5	-7.1	-6.2	-3.8	-2.2	-1.8	-1.5				89
10	-9.4	-8.5	-7.1	-6.2	-3.8	-2.2	-1.8	-1.5				88
11	-9.4	-8.6	-7.1	-6.2	-3.9	-2.2	-1.8	-1.5				88
12	-9.4	-8.6	-7.2	-6.2	-3.9	-2.2	-1.8	-1.5				81
13	-9.4	-8.6	-7.2	-6.2	-3.9	-2.2	-1.8	-1.5				82
14	-9.4	-8.6	-7.2	-6.2	-3.9	-2.2	-1.8	-1.5				89
15	-9.5	-8.7	-7.2	-6.2	-3.8	-2.2	-1.8	-1.5				79
16	-9.6	-8.8	-7.3	-6.3	-3.9	-2.2	-1.8	-1.5				75
17	-9.6	-8.9	-7.4	-6.3	-3.9	-2.2	-1.8	-1.5				77
18	-9.8	-9.0	-7.2	-6.3	-3.9	-2.2	-1.8	-1.5				80
19	-10.0	-9.0	-7.2	-6.3	-3.9	-2.3	-1.8	-1.5				79
20	-10.0	-9.1	-7.4	-6.3	-4.0	-2.3	-1.8	-1.5				83
21	-10.1	-9.2	-7.4	-6.4	-3.9	-2.3	-1.8	-1.5				80
22	-10.2	-9.2	-7.4	-6.4	-3.9	-2.2	-1.8	-1.5				83
23	-10.2	-9.3	-7.5	-6.4	-4.0	-2.3	-1.8	-1.5				80
24	-10.2	-9.3	-7.5	-6.4	-4.0	-2.3	-1.8	-1.5				83
25	-10.2	-9.4	-7.6	-6.4	-4.0	-2.3	-1.8	-1.5				84
26	-10.2	-9.5	-7.7	-6.4	-4.0	-2.2	-1.8	-1.5				85
27	-10.2	-9.5	-7.7	-6.4	-4.0	-2.2	-1.8	-1.5				84
28	-10.3	-9.5	-7.7	-6.5	-4.0	-2.2	-1.8	-1.5				84
29												83
30												
31												
Среднее за месяц	-9.7	-8.9	-7.3	-6.3	-3.9	-2.2	-1.8	-1.5				83

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА №2

Месяц МАРТ

Год 1959

III/5

Число	Г л у б и н а , м											Глу- бина снега
	0.20	0.70	1.70	2.70	5.70	9.70	14.70	19.70				
1	-10.2	-9.6	-7.7	-6.6	-4.0	-2.3	-1.8	-1.5				84
2	-10.1	-9.6	-7.7	-6.6	-4.0	-2.3	-1.8	-1.5				81
3	-10.1	-9.6	-7.8	-6.6	-4.0	-2.3	-1.8	-1.5				92
4	-10.0	-9.5	-7.8	-6.6	-4.0	-2.3	-1.8	-1.5				93
5	-9.9	-9.5	-7.8	-6.6	-4.0	-2.3	-1.8	-1.5				102
6	-9.7	-9.5	-7.8	-6.7	-4.1	-2.3	-1.8	-1.5				108
7	-9.7	-9.4	-7.8	-6.7	-4.1	-2.3	-1.8	-1.5				105
8	-9.6	-9.4	-7.9	-6.7	-4.1	-2.3	-1.8	-1.5				100
9	-9.6	-9.4	-7.9	-6.7	-4.1	-2.3	-1.8	-1.5				97
10	-9.6	-9.3	-7.9	-6.7	-4.1	-2.3	-1.8	-1.5				98
11	-9.6	-9.2	-7.9	-6.7	-4.1	-2.3	-1.8	-1.5				100
12	-9.6	-9.1	-8.0	-6.8	-4.2	-2.4	-1.8	-1.5				93
13	-9.6	-9.0	-8.0	-6.8	-4.2	-2.4	-1.8	-1.5				86
14	-9.5	-9.0	-8.0	-6.8	-4.2	-2.3	-1.8	-1.5				82
15	-9.5	-8.8	-8.1	-6.8	-4.2	-2.3	-1.8	-1.5				83
16	-9.4	-9.0	-8.2	-6.8	-4.2	-2.3	-1.8	-1.5				83
17	-9.4	-9.0	-8.1	-6.8	-4.2	-2.3	-1.8	-1.5				84
18	-9.3	-9.0	-8.0	-6.8	-4.2	-2.3	-1.8	-1.5				86
19	-9.2	-8.9	-8.0	-6.8	-4.2	-2.3	-1.8	-1.5				99
20	-9.1	-8.9	-7.9	-6.9	-4.3	-2.3	-1.8	-1.5				95
21	-8.9	-8.8	-7.9	-6.9	-4.3	-2.3	-1.8	-1.5				94
22	-8.9	-8.8	-7.9	-6.9	-4.3	-2.3	-1.8	-1.5				94
23	-8.9	-8.7	-7.9	-6.9	-4.3	-2.4	-1.8	-1.5				90
24	-8.8	-8.7	-7.8	-6.9	-4.3	-2.4	-1.8	-1.5				89
25	-8.7	-8.7	-7.8	-6.9	-4.3	-2.4	-1.8	-1.5				88
26	-8.7	-8.7	-7.8	-6.9	-4.4	-2.4	-1.8	-1.5				81
27	-8.7	-8.6	-7.8	-6.9	-4.4	-2.4	-1.8	-1.5				81
28	-8.6	-8.6	-7.8	-6.9	-4.4	-2.4	-1.8	-1.5				82
29	-8.6	-8.6	-7.8	-6.9	-4.4	-2.4	-1.8	-1.5				81
30	-8.6	-8.6	-7.8	-6.9	-4.4	-2.4	-1.8	-1.5				81
31	-8.6	-8.6	-7.8	-6.9	-4.4	-2.4	-1.8	-1.5				79
Среднее за месяц	-9.3	-9.0	-7.9	-6.8	-4.2	-2.3	-1.8	-1.5				90

## Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц АПРЕЛЬ

Год 1959

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.20	0.70	1.70	2.70	5.70	9.70	14.70	19.70			
1	-8.6	-8.6	-7.8	-7.0	-4.5	-2.4	-1.8	-1.5			80
2	-8.6	-8.6	-7.8	-7.0	-4.4	-2.4	-1.8	-1.5			81
3	-8.5	-8.6	-7.8	-7.0	-4.5	-2.4	-1.8	-1.5			80
4	-8.4	-8.5	-7.8	-7.0	-4.5	-2.4	-1.8	-1.5			80
5	-8.3	-8.5	-7.7	-6.9	-4.5	-2.5	-1.8	-1.5			84
6											
7											
8											
9											
10											
11											
12											
13											
14											
15											
16											
17											
18											
19											
20											
21											
22											
23	-6.3	-6.7	-7.1	-6.8	-4.6	-2.5	-1.8	-1.5			I48
24	-6.2	-6.6	-7.1	-6.8	-4.6	-2.5	-1.8	-1.5			I37
25	-6.1	-6.5	-7.0	-6.7	-4.6	-2.5	-1.8	-1.5			I35
26	-6.0	-6.2	-6.9	-6.7	-4.6	-2.5	-1.8	-1.5			I27
27	-6.0	-6.2	-6.9	-6.7	-4.6	-2.5	-1.8	-1.5			I25
28	-6.0	-6.1	-6.8	-6.7	-4.6	-2.5	-1.8	-1.5			I28
29	-5.9	-6.1	-6.8	-6.7	-4.6	-2.5	-1.8	-1.5			I24
30	-5.8	-6.1	-6.7	-6.7	-4.6	-2.5	-1.8	-1.5			I24
31											
Среднее за месяц	-7.0	-7.3	-7.4	-6.8	-4.6	-2.5	-1.8	-1.5			II5

Таблица измерений температуры в глубинных слоях льда

СІВАЖИНА №2

Месяц МАЙ

Год 1959

三/5

Число	Г л у б и н а , м										Глу- бина снега
	0.20	0.70	I.70	2.70	5.70	9.70	I4.70	I9.70			
1	-5.7	-6.0	-6.5	-6.7	-4.6	-2.5	-I.8	Вшел			I32
2	-5.4	-5.9	-6.5	-6.7	-4.6	-2.5	-I.8	из			I31
3	-5.3	-5.7	-6.5	-6.7	-4.6	-2.5	-I.8	строва			I31
4	-5.2	-5.6	-6.5	-6.7	-4.6	-2.5	-I.8				I38
5	-5.1	-5.5	-6.5	-6.6	-4.6	-2.5	-I.8				I34
6	-5.0	-5.5	-6.4	-6.6	-4.6	-2.5	-I.8				I33
7	-5.0	-5.5	-6.4	-6.6	-4.6	-2.5	-I.8				I35
8	-5.0	-5.4	-6.3	-6.6	-4.6	-2.5	-I.8				I40
9	-4.9	-5.3	-6.2	-6.6	-4.6	-2.5	-I.8				I49
10	-4.7	-5.2	-6.1	-6.6	-4.6	-2.5	-I.8				I49
11	-4.7	-5.1	-6.0	-6.5	-4.6	-2.5	-I.8				I49
12	-4.5	-5.0	-6.0	-6.4	-4.6	-2.6	-I.8				I45
13	-4.4	-4.9	-5.9	-6.3	-4.6	-2.6	-I.8				I41
14	-4.4	-4.8	-5.9	-6.3	-4.6	-2.6	-I.8				I40
15	-4.1	-4.6	-5.8	-6.1	-4.7	-2.6	-I.8				I40
16	-4.0	-4.4	-5.7	-6.0	-4.7	-2.6	-I.8				I35
17	-3.8	-4.3	-5.5	-5.9	-4.7	-2.6	-I.8				I37
18	-3.6	-4.3	-5.3	-5.9	-4.7	-2.6	-I.8				I36
19	-3.4	-4.2	-5.2	-5.8	-4.7	-2.6	-I.8				I35
20	-3.1	-4.1	-5.1	-5.7	-4.7	-2.6	-I.8				I35
21	-2.9	-3.9	-5.0	-5.6	-4.8	-2.6	-I.8				I34
22	-2.8	-3.7	-4.9	-5.5	-4.8	-2.6	-I.8				I36
23	-2.7	-3.6	-4.8	-5.5	-4.8	-2.7	-I.8				I40
24	-2.6	-3.5	-4.7	-5.4	-4.8	-2.7	-I.8				I55
25	-2.4	-3.3	-4.5	-5.4	-4.8	-2.8	-I.8				I55
26	-2.2	-3.2	-4.4	-5.2	-4.8	-2.8	-I.8				I55
27	-2.1	-3.0	-4.4	-5.2	-4.8	-2.8	-I.8				I55
28	-2.0	-3.0	-4.3	-5.1	-4.8	-2.8	-I.8				I55
29	-I.9	-2.9	-4.3	-5.1	-4.8	-2.8	-I.8				I54
30	-I.9	-2.9	-4.2	-5.1	-4.8	-2.8	-I.8				I55
31	-I.8	-2.8	-4.1	-5.1	-4.7	-2.8	-I.8				I51
Среднее за месяц	-3.8	-4.5	-5.5	-6.0	-4.7	-2.6	-I.8				I41

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА №2

Месяц ИЮНЬ

Год 1959

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.20	0.70	1.70	2.70	5.70	9.70	14.70				
1	-1.7	-2.7	-4.0	-5.0	-4.7	-2.8	-1.8				I39
2	-1.6	-2.5	-3.9	-5.0	-4.7	-2.8	-1.8				I30
3	-1.5	-2.3	-3.9	-4.9	-4.7	-2.8	-1.8				I26
4	-1.4	-2.2	-3.8	-4.9	-4.7	-2.8	-1.8				I21
5	-1.3	-2.1	-3.6	-4.8	-4.7	-2.8	-1.8				I20
6	-1.2	-1.9	-3.5	-4.7	-4.7	-2.8	-1.8				II9
7	-1.1	-1.8	-3.4	-4.5	-4.6	-2.8	-1.8				II9
8	-1.0	-1.7	-3.3	-4.3	-4.6	-2.8	-1.8				II8
9	-1.0	-1.7	-3.2	-4.3	-4.6	-2.8	-1.8				I23
10	-0.8	-1.6	-3.0	-4.3	-4.6	-2.8	-1.8				I25
11	-0.7	-1.5	-2.9	-4.2	-4.5	-2.8	-1.8				I35
12	-0.6	-1.4	-2.8	-4.1	-4.5	-2.8	-1.8				I35
13	-0.5	-1.3	-2.8	-4.1	-4.5	-2.8	-1.8				I35
14	-0.6	-1.3	-2.8	-4.1	-4.5	-2.8	-1.8				I34
15	-0.4	-1.2	-2.8	-4.1	-4.5	-2.8	-1.8				I35
16	-0.2	-1.3	-2.8	-4.0	-4.5	-2.8	-1.8				I36
17	0.0	-1.2	-2.8	-3.9	-4.5	-2.8	-1.8				I34
18	0.0	-1.2	-2.8	-3.9	-4.5	-2.8	-1.8				I37
19	0.0	-1.2	-2.7	-3.9	-4.5	-2.8	-1.8				I30
20	0.0	-1.2	-2.7	-3.8	-4.5	-2.8	-1.8				I30
21	-0.1	-1.2	-2.7	-3.8	-4.5	-2.8	-1.8				I28
22	0.0	-1.1	-2.7	-3.8	-4.5	-2.9	-1.8				I28
23	0.0	-1.1	-2.7	-3.8	-4.5	-2.9	-1.8				I30
24	0.0	-1.1	-2.7	-3.8	-4.5	-2.9	-1.8				I25
25	0.0	-1.1	-2.6	-3.8	-4.4	-2.9	-1.8				I24
26	0.0	-1.1	-2.6	-3.7	-4.4	-2.9	-1.8				I22
27	0.0	-1.0	-2.6	-3.7	-4.4	-2.9	-1.8				I20
28	-0.1	-0.9	-2.5	-3.7	-4.4	-2.9	-1.8				II7
29	0.0	-0.9	-2.5	-3.6	-4.4	-2.9	-1.8				II5
30	0.0	-0.9	-2.5	-3.6	-4.4	-2.9	-1.8				II2
31											
Среднее за месяц	-0.5	-1.4	-3.0	-4.1	-4.5	-2.8	-1.8				I27

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА №2

Месяц ИЮЛЬ

Год 1959

III/5

Число	Г л у б и н а , м										Абля- ция льда	Глу- бина снега	
	0.20	0.70	1.70	2.70	5.70	9.70	14.70						
1	0.0	-0.9	-2.5	-3.6	-4.4	-2.9	-1.8						105
2	0.0	-0.9	-2.4	-3.6	-4.4	-2.9	-1.8						95
3	0.0	-0.9	-2.3	-3.6	-4.4	-2.9	-1.8						84
4	0.0	-0.9	-2.2	-3.6	-4.4	-2.9	-1.8						76
5	0.0	-0.8	-2.2	-3.5	-4.4	-2.9	-1.8						68
6	0.0	-0.8	-2.2	-3.5	-4.4	-2.9	-1.8						60
7	0.0	-0.8	-2.2	-3.5	-4.3	-2.9	-1.8						52
8	0.0	-0.7	-2.1	-3.4	-4.3	-2.9	-1.8						45
9	0.0	-0.7	-2.1	-3.4	-4.3	-2.9	-1.8						39
10	0.0	-0.6	-2.1	-3.3	-4.3	-3.0	-1.8						35
11	0.0	-0.6	-2.0	-3.2	-4.3	-3.0	-1.8						30
12	0.0	-0.6	-2.0	-3.2	-4.3	-3.0	-1.8						24
13	0.0	-0.6	-1.9	-3.1	-4.2	-3.0	-1.8						17
14	0.0	-0.5	-1.9	-3.1	-4.2	-3.0	-1.8						13
15	0.0	-0.5	-1.9	-3.1	-4.2	-3.0	-1.8						10
16	0.0	-0.5	-1.9	-3.0	-4.2	-3.0	-1.8						5
17	0.0	-0.5	-1.8	-3.0	-4.2	-3.0	-1.8						5
18	0.0	-0.5	-1.8	-2.9	-4.1	-3.0	-1.8						6
19	0.0	-0.5	-1.8	-2.9	-4.1	-3.0	-1.8						9
20	0.0	-0.5	-1.8	-2.9	-4.1	-3.0	-1.8						7
21	0.0	-0.5	-1.8	-2.9	-4.1	-3.0	-1.8						2
22	0.0	-0.5	-1.8	-2.9	-4.0	-3.0	-1.8						I
23	0.0	-0.4	-1.7	-2.9	-4.0	-3.0	-1.9						3
24	0.0	-0.4	-1.7	-2.8	-4.0	-3.0	-1.9						4
25	0.0	-0.4	-1.7	-2.8	-4.0	-3.0	-1.9						6
26	0.0	-0.4	-1.7	-2.8	-4.0	-3.1	-1.9						9
27	0.0	-0.4	-1.7	-2.8	-4.0	-3.1	-1.9						12
28	0.0	-0.3	-1.6	-2.8	-4.0	-3.1	-1.9						14
29	0.0	-0.3	-1.6	-2.8	-4.0	-3.1	-1.9						17
30	взтаял	-0.3	-1.6	-2.8	-4.0	-3.1	-1.9						19
31		-0.2	-1.6	-2.8	-4.0	-3.0	-1.9						20
Среднее за месяц		0.0	-0.6	-1.9	-3.1	-4.2	-3.0	-1.8					27

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц АВГУСТ

Год 1959

III/5

Число	Г л у б и н а , м										Абля- ция льда	Глу- бина снега	
	0.50	1.50	2.50	5.50	9.50	14.50							
1	-0.3	-1.6	-2.7	-4.0	-3.0	-1.9						3	0
2	-0.3	-1.5	-2.7	-4.0	-3.0	-1.9						6	0
3	-0.3	-1.5	-2.7	-3.9	-3.0	-1.9						7	0
4	-0.3	-1.5	-2.7	-3.9	-3.0	-1.9						9	0
5	-0.3	-1.5	-2.7	-3.9	-3.0	-1.9						12	0
6	-0.3	-1.5	-2.7	-3.9	-3.0	-1.9						16	0
7	-0.3	-1.4	-2.7	-3.9	-2.9	-1.9						19	0
8	-0.2	-1.4	-2.6	-3.9	-2.9	-1.9						22	0
9	-0.2	-1.4	-2.6	-3.9	-2.9	-1.9						25	0
10	-0.2	-1.4	-2.6	-3.9	-2.9	-1.9						27	0
11	-0.1	-1.3	-2.6	-3.9	-2.9	-1.9						29	0
12	-0.1	-1.3	-2.5	-3.9	-2.9	-1.9						35	0
13	-0.2	-1.3	-2.5	-3.9	-2.9	-1.9						37	0
14	-0.1	-1.2	-2.4	-3.8	-2.9	-1.9						40	0
15	-0.1	-1.2	-2.4	-3.8	-2.9	-1.9						43	0
16	0.0	-1.2	-2.4	-3.8	-2.9	-1.9						45	0
17	0.0	-1.1	-2.3	-3.8	-2.9	-1.9						47	0
18	0.0	-1.1	-2.3	-3.8	-2.9	-1.9						48	0
19	вытаял	-1.1	-2.3	-3.8	-2.9	-1.9						50	0
20		-1.1	-2.2	-3.8	-2.9	-1.9						52	0
21		-1.1	-2.2	-3.8	-2.9	-1.9						54	0
22		-1.0	-2.2	-3.8	-2.9	-1.9						56	0
23		-1.0	-2.2	-3.8	-2.9	-1.9						59	0
24		-1.0	-2.2	-3.8	-2.9	-1.9						60	0
25		-1.0	-2.1	-3.8	-2.9	-1.9						63	0
26		-1.0	-2.1	-3.8	-2.9	-1.9						64	0
27		-1.0	-2.1	-3.8	-2.9	-1.9						66	0
28		-0.9	-2.0	-3.8	-2.9	-1.9						70	0
29		-0.9	-2.0	-3.8	-2.9	-1.9						73	0
30		-0.9	-2.0	-3.8	-2.9	-1.9						74	0
31		-0.8	-2.0	-3.7	-2.9	-1.9						75	0
Среднее за месяц	-0.1	-1.2	-2.4	-3.8	-2.9	-1.9							0

Таблица измерений температуры в глубинных слоях льда

СКАВАЖИНА № 2

Месяц СЕНТЯБРЬ

Год 1959

III/5

Число	Г л у б и н а , м										Абля- ция льда	Глу- бина снега	
	0.75	1.75	4.75	8.75	13.75								
1	-0.8	-2.0	-3.7	-2.9	-1.9								2 0
2	-0.8	-2.0	-3.7	-2.9	-1.9								3 0
3	-0.8	-1.9	-3.7	-2.9	-1.9								6 0
4	-0.7	-1.9	-3.7	-2.9	-1.9								9 0
5	-0.7	-1.9	-3.7	-2.8	-1.9								13 0
6	-0.7	-1.9	-3.6	-2.8	-1.9								17 0
7	-0.7	-1.8	-3.6	-2.8	-1.9								21 0
8	-0.7	-1.8	-3.5	-2.8	-1.9								24 0
9	-0.7	-1.8	-3.5	-2.8	-1.9								26 0
10	-0.6	-1.8	-3.5	-2.8	-1.9								26 0
11	-0.7	-1.7	-3.4	-2.8	-1.9								27 0
12	-0.6	-1.7	-3.4	-2.8	-1.9								28 0
13	-0.6	-1.7	-3.4	-2.8	-1.9								29 0
14	-0.6	-1.7	-3.4	-2.8	-1.9								32 0
15	-0.5	-1.6	-3.3	-2.8	-1.9								34 0
16	-0.6	-1.6	-3.3	-2.8	-1.9								35 0
17	-0.5	-1.6	-3.3	-2.8	-1.9								37 0
18	-0.5	-1.6	-3.3	-2.8	-1.9								38 0
19	-0.5	-1.6	-3.2	-2.8	-1.9								39 0
20	-0.5	-1.6	-3.2	-2.8	-1.9								40 0
21	-0.4	-1.5	-3.2	-2.8	-1.9								41 0
22	-0.4	-1.5	-3.2	-2.8	-1.9								43 0
23	-0.3	-1.5	-3.2	-2.8	-1.8								45 0
24	-0.3	-1.5	-3.2	-2.8	-1.8								46 0
25	-0.3	-1.4	-3.1	-2.8	-1.8								47 0
26	-0.2	-1.4	-3.1	-2.8	-1.8								48 0
27	-0.2	-1.4	-3.1	-2.8	-1.8								49 0
28	-0.2	-1.4	-3.1	-2.8	-1.8								49 0
29	-0.2	-1.3	-3.1	-2.8	-1.8								49 0
30	-0.1	-1.3	-3.1	-2.8	-1.8								50 0
31													0
Среднее за месяц	-0.5	-1.6	-3.4	-2.8	-1.9								

### Таблица измерений температуры в глубинных слоях льда

### СКВАЖИНА № 2

Месяц ОКТЯБРЬ

Год 1959

III/5

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц НОЯБРЬ

Год 1959

III/5

Число	Г л у б и н а , м											Глу- бина снега
	0.20	1.20	4.20	8.20	13.20							
1	-3.4	-2.7	-2.8	-2.6	-1.8							41
2	-3.4	-2.7	-2.8	-2.6	-1.8							40
3	-3.5	-2.7	-2.7	-2.6	-1.8							41
4	-3.6	-2.8	-2.7	-2.6	-1.8							40
5	-3.7	-2.8	-2.7	-2.6	-1.8							40
6	-3.8	-2.8	-2.7	-2.6	-1.8							38
7	-4.0	-2.9	-2.7	-2.6	-1.8							38
8	-4.1	-3.0	-2.7	-2.6	-1.8							39
9	-4.3	-3.1	-2.7	-2.6	-1.8							38
10	-4.6	-3.2	-2.6	-2.6	-1.8							38
11	-4.5	-3.2	-2.6	-2.6	-1.8							37
12	-4.3	-3.3	-2.6	-2.6	-1.8							37
13	-4.3	-3.4	-2.6	-2.6	-1.8							32
14	-4.3	-3.4	-2.7	-2.6	-1.8							30
15	-4.3	-3.4	-2.7	-2.6	-1.8							27
16	-4.4	-3.5	-2.7	-2.6	-1.8							20
17	-4.4	-3.5	-2.7	-2.6	-1.8							10
18	-4.5	-3.6	-2.7	-2.6	-1.8							10
19	-4.5	-3.6	-2.7	-2.6	-1.8							12
20	-4.6	-3.6	-2.7	-2.6	-1.8							12
21	-4.8	-3.7	-2.8	-2.6	-1.8							20
22	-4.9	-3.9	-2.8	-2.6	-1.8							25
23	-5.0	-4.0	-2.8	-2.5	-1.8							40
24	-5.0	-4.1	-2.8	-2.5	-1.8							38
25	-5.1	-4.2	-2.9	-2.5	-1.8							32
26	-5.2	-4.2	-2.9	-2.5	-1.8							28
27	-5.3	-4.2	-2.9	-2.5	-1.8							24
28	-5.4	-4.3	-2.9	-2.4	-1.8							20
29	-5.5	-4.3	-2.9	-2.4	-1.8							20
30	-5.5	-4.4	-2.9	-2.4	-1.8							20
31												
Среднее за месяц	-4.5	-3.5	-2.7	-2.6	-1.8							29

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 2

Месяц ДЕКАБРЬ

Год 1959

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.20	1.20	4.20	5.20	13.20						
1	-5.6	-4.5	-2.9	-2.4	-1.8						20
2	-5.6	-4.5	-3.0	-2.4	-1.8						20
3	-5.7	-4.6	-3.0	-2.4	-1.8						20
4	-5.8	-4.6	-3.0	-2.4	-1.8						20
5	-5.9	-4.8	-3.0	-2.4	-1.8						21
6	-6.0	-4.9	-3.0	-2.4	-1.8						21
7	-6.0	-4.9	-3.1	-2.4	-1.8						20
8	-6.1	-5.0	-3.1	-2.4	-1.8						19
9	-6.2	-5.1	-3.1	-2.4	-1.8						18
10	-6.3	-5.2	-3.1	-2.4	-1.8						19
11	-6.4	-5.3	-3.1	-2.4	-1.8						18
12	-6.4	-5.3	-3.1	-2.4	-1.8						18
13	-6.5	-5.4	-3.1	-2.4	-1.8						18
14	-6.6	-5.4	-3.1	-2.4	-1.8						19
15	-6.7	-5.5	-3.1	-2.3	-1.8						19
16	-6.8	-5.6	-3.1	-2.3	-1.8						19
17	-6.8	-5.6	-3.1	-2.3	-1.8						20
18	-6.9	-5.7	-3.2	-2.3	-1.8						23
19	-7.0	-5.7	-3.2	-2.3	-1.8						21
20	-7.1	-5.8	-3.2	-2.3	-1.8						21
21	-7.1	-5.9	-3.2	-2.3	-1.8						21
22	-7.2	-5.9	-3.3	-2.3	-1.8						22
23	-7.3	-6.0	-3.3	-2.3	-1.8						24
24	-7.4	-6.0	-3.3	-2.3	-1.8						25
25	-7.5	-6.1	-3.4	-2.3	-1.8						30
26	-7.6	-6.1	-3.4	-2.3	-1.8						30
27	-7.7	-6.1	-3.4	-2.3	-1.8						28
28	-7.8	-6.2	-3.4	-2.2	-1.8						32
29	-8.0	-6.2	-3.4	-2.2	-1.8						34
30	-8.0	-6.2	-3.4	-2.2	-1.8						33
31	-7.9	-6.3	-3.5	-2.2	-1.8						34
Среднее за месяц	-6.7	-5.5	-3.2	-2.3	-1.8						22