

Таблица измерений температуры льда и снега

Скважина № 5

Месяц СЕНТЯБРЬ

Год 1958

1/2

Число	Срок	Г л у б о к и н а , м										Глубина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0			
	1												
16	7	-0.8	-0.3	-1.0	-2.9	-3.5	-2.9	-1.7	-1.2	-0.8			
	13	-0.8	-0.3	-1.0	-2.9	-3.5	-2.9	-1.7	-1.2	-0.8		I4	
	19	-0.8	-0.3	-1.0	-2.9	-3.5	-2.9	-1.7	-1.2	-0.8		I5	
Среднее за сутки		-0.8	-0.3	-1.0	-2.9	-3.5	-2.9	-1.7	-1.2	-0.8		I7	
	1												
I7	7	-0.8	-0.3	-1.1	-2.9	-3.5	-2.9	-1.7	-1.2	-0.8			
	13	-0.8	-0.3	-1.0	-2.9	-3.5	-2.9	-1.7	-1.2	-0.8		I8	
	19	-0.6	-0.3	-1.0	-2.9	-3.5	-2.9	-1.7	-1.2	-0.8		I9	
Среднее за сутки		-0.7	-0.3	-1.0	-2.9	-3.5	-2.9	-1.7	-1.2	-0.8		20	
	1												
I8	7	-0.5	-0.3	-1.0	-2.9	-3.5	-2.9	-1.7	-1.3	-0.8			
	13	-0.4	-0.3	-1.0	-2.9	-3.5	-2.9	-1.7	-1.2	-0.8		20	
	19	-0.6	-0.2	-1.0	-2.9	-3.5	-2.9	-1.7	-1.2	-0.9		21	
Среднее за сутки		-0.5	-0.3	-1.0	-2.9	-3.5	-2.9	-1.7	-1.2	-0.8		20	
	1												
I9	7	-0.3	-0.3	-1.1	-2.9	-3.5	-2.9	-1.7	-1.2	-0.9			
	13	-0.3	-0.3	-1.0	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		22	
	19	-0.2	-0.4	-1.2	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		24	
Среднее за сутки		-0.3	-0.3	-1.1	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		24	
	1												
20	7	-0.4	-0.3	-1.1	-2.9	-3.5	-2.9	-1.7	-1.2	-0.9			
	13	-0.3	-0.3	-1.0	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		25	
	19	-0.2	-0.2	-1.0	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		26	
Среднее за сутки		-0.3	-0.3	-1.0	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		27	
Среднее за пентаду		-0.5	-0.3	-1.0	-2.9	-3.5	-2.9	-1.7	-1.2	-0.8		26	

Таблица измерений температуры льда и снега

Скважина № 5

Месяц СЕНТЯБРЬ

Год 1958

№ 3

Число	Срок	Г л у 6 и н а , м										Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0			
	1												
21	7	0.0	-0.2	-1.0	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9			
	13	-0.2	-0.4	-1.1	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		28	
	19	-0.4	-0.4	-1.1	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		29	
Среднее за сутки		-0.3	-0.3	-1.1	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		30	
	1												
22	7	-0.3	-0.4	-1.2	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9			
	13	-0.2	-0.4	-1.1	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		31	
	19	-0.4	-0.5	-1.0	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		33	
Среднее за сутки		-0.3	-0.4	-1.1	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		33	
	1												
23	7	-0.5	-0.4	-1.2	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9			
	13	-0.4	-0.3	-1.0	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		34	
	19	-0.8	-0.4	-1.0	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		34	
Среднее за сутки		-0.6	-0.4	-1.1	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		35	
	1												
24	7	-1.2	-0.4	-1.0	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9			
	13	-1.2	-0.4	-1.0	-2.9	-3.4	-2.8	-1.7	-1.2	-0.9		35	
	19	-1.2	-0.3	-1.0	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9		35	
Среднее за сутки		-1.2	-0.4	-1.0	-2.9	-3.4	-2.8	-1.7	-1.2	-0.9		36	
	1												
25	7	-1.2	-0.5	-1.1	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9			
	13	-1.2	-0.5	-1.1	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9		37	
	19	-0.9	-0.6	-1.2	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9		38	
Среднее за сутки		-1.1	-0.5	-1.1	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9		38	
Среднее за пентаду		-0.7	-0.4	-1.1	-2.9	-3.4	-2.9	-1.7	-1.2	-0.9		34	

Таблица измерений температуры льда и снега

Скважина № 5

Месяц СЕНТЯБРЬ

Год 1958

№ 5

Число	Срок	Глубина, м										Глу- бина снега	Примечания	
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0.	40.0			
	1													
26	7	-1.0	-0.5	-0.9	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9				
	13	-1.4	-0.5	-1.1	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9		39		
	19	-1.6	-0.4	-1.0	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9		40		
Среднее за сутки		-1.3	-0.5	-1.0	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9		39		
	1											39		
27	7	-1.9	-0.5	-1.1	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9				
	13	-1.8	-0.6	-1.2	-2.8	-3.4	-2.8	-1.7	-1.3	-0.9		40		
	19	-1.6	-0.5	-1.2	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9		40		
Среднее за сутки		-1.8	-0.5	-1.2	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9		41		
	1											40		
28	7	-1.8	-0.5	-1.0	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8			
	13	-1.6	-0.5	-0.8	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8	43		
	19	-1.8	-0.5	-1.1	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8	44		
Среднее за сутки		-1.7	-0.5	-1.0	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8	46		
	1											44		
29	7	-2.2	-0.8	-1.0	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8			
	13	-2.3	-0.6	-1.1	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8	46		
	19	-2.2	-0.6	-1.1	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8	47		
Среднее за сутки		-2.2	-0.7	-1.1	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8	47		
	1											47		
30	7	-1.9	-1.1	-1.2	-2.8	-3.4	-2.8	-1.7	-1.3	-0.9	-0.8			
	13	-2.2	-1.2	-1.2	-2.7	-3.4	-2.8	-1.7	-1.3	-0.9	-0.8	48		
	19	-2.2	-1.4	-1.2	-2.8	-3.4	-2.8	-1.7	-1.3	-0.9	-0.8	49		
Среднее за сутки		-2.1	-1.2	-1.2	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8	50		
	1											49		
	7													
	13													
	19													
Среднее за сутки														
Среднее за пентаду		-1.8	-0.7	-1.1	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8		44	
Среднее за месяц		-1.0	-0.5	-1.1	-2.9	-3.4	-2.8	-1.7	-1.2	-0.9			33	

Таблица измерений температуры льда и снега

Скважина № 5

Месяц ОКТЯБРЬ

Год 1958

III/3

Число	Срок	Г л у 6 и н а , м												Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0				
	1														
I	7	-2.0	-1.3	-1.2	-2.8	-3.4	-2.8	-1.7	-1.3	-0.9	-0.8				
	13	-1.8	-1.5	-1.3	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8			49	
	19	-1.9	-1.4	-1.3	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8			49	
	Среднее за сутки	-1.9	-1.4	-1.3	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8			50	
	2	1													
	7	-1.9	-1.3	-1.4	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8				
	13	-1.9	-1.2	-1.4	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8			50	
	19	-1.9	-1.4	-1.4	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8			51	
	Среднее за сутки	-1.9	-1.3	-1.4	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8			51	
	3	1													
	7	-1.9	-1.6	-1.6	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8				
	13	-1.8	-1.6	-1.6	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8			50	
	19	-1.7	-1.8	-1.7	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			48	
	Среднее за сутки	-1.8	-1.7	-1.6	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8			49	
	4	1													
	7	-1.7	-1.6	-1.6	-2.8	-3.4	-2.8	-1.7	-1.3	-0.9	-0.8				
	13	-1.8	-1.4	-1.4	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			49	
	19	-1.8	-1.5	-1.4	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			49	
	Среднее за сутки	-1.8	-1.5	-1.5	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			48	
	5	1													
	7	-1.9	-1.5	-1.4	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8				
	13	-1.9	-1.5	-1.6	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			48	
	19	-2.0	-1.5	-1.4	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			49	
	Среднее за сутки	-1.9	-1.5	-1.5	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			50	
	Среднее за пентаду	-1.9	-1.5	-1.5	-2.8	-3.4	-2.8	-1.7	-1.2	-0.9	-0.8			49	

Таблица измерений температуры льда и снега

Скважина № 5

Месяц ОКТЯБРЬ

Год 1958

III

Число	Срок	Г л у б и н а , м												Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0				
	1														
6	7	-2.2	-1.6	-1.4	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8				
	13	-2.1	-1.4	-1.4	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			50	
	19	-2.1	-1.6	-1.5	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			52	
Среднее за сутки		-2.1	-1.5	-1.5	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			50	
	1														
7	7	-2.1	-1.5	-1.5	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			50	
	13	-2.1	-1.5	-1.5	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			52	
	19	-2.0	-1.5	-1.5	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			53	
Среднее за сутки		-2.1	-1.5	-1.5	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			52	
	1														
8	7	-2.1	-1.4	-1.6	-2.8	-3.3	-2.7	-1.7	-1.3	-0.9	-0.8			52	
	13	-2.2	-1.6	-1.5	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			52	
	19	-2.2	-1.6	-1.6	-2.8	-3.3	-2.7	-1.7	-1.3	-0.9	-0.8			53	
Среднее за сутки		-2.2	-1.5	-1.6	-2.8	-3.3	-2.7	-1.7	-1.3	-0.9	-0.8			52	
	1														
9	7	-2.2	-1.5	-1.6	-2.8	-3.3	-2.8	-1.7	-1.3	-0.9	-0.8			53	
	13	-2.1	-1.5	-1.5	-2.8	-3.3	-2.7	-1.7	-1.3	-0.9	-0.8			58	
	19	-2.1	-1.5	-1.5	-2.8	-3.3	-2.7	-1.7	-1.2	-0.9	-0.8			59	
Среднее за сутки		-2.1	-1.5	-1.5	-2.8	-3.3	-2.7	-1.7	-1.3	-0.9	-0.8			57	
	1														
10	7	-2.2	-1.4	-1.4	-2.8	-3.3	-2.7	-1.7	-1.2	-0.9	-0.8			60	
	13	-2.1	-1.5	-1.4	-2.8	-3.2	-2.7	-1.7	-1.2	-0.9	-0.8			60	
	19	-2.1	-1.6	-1.5	-2.8	-3.2	-2.7	-1.7	-1.3	-0.9	-0.8			60	
Среднее за сутки		-2.1	-1.5	-1.4	-2.8	-3.2	-2.7	-1.7	-1.2	-0.9	-0.8			60	
Среднее за пентаду		-2.1	-1.5	-1.5	-2.8	-3.3	-2.7	-1.7	-1.3	-0.9	-0.8			54	

Таблица измерений температуры льда и снега

Скважина № 5

Месяц ОКТЯБРЬ

Год 1958

三/3

Число	Срок	Г л у б и н а , м										Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0		
	1												
II	7	-2.2	-1.6	-1.7	-2.8	-3.2	-2.8	-1.7	-1.3	-1.0	-0.8		60
	13	-2.2	-1.6	-1.6	-2.8	-3.2	-2.7	-1.7	-1.3	-1.0	-0.8		68
	19	-2.2	-1.6	-1.5	-2.8	-3.2	-2.7	-1.7	-1.3	-1.0	-0.8		67
Среднее за сутки		-2.2	-1.6	-1.6	-2.8	-3.2	-2.7	-1.7	-1.3	-1.0	-0.8		65
	1												
I2	7	-2.2	-1.6	-1.4	-2.8	-3.2	-2.7	-1.7	-1.3	-0.9	-0.8		68
	13	-2.3	-1.6	-1.5	-2.8	-3.2	-2.7	-1.7	-1.3	-1.0	-0.8		69
	19	-2.3	-1.7	-1.7	-2.8	-3.2	-2.7	-1.7	-1.3	-0.9	-0.8		65
Среднее за сутки		-2.3	-1.6	-1.5	-2.8	-3.2	-2.7	-1.7	-1.3	-0.9	-0.8		67
	1												
I3	7	-2.2	-1.6	-1.6	-2.8	-3.2	-2.7	-1.7	-1.3	-0.9	-0.8		66
	13	-2.3	-1.6	-1.6	-2.8	-3.2	-2.7	-1.7	-1.3	-0.9	-0.8		70
	19	-2.3	-1.6	-1.7	-2.8	-3.1	-2.7	-1.7	-1.3	-0.9	-0.8		70
Среднее за сутки		-2.3	-1.6	-1.6	-2.8	-3.2	-2.7	-1.7	-1.3	-0.9	-0.8		69
	1												
I4	7	-2.3	-1.6	-1.6	-2.8	-3.2	-2.7	-1.7	-1.3	-0.9	-0.8		70
	13	-2.3	-1.8	-1.7	-2.7	-3.1	-2.7	-1.7	-1.3	-0.9	-0.9		69
	19	-2.3	-1.7	-1.6	-2.7	-3.1	-2.7	-1.7	-1.3	-0.9	-0.9		67
Среднее за сутки		-2.3	-1.7	-1.6	-2.7	-3.1	-2.7	-1.7	-1.3	-0.9	-0.9		69
	1												
I5	7												
	13												
	19												
Среднее за сутки													
Среднее за пентаду		-2.3	-1.6	-1.6	-2.8	-3.2	-2.7	-1.7	-1.3	-0.9	-0.8		67

Таблица измерений температуры льда и снега

Скважина № 5

Месяц ОКТЯБРЬ

Год 1958

3/3

Число	Срок	Г л у 6 и н а , м												Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0				
	1														
I6	7														
	13														
	19														
Среднее за сутки															
	1														
I7	7														
	13														
	19	-2.4	-1.9	-1.7	-2.7	-3.1	-2.7	-1.7	-1.3	-1.0	-0.9				69
Среднее за сутки															
	1														
I8	7	-2.4	-1.9	-1.7	-2.7	-3.1	-2.7	-1.7	-1.3	-1.0	-0.9				68
	13	-2.4	-1.8	-1.7	-2.7	-3.1	-2.7	-1.7	-1.3	-1.0	-0.9				68
	19	-2.4	-1.9	-1.7	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9				67
Среднее за сутки		-2.4	-1.9	-1.7	-2.7	-3.1	-2.7	-1.7	-1.3	-1.0	-0.9				68
	1														
I9	7	-2.5	-1.9	-1.8	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9				68
	13	-2.5	-1.9	-1.7	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9				67
	19	-2.5	-1.8	-1.7	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9				62
Среднее за сутки		-2.5	-1.9	-1.7	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9				66
	1														
20	7	-2.5	-2.0	-1.7	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9				65
	13	-2.5	-2.1	-1.7	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9				59
	19	-2.5	-2.0	-1.8	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9				60
Среднее за сутки		-2.5	-2.0	-1.7	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9				61
Среднее за пентаду		-2.5	-1.9	-1.7	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9				65

Таблица измерений температуры льда и снега

Скважина № 5

Месяц ОКТЯБРЬ

Год 1958

5/3

Число	Срок	Г л у 6 и н а , м												Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0				
	1														
21	7	-2.5	-2.1	-1.8	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9				
	13	-2.6	-2.1	-1.8	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9			59	
	19	-2.6	-2.2	-1.8	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9			59	
Среднее за сутки		-2.6	-2.1	-1.8	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9			59	
	1														
22	7	-2.7	-2.2	-1.8	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9				
	13	-2.7	-2.2	-1.9	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9			59	
	19	-2.7	-2.2	-1.8	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9			58	
Среднее за сутки		-2.7	-2.2	-1.8	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9			58	
	1														
23	7	-2.7	-2.2	-1.9	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9			58	
	13	-2.8	-2.3	-1.8	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9			58	
	19	-2.8	-2.2	-1.9	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9			60	
Среднее за сутки		-2.8	-2.2	-1.9	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9			59	
	1														
24	7	-2.8	-2.2	-2.0	-2.7	-3.0	-2.7	-1.7	-1.3	-1.0	-0.9				
	13	-2.7	-2.3	-1.9	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9			60	
	19	-2.9	-2.4	-2.0	-2.7	-3.0	-2.6	-1.7	-1.3	-0.9	-0.9			60	
Среднее за сутки		-2.8	-2.3	-2.0	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9			60	
	1														
25	7	-2.9	-2.3	-2.0	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9			60	
	13	-2.8	-2.3	-2.0	-2.7	-3.0	-2.6	-1.7	-1.3	-0.9	-0.9			60	
	19	-2.8	-2.3	-2.0	-2.7	-3.0	-2.6	-1.7	-1.3	-0.9	-0.9			61	
Среднее за сутки		-2.8	-2.3	-2.0	-2.7	-3.0	-2.6	-1.7	-1.3	-0.9	-0.9			60	
Среднее за пентаду		-2.7	-2.2	-1.9	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9			59	

Таблица измерений температуры льда и снега

Скважина № 5

Месяц ОКТЯБРЬ

Год 1958

III/3a

Число	Срок	Глубина, м										Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0		
	1												
26	7	-2.8	-2.3	-2.0	-2.7	-3.0	-2.6	-1.7	-1.3	-0.9	-0.9		
	13	-2.9	-2.3	-2.0	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9	60	
	19	-3.0	-2.4	-2.1	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9	60	
Среднее за сутки		-2.9	-2.3	-2.0	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9	58	
	1											59	
27	7	-3.0	-2.4	-2.0	-2.7	-3.0	-2.6	-1.7	-1.3	-0.9	-0.9		
	13	-3.2	-2.4	-2.1	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9	58	
	19	-3.1	-2.5	-2.0	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9	57	
Среднее за сутки		-3.1	-2.4	-2.0	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9	55	
	1											57	
28	7	-3.2	-2.4	-2.1	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9		
	13	-3.2	-2.4	-2.1	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9	56	
	19	-3.3	-2.5	-2.2	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9	57	
Среднее за сутки		-3.2	-2.4	-2.1	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9	57	
	1											57	
29	7	-3.3	-2.5	-2.1	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9		
	13	-3.0	-2.5	-2.1	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9	57	
	19	-3.2	-2.6	-2.1	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9	56	
Среднее за сутки		-3.2	-2.5	-2.1	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9	57	
	1												
30	7	-3.0	-2.6	-2.1	-2.7	-3.0	-2.6	-1.7	-1.3	-0.9	-0.9		
	13	-3.2	-2.6	-2.0	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9	56	
	19	-3.1	-2.7	-2.1	-2.7	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9	56	
Среднее за сутки		-3.1	-2.6	-2.1	-2.7	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9	56	
	1												
31	7	-3.2	-2.7	-2.1	-2.7	-2.9	-2.6	-1.7	-1.3	-0.9	-0.9		
	13	-3.2	-2.7	-2.1	-2.6	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9	56	
	19	-3.2	-2.8	-2.2	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9	57	
Среднее за сутки		-3.2	-2.7	-2.1	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9	57	
Среднее за пентаду		-3.1	-2.5	-2.1	-2.7	-3.0	-2.6	-1.7	-1.3	-1.0	-0.9		
Среднее за месяц		-2.4	-1.9	-1.7	-2.8	-3.2	-2.7	-1.7	-1.3	-1.0	-0.9		

Таблица измерений температуры льда и снега

Скважина №5

Месяц НОЯБРЬ

Год 1958

Число	Срок	Г л у 6 и н а , м											Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0			
	1													
I	7	-3.1	-2.8	-2.2	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			58
	13	-3.2	-2.7	-2.1	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			58
	19	-3.2	-2.8	-2.2	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			60
Среднее за сутки		-3.2	-2.8	-2.2	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			59
	1													
2	7	-3.2	-2.8	-2.2	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			60
	13	-3.2	-2.8	-2.1	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			60
	19	-3.3	-2.8	-2.2	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			60
Среднее за сутки		-3.2	-2.8	-2.2	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			60
	1													
3	7	-3.3	-2.8	-2.1	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			60
	13	-3.3	-2.8	-2.1	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			62
	19	-3.2	-2.9	-2.1	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			62
Среднее за сутки		-3.3	-2.8	-2.1	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			61
	1													
4	7	-3.3	-2.8	-2.2	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			62
	13	-3.4	-2.8	-2.2	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			62
	19	-3.4	-2.8	-2.2	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			62
Среднее за сутки		-3.4	-2.8	-2.2	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			62
	1													
5	7	-3.3	-2.8	-2.2	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			62
	13	-3.4	-2.8	-2.3	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			63
	19	-3.5	-2.9	-2.3	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			63
Среднее за сутки		-3.4	-2.8	-2.3	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			63
Среднее за пентаду		-3.3	-2.8	-2.2	-2.6	-2.9	-2.6	-1.7	-1.3	-1.0	-0.9			61

Таблица измерений температуры льда и снега

Скважина № 5

Месяц НОЯБРЬ

Год 1958

III/3

Число	Срок	Г л у б и н а , м												Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0				
	1														
6	7	-3.5	-2.9	-2.3	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9				
	13	-3.7	-2.8	-2.3	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			62	
	19	-3.7	-2.9	-2.3	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			62	
Среднее за сутки		-3.6	-2.9	-2.3	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			63	
	1														
7	7	-3.7	-2.9	-2.3	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9				
	13	-3.7	-2.9	-2.3	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			65	
	19	-3.8	-3.0	-2.3	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			65	
Среднее за сутки		-3.7	-2.9	-2.3	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			69	
	1														
8	7	-3.8	-3.0	-2.4	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9				
	13	-3.8	-3.0	-2.4	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			73	
	19	-3.9	-3.0	-2.4	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			78	
Среднее за сутки		-3.8	-3.0	-2.4	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			80	
	1														
9	7	-3.9	-3.0	-2.4	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9				
	13	-3.9	-3.1	-2.4	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			78	
	19	-3.9	-3.2	-2.4	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			80	
Среднее за сутки		-3.9	-3.1	-2.4	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			81	
	1														
10	7	-4.0	-3.2	-2.4	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9				
	13	-4.0	-3.2	-2.4	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			78	
	19	-4.1	-3.2	-2.4	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			77	
Среднее за сутки		-4.0	-3.2	-2.4	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			77	
Среднее за пентаду		-3.8	-3.0	-2.4	-2.6	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			72	

Таблица измерений температуры льда и снега

Скважина № 5

Месяц НОЯБРЬ

Год 1958

п/з

Число	Срок	Г л у 6 и н а , м												Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0				
	1														
II	7	-4.1	-3.2	-2.4	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9				
	13	-4.2	-3.2	-2.4	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			76	
	19	-4.2	-3.2	-2.5	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			78	
Среднее за сутки		-4.2	-3.2	-2.4	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			77	
	1														77
II	7	-4.2	-3.3	-2.5	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9				
	13	-4.2	-3.3	-2.5	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			77	
	19	-4.2	-3.3	-2.5	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			76	
Среднее за сутки		-4.2	-3.3	-2.5	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			76	
	1														76
II	7	-4.2	-3.4	-2.5	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9				
	13	-4.3	-3.4	-2.5	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			76	
	19	-4.3	-3.4	-2.5	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			75	
Среднее за сутки		-4.3	-3.4	-2.5	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			75	
	1														
II	7	-4.3	-3.4	-2.5	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9				
	13	-4.3	-3.5	-2.5	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
	19	-4.3	-3.5	-2.6	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
Среднее за сутки		-4.3	-3.5	-2.5	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
	1														
II	7	-4.3	-3.5	-2.6	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9				
	13	-4.3	-3.6	-2.6	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
	19	-4.3	-3.7	-2.6	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
Среднее за сутки		-4.3	-3.6	-2.6	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
	1														
II	7	-4.3	-3.6	-2.6	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9				
	13	-4.3	-3.6	-2.6	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
	19	-4.3	-3.7	-2.6	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
Среднее за пентаду		-4.3	-3.6	-2.6	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
	Среднее за пентаду	-4.3	-3.4	-2.5	-2.5	-2.9	-2.5	-1.7	-1.3	-1.0	-0.9			76	

Таблица измерений температуры льда и снега

Скважина № 5

Месяц НОЯБРЬ

Год 1958

9/3

Число	Срок	Г л у б и н а , м											Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0			
	1													
I6	7	-4.4	-3.7	-2.6	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			74
	13	-4.3	-3.7	-2.6	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75
	19	-4.5	-3.7	-2.6	-2.4	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			74
Среднее за сутки		-4.4	-3.7	-2.6	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			74
	1													
I7	7	-4.5	-3.7	-2.6	-2.4	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			77
	13	-4.5	-3.7	-2.7	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			76
	19	-4.5	-3.7	-2.7	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75
Среднее за сутки		-4.5	-3.7	-2.7	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			76
	1													
I8	7	-4.5	-3.7	-2.7	-2.4	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			76
	13	-4.5	-3.8	-2.7	-2.4	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			76
	19	-4.6	-3.8	-2.7	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75
Среднее за сутки		-4.6	-3.8	-2.7	-2.4	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			76
	1													
I9	7	-4.7	-3.8	-2.8	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			77
	13	-4.8	-3.9	-2.8	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			76
	19	-4.9	-3.9	-2.9	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			76
Среднее за сутки		-4.8	-3.9	-2.8	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			76
	1													
20	7	-4.9	-4.0	-2.9	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			76
	13	-4.8	-4.0	-2.9	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			76
	19	-4.9	-4.0	-2.9	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75
Среднее за сутки		-4.9	-4.0	-2.9	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			76
Среднее за пентаду		-4.6	-3.8	-2.7	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			76

Таблица измерений температуры льда и снега

Скважина №5

Месяц НОЯБРЬ

Год 1958

е/з

Число	Срок	Г л у 6 и н а , м												Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0				
	1														
21	7	-4.9	-3.9	-2.9	-2.4	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9				
	13	-4.8	-3.9	-2.9	-2.4	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
	19	-4.8	-3.9	-2.9	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
Среднее за сутки		-4.8	-3.9	-2.9	-2.4	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
	1														
22	7	-4.8	-4.0	-3.0	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9				
	13	-4.9	-4.0	-3.0	-2.4	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			76	
	19	-4.9	-4.0	-3.0	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
Среднее за сутки		-4.9	-4.0	-3.0	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
	1														
23	7	-4.9	-4.0	-3.0	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9				
	13	-4.9	-3.9	-3.0	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			76	
	19	-4.9	-4.0	-3.0	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
Среднее за сутки		-4.9	-4.0	-3.0	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			74	
	1														
24	7	-5.0	-4.0	-3.0	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9				
	13	-5.1	-4.0	-3.0	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	
	19	-5.1	-4.1	-3.0	-2.5	-2.7	-2.4	-1.7	-1.3	-1.0	-0.9			73	
Среднее за сутки		-5.1	-4.0	-3.0	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			74	
	1														
25	7	-5.1	-4.1	-3.0	-2.5	-2.7	-2.4	-1.7	-1.3	-1.0	-0.9				
	13	-5.2	-4.1	-3.0	-2.5	-2.7	-2.4	-1.7	-1.3	-1.0	-0.9			75	
	19	-5.2	-4.1	-3.0	-2.5	-2.7	-2.4	-1.7	-1.3	-1.0	-0.9			75	
Среднее за сутки		-5.2	-4.1	-3.0	-2.5	-2.7	-2.4	-1.7	-1.3	-1.0	-0.9			74	
Среднее за пентаду		-5.0	-4.0	-3.0	-2.5	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9			75	

Таблица измерений температуры льда и снега

Скважина № 5

Месяц НОЯБРЬ

Год 1958

III/3^a

Число	Срок	Глубина, м										Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0		
	1												
26	7	-5.2	-4.2	-3.1	-2.5	-2.7	-2.4	-1.7	-1.3	-1.0	-0.9		
	13	-5.2	-4.2	-3.1	-2.6	-2.7	-2.4	-1.7	-1.3	-1.0	-0.9	71	
	19	-5.2	-4.2	-3.1	-2.6	-2.7	-2.4	-1.7	-1.3	-1.0	-0.9	72	
Среднее за сутки		-5.2	-4.2	-3.1	-2.6	-2.7	-2.4	-1.7	-1.3	-1.0	-0.9	72	
	1												
27	7	-5.2	-4.2	-3.1	-2.5	-2.7	-2.4	-1.7	-1.3	-1.0	-0.9	73	
	13	-5.2	-4.2	-3.1	-2.6	-2.7	-2.4	-1.7	-1.3	-1.0	-0.9	73	
	19	-5.3	-4.3	-3.1	-2.6	-2.7	-2.4	-1.7	-1.3	-1.0	-0.9	74	
Среднее за сутки		-5.2	-4.2	-3.1	-2.6	-2.7	-2.4	-1.7	-1.3	-1.0	-0.9	73	
	1												
28	7	-5.3	-4.3	-3.1	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9	71	
	13	-5.3	-4.3	-3.1	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9	72	
	19	-5.3	-4.3	-3.1	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9	72	
Среднее за сутки		-5.3	-4.3	-3.1	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9	72	
	1												
29	7	-5.4	-4.4	-3.1	-2.7	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9	73	
	13	-5.4	-4.4	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9	75	
	19	-5.4	-4.4	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9	75	
Среднее за сутки		-5.4	-4.4	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9	74	
	1												
30	7	-5.4	-4.4	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9	73	
	13	-5.4	-4.4	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9	71	
	19	-5.5	-4.4	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9	75	
Среднее за сутки		-5.4	-4.4	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9	73	
	1												
	7												
	13												
	19												
Среднее за сутки													
Среднее за пентаду		-5.3	-4.3	-3.1	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9	73	
Среднее за месяц		-4.4	-3.6	-2.7	-2.6	-2.8	-2.4	-1.7	-1.3	-1.0	-0.9	72	

Таблица измерений температуры льда и снега

Скважина №5

Месяц ДЕКАБРЬ

Год 1958

№3

Число	Срок	Г л у 6 и н а , м												Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0				
	1														
I	7	-5.5	-4.4	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9				
	13	-5.5	-4.5	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			78	
	19	-5.5	-4.4	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			77	
Среднее за сутки		-5.5	-4.4	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			76	
	1														77
2	7	-5.5	-4.5	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9				
	13	-5.5	-4.5	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			75	
	19	-5.5	-4.5	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			75	
Среднее за сутки		-5.5	-4.5	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			74	
	1														75
3	7	-5.5	-4.5	-3.2	-2.5	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9				
	13	-5.4	-4.5	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			75	
	19	-5.4	-4.5	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			76	
Среднее за сутки		-5.4	-4.5	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			76	
	1														76
4	7	-5.5	-4.5	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9				
	13	-5.5	-4.5	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			77	
	19	-5.5	-4.6	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			78	
Среднее за сутки		-5.5	-4.5	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			76	
	1														77
5	7	-5.5	-4.6	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9				
	13	-5.5	-4.6	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			74	
	19	-5.5	-4.6	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			73	
Среднее за сутки		-5.5	-4.6	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			74	
Среднее за пентаду		-5.5	-4.5	-3.2	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			76	

Таблица измерений температуры льда и снега

Скважина №5

Месяц ДЕКАБРЬ

Год 1958

№3

Число	Срок	Г л у б о к и н а , м												Глу- бине снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0				
	1														
6	7	-5.4	-4.5	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9				
	13	-5.4	-4.6	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			79	
	19	-5.4	-4.6	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			96	
Среднее за сутки		-5.4	-4.6	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			98	
	1														91
7	7	-5.5	-4.6	-3.3	-2.7	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9				
	13	-5.4	-4.6	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			97	
	19	-5.4	-4.6	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			95	
Среднее за сутки		-5.4	-4.6	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			94	
	1														95
8	7	-5.5	-4.6	-3.3	-2.7	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9				93
	13	-5.4	-4.6	-3.3	-2.7	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			89	
	19	-5.4	-4.6	-3.4	-2.7	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9			89	
Среднее за сутки		-5.4	-4.6	-3.3	-2.7	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			90	
	1														
9	7	-5.4	-4.6	-3.4	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9				
	13	-5.5	-4.6	-3.4	-2.6	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9			89	
	19	-5.5	-4.6	-3.3	-2.6	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9			89	
Среднее за сутки		-5.5	-4.6	-3.4	-2.6	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9			87	
	1														88
10	7	-5.5	-4.6	-3.4	-2.7	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9				
	13	-5.5	-4.6	-3.4	-2.6	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9			85	
	19	-5.4	-4.6	-3.4	-2.6	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9			83	
Среднее за сутки		-5.5	-4.6	-3.4	-2.6	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9			83	
Среднее за пентаду		-5.4	-4.6	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			84.	
Среднее за пентаду		-5.4	-4.6	-3.3	-2.6	-2.7	-2.3	-1.7	-1.3	-1.0	-0.9			90	

Таблица измерений температуры льда и снега

Скважина № 5

Месяц ДЕКАБРЬ Год 1958

5/3

Число	Срок	Г л у б и н а , м												Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0				
	1														
II	7	-5.5	-4.6	-3.4	-2.6	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9				
	13	-5.4	-4.6	-3.4	-2.7	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9			83	
	19	-5.4	-4.6	-3.4	-2.6	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9			83	
Среднее за сутки		-5.4	-4.6	-3.4	-2.6	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9			83	
	1														
I2	7	-5.5	-4.6	-3.4	-2.6	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9				
	13	-5.5	-4.6	-3.5	-2.7	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9			83	
	19	-5.5	-4.6	-3.5	-2.6	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9			82	
Среднее за сутки		-5.5	-4.6	-3.5	-2.6	-2.6	-2.3	-1.7	-1.3	-1.0	-0.9			81	
	1														82
I3	7	-5.5	-4.6	-3.5	-2.6	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9				
	13	-5.4	-4.6	-3.5	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			81	
	19	-5.4	-4.6	-3.5	-2.6	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			80	
Среднее за сутки		-5.4	-4.6	-3.5	-2.6	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			80	
	1														
I4	7	-5.5	-4.6	-3.5	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9				
	13	-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			82	
	19	-5.4	-4.6	-3.6	-2.6	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			86	
Среднее за сутки		-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			85	
	1														84
I5	7	-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9				
	13	-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			84	
	19	-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			86	
Среднее за сутки		-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			87	
Среднее за пентаду		-5.5	-4.6	-3.5	-2.6	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			86	
		-5.5	-4.6	-3.5	-2.6	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			83	

Таблица измерений температуры льда и снега

Скважина №5

Месяц ДЕКАБРЬ

Год 1958

5/3

Число	Срок	Г л у б и н а , м												Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0				
	1														
16	7	-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9				87
	13	-5.5	-4.6	-3.6	-2.6	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9				87
	19	-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9				88
Среднее за сутки		-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9				87
	1														
17	7	-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9				88
	13	-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9				89
	19	-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9				89
Среднее за сутки		-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9				89
	1														
18	7	-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9				89
	13	-5.3	-4.6	-3.7	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9				89
	19	-5.4	-4.7	-3.7	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9				90
Среднее за сутки		-5.4	-4.6	-3.7	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9				89
	1														
19	7	-5.4	-4.6	-3.7	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9				89
	13	-5.4	-4.6	-3.7	-2.8	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9				89
	19	-5.4	-4.6	-3.7	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9				89
Среднее за сутки		-5.4	-4.6	-3.7	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9				89
	1														
20	7	-5.5	-4.6	-3.7	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9				89
	13	-5.5	-4.6	-3.7	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9				89
	19	-5.5	-4.6	-3.7	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9				91
Среднее за сутки		-5.5	-4.6	-3.7	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9				90
Среднее за пентаду		-5.5	-4.6	-3.7	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9				89

Таблица измерений температуры льда и снега

Скважина №5

Месяц ДЕКАБРЬ

Год 1958

III/3

Число	Срок	Г л у б и н а , м												Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0				
	1														
21	7	-5.5	-4.7	-3.8	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9				
	13	-5.5	-4.7	-3.8	-2.8	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			91	
	19	-5.2	-4.6	-3.8	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			92	
Среднее за сутки		-5.4	-4.7	-3.8	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			92	
	1														
22	7	-5.2	-4.6	-3.8	-2.8	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			91	
	13	-5.5	-4.7	-3.8	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			90	
	19	-5.5	-4.7	-3.8	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			90	
Среднее за сутки		-5.4	-4.7	-3.8	-2.7	-2.6	-2.2	-1.7	-1.5	-1.0	-0.9			90	
	1														
23	7	-5.5	-4.7	-3.8	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			89	
	13	-5.4	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			88	
	19	-5.5	-4.7	-3.8	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			89	
Среднее за сутки		-5.5	-4.7	-3.8	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			89	
	1														
24	7	-5.5	-4.6	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			89	
	13	-5.4	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			89	
	19	-5.5	-4.7	-3.8	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			90	
Среднее за сутки		-5.5	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			89	
	1														
25	7	-5.5	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			90	
	13	-5.5	-4.7	-3.8	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			91	
	19	-5.5	-4.7	-3.8	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			91	
Среднее за сутки		-5.5	-4.7	-3.8	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			91	
Среднее за пентаду		-5.5	-4.7	-3.8	-2.7	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			90	

Таблица измерений температуры льда и снега

Скважина № 5

Месяц ДЕКАБРЬ

Год 1958

III/3*

Число	Срок	Глубина, м										Глу- бина снега	Примечания
		0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0		
	1												
26	7	-5.5	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9		
	13	-5.5	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	90	
	19	-5.4	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	89	
Среднее за сутки		-5.5	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	89	
	1											89	
27	7	-5.5	-4.8	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9		
	13	-5.5	-4.8	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	90	
	19	-5.6	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	92	
Среднее за сутки		-5.6	-4.8	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	91	
	1											91	
28	7	-5.5	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9		
	13	-5.5	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	92	
	19	-5.5	-4.8	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	92	
Среднее за сутки		-5.5	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	92	
	1											92	
29	7	-5.5	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9		
	13	-5.6	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	92	
	19	-5.6	-4.8	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	92	
Среднее за сутки		-5.6	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	93	
	1											92	
30	7	-5.5	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9		
	13	-5.6	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	94	
	19	-5.6	-4.8	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	94	
Среднее за сутки		-5.6	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	94	
	1											94	
31	7	-5.6	-4.8	-3.8	-2.9	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9		
	13	-5.5	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	94	
	19	-5.6	-4.7	-3.8	-2.9	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	95	
Среднее за сутки		-5.6	-4.7	-3.8	-2.9	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9	95	
Среднее за пентаду		-5.6	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9		92
Среднее за месяц		-5.5	-4.6	-3.6	-2.7	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9		87

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 5

Месяц ЯНВАРЬ

Год 1959

III/5

Число	Г л у б и н а , м												Глубина снега
	0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0			
1	-5.5	-4.7	-3.8	-2.8	-2.5	-2.2	-1.7	-1.3	-1.0	-0.9			95
2	-5.5	-4.7	-3.9	-2.9	-2.6	-2.1	-1.7	-1.3	-1.0	-0.9			97
3	-5.5	-4.8	-4.0	-2.9	-2.6	-2.1	-1.7	-1.3	-1.0	-0.9			100
4	-5.5	-4.7	-3.9	-2.9	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			105
5	-5.5	-4.7	-3.9	-2.9	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			105
6	-5.6	-4.7	-3.9	-2.9	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			105
7	-5.6	-4.8	-4.0	-3.0	-2.6	-2.2	-1.7	-1.3	-1.0	-0.9			104
8	-5.5	-4.8	-4.0	-3.0	-2.7	-2.2	-1.7	-1.3	-1.0	-0.9			104
9	-5.6	-4.8	-4.0	-3.0	-2.7	-2.2	-1.7	-1.3	-1.0	-0.9			103
10	-5.6	-4.8	-4.0	-3.0	-2.7	-2.2	-1.7	-1.3	-1.0	-0.9			104
11	-5.6	-4.8	-4.1	-3.0	-2.7	-2.2	-1.7	-1.3	-1.0	-0.9			104
12	-5.6	-4.8	-4.0	-3.0	-2.7	-2.2	-1.7	-1.3	-1.0	-0.9			106
13	-5.6	-4.8	-4.0	-3.1	-2.7	-2.2	-1.7	-1.3	-1.0	-0.9			105
14	-5.6	-4.9	-4.0	-3.1	-2.7	-2.2	-1.7	-1.3	-1.0	-0.9			107
15	-5.7	-4.8	-4.1	-3.1	-2.7	-2.2	-1.7	-1.3	-1.0	-0.9			108
16	-5.8	-4.8	-4.1	-3.1	-2.7	-2.2	-1.7	-1.3	-1.0	-0.9			108
17	-5.8	-4.9	-4.1	-3.1	-2.7	-2.2	-1.7	-1.3	-1.0	-0.9			108
18	-6.0	-5.0	-4.2	-3.2	-2.7	-2.2	-1.7	-1.3	-1.0	-0.9			108
19	-6.0	-5.1	-4.2	-3.2	-2.8	-2.2	-1.7	-1.3	-1.0	-0.9			109
20	-6.0	-5.1	-4.2	-3.2	-2.8	-2.2	-1.7	-1.3	-1.0	-0.9			II0
21	-6.1	-5.2	-4.3	-3.2	-2.8	-2.2	-1.7	-1.3	-1.0	-0.9			II0
22	-6.1	-5.3	-4.3	-3.2	-2.8	-2.2	-1.7	-1.4	-1.0	-0.9			II0
23	-6.2	-5.2	-4.4	-3.3	-2.8	-2.2	-1.7	-1.4	-1.0	-0.9			II0
24	-6.2	-5.2	-4.4	-3.3	-2.8	-2.2	-1.7	-1.4	-1.0	-0.9			II0
25	-6.3	-5.3	-4.5	-3.3	-2.8	-2.2	-1.8	-1.4	-1.0	-0.9			II0
26	-6.4	-5.4	-4.5	-3.4	-2.8	-2.3	-1.8	-1.4	-1.0	-0.9			II6
27	-6.5	-5.4	-4.5	-3.4	-2.8	-2.2	-1.7	-1.4	-1.0	-0.9			II8
28	-6.6	-5.5	-4.6	-3.5	-2.8	-2.3	-1.8	-1.4	-1.0	-0.9			II7
29	-6.6	-5.6	-4.6	-3.5	-2.8	-2.3	-1.7	-1.4	-1.0	-0.9			II8
30	-6.7	-5.7	-4.6	-3.5	-2.9	-2.3	-1.8	-1.4	-1.0	-0.9			II8
31	-6.8	-5.8	-4.7	-3.5	-2.9	-2.3	-1.8	-1.4	-1.0	-0.9			II4
Среднее за месяц	-5.9	-5.0	-4.2	-3.2	-2.7	-2.2	-1.7	-1.3	-1.0	-0.9			II0

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 5

Месяц ФЕВРАЛЬ

Год 1959

III/5

Число	Г л у б и н а , м												Глу- бина снега
	0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0			
1	-6.9	-5.8	-4.7	-3.5	-2.9	-2.3	-1.8	-1.4	-1.0	-0.9			
2	-6.6	-5.8	-4.7	-3.5	-2.9	-2.3	-1.8	-1.4	-1.0	-0.9			II5
3	-6.9	-5.9	-4.8	-3.5	-2.9	-2.3	-1.8	-1.4	-1.0	-0.9			I20
4	-6.8	-5.9	-4.8	-3.6	-2.9	-2.3	-1.8	-1.4	-1.0	-0.9			I25
5	-6.5	-5.9	-4.9	-3.5	-2.9	-2.3	-1.8	-1.4	-1.0	-0.9			I24
6	-6.6	-6.0	-4.9	-3.6	-2.9	-2.3	-1.8	-1.4	-1.0	-0.9			I22
7	-6.6	-6.0	-4.9	-3.5	-2.9	-2.3	-1.8	-1.4	-1.0	-0.9			I21
8	-7.0	-6.0	-5.0	-3.6	-3.0	-2.3	-1.8	-1.4	-1.0	-0.9			I07
9	-6.9	-6.0	-5.0	-3.6	-3.0	-2.3	-1.8	-1.4	-1.0	-0.9			95
10	-6.8	-5.9	-5.0	-3.6	-3.0	-2.3	-1.8	-1.4	-1.0	-0.9			95
11	-6.7	-6.0	-5.0	-3.6	-3.0	-2.3	-1.8	-1.4	-1.0	-0.9			95
12	-6.7	-5.9	-5.1	-3.6	-3.0	-2.3	-1.8	-1.5	-1.0	-0.9			96
13	-6.8	-5.9	-5.1	-3.7	-3.0	-2.3	-1.8	-1.5	-1.0	-0.9			I08
14	-7.0	-6.0	-5.1	-3.7	-3.0	-2.3	-1.8	-1.4	-1.0	-0.9			I08
15	-6.7	-6.0	-5.2	-3.7	-3.0	-2.3	-1.8	-1.4	-1.0	-0.9			I07
16	-6.7	-6.0	-5.2	-3.7	-3.0	-2.3	-1.8	-1.4	-1.0	-0.9			98
17	-7.0	-6.1	-5.2	-3.7	-3.0	-2.3	-1.8	-1.4	-1.0	-0.9			98
18	-6.9	-6.1	-5.2	-3.6	-3.0	-2.3	-1.8	-1.4	-1.0	-0.9			98
19	-7.0	-6.2	-5.2	-3.7	-3.0	-2.3	-1.8	-1.4	-1.0	-0.9			97
20	-7.1	-6.2	-5.3	-3.7	-3.0	-2.4	-1.8	-1.4	-1.0	-0.9			98
21	-7.2	-6.2	-5.2	-3.8	-3.1	-2.3	-1.8	-1.4	-1.0	-0.9			98
22	-7.3	-6.3	-5.2	-3.8	-3.1	-2.3	-1.8	-1.4	-1.0	-0.9			98
23	-7.4	-6.2	-5.3	-3.9	-3.1	-2.3	-1.8	-1.4	-1.0	-0.9			I09
24	-7.4	-6.3	-5.3	-3.9	-3.1	-2.4	-1.8	-1.4	-1.0	-0.9			I09
25	-7.4	-6.4	-5.3	-3.9	-3.1	-2.4	-1.8	-1.4	-1.0	-0.9			I07
26	-7.7	-6.5	-5.4	-3.9	-3.1	-2.3	-1.8	-1.4	-1.0	-0.9			IIO
27	-7.9	-6.5	-5.4	-4.0	-3.2	-2.4	-1.8	-1.4	-1.0	-0.9			IIO
28	-7.9	-6.6	-5.4	-4.0	-3.2	-2.3	-1.8	-1.4	-1.0	-0.9			IIO
29													
30													
31													
Среднее за месяц	-7.1	-6.1	-5.1	-3.7	-3.0	-2.3	-1.8	-1.4	-1.0	-0.9			I07

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА №

Месяц МАРТ

Год 1959

三/5

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 5

Месяц АПРЕЛЬ

Год 1959

III/5

Число	Г л у б и н а , м															Глу- бина снега
	0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0	46.0	48.0	50.0	51.0	52.0	
1	-7.4	-6.8	-5.8	-4.6	-3.6	-2.6	-1.8	-1.4	-1.0	-0.9						I31
2	-7.5	-6.9	-5.7	-4.6	-3.5	-2.6	-1.8	-1.4	-1.0	-0.9						I34
3	-7.6	-7.0	-5.7	-4.6	-3.7	-2.5	-1.8	-1.4	-1.0	-0.9						I35
4	-7.7	-6.7	-5.7	-4.6	-3.7	-2.6	-1.8	-1.4	-1.0	-0.9						I35
5	-7.6	-6.7	-5.7	-4.5	-3.7	-2.5	-1.8	-1.4	-1.0	-0.9						I36
6	-7.6	-6.7	-5.7	-4.5	-3.7	-2.6	-1.8	-1.4	-1.0	-0.9						I40
7	-7.5	-6.6	-5.7	-4.5	-3.7	-2.6	-1.8	-1.4	-1.0	-0.9						I50
8	-7.4	-6.6	-5.6	-4.5	-3.7	-2.7	-1.8	-1.4	-1.0	-0.9						I56
9	-7.3	-6.5	-5.6	-4.5	-3.7	-2.7	-1.8	-1.4	-1.0	-0.9						I75
10	-7.2	-6.5	-5.5	-4.5	-3.7	-2.7	-1.8	-1.4	-1.0	-0.9						I93
11	-7.0	-6.5	-5.5	-4.5	-3.7	-2.7	-1.8	-1.4	-1.0	-0.9						I99
12	-6.8	-6.4	-5.5	-4.4	-3.7	-2.7	-1.8	-1.4	-1.0	-0.9						246
13	-6.7	-6.3	-5.4	-4.4	-3.8	-2.7	-1.8	-1.4	-1.0	-0.9						227
14	-6.5	-6.2	-5.4	-4.4	-3.8	-2.7	-1.8	-1.4	-1.0	-0.9						221
15	-6.5	-6.3	-5.4	-4.4	-3.8	-2.7	-1.8	-1.4	-1.0	-0.9						212
16	-6.5	-6.2	-5.4	-4.4	-3.7	-2.7	-1.8	-1.4	-1.0	-0.9						207
17	-6.3	-6.1	-5.3	-4.4	-3.7	-2.7	-1.8	-1.4	-1.0	-0.9						202
18	-6.3	-6.0	-5.3	-4.4	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9						200
19	-6.2	-6.0	-5.2	-4.4	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9						196
20	-6.0	-5.8	-5.2	-4.4	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9						I83
21	-6.0	-5.7	-5.1	-4.3	-3.8	-2.8	-1.8	-1.4	-1.0	-0.9						I75
22	-5.8	-5.7	-5.1	-4.3	-3.7	-2.8	-1.9	-1.4	-1.0	-0.9						I72
23	-5.8	-5.6	-5.0	-4.4	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9						I72
24	-5.6	-5.5	-5.0	-4.3	-3.8	-2.8	-1.8	-1.4	-1.0	-0.9						I69
25	-5.6	-5.3	-5.0	-4.3	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I65
26	-5.5	-5.2	-4.9	-4.3	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I57
27	-5.3	-5.0	-4.9	-4.3	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I50
28	-5.1	-5.0	-4.8	-4.3	-3.8	-2.8	-1.8	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I47
29	-4.9	-4.9	-4.8	-4.2	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I43
30	-4.7	-4.8	-4.7	-4.2	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I40
31																
Среднее за месяц	-6.5	-6.0	-5.3	-4.4	-3.8	-2.7	-1.8	-1.4	-1.0	-0.9						I72

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 5

месяц МАЙ

год 1959

III/5

Число	Глубина, м														Глу- бина снега	
	0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0	46.0	48.0	50.0	51.0	52.0	
1	-4.6	-4.7	-4.7	-4.2	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	
2	-4.5	-4.7	-4.6	-4.2	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I42
3	-4.5	-4.6	-4.6	-4.2	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I43
4	-4.4	-4.5	-4.5	-4.2	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I39
5	-4.3	-4.3	-4.4	-4.1	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I35
6	-4.1	-4.1	-4.2	-4.1	-3.8	-2.9	-1.9	-1.4	-1.0	-0.8	-0.8	-0.8	-0.8	-0.7	-0.7	I34
7	-3.8	-4.0	-4.1	-4.1	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I33
8	-3.6	-3.8	-4.0	-4.1	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I60
9	-3.4	-3.7	-3.9	-4.1	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I65
10	-3.3	-3.5	-3.9	-4.0	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I54
11	-3.2	-3.5	-3.8	-4.0	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I50
12	-3.1	-3.4	-3.8	-4.0	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I45
13	-2.9	-3.2	-3.7	-4.0	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I44
14	-2.8	-3.1	-3.7	-4.0	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I41
15	-2.7	-3.0	-3.6	-4.0	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I40
16	-2.7	-3.0	-3.6	-4.0	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I39
17	-2.6	-3.0	-3.6	-4.0	-3.8	-2.8	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I39
18	-2.5	-2.9	-3.5	-3.9	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I38
19	-2.4	-2.8	-3.5	-3.9	-3.9	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I37
20	-2.4	-2.7	-3.4	-3.9	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I36
21	-2.3	-2.7	-3.4	-3.9	-3.9	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I34
22	-2.1	-2.6	-3.3	-3.9	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I35
23	-2.0	-2.5	-3.3	-3.9	-3.9	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I41
24	-1.8	-2.4	-3.3	-3.9	-3.9	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I44
25	-1.7	-2.4	-3.2	-3.8	-3.9	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I46
26	-1.6	-2.3	-3.2	-3.8	-3.9	-2.8	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I47
27	-1.5	-2.2	-3.1	-3.8	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I42
28	-1.3	-2.1	-3.0	-3.8	-3.9	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I33
29	-1.3	-2.1	-3.0	-3.8	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I34
30	-1.2	-2.0	-3.7	-3.8	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I28
31	-1.1	-1.9	-2.9	-3.7	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I41
Среднее за месяц		-2.8	-3.2	-3.7	-4.0	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 5

Месяц ИЮНЬ

Год 1959

III/5

Число	Г л у б и н а , м															Глу- бина снега
	0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0	46.0	48.0	50.0	51.0	52.0	
1	-1.0	-1.9	-2.9	-3.8	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	
2	-0.8	-1.8	-2.8	-3.8	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	II8
3	-0.8	-1.7	-2.8	-3.7	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	II7
4	-0.6	-1.7	-2.8	-3.7	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	II6
5	-0.5	-1.6	-2.7	-3.7	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	II6
6	-0.5	-1.6	-2.7	-3.6	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	II6
7	-0.6	-1.8	-2.7	-3.6	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	II5
8	-0.5	-1.7	-2.6	-3.6	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I2I
9	-0.6	-1.7	-2.6	-3.6	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I25
10	-0.4	-1.6	-2.6	-3.6	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I2I
11	-0.5	-1.7	-2.6	-3.6	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I2I
12	-0.6	-1.7	-2.5	-3.6	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	II5
13	-0.5	-1.6	-2.5	-3.5	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	II3
14	-0.4	-1.6	-2.5	-3.5	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I08
15	-0.6	-1.5	-2.4	-3.5	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	II0
16	-0.4	-1.4	-2.4	-3.4	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	II2
17	-0.4	-1.5	-2.4	-3.4	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	II3
18	-0.4	-1.5	-2.4	-3.4	вышел	вышел	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	II0
19	-0.4	-1.5	-2.3	-3.4	из	из	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I02
20	-0.4	-1.5	-2.3	-3.4	строя	строя	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I00
21	-0.4	-1.4	-2.3	-3.3			-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I00
22	-0.4	-1.4	-2.2	-3.4			-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I00
23	-0.5	-1.4	-2.2	-3.3			-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I02
24	-0.6	-1.3	-2.2	-3.3			-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I00
25	-0.5	-1.4	-2.2	-3.4			-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	99
26	-0.4	-1.2	-2.1	-3.3			-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	92
27	-0.5	-1.3	-2.1	-3.2			-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	82
28	-0.5	-1.3	-2.0	-3.2			-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	71
29	-0.5	-1.2	-2.0	-3.2			-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	65
30	-0.5	-1.1	-1.9	-3.1			-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	58
31																
Среднее за месяц	-0.5	-1.5	-2.4	-3.4	-3.8	-2.9	-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	I05

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 5

Месяц ИЮЛЬ

Год 1959

III/5

Число	Г л у б и н а , м														Абля- ция льда	Глу- бина снега	
	0.5	1.0	2.0	4.0	6.0	10.0	15.0	20.0	30.0	40.0	46.0	48.0	50.0	51.0	52.0		
1	-0.4	-1.1	-1.9	-3.1			-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7		56
2	-0.4	-1.1	-1.9	-3.0			-1.9	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7		48
3	-0.5	-1.1	-2.0	-3.0			вышел	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7		40
4	-0.5	-1.1	-1.9	-3.0			из	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7		36
5	-0.4	-1.0	-1.8	-3.0			строя	-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7		34
6	-0.4	-1.0	-1.8	-2.9				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7		33
7	-0.5	-1.0	-1.8	-3.0				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7		32
8	-0.5	-1.0	-1.7	-2.8				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7		30
9	-0.5	-1.0	-1.8	-2.9				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7		27
10	-0.5	-1.1	-1.7	-2.9				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7		20
11	-0.4	-1.0	-1.7	-2.8				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7		10
12	-0.4	-1.0	-1.7	-2.8				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7		6
13	-0.4	-0.9	-1.6	-2.8				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7		2
14	-0.4	-0.9	-1.7	2.8				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7		0
15	-0.5	-0.9	-1.6	-2.7				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	0	0
16	-0.4	-0.8	-1.6	-2.7				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	7	0
17	-0.3	-0.8	-1.6	-2.7				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	14	0
18	-0.4	-0.9	-1.5	-2.6				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	18	0
19	-0.4	-0.8	-1.6	-2.6				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	21	0
20	-0.3	-0.8	-1.5	-2.6				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	23	0
21	-0.3	-0.8	-1.6	-2.6				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	27	0
22	-0.2	-0.8	-1.6	-2.5				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	31	0
23	-0.2	-0.7	-1.5	-2.5				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	34	0
24	-0.1	-0.6	-1.5	-2.5				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	40	0
25	0.0	-0.5	-1.5	-2.5				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	43	0
26	0.0	-0.3	-1.4	-2.4				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	46	0
27	вытаял	0.0	-1.4	-2.4				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	50	0
28		0.0	-1.3	-2.4				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	59	0
29		0.0	-1.2	-2.4				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	69	0
30		0.0	-1.2	-2.3				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7	80	0
31	вытаял	-1.1	-2.3				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.8	-0.7	-0.7	89	0
Среднее за месяц	-0.4	-0.8	-1.6	-2.7			-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.8	-0.7	-0.7	100	0
																I2	

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 5

Месяц АВГУСТ

Год 1959

III/5

Число	Г л у б и н а , м														Абля- ция льда	Глу- бина снега
	1.0	3.0	5.0	9.0	14.0	19.0	29.0	39.0	45.0	47.0	49.0	50.0	51:0			
1	-1.1	-2.3				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			1 0
2	-1.0	-2.3				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			4 0
3	-1.0	-2.3				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			7 0
4	-1.0	-2.2				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			8 0
5	-0.9	-2.2				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			10 0
6	-0.9	-2.2				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			13 0
7	-0.9	-2.2				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			16 0
8	-0.9	-2.2				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			19 0
9	-0.8	-2.1				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			23 0
10	-0.8	-2.1				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			26 0
11	-0.8	-2.1				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			30 0
12	-0.7	-2.0				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			37 0
13	-0.7	-2.0				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			40 0
14	-0.7	-1.9				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			43 0
15	-0.6	-1.9				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			46 0
16	-0.5	-1.9				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			48 0
17	-0.6	-1.9				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			53 0
18	-0.5	-1.9				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			55 0
19	-0.5	-1.8				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			57 0
20	-0.4	-1.8				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			60 0
21	-0.4	-1.8				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			63 0
22	-0.3	-1.8				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			67 0
23	-0.3	-1.7				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			70 0
24	-0.2	-1.7				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			72 0
25	-0.2	-1.7				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			76 0
26	-0.2	-1.7				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			78 0
27	-0.1	-1.6				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			79 0
28	-0.1	-1.6				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			82 0
29	-0.1	-1.6				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			86 0
30	0.0	-1.5				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			87 0
31	0.0	-1.5				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			90 0
Среднее за месяц	-0.6	-2.0				-1.4	-1.0	-0.9	-0.8	-0.8	-0.8	-0.7	-0.7			0