


Fundamental Concepts in Data Insight:

Demo: Al & Deep Learning

Fundamentals for a General Audience





QA Ltd. owns the copyright and other intellectual property rights of this material and asserts its moral rights as the author. All rights reserved.



The code below loads the "Natural Language Proecssing Toolkit" and downloads the "vader lexicon": a dataset which enables the tookit to perform sentiment analysis.

```
try:
    nltk.data.find('sentiment/vader_lexicon.zip')
except:
    nltk.download(['vader_lexicon'])

from nltk.sentiment import SentimentIntensityAnalyzer
sentiment = SentimentIntensityAnalyzer()
```



What data set are we analysing?

The gang messages log is a simulated set of messages, hypothetically sent between gang members,

```
sample(events, 2)

[{'subject': '+44 77133 00082',
   'verb': 'SEND',
   'object': '+44 77133 00064',
   'context': {'body': 'ok', 'created': 1621839523.4468455},
   'event': {'created': 1621839523.4468455, 'inserted': None}},
   {'subject': '+44 77133 00094',
   'verb': 'SEND',
   'object': '+44 77133 00034',
   'context': {'body': 'do that!', 'created': 1621839523.4468455},
   'event': {'created': 1621839523.4468455, 'inserted': None}}]
```



What is sentiment analysis?

Sentiment is how positive or negative a fragment of text is; where "positive" is roughly, how "nice" we would find it; and "negative" how "critical".

To produce a sentiment analysis system we need a historical set of words (, phrases, sentences) which have been **labelled by human operators** as positive or negative.

QA

A sample of five such *negative* words are,

```
negative_words = set(word for word, sentiment in sentiment.lexicon.
items() if sentiment < 1 )
positive_words = set(word for word, sentiment in sentiment.lexicon.
items() if sentiment > 1 )
```

```
sample(negative_words, 5)
```

```
['champer', 'reached', 'tranquillest', 'winnower', 'battleships']
```

...and positive,

```
sample(positive_words, 5)
```

['wealthiness', 'calmer', 'benefic', 'innovates', 'appreciative']



The sentiment analysis system used here scores each word of some text and aggregates the scores,

```
sentiment.polarity_scores("I am the trustiest peacetime grim outrag
ed president!")

{'neg': 0.444, 'neu': 0.178, 'pos': 0.379, 'compound': -0.2714}
```

We can see how negative, how positive and how neutral a piece of text is as aggregate score of negative/positive/neutral words. The compound score is a net estimate for the sentiment of the whole.



What messages does the dataset contain?

```
sample(set(e['context']['body'] for e in events), 5)

['ok',
  'where are you?',
  'do it NOW!',
  'do that!',
  "I can't believe we are in this mess!"]
```



What sentiments does the dataset contain?

Let's analyse all of these messages for their sentiment, with a cutoff = 0.5,

```
for event in events:
    score = sentiment.polarity_scores(event['context']['body'])['co
mpound']

if abs(score) > cutoff:
    print(f"""

    FROM: {event['subject']}
    TO: {event['object']}
    SCORE: {score}
    MSG: {event['context']['body']} """)
```

```
FROM: +44 77133 00092
TO: +44 77133 00082
SCORE: -0.7088
MSG: What the hell is going on!?

FROM: +44 77133 00064
TO: +44 77133 00092
SCORE: 0.6239
MSG: amazing!
```