

Cloud SQL 설정하기 (1)

1. AWS에서 Cloud SQL 접속하기

AWS Bastion에 접속 해서 다음과 같이 입력 합니다.

패스워드는 Frodo5020!! 입니다.

```
mysql -h [Cloud SQL IP] -u frodo -p
```

```
[ec2-user@ip-10-0-0-10 ~]$ mysql -h 10.142.176.3 -u frodo -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 31822
Server version: 8.0.41-google (Google)

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql>
```

아래와 같이 테이블이 있는지 확인 합니다.

```
use frodo
show tables;
```

```
mysql> use frodo
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
mysql> show tables;
+-----+
| Tables_in_frodo |
+-----+
| users            |
+-----+
1 row in set (0.00 sec)
```

2. Router53 레코드 수정하기

Router53 메뉴에서 cloud.local 호스팅 영역을 선택합니다.

아래 레코드를 선택 하고 레코드 편집을 클릭 합니다.

The screenshot shows the AWS Route 53 console for the 'cloud.local' hosted zone. The '레코드(4)' (Records) tab is active, displaying a list of records. The record 'db.cloud.local' with type 'CNAME' and value 'mysql8.cdclngzqmqhq.ap-northeast-2.rds.amazonaws.com' is selected. The right sidebar shows the '레코드 세부 정보' (Record Details) for this record, with the '레코드 편집' (Edit Record) button highlighted in a red box.

아래와 같이 유형을 A레코드로 수정하고 값에는 Cloud SQL 주소를 입력합니다.

The screenshot shows the '레코드 편집' (Edit Record) form for the 'db.cloud.local' record. The record type is changed from 'CNAME' to 'A'. The value is set to '10.142.176.3', which is labeled as 'Cloud SQL 주소' (Cloud SQL Address). The TTL is set to 300 seconds. The '라우팅 정책' (Routing Policy) is set to '단순 라우팅' (Simple Routing). The '저장' (Save) button is highlighted in a red box.

3. AWS에서 Cloud SQL 재접속

```
mysql -h db.cloud.local -u frodo -p
```

```
[ec2-user@ip-10-0-0-10 ~]$ mysql -h db.cloud.local -u frodo -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 332
Server version: 8.0.41-google (Google)

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.


Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show databases;
+-----+
| Database |
+-----+
| frodo    |
| information_schema |
| mysql    |
| performance_schema |
| sys      |
+-----+
5 rows in set (0.00 sec)

mysql> █
```

4. 내도메인 등록 사이트에 재접속

1. 등록 도메인을 확인 한 후 해당 도메인으로 브라우저에서 접속합니다.
2. Register here를 선택한 후, 계정 및 패스워드를 입력합니다.
3. 방금 등록한 계정을 이용해서 로그인을 시도한다.



← → ↻ ⚠️ 안전하지 않음 www.idokebi.p-e.kr/login

user3

.....

Login

Don't have an account? [Register here](#)