

ICPSR 36873

**National Social Life, Health and
Aging Project (NSHAP): Wave 3,
[United States], 2015-2016**

Core Data, Public-Use Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

National Social Life, Health and Aging Project (NSHAP): Wave 3, [United States], 2015-2016

Linda Waite

University of Chicago. Department of Sociology

Kathleen Cagney

University of Chicago. Department of Sociology, and Department of Health Studies

William Dale

University of Chicago. Department of Medicine. Section of Geriatrics and Palliative Medicine

Louise Hawkley

University of Chicago

Elbert Huang

University of Chicago. Department of Medicine

Diane Lauderdale

University of Chicago

Edward O. Laumann

University of Chicago. Department of Sociology

Martha McClintock

University of Chicago. Department of Psychology, and Department of Comparative Human Development

Colm O'Muircheartaigh

Irving B. Harris Graduate School of Public Policy Studies

L. Philip Schumm

University of Chicago. Department of Health Studies; Benjamin Cornwell, Cornell University. Department of Sociology

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36873/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

**NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #36873

National Social Life, Health and Aging Project (NSHAP): Wave 3, [United States], 2015-2016

DS 1: Core Data, Public-Use

1. **Related Data Collections:** Please refer to the related data collections ICPSR 20541, National Social Life, Health, and Aging Project (NSHAP): Wave 1 and ICPSR 34921, National Social Life, Health and Aging Project (NSHAP): Wave 2 and Partner Data Collection for further information regarding the NSHAP project.
2. **Stata Notes:** Stata notes have been added by the P.I. providing additional information for variables across the data collection. For example, any time a question was asked in the leave-behind questionnaire for either some or all of the respondents, a note indicating this has been attached to the corresponding variable. Users may reference the zip package found in Dataset 9: Original NSHAP Wave 3 Stata Public-Use Data Files and access notes attached to variables by entering the command '. notes' within the Stata command syntax for a particular data file. These notes have also been provided in the Original P.I. Documentation Codebooks found in the zip package.
3. **Missing Data/Documentation:** Not all sections of the Data Collection Instruments are included in the data files. Such sections include Elder Mistreatment, Saliva and Medication Log, Blood Spots, Sex and Partnership, Fertility and Menopause, Accelerometry, and Interviewer Comments.
4. **Additional Data Files:** This collection is being released in ten parts: Parts 1 through 8 contain the ICPSR-processed files; Parts 9 and 10 contain the original Stata data files with extended and nonextended missing values provided by the P.I. in a zip file package.
5. **Variable Link:** The identification variable SU_ID can be used to link the agency records across the waves of the survey.
6. **Additional Information:**
 - a. Users should note that the National Social Life, Health, and Aging Project (NSHAP) Release Manual applies to all NSHAP Waves (ICPSR 20541, 34921, and 36873).
 - b. Please note that the NSHAP Release Manual refers to a README file in the introduction of Chapter 2: Multum Drug Category Hierarchy that is not being released by ICPSR.
 - c. Users should refer to the P.I. Wave 3 Questionnaires (Leave-Behind Questionnaires and In-Person Questionnaire) for further information and

an in-depth description of the individual interview paths used throughout the data.

- d. Please visit the [NORC at the University of Chicago Website](#) for more information on this collection, including information on sampling and weights.

ICPSR 36873

National Social Life, Health and Aging Project (NSHAP): Wave 3, [United States], 2015-2016

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Core Data, Public-Use

ID: Respondent ID

Respondent ID

Based upon 4,377 valid cases out of 4,377 total cases.

- Mean: 149953.25
- Minimum: 100014.00
- Maximum: 199954.00
- Standard Deviation: 28740.95

Location: 1-6 (width: 6; decimal: 0)

Variable Type: numeric

FI_ID: Interviewer ID

Household ID

Value	Label	Unweighted Frequency	%
3079	-	21	0.5 %
10396	-	52	1.2 %
17753	-	25	0.6 %
20051	-	28	0.6 %
24499	-	17	0.4 %
37871	-	59	1.3 %
39067	-	53	1.2 %
41069	-	9	0.2 %
59906	-	41	0.9 %
66812	-	35	0.8 %
76062	-	79	1.8 %
80752	-	59	1.3 %
88783	-	11	0.3 %
92724	-	3	0.1 %
100228	-	26	0.6 %
101547	-	52	1.2 %
108374	-	43	1.0 %
140045	-	69	1.6 %
141780	-	6	0.1 %
143291	-	30	0.7 %
159795	-	4	0.1 %
165079	-	6	0.1 %
169589	-	16	0.4 %

Value	Label	Unweighted Frequency	%
179705	-	14	0.3 %
182053	-	3	0.1 %
213204	-	48	1.1 %
213618	-	54	1.2 %
221931	-	23	0.5 %
226047	-	19	0.4 %
228730	-	23	0.5 %
235704	-	28	0.6 %
235844	-	30	0.7 %
236500	-	7	0.2 %
256165	-	6	0.1 %
257083	-	43	1.0 %
258455	-	11	0.3 %
263743	-	7	0.2 %
267646	-	27	0.6 %
288099	-	6	0.1 %
300954	-	19	0.4 %
304043	-	11	0.3 %
315938	-	18	0.4 %
327319	-	7	0.2 %
335207	-	29	0.7 %
337257	-	65	1.5 %
337679	-	28	0.6 %
341993	-	83	1.9 %
342299	-	79	1.8 %
342356	-	43	1.0 %
352788	-	39	0.9 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,377 valid cases out of 4,377 total cases.

- Mean: 485514.63
- Median: 464258.00
- Mode: 860126.00
- Minimum: 3079.00
- Maximum: 990627.00
- Standard Deviation: 270021.51

Location: 7-12 (*width:* 6; *decimal:* 0)

Variable Type: numeric

SURVEYTYPE3: W3 survey type

Value	Label	Unweighted Frequency	%
1	Returning respondent	2248	51.4 %
2	New cohort respondent	2129	48.6 %
	Total	4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 13-13 (width: 1; decimal: 0)

Variable Type: numeric

VERSION3: Version of leave-behind completed in W3

Value	Label	Unweighted Frequency	%
1	Returning respondent	2049	46.8 %
2	New cohort	1691	38.6 %
	Missing Data		
-5	Not returned	637	14.6 %
	Total	4,377	100%

Based upon 3,740 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5

INT_START: Month of interview

Interview start date

Value	Label	Unweighted Frequency	%
668	-	373	8.5 %
669	-	1071	24.5 %
670	-	709	16.2 %
671	-	438	10.0 %
672	-	336	7.7 %
673	-	322	7.4 %
674	-	267	6.1 %
675	-	208	4.8 %

Value	Label	Unweighted Frequency	%
676	-	126	2.9 %
677	-	117	2.7 %
678	-	143	3.3 %
679	-	112	2.6 %
680	-	103	2.4 %
681	-	49	1.1 %
682	-	3	0.1 %
Total		4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Mean: 671.76
- Median: 671.00
- Mode: 669.00
- Minimum: 668.00
- Maximum: 682.00
- Standard Deviation: 3.32

Location: 16-18 (width: 3; decimal: 0)

Variable Type: numeric

WEIGHT_SEL: Person-level weight (no non-response adjustment)

Value	Label	Unweighted Frequency	%
0.1116148382425	-	4	0.1 %
0.1285091191530	-	2	0.0 %
0.1447873413563	-	1	0.0 %
0.1474613547325	-	2	0.0 %
0.1505490243435	-	1	0.0 %
0.1510822027922	-	1	0.0 %
0.1511434912682	-	2	0.0 %
0.1558799594641	-	2	0.0 %
0.1584505736828	-	1	0.0 %
0.1584593653679	-	5	0.1 %
0.1618449836969	-	1	0.0 %
0.1674222648144	-	8	0.2 %
0.1677528023720	-	2	0.0 %
0.1759795397520	-	2	0.0 %
0.1805696636438	-	4	0.1 %
0.1817824095488	-	1	0.0 %
0.1824751943350	-	1	0.0 %
0.1824803054333	-	1	0.0 %
0.1825192570686	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.1853326857090	-	2	0.0 %
0.1868116408587	-	5	0.1 %
0.1869708597660	-	1	0.0 %
0.1877298355103	-	1	0.0 %
0.1879959851503	-	3	0.1 %
0.1888473331928	-	3	0.1 %
0.1903726607561	-	1	0.0 %
0.1927636861801	-	1	0.0 %
0.1948449462652	-	1	0.0 %
0.1978290677071	-	2	0.0 %
0.1998265683651	-	15	0.3 %
0.2002210915089	-	2	0.0 %
0.2017491906881	-	8	0.2 %
0.2034900784492	-	7	0.2 %
0.2036771923304	-	1	0.0 %
0.2064874321222	-	15	0.3 %
0.2102605551481	-	3	0.1 %
0.2117984890938	-	2	0.0 %
0.2132567316294	-	1	0.0 %
0.2132624983788	-	1	0.0 %
0.2155186086893	-	1	0.0 %
0.2157546430826	-	1	0.0 %
0.2206609696150	-	2	0.0 %
0.2227025628090	-	13	0.3 %
0.2229687124491	-	8	0.2 %
0.2235366553068	-	1	0.0 %
0.2243822962046	-	2	0.0 %
0.2266232967377	-	3	0.1 %
0.2267152369022	-	2	0.0 %
0.2286303192377	-	2	0.0 %
0.2291630804539	-	1	0.0 %
	Total	4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,377 valid cases out of 4,377 total cases.

- Mean: 1.0129596070289
- Minimum: 0.1116148382425
- Maximum: 6.2031736373901
- Standard Deviation: 0.5720462943497

Location: 19-33 (*width:* 15; *decimal:* 13)

Variable Type: numeric

WEIGHT_ADJ: Person-level weight (nonresponse adjusted)

Value	Label	Unweighted Frequency	%
0.0930204316974	-	2	0.0 %
0.1020538434386	-	2	0.0 %
0.1071002185345	-	1	0.0 %
0.1174125894904	-	1	0.0 %
0.1228951141238	-	1	0.0 %
0.1328282803297	-	1	0.0 %
0.1328998208046	-	1	0.0 %
0.1330877840519	-	1	0.0 %
0.1338722407818	-	1	0.0 %
0.1376529037952	-	1	0.0 %
0.1380365192890	-	1	0.0 %
0.1381964534521	-	2	0.0 %
0.1395306438208	-	3	0.1 %
0.1420988887548	-	1	0.0 %
0.1437849551439	-	1	0.0 %
0.1502484679222	-	1	0.0 %
0.1508896201849	-	2	0.0 %
0.1521125733852	-	1	0.0 %
0.1530807763338	-	1	0.0 %
0.1530936360359	-	1	0.0 %
0.1533830016851	-	1	0.0 %
0.1549894660711	-	1	0.0 %
0.1556898504496	-	2	0.0 %
0.1561378538609	-	1	0.0 %
0.1567170470953	-	1	0.0 %
0.1585555374622	-	1	0.0 %
0.1623848676682	-	1	0.0 %
0.1627387404442	-	4	0.1 %
0.1629121750593	-	1	0.0 %
0.1640002578497	-	5	0.1 %
0.1643240451813	-	1	0.0 %
0.1644958257675	-	2	0.0 %
0.1662108153105	-	1	0.0 %
0.1665365695953	-	2	0.0 %
0.1668442487717	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.1679065376520	-	1	0.0 %
0.1691918671131	-	1	0.0 %
0.1694317311049	-	2	0.0 %
0.1694669276476	-	4	0.1 %
0.1701990067959	-	1	0.0 %
0.1706807911396	-	2	0.0 %
0.1708721965551	-	1	0.0 %
0.1708816885948	-	3	0.1 %
0.1716550439596	-	1	0.0 %
0.1717967540026	-	1	0.0 %
0.1720877885818	-	1	0.0 %
0.1721016615629	-	1	0.0 %
0.1726705580950	-	1	0.0 %
0.1740652322769	-	1	0.0 %
0.1761188805103	-	1	0.0 %
	Total	4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,377 valid cases out of 4,377 total cases.

- Mean: 1.0140921058674
- Minimum: 0.0930204316974
- Maximum: 5.3964591026306
- Standard Deviation: 0.6156066355318

Location: 34-48 (width: 15; decimal: 13)

Variable Type: numeric

STRATUM: (Pseudo) sampling stratum

Value	Label	Unweighted Frequency	%
1	-	31	0.7 %
2	-	30	0.7 %
3	-	35	0.8 %
4	-	34	0.8 %
5	-	34	0.8 %
6	-	29	0.7 %
7	-	48	1.1 %
8	-	46	1.1 %
9	-	49	1.1 %
10	-	8	0.2 %

Value	Label	Unweighted Frequency	%
11	-	24	0.5 %
12	-	27	0.6 %
13	-	45	1.0 %
14	-	16	0.4 %
15	-	25	0.6 %
16	-	14	0.3 %
17	-	45	1.0 %
18	-	28	0.6 %
19	-	28	0.6 %
20	-	48	1.1 %
21	-	30	0.7 %
22	-	11	0.3 %
27	-	54	1.2 %
28	-	52	1.2 %
29	-	85	1.9 %
30	-	59	1.3 %
31	-	55	1.3 %
32	-	23	0.5 %
33	-	43	1.0 %
34	-	47	1.1 %
35	-	17	0.4 %
36	-	70	1.6 %
38	-	62	1.4 %
39	-	65	1.5 %
40	-	48	1.1 %
41	-	54	1.2 %
42	-	44	1.0 %
43	-	61	1.4 %
44	-	113	2.6 %
45	-	20	0.5 %
46	-	69	1.6 %
47	-	34	0.8 %
48	-	47	1.1 %
49	-	63	1.4 %
50	-	40	0.9 %
51	-	70	1.6 %
53	-	78	1.8 %
54	-	43	1.0 %
55	-	46	1.1 %

Value	Label	Unweighted Frequency	%
56	-	101	2.3 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,377 valid cases out of 4,377 total cases.

- Mean: 125.20
- Median: 56.00
- Mode: 44.00
- Minimum: 1.00
- Maximum: 245.00
- Standard Deviation: 96.47

Location: 49-51 (width: 3; decimal: 0)

Variable Type: numeric

CLUSTER: (Pseudo) psu

Value	Label	Unweighted Frequency	%
11	-	19	0.4 %
12	-	12	0.3 %
21	-	19	0.4 %
22	-	11	0.3 %
31	-	15	0.3 %
32	-	20	0.5 %
41	-	7	0.2 %
42	-	27	0.6 %
51	-	22	0.5 %
52	-	12	0.3 %
61	-	20	0.5 %
62	-	9	0.2 %
71	-	30	0.7 %
72	-	18	0.4 %
81	-	24	0.5 %
82	-	22	0.5 %
91	-	25	0.6 %
92	-	24	0.5 %
101	-	2	0.0 %
102	-	6	0.1 %
111	-	10	0.2 %
112	-	14	0.3 %
121	-	14	0.3 %

Value	Label	Unweighted Frequency	%
122	-	13	0.3 %
131	-	27	0.6 %
132	-	18	0.4 %
141	-	13	0.3 %
142	-	3	0.1 %
151	-	11	0.3 %
152	-	14	0.3 %
161	-	8	0.2 %
162	-	6	0.1 %
171	-	27	0.6 %
172	-	18	0.4 %
181	-	25	0.6 %
182	-	3	0.1 %
191	-	26	0.6 %
192	-	2	0.0 %
201	-	26	0.6 %
202	-	22	0.5 %
211	-	27	0.6 %
212	-	3	0.1 %
221	-	4	0.1 %
222	-	7	0.2 %
271	-	33	0.8 %
272	-	21	0.5 %
281	-	12	0.3 %
282	-	40	0.9 %
291	-	41	0.9 %
292	-	44	1.0 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,377 valid cases out of 4,377 total cases.

- Mean: 1253.47
- Median: 561.00
- Mode: 361.00
- Minimum: 11.00
- Maximum: 2452.00
- Standard Deviation: 964.75

Location: 52-55 (*width:* 4; *decimal:* 0)

Variable Type: numeric

MILITARY: Military service

Have you ever served in the active military of the United States?

Value	Label	Unweighted Frequency	%
0	No	1436	32.8 %
1	Yes	217	5.0 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	38	0.9 %
-3	Not applicable	2049	46.8 %
	Total	4,377	100%

Based upon 1,653 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

GENDER: Gender of respondent

PLEASE INDICATE THE GENDER OF THE RESPONDENT. IF UNCLEAR, ASK: I am required to ask you the following: are you male or female?

Value	Label	Unweighted Frequency	%
1	Male	2003	45.8 %
2	Female	2374	54.2 %
	Total	4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

AGE: Age of respondent (calculated in capi from dob)

Value	Label	Unweighted Frequency	%
49	-	6	0.1 %
50	-	90	2.1 %
51	-	115	2.6 %

Value	Label	Unweighted Frequency	%
52	-	122	2.8 %
53	-	138	3.2 %
54	-	138	3.2 %
55	-	133	3.0 %
56	-	139	3.2 %
57	-	135	3.1 %
58	-	120	2.7 %
59	-	137	3.1 %
60	-	132	3.0 %
61	-	120	2.7 %
62	-	101	2.3 %
63	-	110	2.5 %
64	-	102	2.3 %
65	-	88	2.0 %
66	-	96	2.2 %
67	-	123	2.8 %
68	-	181	4.1 %
69	-	151	3.4 %
70	-	136	3.1 %
71	-	137	3.1 %
72	-	140	3.2 %
73	-	138	3.2 %
74	-	124	2.8 %
75	-	104	2.4 %
76	-	111	2.5 %
77	-	100	2.3 %
78	-	91	2.1 %
79	-	95	2.2 %
80	-	102	2.3 %
81	-	77	1.8 %
82	-	80	1.8 %
83	-	62	1.4 %
84	-	71	1.6 %
85	-	49	1.1 %
86	-	64	1.5 %
87	-	56	1.3 %
88	-	47	1.1 %
89	-	32	0.7 %
90	-	22	0.5 %

Value	Label	Unweighted Frequency	%
91	-	10	0.2 %
92	-	15	0.3 %
93	-	18	0.4 %
94	-	9	0.2 %
95	-	10	0.2 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,377 valid cases out of 4,377 total cases.

- Mean: 67.63
- Median: 68.00
- Mode: 68.00
- Minimum: 49.00
- Maximum: 95.00
- Standard Deviation: 10.95

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

RACE_RECODE: Respondent race recode (self-identified)

Do you consider yourself primarily white or Caucasian, black or African-American, American Indian, Asian or something else?

Value	Label	Unweighted Frequency	%
1	White/Caucasian	3194	73.0 %
2	Black/African American	719	16.4 %
3	Asian, Pacific Islander, American Indian or Alaskan Native	452	10.3 %
Missing Data			
-3	Not applicable	6	0.1 %
-2	Don't know	4	0.1 %
-1	Refused	2	0.0 %
Total		4,377	100%

Based upon 4,365 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

HISPANIC: Hispanic/latino ethnicity

Do you consider yourself Hispanic or Latino?

Value	Label	Unweighted Frequency	%
0	No	3859	88.2 %
1	Yes	509	11.6 %
Missing Data			
-3	Not applicable	6	0.1 %
-2	Don't know	2	0.0 %
-1	Refused	1	0.0 %
Total		4,377	100%

Based upon 4,368 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ETHGRP: Race/ethnicity recode (4 categories)

Race/ethnicity recode (4 categories)

Value	Label	Unweighted Frequency	%
1	White	2988	68.3 %
2	Black	719	16.4 %
3	Hispanic, non-Black	499	11.4 %
4	Other	160	3.7 %
Missing Data			
.	-	11	0.3 %
Total		4,377	100%

Based upon 4,366 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 66-66 (width: 1; decimal: 0)

Variable Type: numeric

DEGREE_RECODE: Degree recode with 'other' responses backcoded

Degree with 'other' responses backcoded

Value	Label	Unweighted Frequency	%
1	None	734	16.8 %

Value	Label	Unweighted Frequency	%
2	High school diploma/equivalency	1579	36.1 %
3	Associates	889	20.3 %
4	Bachelors	674	15.4 %
5	Masters	384	8.8 %
6	Law, MD or PhD	113	2.6 %
7	Other	0	0.0 %
Missing Data			
-3	Not applicable	1	0.0 %
-2	Don't know	3	0.1 %
Total		4,377	100%

Based upon 4,373 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

EDUC: Education recode (4 categories)

Education recode (4 categories)

Value	Label	Unweighted Frequency	%
1	< Hs	635	14.5 %
2	Hs/equiv	1051	24.0 %
3	Voc cert/some college/assoc	1520	34.7 %
4	Bachelors or more	1171	26.8 %
Total		4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 69-69 (width: 1; decimal: 0)

Variable Type: numeric

ROSTERINTRO: Introduction to network roster

From time to time, most people discuss things that are important to them with others. For example, these may include good or bad things that happen to you, problems you are having, or important concerns you may have. Looking back over the last 12 months, who are the people with whom you most often discussed things that were important to you?

Value	Label	Unweighted Frequency	%
0	No one	47	1.1 %
1	Click here to enter people	4328	98.9 %
Missing Data			
-1	Refused	2	0.0 %
Total		4,377	100%

Based upon 4,375 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

MARITLST: Marital status

Are you currently married, living with a partner, separated, divorced, widowed, or have you never been married?

Value	Label	Unweighted Frequency	%
1	Married	2755	62.9 %
2	Living with a partner	139	3.2 %
3	Separated	85	1.9 %
4	Divorced	542	12.4 %
5	Widowed	629	14.4 %
6	Never married	227	5.2 %
Total		4,377	100%

Based upon 4,375 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

SPARTNER: Does unmarried R have romantic, intimate, or sexual partner?

Do you currently have a romantic, intimate, or sexual partner?

Value	Label	Unweighted Frequency	%
0	No	1256	28.7 %
1	Yes	227	5.2 %
Missing Data			
-3	Not applicable	2894	66.1 %

Value	Label	Unweighted Frequency	%
Total		4,377	100%

Based upon 1,483 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SPNAMED: Was spouse/partner named in section a?

Is your [CURRENT PARTNER] someone we wrote down on your roster earlier?

Value	Label	Unweighted Frequency	%
0	No	779	17.8 %
1	Yes	2326	53.1 %
	Missing Data		
-3	Not applicable	1272	29.1 %
Total		4,377	100%

Based upon 3,105 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SPLINENO: Line number On which spouse/partner appears

Please tell me the line number on which this person appears.

Skip if: SPARTNER equals "no"

(Is your [CURRENT PARTNER] someone we wrote down on your roster earlier?)

Value	Label	Unweighted Frequency	%
1	-	1750	40.0 %
2	-	202	4.6 %
3	-	190	4.3 %
4	-	91	2.1 %
5	-	93	2.1 %

Value	Label	Unweighted Frequency	%
6	-	795	18.2 %
	Missing Data		
-3	Not applicable	1256	28.7 %
	Total	4,377	100%

Based upon 3,121 valid cases out of 4,377 total cases.

- Mean: 2.67
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 2.15

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

OTHER_HH: Any other household members?

Excluding the people we wrote down on your roster earlier, are there other people who live in your household with you?

Value	Label	Unweighted Frequency	%
0	No	3305	75.5 %
1	Yes	1071	24.5 %
	Missing Data		
-2	Don't know	1	0.0 %
	Total	4,377	100%

Based upon 4,376 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BORN_US: Born in US?

Were you born in the US?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	231	5.3 %

Value	Label	Unweighted Frequency	%
1	Yes	1358	31.0 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	102	2.3 %
-3	Not applicable	2049	46.8 %
	Total	4,377	100%

Based upon 1,589 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FAMHAPPY: Family life happy growing up

How much do you agree with the statement: "When I was growing up, my family life was always happy."

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	I disagree very much	121	2.8 %
2	I disagree pretty much	176	4.0 %
3	I disagree a little	167	3.8 %
4	I agree a little	156	3.6 %
5	I agree pretty much	633	14.5 %
6	I agree very much	353	8.1 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	85	1.9 %
-3	Not applicable	2049	46.8 %
	Total	4,377	100%

Based upon 1,606 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

DADEDUC: Father's education

What is the highest grade of school your father completed?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	No formal education	66	1.5 %
2	1-11 Grades	286	6.5 %
3	12 High school graduate	486	11.1 %
4	13-15 Some college	229	5.2 %
5	16 College graduate	168	3.8 %
6	17 Or more - post college	135	3.1 %
7	Other	41	0.9 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	106	2.4 %
-3	Not applicable	2049	46.8 %
-2	Don't know	174	4.0 %
Total		4,377	100%

Based upon 1,411 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 85-86 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

MOMEDUC: Mother's education

What is the highest grade of school your mother completed?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	No formal education	67	1.5 %
2	1-11 Grades	327	7.5 %
3	12 High school graduate	657	15.0 %
4	13-15 Some college	168	3.8 %
5	16 College graduate	109	2.5 %

Value	Label	Unweighted Frequency	%
6	17 Or more - post college	44	1.0 %
7	Other	34	0.8 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	104	2.4 %
-3	Not applicable	2049	46.8 %
-2	Don't know	181	4.1 %
Total			4,377 100%

Based upon 1,406 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 87-88 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FAMFIN: Family well off from age 6-16

For the next set of questions, we would like you to think about your childhood just during the time from about age 6 to age 16.

During the time from about age 6 to age 16, would you say your family was very well off financially, fairly well off, about average, not so well off, or not well off at all?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Not well off at all	189	4.3 %
2	Not so well off	443	10.1 %
3	About average	717	16.4 %
4	Fairly well off	206	4.7 %
5	Very well off	53	1.2 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	83	1.9 %
-3	Not applicable	2049	46.8 %
Total			4,377 100%

Based upon 1,608 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 89-90 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

LIVEPARENT: Lived with both parents from age 6-16

During this time, did you live with both of your parents?

(For the next set of questions, we would like you to think about your childhood just during the time from about age 6 to age 16.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	309	7.1 %
1	Yes	1297	29.6 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	85	1.9 %
-3	Not applicable	2049	46.8 %
Total		4,377	100%

Based upon 1,606 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CHLDHLTH: Health status from age 6-16

Consider your health while you were growing up, from around age 6 to age 16. Would you say that your health during that time was excellent, very good, good, fair, or poor?

(For the next set of questions, we would like you to think about your childhood just during the time from about age 6 to age 16.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Poor	10	0.2 %
2	Fair	92	2.1 %
3	Good	281	6.4 %
4	Very good	450	10.3 %

Value	Label	Unweighted Frequency	%
5	Excellent	778	17.8 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	80	1.8 %
-3	Not applicable	2049	46.8 %
	Total	4,377	100%

Based upon 1,611 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

EXPVIO: Experienced violent event from age 6-16

From about age 6 to age 16, were you beaten, assaulted, shot, raped or did you experience any other violent event?

(For the next set of questions, we would like you to think about your childhood just during the time from about age 6 to age 16.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	1335	30.5 %
1	Yes	275	6.3 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	81	1.9 %
-3	Not applicable	2049	46.8 %
	Total	4,377	100%

Based upon 1,610 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 95-96 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WITNVIOL: Witnessed violent event from age 6-16

From about age 6 to 16, did you witness any violent events, such as a beating, assault, shooting, murder or rape?

(For the next set of questions, we would like you to think about your childhood just during the time from about age 6 to age 16.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	1300	29.7 %
1	Yes	309	7.1 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	82	1.9 %
-3	Not applicable	2049	46.8 %
Total		4,377	100%

Based upon 1,609 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

VOLUNTEER: Frequency of volunteer work in past year

In the past 12 months, how often did you do volunteer work for religious, charitable, political, health-related, or other organizations?

(For the next set of questions, we would like you to think about your childhood just during the time from about age 6 to age 16.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	1417	32.4 %
1	Less than once a year	339	7.7 %
2	About once or twice a year	419	9.6 %
3	Several times a year	369	8.4 %
4	About once a month	362	8.3 %
5	Every week	434	9.9 %
6	Several times a week	237	5.4 %
Missing Data			

Value	Label	Unweighted Frequency	%
-5	Not returned	637	14.6 %
-4	No answer	163	3.7 %
	Total	4,377	100%

Based upon 3,577 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 99-100 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

ATTEND: Attendance at meetings of organized groups in past year

In the past 12 months, how often did you attend meetings of any organized group? (Examples include a choir, a committee or board, a support group, a sports or exercise group, a hobby group, or a professional society.)

(For the next set of questions, we would like you to think about your childhood just during the time from about age 6 to age 16.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	1219	27.9 %
1	Less than once a year	231	5.3 %
2	About once or twice a year	279	6.4 %
3	Several times a year	359	8.2 %
4	About once a month	592	13.5 %
5	Every week	592	13.5 %
6	Several times a week	324	7.4 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	143	3.3 %
-2	Don't know	1	0.0 %
	Total	4,377	100%

Based upon 3,596 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 101-102 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

SOCIAL: Frequency of socializing with friends or relatives in past year

In the past 12 months, how often did you get together socially with friends or relatives?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	52	1.2 %
1	Less than once a year	41	0.9 %
2	About once or twice a year	164	3.7 %
3	Several times a year	539	12.3 %
4	About once a month	807	18.4 %
5	Every week	1311	30.0 %
6	Several times a week	697	15.9 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	129	2.9 %
Total		4,377	100%

Based upon 3,611 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 103-104 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

RLTHAPPY: How happy is/was relationship?

(For this next set of questions, I'd like you to think about your relationship with [CURRENT PARTNER].)

Taking all things together, how would you describe your (marriage/relationship) with [CURRENT/RECENT PARTNER] on a scale from 1 to 7 with 1 being very unhappy and 7 being very happy? USE HAND CARD

Skip if: SPARTNER is equal to "no"

Note: equivalent to RLTHAPPY_1 and RLTHAPPY_2 in W1, but with category 4 labeled 'Neither happy or unhappy' (unlabeled in W1)

Value	Label	Unweighted Frequency	%
1	1 Very unhappy	82	1.9 %
2	2	22	0.5 %

Value	Label	Unweighted Frequency	%
3	3	37	0.8 %
4	4 Neither happy or unhappy	155	3.5 %
5	5	262	6.0 %
6	6	637	14.6 %
7	7 Very happy	1923	43.9 %
Missing Data			
-3	Not applicable	1256	28.7 %
-1	Refused	3	0.1 %
Total		4,377	100%

Based upon 3,118 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 105-106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPTIME: Do R and spouse/partner spend free time together or apart?

Some couples like to spend their free time doing things together, while others like to do different things in their free time. What about you and [CURRENT PARTNER]? Do you like to spend free time doing things together, or doing things separately?

Skip if: SPARTNER is equal to "no"

(For this next set of questions, I'd like you to think about your relationship with [CURRENT PARTNER].)

Value	Label	Unweighted Frequency	%
1	Together	1440	32.9 %
2	Some together, some different	1287	29.4 %
3	Different/separate things	387	8.8 %
Missing Data			
-3	Not applicable	1256	28.7 %
-2	Don't know	6	0.1 %
-1	Refused	1	0.0 %
Total		4,377	100%

Based upon 3,114 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 107-108 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPOPEN2: How often can R open up to spouse/partner?

How often can you open up to [CURRENT PARTNER] if you need to talk about your worries? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: SPARTNER is equal to "no"

(For this next set of questions, I'd like you to think about your relationship with [CURRENT PARTNER].)

Note: similar to SOPEN in W1, but with different response categories

Value	Label	Unweighted Frequency	%
0	Never	36	0.8 %
1	Hardly ever or rarely	122	2.8 %
2	Some of the time	703	16.1 %
3	Often	2253	51.5 %
Missing Data			
-3	Not applicable	1256	28.7 %
-2	Don't know	4	0.1 %
-1	Refused	3	0.1 %
Total		4,377	100%

Based upon 3,114 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 109-110 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPRELY2: How often can R rely on spouse/partner?

How often can you rely on [CURRENT PARTNER] for help if you have a problem? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: SPARTNER is equal to "no"

(For this next set of questions, I'd like you to think about your relationship with [CURRENT PARTNER].)

Note: similar to SPRELY in W1, but with different response categories

Value	Label	Unweighted Frequency	%
0	Never	39	0.9 %
1	Hardly ever or rarely	73	1.7 %
2	Some of the time	398	9.1 %
3	Often	2604	59.5 %
	Missing Data		
-3	Not applicable	1256	28.7 %
-2	Don't know	5	0.1 %
-1	Refused	2	0.0 %
	Total	4,377	100%

Based upon 3,114 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPDEMAND2: How often does spouse/partner make too many demands?

How often does [CURRENT PARTNER] make too many demands on you? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: SPARTNER is equal to "no"

(For this next set of questions, I'd like you to think about your relationship with [CURRENT PARTNER].)

Note: similar to SPDEMAND in W1, but with different response categories

Value	Label	Unweighted Frequency	%
0	Never	906	20.7 %
1	Hardly ever or rarely	1162	26.5 %
2	Some of the time	804	18.4 %
3	Often	240	5.5 %
	Missing Data		
-3	Not applicable	1256	28.7 %
-2	Don't know	4	0.1 %
-1	Refused	5	0.1 %
	Total	4,377	100%

Based upon 3,112 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPCRITZE2: How often does spouse/partner criticize?

How often does [CURRENT PARTNER] criticize you? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: SPARTNER is equal to "no"

(For this next set of questions, I'd like you to think about your relationship with [CURRENT PARTNER].)

Note: similar to SPCRITZE in W1, but with different response categories

Value	Label	Unweighted Frequency	%
0	Never	779	17.8 %
1	Hardly ever or rarely	1179	26.9 %
2	Some of the time	904	20.7 %
3	Often	251	5.7 %
Missing Data			
-3	Not applicable	1256	28.7 %
-2	Don't know	4	0.1 %
-1	Refused	4	0.1 %
Total		4,377	100%

Based upon 3,113 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPUNDERSTAND: How often does spouse/partner really understand the way you feel?

How much does [CURRENT PARTNER] really understand the way you feel about things?

Would you say never, hardly ever or rarely, some of the time or often? (USE HAND CARD G)

Skip if: SPARTNER is equal to "no"

(For this next set of questions, I'd like you to think about your relationship with

[CURRENT PARTNER].)

Value	Label	Unweighted Frequency	%
0	Never	67	1.5 %
1	Hardly ever or rarely	211	4.8 %
2	Some of the time	1047	23.9 %
3	Often	1757	40.1 %
Missing Data			
-3	Not applicable	1256	28.7 %
-2	Don't know	36	0.8 %
-1	Refused	3	0.1 %
Total		4,377	100%

Based upon 3,082 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPTALK: How often does spouse/partner talk about his/her worries?

How often does [CURRENT PARTNER] open up to you if [HE/SHE] needs to talk about [HIS/HER] worries?

Would you say never, hardly ever or rarely, some of the time or often? (USE HAND CARD G)

Skip if: SPARTNER is equal to "no"

(For this next set of questions, I'd like you to think about your relationship with
[CURRENT PARTNER].)

Value	Label	Unweighted Frequency	%
0	Never	106	2.4 %
1	Hardly ever or rarely	307	7.0 %
2	Some of the time	980	22.4 %
3	Often	1718	39.3 %
Missing Data			
-3	Not applicable	1256	28.7 %
-2	Don't know	8	0.2 %
-1	Refused	2	0.0 %
Total		4,377	100%

Based upon 3,111 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPRELYHELP: How often does spouse/partner rely on you for help?

How often does [CURRENT PARTNER] rely on you for help if [SHE/HE] has a problem?

Would you say never, hardly ever or rarely, some of the time or often? (USE HAND CARD G)

Skip if: SPARTNER is equal to "no"

(For this next set of questions, I'd like you to think about your relationship with [CURRENT PARTNER].)

Value	Label	Unweighted Frequency	%
0	Never	45	1.0 %
1	Hardly ever or rarely	138	3.2 %
2	Some of the time	768	17.5 %
3	Often	2164	49.4 %
Missing Data			
-3	Not applicable	1256	28.7 %
-2	Don't know	4	0.1 %
-1	Refused	2	0.0 %
Total		4,377	100%

Based upon 3,115 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 121-122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPLETDOWN: How often does spouse/partner let you down?

How much does [CURRENT PARTNER] let you down when you are counting on [HIM/HER]?

Would you say never, hardly ever or rarely, some of the time or often? (USE HAND CARD G)

Skip if: SPARTNER is equal to "no"

(For this next set of questions, I'd like you to think about your relationship with [CURRENT PARTNER].)

Value	Label	Unweighted Frequency	%
0	Never	1474	33.7 %
1	Hardly ever or rarely	1048	23.9 %
2	Some of the time	471	10.8 %
3	Often	116	2.7 %
Missing Data			
-3	Not applicable	1256	28.7 %
-2	Don't know	9	0.2 %
-1	Refused	3	0.1 %
Total		4,377	100%

Based upon 3,109 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 123-124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

PAR_NERVE: How often does partner get on your nerves?

How often does [CURRENT PARTNER] get on your nerves? Would you say never, hardly ever or rarely, some of the time or often? (USE HAND CARD G)

Value	Label	Unweighted Frequency	%
0	Never	382	8.7 %
1	Hardly ever or rarely	1013	23.1 %
2	Some of the time	1383	31.6 %
3	Often	335	7.7 %
Missing Data			
-3	Not applicable	1256	28.7 %
-2	Don't know	4	0.1 %
-1	Refused	4	0.1 %
Total		4,377	100%

Based upon 3,113 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 125-126 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FAMOPEN2: How often can R open up to family?

These next questions ask about your relationships with members of your family or relatives. If you have a spouse or romantic partner, we'd like you to exclude this person when answering the next set of questions.

How often can you open up to members of your family if you need to talk about your worries? Would you say never, hardly ever or rarely, some of the time or often?

Note:

1. asked in leave-behind in W3
2. similar to FAMOPEN in W1, but with different response categories

Value	Label	Unweighted Frequency	%
0	Never	137	3.1 %
1	Hardly ever or rarely	384	8.8 %
2	Some of the time	1401	32.0 %
3	Often	1686	38.5 %
4	If volunteered - no family	0	0.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	132	3.0 %
Total		4,377	100%

Based upon 3,608 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 127-128 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FAMRELY2: How often can R rely on family?

How often can you rely on members of your family for help if you have a problem? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FAMOPEN2 equals "if volunteered - no family"

(These next questions ask about your relationships with members of your family or relatives. If you have a spouse or romantic partner, we'd like you to exclude this person when answering the next set of questions.)

Note:

1. asked in leave-behind in W3
2. similar to FAMRELY in W1, but with different response categories

Value	Label	Unweighted Frequency	%
0	Never	105	2.4 %
1	Hardly ever or rarely	266	6.1 %
2	Some of the time	1073	24.5 %
3	Often	2168	49.5 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	128	2.9 %
	Total	4,377	100%

Based upon 3,612 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 129-130 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FAMDEMAN2: How often does family make too many demands?

How often do members of your family make too many demands on you? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FAMOPEN2 equals "if volunteered - no family"

(These next questions ask about your relationships with members of your family or relatives. If you have a spouse or romantic partner, we'd like you to exclude this person when answering the next set of questions.)

Note:

1. asked in leave-behind in W3
2. similar to FAMDEMAN in W1, but with different response categories

Value	Label	Unweighted Frequency	%
0	Never	1165	26.6 %
1	Hardly ever or rarely	1379	31.5 %
2	Some of the time	867	19.8 %
3	Often	201	4.6 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	128	2.9 %
	Total	4,377	100%

Based upon 3,612 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 131-132 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FAMCRITZ2: How often does family criticize?

How often do they criticize you? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FAMOPEN2 equals "if volunteered - no family"

(These next questions ask about your relationships with members of your family or relatives. If you have a spouse or romantic partner, we'd like you to exclude this person when answering the next set of questions.)

Note:

1. asked in leave-behind in W3
2. similar to FAMCRITZ in W1, but with different response categories

Value	Label	Unweighted Frequency	%
0	Never	1015	23.2 %
1	Hardly ever or rarely	1569	35.8 %
2	Some of the time	961	22.0 %
3	Often	151	3.4 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	44	1.0 %
Total		4,377	100%

Based upon 3,696 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 133-134 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FAMFEEL: How often does family really understand the way you feel?

How often do members of your family really understand the way you feel about things? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FAMOPEN2 equals "if volunteered - no family"

(These next questions ask about your relationships with members of your family or relatives. If you have a spouse or romantic partner, we'd like you to exclude this person when answering the next set of questions.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	142	3.2 %
1	Hardly ever or rarely	421	9.6 %
2	Some of the time	1655	37.8 %
3	Often	1470	33.6 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	52	1.2 %
Total		4,377	100%

Based upon 3,688 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 135-136 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FAMWORRIES: How often does family talk about their worries?

How often do members of your family open up to you if they need to talk about their worries?

Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FAMOPEN2 equals "if volunteered - no family"

(These next questions ask about your relationships with members of your family or relatives.

If you have a spouse or romantic partner, we'd like you to exclude this person when answering the next set of questions.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	179	4.1 %
1	Hardly ever or rarely	470	10.7 %
2	Some of the time	1858	42.4 %
3	Often	1188	27.1 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	45	1.0 %

Value	Label	Unweighted Frequency	%
Total		4,377	100%

Based upon 3,695 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 137-138 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FAMHELP: How often does family rely on you for help?

How often do members of your family rely on you for help if they have a problem?

Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FAMOPEN2 equals "if volunteered - no family"

(These next questions ask about your relationships with members of your family or relatives.

If you have a spouse or romantic partner, we'd like you to exclude this person when answering the next set of questions.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	161	3.7 %
1	Hardly ever or rarely	489	11.2 %
2	Some of the time	1821	41.6 %
3	Often	1231	28.1 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	38	0.9 %
Total		4,377	100%

Based upon 3,702 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 139-140 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FAMDOWN: How often does family let you down?

How often do members of your family let you down when you are counting on them? Would you

say never, hardly ever or rarely, some of the time or often?

Skip if: FAMOPEN2 equals "if volunteered - no family"

(These next questions ask about your relationships with members of your family or relatives. If you have a spouse or romantic partner, we'd like you to exclude this person when answering the next set of questions.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	1225	28.0 %
1	Hardly ever or rarely	1526	34.9 %
2	Some of the time	805	18.4 %
3	Often	142	3.2 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	42	1.0 %
	Total	4,377	100%

Based upon 3,698 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 141-142 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FAM_NERVE: How often does family get on your nerves?

How often do members of your family get on your nerves? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FAMOPEN2 equals "if volunteered - no family"

(These next questions ask about your relationships with members of your family or relatives. If you have a spouse or romantic partner, we'd like you to exclude this person when answering the next set of questions.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	584	13.3 %
1	Hardly ever or rarely	1403	32.1 %
2	Some of the time	1460	33.4 %
3	Often	235	5.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	58	1.3 %
	Total	4,377	100%

Based upon 3,682 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 143-144 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -5 , -4 , -3 , -2 , -1

CLSREL: How many family/relatives does R feel close too?

How many family members or relatives do you have to whom you feel close? If you have a spouse or romantic partner, please exclude them from your answer.

Skip if: FAMOPEN2 equals "if volunteered - no family"

(These next questions ask about your relationships with members of your family or relatives.

If you have a spouse or romantic partner, we'd like you to exclude this person when answering the next set of questions.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	None	133	3.0 %
1	One	280	6.4 %
2	2-3	1432	32.7 %
3	4-9	1327	30.3 %
4	10-20	339	7.7 %
5	More than 20	143	3.3 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	86	2.0 %
	Total	4,377	100%

Based upon 3,654 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FROPEN2: How often can R open up to friends?

For this next section, we'd like to know a little about your relationships with friends, not including the family members or relatives we were just asking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty good friends.

How often can you open up to your friends if you need to talk about your worries? Would you say never, hardly ever or rarely, some of the time or often?

Note:

1. asked in leave-behind in W3
2. similar to FROPEN in W1, but with different response categories

Value	Label	Unweighted Frequency	%
0	Never	333	7.6 %
1	Hardly ever or rarely	693	15.8 %
2	Some of the time	1654	37.8 %
3	Often	1006	23.0 %
4	If volunteered - no friends	0	0.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	54	1.2 %
Total		4,377	100%

Based upon 3,686 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FRRELY2: How often can R rely on friends?

How often can you rely on your friends for help if you have a problem? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FROPEN2 equals "if volunteered - no friends"

(For this next section, we'd like to know a little about your relationships with friends, not including the family members or relatives we were just asking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty

good friends.)

Note:

1. asked in leave-behind in W3
2. similar to FRRELY in W1, but with different response categories

Value	Label	Unweighted Frequency	%
0	Never	239	5.5 %
1	Hardly ever or rarely	527	12.0 %
2	Some of the time	1646	37.6 %
3	Often	1284	29.3 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	44	1.0 %
Total		4,377	100%

Based upon 3,696 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FRDEMN2: How often do friends make too many demands?

How often do your friends make too many demands on you? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FROPEN2 equals "if volunteered - no friends"

(For this next section, we'd like to know a little about your relationships with friends, not including the family members or relatives we were just asking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty good friends.)

1. asked in leave-behind in W3
2. similar to FRDEMN in W1, but with different response categories

Value	Label	Unweighted Frequency	%
0	Never	1749	40.0 %
1	Hardly ever or rarely	1506	34.4 %
2	Some of the time	384	8.8 %
3	Often	59	1.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
-5	Not returned	637	14.6 %
-4	No answer	42	1.0 %
	Total	4,377	100%

Based upon 3,698 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FRCRITZ2: How often do friends criticize?

How often do your friends criticize you? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FROPEN2 equals "if volunteered - no friends"

(For this next section, we'd like to know a little about your relationships with friends, not including the family members or relatives we were just asking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty good friends.)

1. asked in leave-behind in W3
2. similar to FRCRITZ in W1, but with different response categories

Value	Label	Unweighted Frequency	%
0	Never	1604	36.6 %
1	Hardly ever or rarely	1576	36.0 %
2	Some of the time	457	10.4 %
3	Often	47	1.1 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	53	1.2 %
-2	Don't know	3	0.1 %
	Total	4,377	100%

Based upon 3,684 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FRFEEL: How often do friends really understand the way you feel?

How often do your friends really understand the way you feel about things? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FROPEN2 equals "if volunteered - no friends"

(For this next section, we'd like to know a little about your relationships with friends, not including the family members or relatives we were just asking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty good friends.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	238	5.4 %
1	Hardly ever or rarely	475	10.9 %
2	Some of the time	1735	39.6 %
3	Often	1228	28.1 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	64	1.5 %
Total		4,377	100%

Based upon 3,676 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FRWORRIES: How often do friends talk about their worries?

How often do your friends open up to you if they need to talk about their worries? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FROPEN2 equals "if volunteered - no friends"

(For this next section, we'd like to know a little about your relationships with friends, not including the family members or relatives we were just asking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty good friends.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	263	6.0 %
1	Hardly ever or rarely	608	13.9 %
2	Some of the time	1861	42.5 %
3	Often	961	22.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	47	1.1 %
Total		4,377	100%

Based upon 3,693 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FRHELP: How often do friends rely on you for help?

How often do your friends rely on you for help if they have a problem? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FROPEN2 equals "if volunteered - no friends"

(For this next section, we'd like to know a little about your relationships with friends, not including the family members or relatives we were just asking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty good friends.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	303	6.9 %
1	Hardly ever or rarely	813	18.6 %
2	Some of the time	1994	45.6 %
3	Often	588	13.4 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	42	1.0 %
Total		4,377	100%

Based upon 3,698 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FRDOWN: How often do friends let you down?

How often do your friends let you down when you are counting on them? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FROPEN2 equals "if volunteered - no friends"

(For this next section, we'd like to know a little about your relationships with friends, not including the family members or relatives we were just asking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty good friends.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	1190	27.2 %
1	Hardly ever or rarely	1798	41.1 %
2	Some of the time	618	14.1 %
3	Often	88	2.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	46	1.1 %
Total		4,377	100%

Based upon 3,694 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FR_NERVE: How often do friends get on your nerves?

How often do your friends get on your nerves? Would you say never, hardly ever or rarely, some of the time or often?

Skip if: FROPEN2 equals "if volunteered - no friends"

(For this next section, we'd like to know a little about your relationships with friends, not including the family members or relatives we were just asking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty good friends.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	920	21.0 %
1	Hardly ever or rarely	1744	39.8 %
2	Some of the time	941	21.5 %
3	Often	86	2.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	49	1.1 %
Total		4,377	100%

Based upon 3,691 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FRAMT: How many friends does R have?

About how many friends would you say that you have?

Skip if: FROPEN2 equals "if volunteered - no friends"

(For this next section, we'd like to know a little about your relationships with friends, not including the family members or relatives we were just asking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty good friends.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	None	75	1.7 %
1	One	99	2.3 %
2	2-3	901	20.6 %
3	4-9	1432	32.7 %

Value	Label	Unweighted Frequency	%
4	10-20	710	16.2 %
5	More than 20	477	10.9 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	46	1.1 %
Total		4,377	100%

Based upon 3,694 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

PHYSHLTH: Self-rated physical health

This section is about your physical health. First, we would like to ask you some general questions.

Would you say your health is excellent, very good, good, fair, or poor? (USE HAND CARD I)

Value	Label	Unweighted Frequency	%
1	Poor	220	5.0 %
2	Fair	859	19.6 %
3	Good	1469	33.6 %
4	Very good	1356	31.0 %
5	Excellent	467	10.7 %
Missing Data			
-2	Don't know	6	0.1 %
Total		4,377	100%

Based upon 4,371 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

MNTLHLTH3: Self-rated mental health

What about your emotional or mental health? Is it excellent, very good, good, fair, or poor?

(HAND CARD)

(This section is about your physical health. First, we would like to ask you some general questions.)

Note:

1. asked in leave-behind in W3
2. cf. MNTLHLTH in W1 and W2; question wording changed in W3

Value	Label	Unweighted Frequency	%
1	Poor	44	1.0 %
2	Fair	285	6.5 %
3	Good	835	19.1 %
4	Very good	1401	32.0 %
5	Excellent	990	22.6 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	185	4.2 %
Total		4,377	100%

Based upon 3,555 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

COLDTODAY: Head cold or chest cold today?

Today, do you have a head cold or chest cold?

(This section is about your physical health. First, we would like to ask you some general questions.)

Value	Label	Unweighted Frequency	%
0	No	4051	92.6 %
1	Yes	317	7.2 %
Missing Data			
-2	Don't know	9	0.2 %
Total		4,377	100%

Based upon 4,368 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MAMMOGRAM3: How long since last mammogram?

Now we would like to ask about different tests or procedures you may have had done.

(WOMEN ONLY) How long has it been since you had a mammogram? (USE HAND CARD J)

Value	Label	Unweighted Frequency	%
1	Within the past year	1233	28.2 %
2	Between 1 and 2 years ago (inclusive)	520	11.9 %
3	More than 2 years ago, but less than 5 years ago	274	6.3 %
4	5 or more years ago	246	5.6 %
5	Never	93	2.1 %
Missing Data			
-3	Not applicable	2003	45.8 %
-2	Don't know	8	0.2 %
Total		4,377	100%

Based upon 2,366 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -5 , -4 , -3 , -2 , -1

REGULARMAMMOGRAM: MD suggested regular mammograms no longer required

(WOMEN ONLY) Has a doctor ever suggested that you may no longer need regular mammograms?

(Now we would like to ask about different tests or procedures you may have had done.)

Value	Label	Unweighted Frequency	%
0	No	2114	48.3 %
1	Yes	240	5.5 %
Missing Data			
-3	Not applicable	2003	45.8 %
-2	Don't know	19	0.4 %
-1	Refused	1	0.0 %
Total		4,377	100%

Based upon 2,354 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FUTUREMAMMOGRAM: Plan to have regular mammograms in the future

(WOMEN ONLY) Do you plan to have regular mammograms in the future?

(Now we would like to ask about different tests or procedures you may have had done.)

Value	Label	Unweighted Frequency	%
0	No	370	8.5 %
1	Yes	1781	40.7 %
2	If volunteered - I do what my doctor says	177	4.0 %
Missing Data			
-3	Not applicable	2003	45.8 %
-2	Don't know	45	1.0 %
-1	Refused	1	0.0 %
Total		4,377	100%

Based upon 2,328 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

PSA3: How long since Prostate-Specific Antigen (PSA) test?

(MEN ONLY) How long has it been since you had a Prostate-Specific Antigen test, also called a PSA test? (PROMPT: A PSA test is a blood test used to check men for prostate cancer.) (USE HAND CARD J)

(Now we would like to ask about different tests or procedures you may have had done.)

Value	Label	Unweighted Frequency	%
1	Within the past year	887	20.3 %
2	Between 1 and 2 years ago (inclusive)	313	7.2 %
3	More than 2 years ago, but less than 5 years ago	245	5.6 %

Value	Label	Unweighted Frequency	%
4	5 or more years ago	197	4.5 %
5	Never	298	6.8 %
	Missing Data		
-3	Not applicable	2374	54.2 %
-2	Don't know	63	1.4 %
	Total	4,377	100%

Based upon 1,940 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 179-180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -5 , -4 , -3 , -2 , -1

REGULARPSA: Md suggested regular Prostate-Specific Antigen (PSA) tests no longer required

(MEN ONLY) Has a doctor ever suggested that you may no longer need regular PSA tests?

(Now we would like to ask about different tests or procedures you may have had done.)

Value	Label	Unweighted Frequency	%
0	No	1705	39.0 %
1	Yes	216	4.9 %
	Missing Data		
-3	Not applicable	2374	54.2 %
-2	Don't know	82	1.9 %
	Total	4,377	100%

Based upon 1,921 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 181-182 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FUTUREPSA: Plan to have regular Prostate-Specific Antigen (PSA) tests in the future

(MEN ONLY) Do you plan to have regular PSA tests in the future?

(Now we would like to ask about different tests or procedures you may have had done.)

Value	Label	Unweighted Frequency	%
0	No	370	8.5 %
1	Yes	1278	29.2 %
2	If volunteered - I do what my doctor says	278	6.4 %
	Missing Data		
-3	Not applicable	2374	54.2 %
-2	Don't know	77	1.8 %
	Total	4,377	100%

Based upon 1,926 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 183-184 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

COLONOS3: How long since colonoscopy?

About how long has it been since you had a colonoscopy? (USE HAND CARD K)

(Now we would like to ask about different tests or procedures you may have had done.)

Note: cf. COLONOS in W2; W3 split 5+ years ago into separate responses (5-10 and 10+)

Value	Label	Unweighted Frequency	%
1	Within the past year	622	14.2 %
2	Between 1 and 5 years ago (inclusive)	1650	37.7 %
3	More than 5 years ago, but less than 10 years ago	749	17.1 %
4	10 or more years ago	251	5.7 %
5	Never	1072	24.5 %
	Missing Data		
-6	Missing in error	1	0.0 %
-2	Don't know	32	0.7 %
	Total	4,377	100%

Based upon 4,344 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -5 , -4 , -3 , -2 , -1

GENERALDOC: Trouble finding a general doctor

During the past 12 months, did you have any trouble finding a general doctor or provider who would see you?

Value	Label	Unweighted Frequency	%
0	No	4188	95.7 %
1	Yes	170	3.9 %
	Missing Data		
-2	Don't know	19	0.4 %
	Total	4,377	100%

Based upon 4,358 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PLACEAPPT3: Able to get an appointment quickly when sick or need advice

How often are you able to get an appointment when you are sick or need advice about your health as quickly as you think you need it?

Note: cf. PLACEAPPT in W2

Value	Label	Unweighted Frequency	%
1	Never or almost never	193	4.4 %
2	Sometimes	298	6.8 %
3	Usually	525	12.0 %
4	Always or almost always	3288	75.1 %
	Missing Data		
-2	Don't know	73	1.7 %
	Total	4,377	100%

Based upon 4,304 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

CONDITNS_6: Ever had hypertension

SINCE YOUR LAST INTERVIEW IN [MONTH/YEAR], HAS A DOCTOR TOLD YOU THAT YOU HAVE high blood pressure or hypertension?

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	No	2160	49.3 %
1	Yes	2198	50.2 %
	Missing Data		
-2	Don't know	19	0.4 %
	Total	4,377	100%

Based upon 4,358 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 191-192 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ARTHRITIS: Ever had arthritis

SINCE YOUR LAST INTERVIEW IN [MONTH/YEAR], HAS A DOCTOR TOLD YOU THAT YOU HAVE osteo- or rheumatoid arthritis?

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	No	3040	69.5 %
1	Yes	1285	29.4 %
	Missing Data		
-6	Missing in error	8	0.2 %
-2	Don't know	44	1.0 %
	Total	4,377	100%

Based upon 4,325 valid cases out of 4,377 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 193-194 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

OSTEO_RHEU: Osteo or rheumatoid arthritis

Which type of arthritis did your doctor tell you that you have?

Skip if 'No' to ARTHRITIS

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
1	Osteo arthritis	633	14.5 %
2	Rheumatoid arthritis	275	6.3 %
3	Both	104	2.4 %
Missing Data			
-6	Missing in error	8	0.2 %
-3	Not applicable	3084	70.5 %
-2	Don't know	273	6.2 %
Total		4,377	100%

Based upon 1,012 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

HRTPROB3: Heart condition

SINCE YOUR LAST INTERVIEW IN [MONTH/YEAR], HAS A DOCTOR TOLD YOU THAT YOU HAVE a heart condition?

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	No	3516	80.3 %

Value	Label	Unweighted Frequency	%
1	Yes	843	19.3 %
	Missing Data		
-2	Don't know	17	0.4 %
-1	Refused	1	0.0 %
	Total	4,377	100%

Based upon 4,359 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HRTATTACK: Ever had a heart attack?

If 'Yes' to HRTPROB3: SINCE YOUR LAST INTERVIEW IN [MONTH/YEAR], HAS A DOCTOR TOLD YOU THAT YOU HAD a heart attack or myocardial infarction?

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Note: cf. HRTPROB in W1 (question about heart attack asked of everyone)

Value	Label	Unweighted Frequency	%
0	No	623	14.2 %
1	Yes	209	4.8 %
	Missing Data		
-3	Not applicable	3534	80.7 %
-2	Don't know	11	0.3 %
	Total	4,377	100%

Based upon 832 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HRTCARD: Ever had procedure to treat coronary artery disease?

If 'Yes' to HRTPROB3: SINCE YOUR LAST INTERVIEW IN [MONTH/YEAR], Have you had a procedure to treat coronary artery disease, such as cardiac by-pass surgery or placement of a coronary artery stent?
 (INTERVIEWER INSTRUCTION: IF RESPONDENT ASKS, THIS INCLUDES BALLOON ANGIOPLASTY FOR TREATMENT OF CORONARY ARTERY DISEASE. IT DOES NOT INCLUDE AN ANGIOGRAM, WHICH IS A DIAGNOSTIC PROCEDURE)

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	No	593	13.5 %
1	Yes	247	5.6 %
	Missing Data		
-3	Not applicable	3534	80.7 %
-2	Don't know	3	0.1 %
	Total	4,377	100%

Based upon 840 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HRTCHF: Ever had congestive heart failure (CHF)?

If 'Yes' to HRTPROB3: SINCE YOUR LAST INTERVIEW IN [MONTH/YEAR], HAS A DOCTOR TOLD YOU THAT YOU HAD congestive heart failure or "CHF"?

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Note: cf. HRTFAIL in W1 (treatment for heart failure)

Value	Label	Unweighted Frequency	%
0	No	654	14.9 %
1	Yes	168	3.8 %
	Missing Data		
-3	Not applicable	3534	80.7 %
-2	Don't know	21	0.5 %
	Total	4,377	100%

Based upon 822 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HRTATRFIB: Atrial fibrillation

If 'Yes' to HRTPROB3: SINCE YOUR LAST INTERVIEW IN [MONTH/YEAR], HAS A DOCTOR TOLD YOU THAT YOU HAD atrial fibrillation?

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	No	571	13.0 %
1	Yes	241	5.5 %
Missing Data			
-3	Not applicable	3534	80.7 %
-2	Don't know	31	0.7 %
Total		4,377	100%

Based upon 812 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

OTHCAN: Ever had cancer other than skin cancer?

SINCE YOUR LAST INTERVIEW IN [MONTH/YEAR], HAS A DOCTOR TOLD YOU THAT YOU HAVE cancer other than skin cancer?

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	No	3989	91.1 %
1	Yes	384	8.8 %
Missing Data			

Value	Label	Unweighted Frequency	%
-2	Don't know	4	0.1 %
Total		4,377	100%

Based upon 4,373 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HOWMANYC2: How many cancers (excluding skin cancer)

Ask only if 'Yes' to OTHCAN: How many such cancers have you had?

Value	Label	Unweighted Frequency	%
1	-	317	7.2 %
2	-	49	1.1 %
3	-	11	0.3 %
5	-	2	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %
Missing Data			
-3	Not applicable	3993	91.2 %
-2	Don't know	3	0.1 %
Total		4,377	100%

Based upon 381 valid cases out of 4,377 total cases.

- Mean: 1.24
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 0.68

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CDIAG_1: When did first cancer begin?

Now thinking about your first cancer... When did the cancer begin? (PROMPT IF NEEDED: How old were you?)

(ASK ONLY IF RESPONDENT HAD CANCER)

Value	Label	Unweighted Frequency	%
1	Answered in month and year	238	5.4 %
2	Answered by age	129	2.9 %
	Missing Data		
-3	Not applicable	3996	91.3 %
-2	Don't know	14	0.3 %
	Total	4,377	100%

Based upon 367 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

CDIAGM_1: First cancer (month)

Now thinking about your first cancer... When did the cancer begin? (PROMPT IF NEEDED: How old were you?) MONTH

(ASK ONLY IF RESPONDENT HAD CANCER)

Value	Label	Unweighted Frequency	%
1	Jan	12	0.3 %
2	Feb	12	0.3 %
3	Mar	26	0.6 %
4	Apr	21	0.5 %
5	May	19	0.4 %
6	Jun	18	0.4 %
7	Jul	15	0.3 %
8	Aug	12	0.3 %
9	Sep	14	0.3 %
10	Oct	12	0.3 %
11	Nov	9	0.2 %
12	Dec	17	0.4 %
	Missing Data		
-3	Not applicable	4139	94.6 %
-2	Don't know	51	1.2 %
	Total	4,377	100%

Based upon 187 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -4 , -3 , -2 , -1

CDIAGY_1: First cancer (year)

Now thinking about your first cancer... When did the cancer begin? (PROMPT IF NEEDED: How old were you?) YEAR

(ASK ONLY IF RESPONDENT HAD CANCER)

Value	Label	Unweighted Frequency	%
1974	-	1	0.0 %
1980	-	1	0.0 %
1982	-	2	0.0 %
1983	-	3	0.1 %
1986	-	2	0.0 %
1988	-	1	0.0 %
1989	-	2	0.0 %
1990	-	2	0.0 %
1991	-	1	0.0 %
1992	-	2	0.0 %
1995	-	2	0.0 %
1996	-	3	0.1 %
1997	-	4	0.1 %
1998	-	1	0.0 %
2000	-	9	0.2 %
2001	-	4	0.1 %
2002	-	3	0.1 %
2003	-	2	0.0 %
2004	-	6	0.1 %
2005	-	7	0.2 %
2006	-	4	0.1 %
2007	-	8	0.2 %
2008	-	6	0.1 %
2009	-	10	0.2 %
2010	-	20	0.5 %
2011	-	29	0.7 %

Value	Label	Unweighted Frequency	%
2012	-	23	0.5 %
2013	-	29	0.7 %
2014	-	25	0.6 %
2015	-	24	0.5 %
2016	-	2	0.0 %
Missing Data			
-3	Not applicable	4139	94.6 %
Total		4,377	100%

Based upon 238 valid cases out of 4,377 total cases.

- Mean: 2008.11
- Median: 2011.00
- Minimum: 1974.00
- Maximum: 2016.00
- Standard Deviation: 7.91

Location: 215-218 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CDIAGAGE_1: First cancer (age)

If 'Answered by age' to CDIAG_1: Now thinking about your first cancer... When did the cancer begin?
(PROMPT IF NEEDED: How old were you?)

(ASK ONLY IF RESPONDENT HAD CANCER)

Value	Label	Unweighted Frequency	%
19	-	2	0.0 %
22	-	2	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
29	-	2	0.0 %
30	-	4	0.1 %
32	-	2	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
38	-	2	0.0 %
40	-	1	0.0 %

Value	Label	Unweighted Frequency	%
41	-	1	0.0 %
42	-	4	0.1 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	3	0.1 %
50	-	4	0.1 %
52	-	4	0.1 %
53	-	3	0.1 %
54	-	3	0.1 %
55	-	3	0.1 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
59	-	6	0.1 %
60	-	1	0.0 %
61	-	1	0.0 %
62	-	6	0.1 %
63	-	1	0.0 %
64	-	1	0.0 %
65	-	4	0.1 %
66	-	5	0.1 %
67	-	5	0.1 %
68	-	1	0.0 %
69	-	5	0.1 %
70	-	3	0.1 %
71	-	3	0.1 %
72	-	4	0.1 %
73	-	2	0.0 %
74	-	1	0.0 %
75	-	4	0.1 %
76	-	2	0.0 %
79	-	5	0.1 %
80	-	3	0.1 %
Missing Data			
-3	Not applicable	4248	97.1 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 129 valid cases out of 4,377 total cases.

- Mean: 56.67
- Median: 59.00
- Minimum: 19.00
- Maximum: 88.00
- Standard Deviation: 17.37

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CBEGIN_1: Where did first cancer start?

Now thinking about your first cancer... Sometimes, cancer will start in one place and spread to other parts of the body. Right now we are interested in knowing about primary cancer, or, in other words, where your cancer began. In which organ or part of your body did the cancer start? (DO NOT READ LIST)

(ASK ONLY IF RESPONDENT HAD CANCER)

Note:

1. Response option 'skin' included in W1, but not in W2 or W3; Label 'skin' included in value label for consistency across waves.
2. In W2 and W3, response options 'kidney' and 'renal' were listed separately; these have been merged into one.

Value	Label	Unweighted Frequency	%
1	Bladder	23	0.5 %
2	Bone	3	0.1 %
3	Brain	1	0.0 %
4	Breast	87	2.0 %
5	Cervix	15	0.3 %
6	Colon	25	0.6 %
7	Esophagus	2	0.0 %
8	Gallbladder	0	0.0 %
9	Kidney	15	0.3 %
10	Larynx-windpipe	1	0.0 %
11	Leukemia	5	0.1 %
12	Liver	2	0.0 %
13	Lung	20	0.5 %
14	Lymphoma	12	0.3 %
15	Mouth, tongue, or lip	4	0.1 %
16	Ovary	6	0.1 %
17	Pancreas	2	0.0 %

Value	Label	Unweighted Frequency	%
18	Peritoneal	0	0.0 %
19	Prostate	78	1.8 %
20	Rectum	5	0.1 %
21	Skin	0	0.0 %
22	Soft tissue (muscle or fat)	0	0.0 %
23	Stomach	2	0.0 %
24	Testes	2	0.0 %
25	Throat - pharynx	3	0.1 %
26	Thyroid	13	0.3 %
27	Uterus	14	0.3 %
28	Vulva	0	0.0 %
29	Other (specify)	38	0.9 %
Missing Data			
-3	Not applicable	3996	91.3 %
-2	Don't know	3	0.1 %
Total		4,377	100%

Based upon 378 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 29.00

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPREAD_1: Has first cancer spread?

Now thinking about your first cancer... Has this cancer spread to other parts of your body?

(Sometimes, cancer will start in one place and spread to other parts of the body. Right now we are interested in knowing about primary cancer, or, in other words, where your cancer began. In which organ or part of your body did the cancer start? (DO NOT READ LIST))

(ASK ONLY IF RESPONDENT HAD CANCER)

Value	Label	Unweighted Frequency	%
0	No	332	7.6 %
1	Yes	35	0.8 %
Missing Data			
-3	Not applicable	3996	91.3 %
-2	Don't know	14	0.3 %
Total		4,377	100%

Based upon 367 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CDIAG_2: When did most recent cancer begin

Now thinking about your most recent cancer... When did the cancer begin? (PROMPT IF NEEDED:
How old were you?)

(ASK ONLY IF RESPONDENT HAD CANCER)

Value	Label	Unweighted Frequency	%
1	Answered in month and year	39	0.9 %
2	Answered by age	17	0.4 %
Missing Data			
-3	Not applicable	4313	98.5 %
-2	Don't know	8	0.2 %
Total		4,377	100%

Based upon 56 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -3 , -2 , -1

CDIAGM_2: Most recent cancer (month)

Now thinking about your most recent cancer... When did the cancer begin? (PROMPT IF NEEDED:
How old were you?) MONTH

(ASK ONLY IF RESPONDENT HAD CANCER)

Value	Label	Unweighted Frequency	%
1	Jan	1	0.0 %
2	Feb	3	0.1 %
3	Mar	0	0.0 %
4	Apr	1	0.0 %
5	May	3	0.1 %

Value	Label	Unweighted Frequency	%
6	Jun	2	0.0 %
7	Jul	4	0.1 %
8	Aug	6	0.1 %
9	Sep	5	0.1 %
10	Oct	1	0.0 %
11	Nov	1	0.0 %
12	Dec	2	0.0 %
Missing Data			
-3	Not applicable	4338	99.1 %
-2	Don't know	10	0.2 %
Total		4,377	100%

Based upon 29 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -4 , -3 , -2 , -1

CDIAGY_2: Most recent cancer (year)

Now thinking about your most recent cancer... When did the cancer begin? (PROMPT IF NEEDED:
How old were you?) YEAR

(ASK ONLY IF RESPONDENT HAD CANCER)

Value	Label	Unweighted Frequency	%
1969	-	1	0.0 %
1982	-	1	0.0 %
1988	-	1	0.0 %
2000	-	1	0.0 %
2007	-	1	0.0 %
2009	-	1	0.0 %
2010	-	4	0.1 %
2011	-	2	0.0 %
2012	-	3	0.1 %
2013	-	10	0.2 %
2014	-	7	0.2 %
2015	-	7	0.2 %
Missing Data			

Value	Label	Unweighted Frequency	%
-3	Not applicable	4338	99.1 %
Total		4,377	100%

Based upon 39 valid cases out of 4,377 total cases.

- Mean: 2009.90
- Median: 2013.00
- Mode: 2013.00
- Minimum: 1969.00
- Maximum: 2015.00
- Standard Deviation: 9.53

Location: 229-232 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CDIAGAGE_2: Most recent cancer (age)

If 'Answered by age' to CDIAG_2: Now thinking about your most recent cancer... When did the cancer begin? (PROMPT IF NEEDED: How old were you?)

(ASK ONLY IF RESPONDENT HAD CANCER)

Value	Label	Unweighted Frequency	%
21	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
38	-	3	0.1 %
46	-	2	0.0 %
59	-	1	0.0 %
61	-	1	0.0 %
64	-	1	0.0 %
67	-	2	0.0 %
71	-	1	0.0 %
73	-	1	0.0 %
76	-	1	0.0 %
83	-	1	0.0 %
Missing Data			
-3	Not applicable	4360	99.6 %
Total		4,377	100%

Based upon 17 valid cases out of 4,377 total cases.

- Mean: 53.94

- Median: 59.00
- Mode: 38.00
- Minimum: 21.00
- Maximum: 83.00
- Standard Deviation: 18.08

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CBEGIN_2: Where did most recent cancer start?

Now thinking about your most recent cancer... Sometimes, cancer will start in one place and spread to other parts of the body. Right now we are interested in knowing about primary cancer, or, in other words, where your cancer began. In which organ or part of your body did the cancer start? (DO NOT READ LIST)

(ASK ONLY IF RESPONDENT HAD CANCER)

Note:

1. Response option 'skin' included in W1, but not in W2 or W3; Label 'skin' included in value label for consistency across waves.
2. In W2 and W3, response options 'kidney' and 'renal' were listed separately; these have been merged into one.

Value	Label	Unweighted Frequency	%
1	Bladder	5	0.1 %
2	Bone	0	0.0 %
3	Brain	0	0.0 %
4	Breast	10	0.2 %
5	Cervix	1	0.0 %
6	Colon	4	0.1 %
7	Esophagus	0	0.0 %
8	Gallbladder	0	0.0 %
9	Kidney	2	0.0 %
10	Larynx-windpipe	0	0.0 %
11	Leukemia	1	0.0 %
12	Liver	1	0.0 %
13	Lung	7	0.2 %
14	Lymphoma	2	0.0 %
15	Mouth, tongue, or lip	0	0.0 %
16	Ovary	2	0.0 %
17	Pancreas	0	0.0 %
18	Peritoneal	0	0.0 %
19	Prostate	8	0.2 %
20	Rectum	0	0.0 %

Value	Label	Unweighted Frequency	%
21	Skin	0	0.0 %
22	Soft tissue (muscle or fat)	0	0.0 %
23	Stomach	0	0.0 %
24	Testes	0	0.0 %
25	Throat - pharynx	0	0.0 %
26	Thyroid	3	0.1 %
27	Uterus	3	0.1 %
28	Vulva	1	0.0 %
29	Other (specify)	12	0.3 %
Missing Data			
-3	Not applicable	4313	98.5 %
-2	Don't know	2	0.0 %
Total		4,377	100%

Based upon 62 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 29.00

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPREAD_2: Has most recent cancer spread?

Now thinking about your most recent cancer... Has this cancer spread to other parts of your body?

(Sometimes, cancer will start in one place and spread to other parts of the body. Right now we are interested in knowing about primary cancer, or, in other words, where your cancer began. In which organ or part of your body did the cancer start? (DO NOT READ LIST))

(ASK ONLY IF RESPONDENT HAD CANCER)

Value	Label	Unweighted Frequency	%
0	No	56	1.3 %
1	Yes	4	0.1 %
Missing Data			
-3	Not applicable	4313	98.5 %
-2	Don't know	4	0.1 %
Total		4,377	100%

Based upon 60 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_7: Ever had diabetes

SINCE YOUR LAST INTERVIEW IN [MONTH/YEAR], HAS A DOCTOR TOLD YOU THAT YOU HAVE diabetes or high blood sugar?

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	No	3645	83.3 %
1	Yes	725	16.6 %
	Missing Data		
-2	Don't know	7	0.2 %
	Total	4,377	100%

Based upon 4,370 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DIABETES_MO: Month first told you had diabetes

If 'Yes' to CONDITNS_7: In what month and year did your doctor first tell you that you have diabetes or high blood sugar? MONTH

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
1	Jan	29	0.7 %
2	Feb	22	0.5 %
3	Mar	20	0.5 %
4	Apr	30	0.7 %

Value	Label	Unweighted Frequency	%
5	May	29	0.7 %
6	Jun	42	1.0 %
7	Jul	22	0.5 %
8	Aug	14	0.3 %
9	Sep	33	0.8 %
10	Oct	32	0.7 %
11	Nov	24	0.5 %
12	Dec	14	0.3 %
Missing Data			
-3	Not applicable	3652	83.4 %
-2	Don't know	411	9.4 %
-1	Refused	3	0.1 %
Total		4,377	100%

Based upon 311 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -4 , -3 , -2 , -1

DIABETES_YR: Year first told you had diabetes

If 'Yes' to CONDITNS_7: In what month and year did your doctor first tell you that you have diabetes or high blood sugar? YEAR

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
1960	-	1	0.0 %
1966	-	1	0.0 %
1968	-	1	0.0 %
1975	-	2	0.0 %
1978	-	2	0.0 %
1979	-	1	0.0 %
1980	-	4	0.1 %
1982	-	1	0.0 %
1985	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1986	-	2	0.0 %
1987	-	1	0.0 %
1989	-	4	0.1 %
1990	-	9	0.2 %
1991	-	2	0.0 %
1992	-	5	0.1 %
1993	-	1	0.0 %
1994	-	1	0.0 %
1995	-	4	0.1 %
1996	-	10	0.2 %
1997	-	10	0.2 %
1998	-	3	0.1 %
1999	-	8	0.2 %
2000	-	24	0.5 %
2001	-	8	0.2 %
2002	-	11	0.3 %
2003	-	5	0.1 %
2004	-	4	0.1 %
2005	-	19	0.4 %
2006	-	16	0.4 %
2007	-	11	0.3 %
2008	-	16	0.4 %
2009	-	19	0.4 %
2010	-	68	1.6 %
2011	-	75	1.7 %
2012	-	57	1.3 %
2013	-	50	1.1 %
2014	-	42	1.0 %
2015	-	71	1.6 %
2016	-	7	0.2 %
Missing Data			
-3	Not applicable	3652	83.4 %
-2	Don't know	147	3.4 %
-1	Refused	1	0.0 %
Total		4,377	100%

Based upon 577 valid cases out of 4,377 total cases.

- Mean: 2007.88
- Median: 2011.00

- Mode: 2011.00
- Minimum: 1960.00
- Maximum: 2016.00
- Standard Deviation: 8.17

Location: 243-246 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

EMPHASTH: Ever had emphysema, asthma, chronic bronchitis or Chronic Obstructive Pulmonary Disease (COPD)?

SINCE YOUR LAST INTERVIEW IN [MONTH/YEAR], HAS A DOCTOR TOLD YOU THAT YOU HAVE emphysema, asthma, chronic bronchitis, or chronic obstructive pulmonary disease?

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Note: cf. CONDITNS_3 (emphysema, chronic bronchitis or COPD) and CONDITNS_4 (asthma) in W1

Value	Label	Unweighted Frequency	%
0	No	3733	85.3 %
1	Yes	633	14.5 %
	Missing Data		
-2	Don't know	11	0.3 %
	Total	4,377	100%

Based upon 4,366 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

STROKE: Had stroke in last 5 years?

SINCE YOUR LAST INTERVIEW IN [MONTH/YEAR], HAS A DOCTOR TOLD YOU THAT YOU HAD a stroke, a cerebrovascular accident or CVA, a blood clot or bleeding in the brain, or transient ischemic attack or TIA?

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Note: cf. CONDITNS_5 in W1 (same question without 5-year restriction)

Value	Label	Unweighted Frequency	%
0	No	4093	93.5 %
1	Yes	273	6.2 %
	Missing Data		
-2	Don't know	11	0.3 %
	Total	4,377	100%

Based upon 4,366 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_83: Dementia (including Alzheimer's) or mild cognitive impairment

SINCE YOUR LAST INTERVIEW IN [MONTH/YEAR], HAS A DOCTOR TOLD YOU THAT YOU HAVE dementia, including Alzheimer's disease, vascular dementia, mixed dementia, or Mild Cognitive Impairment?

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Note: cf. CONDITNS_8 in W1 (Alzheimer's disease or another form of dementia) and vars ALZHEIMER and DEMENTIA in W2

Value	Label	Unweighted Frequency	%
0	No	4275	97.7 %
1	Yes	89	2.0 %
	Missing Data		
-2	Don't know	13	0.3 %
	Total	4,377	100%

Based upon 4,364 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FALL: Number times fallen in past 12 months

In the past 12 months, how many times have you fallen?

Note:

1. asked in leave-behind in W3
2. cf. FALLEN and FALLEN_NUM in W1

Value	Label	Unweighted Frequency	%
0	None	2392	54.6 %
1	One	771	17.6 %
2	Two or more	512	11.7 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	65	1.5 %
	Total	4,377	100%

Based upon 3,675 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

BREAKBONE3: Broken bone

In the last five years, has a doctor told you that you have a broken bone?

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Note: cf. BREAKBONE in W2; question wording changed slightly in W3

Value	Label	Unweighted Frequency	%
0	No	3901	89.1 %
1	Yes	471	10.8 %
	Missing Data		
-2	Don't know	5	0.1 %
	Total	4,377	100%

Based upon 4,372 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BONE3: Which bone or bones

If 'Yes' to BREAKBONE3: Which bone or bones?

(PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Note: cf. BONE in W2; question wording for BREAKBONE, on which var BONE depends, changed slightly in W3

Value	Label	Unweighted Frequency	%
1	Hip	34	0.8 %
2	Leg (other than hip)	44	1.0 %
3	Wrist	55	1.3 %
4	Backbone (vertebrae) or spinal column compression fracture	29	0.7 %
5	Nose	5	0.1 %
6	Skull fracture	0	0.0 %
7	Other (specify)	304	6.9 %
Missing Data			
-3	Not applicable	3906	89.2 %
Total		4,377	100%

Based upon 471 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

OTHDISEASE: Any other medical diseases or conditions?

Are there any other medical diseases or conditions that are important to your health now that we have not talked about?

Value	Label	Unweighted Frequency	%
0	No	2230	50.9 %
1	Yes	2141	48.9 %
Missing Data			
-2	Don't know	6	0.1 %
Total		4,377	100%

Based upon 4,371 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PREPMEAL: Difficulty preparing meals

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L). Preparing meals?

Value	Label	Unweighted Frequency	%
0	No difficulty	3759	85.9 %
1	Some difficulty	382	8.7 %
2	Much difficulty	95	2.2 %
3	Unable to do	85	1.9 %
4	If volunteered - have never done	51	1.2 %
Missing Data			
-2	Don't know	5	0.1 %
Total		4,377	100%

Based upon 4,372 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

TAKEMEDS: Difficulty taking medications

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L). Taking your medications?

Value	Label	Unweighted Frequency	%
0	No difficulty	4065	92.9 %
1	Some difficulty	157	3.6 %
2	Much difficulty	36	0.8 %
3	Unable to do	27	0.6 %
4	If volunteered - have never done	92	2.1 %
Total		4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

MANAGEMONEY: Difficulty managing money

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L). Managing your money such as writing checks and keeping track of bills?

Value	Label	Unweighted Frequency	%
0	No difficulty	3842	87.8 %
1	Some difficulty	292	6.7 %
2	Much difficulty	63	1.4 %
3	Unable to do	95	2.2 %
4	If volunteered - have never done	80	1.8 %
Missing Data			
-2	Don't know	5	0.1 %
Total		4,377	100%

Based upon 4,372 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

SHOPFOOD: Difficulty shopping for groceries

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L). Shopping for groceries?

Value	Label	Unweighted Frequency	%
0	No difficulty	3735	85.3 %
1	Some difficulty	345	7.9 %
2	Much difficulty	104	2.4 %
3	Unable to do	134	3.1 %
4	If volunteered - have never done	52	1.2 %
Missing Data			
-2	Don't know	7	0.2 %

Value	Label	Unweighted Frequency	%
Total		4,377	100%

Based upon 4,370 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

LIGHTWORK: Difficulty performing light housework

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L). Performing light housework such as washing dishes, light vacuuming, or dusting?

Value	Label	Unweighted Frequency	%
0	No difficulty	3643	83.2 %
1	Some difficulty	455	10.4 %
2	Much difficulty	130	3.0 %
3	Unable to do	112	2.6 %
4	If volunteered - have never done	33	0.8 %
Missing Data			
-2	Don't know	4	0.1 %
Total		4,377	100%

Based upon 4,373 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

USETELEP: Difficulty using a telephone

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L). Using a telephone?

Value	Label	Unweighted Frequency	%
0	No difficulty	4172	95.3 %
1	Some difficulty	170	3.9 %
2	Much difficulty	23	0.5 %
3	Unable to do	10	0.2 %

Value	Label	Unweighted Frequency	%
4	If volunteered - have never done	1	0.0 %
Missing Data			
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 4,376 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

WALKROOM: Difficulty walking across room

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L). Walking across a room?

Value	Label	Unweighted Frequency	%
0	No difficulty	3813	87.1 %
1	Some difficulty	427	9.8 %
2	Much difficulty	101	2.3 %
3	Unable to do	36	0.8 %
4	If volunteered - have never done	0	0.0 %
Total		4,377	100%

Based upon 4,376 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

WALKBLK: Difficulty walking one block

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L). Walking one block?

Value	Label	Unweighted Frequency	%
0	No difficulty	3233	73.9 %
1	Some difficulty	649	14.8 %
2	Much difficulty	230	5.3 %

Value	Label	Unweighted Frequency	%
3	Unable to do	245	5.6 %
4	If volunteered - have never done	12	0.3 %
Missing Data			
-2	Don't know	8	0.2 %
Total		4,377	100%

Based upon 4,369 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

DRESSING: Difficulty dressing

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L). Dressing, including putting on shoes and socks?

Value	Label	Unweighted Frequency	%
0	No difficulty	3774	86.2 %
1	Some difficulty	480	11.0 %
2	Much difficulty	87	2.0 %
3	Unable to do	36	0.8 %
4	If volunteered - have never done	0	0.0 %
Total		4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

BATHING: Difficulty bathing or showering

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L). Bathing or showering?

Value	Label	Unweighted Frequency	%
0	No difficulty	3991	91.2 %
1	Some difficulty	283	6.5 %

Value	Label	Unweighted Frequency	%
2	Much difficulty	67	1.5 %
3	Unable to do	36	0.8 %
4	If volunteered - have never done	0	0.0 %
Total		4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

EATING: Difficulty eating

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L). Eating, such as cutting up your food?

Value	Label	Unweighted Frequency	%
0	No difficulty	4227	96.6 %
1	Some difficulty	114	2.6 %
2	Much difficulty	22	0.5 %
3	Unable to do	13	0.3 %
4	If volunteered - have never done	0	0.0 %
Missing Data			
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 4,376 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

INOUTBED: Difficulty getting in or out of bed

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L). Getting in or out of bed?

Value	Label	Unweighted Frequency	%
0	No difficulty	3952	90.3 %

Value	Label	Unweighted Frequency	%
1	Some difficulty	365	8.3 %
2	Much difficulty	48	1.1 %
3	Unable to do	12	0.3 %
4	If volunteered - have never done	0	0.0 %
Total		4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

TOILET: Difficulty using toilet

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L). Using the toilet, including getting up and down?

Value	Label	Unweighted Frequency	%
0	No difficulty	4017	91.8 %
1	Some difficulty	314	7.2 %
2	Much difficulty	36	0.8 %
3	Unable to do	10	0.2 %
4	If volunteered - have never done	0	0.0 %
Total		4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

DRIVED2: Difficulty driving car during day

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L).

Driving a car during the day?

Note: similar to DRIVED in W1, though that included the extra response category 'if

'volunteered - doesn't drive anymore'

Value	Label	Unweighted Frequency	%
0	No difficulty	3739	85.4 %
1	Some difficulty	111	2.5 %
2	Much difficulty	19	0.4 %
3	Unable to do	325	7.4 %
4	If volunteered - have never done	171	3.9 %
Missing Data			
-2	Don't know	12	0.3 %
Total		4,377	100%

Based upon 4,365 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

DRIVEN2: Difficulty driving car during night

We are interested in what activities are easy or difficult for you. Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. (USE HAND CARD L).

Driving a car during the night?

Note: similar to DRIVEN in W1, though that included the extra response category 'if volunteered - doesn't drive anymore'

Value	Label	Unweighted Frequency	%
0	No difficulty	2771	63.3 %
1	Some difficulty	830	19.0 %
2	Much difficulty	93	2.1 %
3	Unable to do	457	10.4 %
4	If volunteered - have never done	205	4.7 %
Missing Data			
-2	Don't know	21	0.5 %
Total		4,377	100%

Based upon 4,356 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 289-290 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -3 , -2 , -1

PREPMEAL_HELP: Anyone help you with: preparing meals?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Preparing meals?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	146	3.3 %
1	Yes	407	9.3 %
	Missing Data		
-6	Missing in error	8	0.2 %
-3	Not applicable	3815	87.2 %
-2	Don't know	1	0.0 %
	Total	4,377	100%

Based upon 553 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

TAKEMEDS_HELP: Anyone help you with: taking medications?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Taking your medications?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	94	2.1 %
1	Yes	122	2.8 %
	Missing Data		
-6	Missing in error	4	0.1 %
-3	Not applicable	4157	95.0 %
	Total	4,377	100%

Based upon 216 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MANMONEY_HELP: Anyone help you with: managing money?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Managing your money such as writing checks and keeping track of bills?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	167	3.8 %
1	Yes	274	6.3 %
	Missing Data		
-6	Missing in error	9	0.2 %
-3	Not applicable	3927	89.7 %
	Total	4,377	100%

Based upon 441 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SHOPFOOD_HELP: Anyone help you with: shopping for groceries?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Shopping for groceries?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	87	2.0 %
1	Yes	485	11.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-6	Missing in error	9	0.2 %
-3	Not applicable	3794	86.7 %
-2	Don't know	1	0.0 %
-1	Refused	1	0.0 %
Total		4,377	100%

Based upon 572 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

LIGHTWORK_HELP: Anyone help you with: light housework?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Performing light housework such as dishes, light vacuuming, or dusting?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	154	3.5 %
1	Yes	535	12.2 %
	Missing Data		
-6	Missing in error	7	0.2 %
-3	Not applicable	3680	84.1 %
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 689 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

USETELEP_HELP: Anyone help you with: using a telephone?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Using a telephone?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	84	1.9 %
1	Yes	117	2.7 %
Missing Data			
-6	Missing in error	2	0.0 %
-3	Not applicable	4174	95.4 %
Total		4,377	100%

Based upon 201 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WALKROOM_HELP: Anyone help you with: walking across a room?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Walking across a room?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	412	9.4 %
1	Yes	145	3.3 %
Missing Data			
-6	Missing in error	6	0.1 %
-3	Not applicable	3813	87.1 %
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 557 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WALKBLOCK_HELP: Anyone help you with: walking one block?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Walking one block?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	844	19.3 %
1	Yes	256	5.8 %
	Missing Data		
-6	Missing in error	14	0.3 %
-3	Not applicable	3253	74.3 %
-2	Don't know	10	0.2 %
	Total	4,377	100%

Based upon 1,100 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DRESS_HELP: Anyone help you with: dressing?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Dressing, including putting on shoes and socks?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	367	8.4 %
1	Yes	226	5.2 %
	Missing Data		
-6	Missing in error	10	0.2 %
-3	Not applicable	3774	86.2 %
	Total	4,377	100%

Based upon 593 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BATH_HELP: Anyone help you with: bathing or showering?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Bathing or showering?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	220	5.0 %
1	Yes	156	3.6 %
Missing Data			
-6	Missing in error	10	0.2 %
-3	Not applicable	3991	91.2 %
Total		4,377	100%

Based upon 376 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

EATING_HELP: Anyone help you with: eating?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Eating, such as cutting up your food?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	62	1.4 %
1	Yes	84	1.9 %
Missing Data			
-6	Missing in error	2	0.0 %
-3	Not applicable	4228	96.6 %

Value	Label	Unweighted Frequency	%
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 146 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

GETBED_HELP: Anyone help you with: getting in or out of bed?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Getting in or out of bed?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	293	6.7 %
1	Yes	123	2.8 %
	Missing Data		
-6	Missing in error	9	0.2 %
-3	Not applicable	3952	90.3 %
Total		4,377	100%

Based upon 416 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

TOILET_HELP: Anyone help you with: using toilet?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Using the toilet, including getting up and down?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	276	6.3 %
1	Yes	77	1.8 %
Missing Data			
-6	Missing in error	7	0.2 %
-3	Not applicable	4017	91.8 %
Total		4,377	100%

Based upon 353 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DRIVDAY_HELP: Anyone help you with: driving car during day?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Driving a car during the day?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	186	4.2 %
1	Yes	252	5.8 %
Missing Data			
-6	Missing in error	12	0.3 %
-3	Not applicable	3922	89.6 %
-2	Don't know	2	0.0 %
-1	Refused	3	0.1 %
Total		4,377	100%

Based upon 438 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DRIVNIGHT_HELP: Anyone help you with: driving car during night?

You mentioned that you have difficulty with some of the above items. Does anyone ever help you with... Driving a car during the night?

(ASK SECTION ONLY IF R HAD "SOME DIFFICULTY" "MUCH DIFFICULTY" OR "UNABLE TO DO" FOR ANY FUNCTIONAL HEALTH ITEM)

Value	Label	Unweighted Frequency	%
0	No	753	17.2 %
1	Yes	605	13.8 %
Missing Data			
-6	Missing in error	16	0.4 %
-3	Not applicable	2997	68.5 %
-2	Don't know	4	0.1 %
-1	Refused	2	0.0 %
Total		4,377	100%

Based upon 1,358 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PREPMEAL_LIKEHELP: Like help preparing meals

Would you like someone to help you with... Preparing meals?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	103	2.4 %
1	Yes	41	0.9 %
Missing Data			
-6	Missing in error	8	0.2 %
-3	Not applicable	4222	96.5 %
-2	Don't know	3	0.1 %
Total		4,377	100%

Based upon 144 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 321-322 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

TAKEMED_LIKEHELP: Like help taking medications

Would you like someone to help you with... Taking your medications?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	82	1.9 %
1	Yes	12	0.3 %
	Missing Data		
-6	Missing in error	4	0.1 %
-3	Not applicable	4279	97.8 %
	Total	4,377	100%

Based upon 94 valid cases out of 4,377 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 323-324 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MANMON_LIKEHELP: Like help managing money

Would you like someone to help you with... Managing your money such as writing checks and keeping track of bills?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	136	3.1 %
1	Yes	29	0.7 %
	Missing Data		
-6	Missing in error	9	0.2 %
-3	Not applicable	4201	96.0 %
-2	Don't know	2	0.0 %
	Total	4,377	100%

Based upon 165 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SHOPGROC_LIKEHELP: Like help shopping for groceries

Would you like someone to help you with... Shopping for groceries?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	64	1.5 %
1	Yes	24	0.5 %
Missing Data			
-6	Missing in error	9	0.2 %
-3	Not applicable	4279	97.8 %
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 88 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HOUSEWORK_LIKEHELP: Like help with light housework

Would you like someone to help you with... Performing light housework such as washing dishes, light vacuuming, or dusting?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	96	2.2 %
1	Yes	57	1.3 %
Missing Data			
-6	Missing in error	7	0.2 %
-3	Not applicable	4215	96.3 %
-2	Don't know	2	0.0 %
Total		4,377	100%

Based upon 153 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

USETELE_LIKEHELP: Like help using telephone

Would you like someone to help you with... Using a telephone?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	75	1.7 %
1	Yes	8	0.2 %
Missing Data			
-6	Missing in error	2	0.0 %
-3	Not applicable	4291	98.0 %
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 83 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WALKROOM_LIKEHELP: Like help walking across a room

Would you like someone to help you with... Walking across a room?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	393	9.0 %
1	Yes	17	0.4 %
Missing Data			
-6	Missing in error	6	0.1 %
-3	Not applicable	3958	90.4 %

Value	Label	Unweighted Frequency	%
-2	Don't know	3	0.1 %
Total		4,377	100%

Based upon 410 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WALKBLOCK_LIKEHELP: Like help walking one block

Would you like someone to help you with... Walking one block?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	789	18.0 %
1	Yes	57	1.3 %
	Missing Data		
-6	Missing in error	14	0.3 %
-3	Not applicable	3509	80.2 %
-2	Don't know	8	0.2 %
Total		4,377	100%

Based upon 846 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DRESS_LIKEHELP: Like help dressing

Would you like someone to help you with... Dressing, including putting on shoes and socks?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	338	7.7 %
1	Yes	27	0.6 %
Missing Data			
-6	Missing in error	10	0.2 %
-3	Not applicable	4000	91.4 %
-2	Don't know	2	0.0 %
Total		4,377	100%

Based upon 365 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BATH_LIKEHELP: Like help bathing or showering

Would you like someone to help you with... Bathing or showering?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	197	4.5 %
1	Yes	22	0.5 %
Missing Data			
-6	Missing in error	10	0.2 %
-3	Not applicable	4147	94.7 %
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 219 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

EATING_LIKEHELP: Like help eating

Would you like someone to help you with... Eating, such as cutting

up your food?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	54	1.2 %
1	Yes	9	0.2 %
Missing Data			
-6	Missing in error	2	0.0 %
-3	Not applicable	4312	98.5 %
Total		4,377	100%

Based upon 63 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

GETBED_LIKEHELP: Like help getting in/out of bed

Would you like someone to help you with... Getting in or out of bed?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	279	6.4 %
1	Yes	14	0.3 %
Missing Data			
-6	Missing in error	9	0.2 %
-3	Not applicable	4075	93.1 %
Total		4,377	100%

Based upon 293 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

TOILET_LIKEHELP: Like help using toilet

Would you like someone to help you with... Using the toilet, including getting up and down?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	267	6.1 %
1	Yes	9	0.2 %
Missing Data			
-6	Missing in error	7	0.2 %
-3	Not applicable	4094	93.5 %
Total		4,377	100%

Based upon 276 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DRIVDAY_LIKEHELP: Like help driving during the day

Would you like someone to help you with... Driving a car during the day?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	164	3.7 %
1	Yes	24	0.5 %
Missing Data			
-6	Missing in error	12	0.3 %
-3	Not applicable	4174	95.4 %
-2	Don't know	1	0.0 %
-1	Refused	2	0.0 %
Total		4,377	100%

Based upon 188 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DRIVNIGHT_LIKEHELP: Like help driving at night

Would you like someone to help you with... Driving a car during the night?

(Ask if "No," "Don't know," or "Refused" to "Does anyone ever help you with...")

Value	Label	Unweighted Frequency	%
0	No	678	15.5 %
1	Yes	74	1.7 %
Missing Data			
-6	Missing in error	16	0.4 %
-3	Not applicable	3602	82.3 %
-2	Don't know	5	0.1 %
-1	Refused	2	0.0 %
Total		4,377	100%

Based upon 752 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CAREREC_ROSTER: Is person who helps you most often on roster?

Ask if 'Yes' to "Does anyone ever help you with...": You mentioned you received help with some of these activities. Thinking of the person who helps you most often, is this someone we wrote down on your roster earlier?

Value	Label	Unweighted Frequency	%
0	No	144	3.3 %
1	Yes	1139	26.0 %
Missing Data			
-6	Missing in error	26	0.6 %
-3	Not applicable	3061	69.9 %
-2	Don't know	7	0.2 %
Total		4,377	100%

Based upon 1,283 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CAREREC_LINE: Roster line number of person who helps R most often

Ask if 'Yes' to CAREREC_ROSTER: Please tell me the line number on which this person appears.

Value	Label	Unweighted Frequency	%
1	-	584	13.3 %
2	-	147	3.4 %
3	-	81	1.9 %
4	-	48	1.1 %
5	-	40	0.9 %
6	-	167	3.8 %
8	-	52	1.2 %
9	-	5	0.1 %
10	-	5	0.1 %
12	-	1	0.0 %
Missing Data			
-6	Missing in error	26	0.6 %
-3	Not applicable	3212	73.4 %
-2	Don't know	6	0.1 %
-1	Refused	3	0.1 %
Total		4,377	100%

Based upon 1,130 valid cases out of 4,377 total cases.

- Mean: 2.69
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.28

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CAREREC_REL: Relationship to R of person who helps most often

Ask if 'No' to CAREREC_ROSTER: Which of the following best describes this person's relationship to you? (USE HAND CARD M)

Value	Label	Unweighted Frequency	%
1	Spouse	5	0.1 %
2	Ex-spouse	1	0.0 %
3	Romantic/sexual partner	2	0.0 %
4	Parent	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Parent in-law	0	0.0 %
6	Child	28	0.6 %
7	Step-child	0	0.0 %
8	Brother or sister	3	0.1 %
9	Other relative of yours	4	0.1 %
10	Other in-law	0	0.0 %
11	Friend	17	0.4 %
12	Neighbor	5	0.1 %
13	Co-worker or boss	1	0.0 %
14	Minister, priest, or other clergy	0	0.0 %
15	Psychiatrist, psychologist, counselor, or therapist	0	0.0 %
16	Caseworker/social worker	2	0.0 %
17	Housekeeper/home health care provider	43	1.0 %
18	Other (specify)	21	0.5 %
19	Grandchild	10	0.2 %
Missing Data			
-6	Missing in error	26	0.6 %
-3	Not applicable	4207	96.1 %
-2	Don't know	1	0.0 %
-1	Refused	1	0.0 %
Total		4,377	100%

Based upon 142 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RELIABLEHELP: How reliable has this person been

Ask if 'Yes' to CAREREC_ROSTER: Thinking of the person who helps you most often, how reliable would you say this person has been over the past 12 months? (USE HAND CARD N)

Value	Label	Unweighted Frequency	%
1	Not at all reliable	6	0.1 %
2	Somewhat reliable	92	2.1 %
3	Very reliable	467	10.7 %
4	Completely reliable	720	16.4 %
Missing Data			
-6	Missing in error	26	0.6 %

Value	Label	Unweighted Frequency	%
-3	Not applicable	3061	69.9 %
-2	Don't know	4	0.1 %
-1	Refused	1	0.0 %
Total		4,377	100%

Based upon 1,285 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

PHYSACT2: Frequency of rigorous physical activity (6 categories)

Now I will be asking you about physical activities you may do on a regular basis. On average over the last 12 months how often have you participated in vigorous physical activity or exercise? By vigorous physical activity, we mean 30 minutes or more of things like sports, exercise classes, heavy housework, or a job that involves physical labor. (USE HAND CARD O) FI NOTES: WALKS FOR MORE THAN 30 MINUTES CAN COUNT

Value	Label	Unweighted Frequency	%
0	Never	926	21.2 %
1	Less than 1 time per month	377	8.6 %
2	1 - 3 times per month	396	9.0 %
3	1 - 2 times per week	710	16.2 %
4	3 or 4 times per week	853	19.5 %
5	5 or more times per week	1108	25.3 %
Missing Data			
-2	Don't know	6	0.1 %
-1	Refused	1	0.0 %
Total		4,377	100%

Based upon 4,370 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

DRNK3MO: Drunk alcohol in last 3 months?

Next, we would like to know about your use of alcohol and tobacco...

Have you drunk alcohol in the last three months?

Value	Label	Unweighted Frequency	%
0	No	2138	48.8 %
1	Yes	2236	51.1 %
	Missing Data		
-2	Don't know	2	0.0 %
-1	Refused	1	0.0 %
	Total	4,377	100%

Based upon 4,374 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DRNKWKLY: How many days per week do you drink?

Ask if 'Yes' to DRNK3MO: In the last three months, on average, how many days per week have you had any alcohol to drink? For example, beer, wine, or any drink containing liquor.
(DO NOT READ RESPONSES)

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	0 (none or < 1/wk)	525	12.0 %
1	-	514	11.7 %
2	-	350	8.0 %
3	-	240	5.5 %
4	-	119	2.7 %
5	-	125	2.9 %
6	-	42	1.0 %
7	7 (every day)	314	7.2 %
	Missing Data		
-3	Not applicable	2141	48.9 %
-2	Don't know	6	0.1 %
-1	Refused	1	0.0 %
	Total	4,377	100%

Based upon 2,229 valid cases out of 4,377 total cases.

- Mean: 2.46
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.37

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

MNYDRINK: How many drinks per day?

Ask if 'Yes' to DRNK3MO: In the last three months, on the days you drink, about how many drinks do you have?

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
1	-	1081	24.7 %
2	-	633	14.5 %
3	-	279	6.4 %
4	-	93	2.1 %
5	-	45	1.0 %
6	-	58	1.3 %
7	-	8	0.2 %
8	-	14	0.3 %
10	-	7	0.2 %
12	-	6	0.1 %
Missing Data			
-3	Not applicable	2141	48.9 %
-2	Don't know	10	0.2 %
-1	Refused	2	0.0 %
Total		4,377	100%

Based upon 2,224 valid cases out of 4,377 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.47

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MORE4DRN: How many days with four or more drinks?

Ask if 'Yes' to DRNK3MO: In the last three months, on how many days have you had four or more drinks in one occasion? (USE ZERO FOR NONE)

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	-	1498	34.2 %
1	-	208	4.8 %
2	-	135	3.1 %
3	-	85	1.9 %
4	-	40	0.9 %
5	-	40	0.9 %
6	-	35	0.8 %
7	-	16	0.4 %
8	-	11	0.3 %
9	-	2	0.0 %
10	-	24	0.5 %
11	-	1	0.0 %
12	-	38	0.9 %
13	-	1	0.0 %
15	-	3	0.1 %
16	-	1	0.0 %
20	-	4	0.1 %
24	-	16	0.4 %
25	-	3	0.1 %
28	-	1	0.0 %
30	-	6	0.1 %
31	-	1	0.0 %
36	-	8	0.2 %
40	-	2	0.0 %
45	-	3	0.1 %
48	-	2	0.0 %
60	-	8	0.2 %
70	-	1	0.0 %
75	-	2	0.0 %
80	-	1	0.0 %
90	-	22	0.5 %
92	-	2	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-3	Not applicable	2141	48.9 %
-2	Don't know	15	0.3 %
-1	Refused	1	0.0 %
	Total	4,377	100%

Based upon 2,220 valid cases out of 4,377 total cases.

- Mean: 2.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 92.00
- Standard Deviation: 11.35

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SMOKECIG: Do you smoke cigarettes?

Do you smoke cigarettes, cigars or a pipe now? (INTERVIEWER INSTRUCTION: DOES NOT INCLUDE SNUFF, CHEWING TOBACCO OR ANY OTHER FORMS OF TOBACCO)

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	No	3704	84.6 %
1	Yes	672	15.4 %
	Missing Data		
-2	Don't know	1	0.0 %
	Total	4,377	100%

Based upon 4,376 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

AVECIG: Number cigarettes per day

Ask if 'Yes' to SMOKECIG: On the average, how many cigarettes, cigars or pipes per day do you usually smoke? (NOTE: ONE PACK = 20 CIGARETTES)

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	-	35	0.8 %
1	-	47	1.1 %
2	-	23	0.5 %
3	-	31	0.7 %
4	-	32	0.7 %
5	-	43	1.0 %
6	-	32	0.7 %
7	-	16	0.4 %
8	-	21	0.5 %
9	-	4	0.1 %
10	-	128	2.9 %
11	-	1	0.0 %
12	-	19	0.4 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	38	0.9 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	5	0.1 %
19	-	2	0.0 %
20	-	142	3.2 %
21	-	1	0.0 %
23	-	1	0.0 %
25	-	2	0.0 %
28	-	1	0.0 %
30	-	22	0.5 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	12	0.3 %
49	-	1	0.0 %
50	-	1	0.0 %
70	-	1	0.0 %
Missing Data			
-3	Not applicable	3705	84.6 %
-2	Don't know	5	0.1 %
Total		4,377	100%

Based upon 667 valid cases out of 4,377 total cases.

- Mean: 11.48
- Median: 10.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 70.00
- Standard Deviation: 9.20

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

TEETHPROBS3: Puffy, reddish or sore gums, or gums that bleed

Many people have puffy, reddish or sore gums, and may even bleed after eating, cleaning their teeth, flossing, or using dentures. In the past month, have you had such symptoms?

Note:

1. asked in leave-behind in W3
2. cf. TEETHPROBS (W2); answer categories changed in W3

Value	Label	Unweighted Frequency	%
0	No	3153	72.0 %
1	Yes	534	12.2 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	53	1.2 %
	Total	4,377	100%

Based upon 3,687 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SHADEOFSKIN: Shade of skin color

Compared to other people in your racial or ethnic group, what shade of skin color do you have?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Very light	323	7.4 %

Value	Label	Unweighted Frequency	%
2	Light	1488	34.0 %
3	Medium	1636	37.4 %
4	Dark	197	4.5 %
5	Very dark	20	0.5 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	76	1.7 %
Total		4,377	100%

Based upon 3,664 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

HADPAIN: Had any pain in past 4 weeks?

In the past four weeks, have you had any pain?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	1026	23.4 %
1	Yes	2484	56.8 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	230	5.3 %
Total		4,377	100%

Based upon 3,510 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_1: Area of most pain: 1 circled

On the diagram below, please circle the area where you have felt the most pain in the past

four weeks. 1

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2317	52.9 %
1	Yes	171	3.9 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_2: Area of most pain: 2 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 2

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2327	53.2 %
1	Yes	161	3.7 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_3: Area of most pain: 3 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 3

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2255	51.5 %
1	Yes	233	5.3 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_4: Area of most pain: 4 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 4

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2168	49.5 %
1	Yes	320	7.3 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %

Value	Label	Unweighted Frequency	%
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_5: Area of most pain: 5 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 5

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2176	49.7 %
1	Yes	312	7.1 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_6: Area of most pain: 6 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 6

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2350	53.7 %
1	Yes	138	3.2 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_7: Area of most pain: 7 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 7

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2366	54.1 %
1	Yes	122	2.8 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_8: Area of most pain: 8 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 8

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2319	53.0 %
1	Yes	169	3.9 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_9: Area of most pain: 9 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 9

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2323	53.1 %
1	Yes	165	3.8 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_10: Area of most pain: 10 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 10

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2163	49.4 %
1	Yes	325	7.4 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_11: Area of most pain: 11 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 11

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2204	50.4 %

Value	Label	Unweighted Frequency	%
1	Yes	284	6.5 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_12: Area of most pain: 12 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 12

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2396	54.7 %
1	Yes	92	2.1 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_13: Area of most pain: 13 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 13

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2396	54.7 %
1	Yes	92	2.1 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 403-404 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_14: Area of most pain: 14 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 14

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2233	51.0 %
1	Yes	255	5.8 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 405-406 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_15: Area of most pain: 15 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 15

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2267	51.8 %
1	Yes	221	5.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 407-408 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_16: Area of most pain: 16 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 16

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2376	54.3 %
1	Yes	112	2.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_17: Area of most pain: 17 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 17

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	1809	41.3 %
1	Yes	679	15.5 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_18: Area of most pain: 18 circled

On the diagram below, please circle the area where you have felt the most pain in the past

four weeks. 18

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	1860	42.5 %
1	Yes	628	14.3 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_19: Area of most pain: 19 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 19

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	1792	40.9 %
1	Yes	696	15.9 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 415-416 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_20: Area of most pain: 20 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 20

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	1831	41.8 %
1	Yes	657	15.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 417-418 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_21: Area of most pain: 21 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 21

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2091	47.8 %
1	Yes	397	9.1 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %

Value	Label	Unweighted Frequency	%
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 419-420 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_22: Area of most pain: 22 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 22

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2106	48.1 %
1	Yes	382	8.7 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_23: Area of most pain: 23 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 23

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2401	54.9 %
1	Yes	87	2.0 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_24: Area of most pain: 24 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 24

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2397	54.8 %
1	Yes	91	2.1 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_25: Area of most pain: 25 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 25

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2086	47.7 %
1	Yes	402	9.2 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 427-428 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_26: Area of most pain: 26 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 26

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2180	49.8 %
1	Yes	308	7.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 429-430 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_27: Area of most pain: 27 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 27

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2178	49.8 %
1	Yes	310	7.1 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 431-432 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_28: Area of most pain: 28 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 28

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2400	54.8 %

Value	Label	Unweighted Frequency	%
1	Yes	88	2.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_29: Area of most pain: 29 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 29

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2405	54.9 %
1	Yes	83	1.9 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_30: Area of most pain: 30 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 30

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2367	54.1 %
1	Yes	121	2.8 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 437-438 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_31: Area of most pain: 31 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 31

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2378	54.3 %
1	Yes	110	2.5 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 439-440 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_32: Area of most pain: 32 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 32

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2333	53.3 %
1	Yes	155	3.5 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 441-442 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_33: Area of most pain: 33 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 33

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2316	52.9 %
1	Yes	172	3.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_34: Area of most pain: 34 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 34

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2313	52.8 %
1	Yes	175	4.0 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_35: Area of most pain: 35 circled

On the diagram below, please circle the area where you have felt the most pain in the past

four weeks. 35

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2306	52.7 %
1	Yes	182	4.2 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 447-448 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_36: Area of most pain: 36 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 36

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	1745	39.9 %
1	Yes	743	17.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 449-450 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_37: Area of most pain: 37 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 37

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	1697	38.8 %
1	Yes	791	18.1 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_38: Area of most pain: 38 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 38

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2060	47.1 %
1	Yes	428	9.8 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %

Value	Label	Unweighted Frequency	%
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 453-454 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_39: Area of most pain: 39 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 39

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2070	47.3 %
1	Yes	418	9.5 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 455-456 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_40: Area of most pain: 40 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 40

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2215	50.6 %
1	Yes	273	6.2 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 457-458 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_41: Area of most pain: 41 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 41

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2216	50.6 %
1	Yes	272	6.2 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 459-460 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_42: Area of most pain: 42 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 42

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2181	49.8 %
1	Yes	307	7.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 461-462 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_43: Area of most pain: 43 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 43

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2185	49.9 %
1	Yes	303	6.9 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
Total		4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 463-464 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_44: Area of most pain: 44 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 44

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2280	52.1 %
1	Yes	208	4.8 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 465-466 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINDIAG_45: Area of most pain: 45 circled

On the diagram below, please circle the area where you have felt the most pain in the past four weeks. 45

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2286	52.2 %

Value	Label	Unweighted Frequency	%
1	Yes	202	4.6 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	1	0.0 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,488 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 467-468 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINLEVEL: Level of pain in past 4 weeks

Please check the box next to the phrase that best describes the level of pain in the past four weeks.

Skip if: HADPAIN equals "no"

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No pain	4	0.1 %
1	Slight pain	172	3.9 %
2	Mild pain	539	12.3 %
3	Moderate pain	1158	26.5 %
4	Severe pain	419	9.6 %
5	Extreme pain	122	2.8 %
6	The most intense pain imaginable	27	0.6 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	48	1.1 %
-3	Not applicable	1251	28.6 %
	Total	4,377	100%

Based upon 2,441 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 469-470 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

TROUB_SLP: Trouble falling asleep

The next set of questions asks about your sleeping habits.

How often do you have trouble falling asleep?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	456	10.4 %
1	Rarely	1354	30.9 %
2	Sometimes	1385	31.6 %
3	Most of the time	503	11.5 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	42	1.0 %
Total		4,377	100%

Based upon 3,698 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 471-472 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

TROUB_WK: Trouble waking up during the night

How often do you have trouble with waking up during the night?

(The next set of questions asks about your sleeping habits.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	412	9.4 %
1	Rarely	990	22.6 %
2	Sometimes	1444	33.0 %
3	Most of the time	848	19.4 %
Missing Data			
-5	Not returned	637	14.6 %

Value	Label	Unweighted Frequency	%
-4	No answer	46	1.1 %
Total		4,377	100%

Based upon 3,694 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 473-474 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WAKE_EARLY: Trouble waking up too early

How often do you have trouble with waking up too early and not being able to fall asleep again?

(The next set of questions asks about your sleeping habits.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	418	9.5 %
1	Rarely	1316	30.1 %
2	Sometimes	1516	34.6 %
3	Most of the time	450	10.3 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	40	0.9 %
Total		4,377	100%

Based upon 3,700 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

APNEA: Diagnosed with sleep apnea

Has a doctor ever told you that you have sleep apnea?

(The next set of questions asks about your sleeping habits.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	3192	72.9 %
1	Yes	486	11.1 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	61	1.4 %
-2	Don't know	1	0.0 %
	Total	4,377	100%

Based upon 3,678 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SNORE: Snoring frequency

How often do you snore?

(The next set of questions asks about your sleeping habits.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	404	9.2 %
1	Occasionally	1323	30.2 %
2	Most nights	476	10.9 %
3	Every night	415	9.5 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	51	1.2 %
-2	Don't know	1071	24.5 %
	Total	4,377	100%

Based upon 2,618 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 479-480 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

GASP: Stop breathing or gasp for breath during sleep

Has anyone ever told you that you stop breathing or gasp for breath during sleep?

(The next set of questions asks about your sleeping habits.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	3052	69.7 %
1	Yes	623	14.2 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	64	1.5 %
-2	Don't know	1	0.0 %
	Total	4,377	100%

Based upon 3,675 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 481-482 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SAMEBED3: Sleep in same bed with partner (6 categories)

In the last month, how often did you sleep in the same bed with your spouse or romantic partner?

Note:

1. asked in leave-behind in W3
2. cf. SAMEBED (W1) and SAMEBED2 (W2); answer categories changed in each wave

Value	Label	Unweighted Frequency	%
0	Never	435	9.9 %
1	Rarely	195	4.5 %
2	Some of the time	233	5.3 %
3	Most of the time	245	5.6 %
4	All of the time	1651	37.7 %
5	I do not have a spouse or romantic partner	798	18.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-5	Not returned	637	14.6 %
-4	No answer	176	4.0 %
-1	Refused	7	0.2 %
Total		4,377	100%

Based upon 3,557 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 483-484 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -5 , -4 , -3 , -2 , -1

ANYPRIVATEINS: Currently covered under private insurance plan

Not including Medicare or Medicaid, are you currently covered under any private insurance plans such as insurance through an employer or a business, coverage for retirees, or insurance you buy for yourself? Do not include long-term care insurance.

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	474	10.8 %
1	Yes	1116	25.5 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	101	2.3 %
-3	Not applicable	2049	46.8 %
Total		4,377	100%

Based upon 1,590 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 485-486 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

LACKMEDCARE: Skipped care due to lack of insurance

In the past year, has a lack of adequate health insurance kept you from getting medical care?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	3148	71.9 %
1	Yes	345	7.9 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	247	5.6 %
	Total	4,377	100%

Based upon 3,493 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

LACKPRESMED: Skipped medications due to lack of insurance

In the past year, has a lack of adequate health insurance kept you from getting prescription medications?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	3220	73.6 %
1	Yes	281	6.4 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	239	5.5 %
	Total	4,377	100%

Based upon 3,501 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 489-490 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HLTHCRGOV: Looked into purchasing insurance through Healthcare.gov

Have you looked into purchasing health insurance coverage through Healthcare.gov?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	1310	29.9 %
1	Yes	233	5.3 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	148	3.4 %
-3	Not applicable	2049	46.8 %
	Total	4,377	100%

Based upon 1,543 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 491-492 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HLTHCRPUR: Plan purchased through Healthcare.gov

Was a plan purchased?

(Have you looked into purchasing health insurance coverage through Healthcare.gov?)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	112	2.6 %
1	Yes	121	2.8 %
	Missing Data		
-5	Not returned	637	14.6 %
-3	Not applicable	3507	80.1 %
	Total	4,377	100%

Based upon 233 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 493-494 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

B4HLTHCRGOV: Tried to purchase insurance before Healthcare.gov

Before Healthcare.gov was in place (around 2013), did you try to purchase health insurance directly, that is, not through any employer, union, or government program?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	1300	29.7 %
1	Yes	199	4.5 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	192	4.4 %
-3	Not applicable	2049	46.8 %
Total		4,377	100%

Based upon 1,499 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

B4HLTHCRPUR: plan purchased before Healthcare.gov

Was a plan purchased?

(Before Healthcare.gov was in place (around 2013), did you try to purchase health insurance directly, that is, not through any employer, union, or government program?)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	53	1.2 %
1	Yes	141	3.2 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	6	0.1 %
-3	Not applicable	3540	80.9 %
Total		4,377	100%

Based upon 194 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 497-498 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MOCA_MONTH2: Montreal Cognitive Assessment (MoCA) 1: month correct?

The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.

Tell me the date today. First, tell me the month.

Value	Label	Unweighted Frequency	%
0	Incorrect	39	0.9 %
1	Correct	4302	98.3 %
	Missing Data		
-2	Don't know	35	0.8 %
-1	Refused	1	0.0 %
	Total	4,377	100%

Based upon 4,341 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 499-500 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -4 , -3 , -2 , -1

MOCA_DATE2: Montreal Cognitive Assessment (MoCA) 2: date correct?

Now, tell me the exact date.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
0	Incorrect	305	7.0 %
1	Correct	3978	90.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-2	Don't know	94	2.1 %
	Total	4,377	100%

Based upon 4,283 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 501-502 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -6 , -4 , -3 , -2 , -1

MOCA_RHINO: Montreal Cognitive Assessment (MoCA) 3: rhinocerous

Now, I want you to name this animal. SHOW PICTURE #1 IN ALL-IN-ONE BOOKLET

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Rhino (or rhinoceros)	3826	87.4 %
2	Other (specify)	389	8.9 %
	Missing Data		
-2	Don't know	161	3.7 %
-1	Refused	1	0.0 %
	Total	4,377	100%

Based upon 4,215 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 503-504 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -3 , -2 , -1

MOCA_CLOCK: Montreal Cognitive Assessment (MoCA) items 4-6: clock administered

The next few things I will ask you to do are pencil and paper tasks. PLACE BLANK CLOCK PAPER FROM ALL-IN-ONE BOOKLET AND PEN BEFORE RESPONDENT. Now, I'd like you to draw a clock. Put in all the numbers and set the time to 10 after 11. (PROMPT IF NECESSARY: Try your best to complete this task without using clues from around the room, such as a clock or watch.)

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Note: Some cases where MOCA_CLOCK!=1 scored correct (see MOCA_CONTOUR, MOCA_NUMBERS and MOCA_HANDS)

Value	Label	Unweighted Frequency	%
1	Completed task	4036	92.2 %
2	Completed task, but looked at clock or watch	52	1.2 %
3	Tried, unable to do	231	5.3 %
4	R unable to understand instructions	38	0.9 %
Missing Data			
-1	Refused	20	0.5 %
Total		4,377	100%

Based upon 4,357 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 505-506 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

MOCA_CONTOUR: Montreal Cognitive Assessment (MoCA) 4: clock contour score

MoCA 4: clock contour score

Skip if: MOCA_CLOCK equals "refused"

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
0	Incorrect	300	6.9 %
1	Correct	4004	91.5 %
Missing Data			
-6	Missing in error	24	0.5 %
-4	No answer	29	0.7 %
-3	Not applicable	20	0.5 %

Value	Label	Unweighted Frequency	%
Total		4,377	100%

Based upon 4,304 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 507-508 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -4 , -3

MOCA_NUMBERS: Montreal Cognitive Assessment (MoCA) 6: clock numbers score

MoCA 6: clock numbers score

Skip if: MOCA_CLOCK equals "refused"

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
0	Incorrect	621	14.2 %
1	Correct	3683	84.1 %
Missing Data			
-6	Missing in error	24	0.5 %
-4	No answer	29	0.7 %
-3	Not applicable	20	0.5 %
Total		4,377	100%

Based upon 4,304 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 509-510 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -4 , -3

MOCA_HANDS: Montreal Cognitive Assessment (MoCA) 5: clock hands score

MoCA 5: clock hands score

Skip if: MOCA_CLOCK equals "refused"

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
0	Incorrect	1960	44.8 %
1	Correct	2344	53.6 %
Missing Data			
-6	Missing in error	24	0.5 %
-4	No answer	29	0.7 %
-3	Not applicable	20	0.5 %
Total		4,377	100%

Based upon 4,304 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 511-512 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -4 , -3

MOCA_TRAIL: Montreal Cognitive Assessment (MoCA) 7: trails administered

PLACE TRAIL PAPER FROM ALL-IN-ONE BOOKLET AND PEN BEFORE RESPONDENT. Take a minute to look over the paper. Notice, there are both numbers and letters. Please draw a line, going from a number to a letter in increasing order. Begin here (POINT TO 1), and draw a line from 1 to A, then from A to 2, and so on. End here (POINT TO E). The first two lines have been drawn for you.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Note: Some cases where MOCA_TRAIL!=1 scored correct (see MOCA_TRAIL2)

Value	Label	Unweighted Frequency	%
1	Completed task	3601	82.3 %
2	Tried, unable to do	505	11.5 %
3	R unable to understand instructions	250	5.7 %
Missing Data			
-1	Refused	21	0.5 %
Total		4,377	100%

Based upon 4,356 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 513-514 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -3 , -2 , -1

MOCA_TRAIL2: Montreal Cognitive Assessment (MoCA) 7: trails score

MoCA 7: trails score

Skip if: MOCA_TRAIL equals "refused"

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
0	Incorrect	1560	35.6 %
1	Correct	2627	60.0 %
Missing Data			
-6	Missing in error	25	0.6 %
-4	No answer	144	3.3 %
-3	Not applicable	21	0.5 %
Total		4,377	100%

Based upon 4,187 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 515-516 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -6 , -4 , -3

MOCA_IR1_FACE: Montreal Cognitive Assessment (MoCA): immediate recall 'face'

This next section tests your memory. I am going to read a list of words that you will have to remember now and later on. Listen carefully. When I am through, tell me as many words as you can remember. It doesn't matter in what order you say them. Ready? READ SLOWLY (AT A RATE OF 1 WORD PER SECOND) AND PRONOUNCE CLEARLY: Face, Velvet, Church, Daisy, Red

INSTRUCT RESPONDENT TO REPEAT LIST

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	3949	90.2 %
2	Did not repeat	428	9.8 %
Total		4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 517-517 (width: 1; decimal: 0)

Variable Type: numeric

MOCA_IR1_VELVET: Montreal Cognitive Assessment (MoCA): immediate recall 'velvet'

This next section tests your memory. I am going to read a list of words that you will have to remember now and later on. Listen carefully. When I am through, tell me as many words as you can remember. It doesn't matter in what order you say them. Ready? READ SLOWLY (AT A RATE OF 1 WORD PER SECOND) AND PRONOUNCE CLEARLY: Face, Velvet, Church, Daisy, Red

INSTRUCT RESPONDENT TO REPEAT LIST

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	3912	89.4 %
2	Did not repeat	465	10.6 %
Total		4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 518-518 (width: 1; decimal: 0)

Variable Type: numeric

MOCA_IR1_CHURCH: Montreal Cognitive Assessment (MoCA): immediate recall 'church'

This next section tests your memory. I am going to read a list of words that you will have to remember now and later on. Listen carefully. When I am through, tell me as many words as you can remember. It doesn't matter in what order you say them. Ready? READ SLOWLY (AT A RATE OF 1 WORD PER SECOND) AND PRONOUNCE CLEARLY: Face, Velvet, Church, Daisy, Red

INSTRUCT RESPONDENT TO REPEAT LIST

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	3601	82.3 %
2	Did not repeat	776	17.7 %
	Total	4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 519-519 (*width:* 1; *decimal:* 0)

Variable Type: numeric

MOCA_IR1_DAISY: Montreal Cognitive Assessment (MoCA): immediate recall 'daisy'

This next section tests your memory. I am going to read a list of words that you will have to remember now and later on. Listen carefully. When I am through, tell me as many words as you can remember. It doesn't matter in what order you say them. Ready? READ SLOWLY (AT A RATE OF 1 WORD PER SECOND) AND PRONOUNCE CLEARLY: Face, Velvet, Church, Daisy, Red

INSTRUCT RESPONDENT TO REPEAT LIST

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	3474	79.4 %

Value	Label	Unweighted Frequency	%
2	Did not repeat	903	20.6 %
Total		4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 520-520 (width: 1; decimal: 0)

Variable Type: numeric

MOCA_IR1_RED: Montreal Cognitive Assessment (MoCA): immediate recall 'red'

This next section tests your memory. I am going to read a list of words that you will have to remember now and later on. Listen carefully. When I am through, tell me as many words as you can remember. It doesn't matter in what order you say them. Ready? READ SLOWLY (AT A RATE OF 1 WORD PER SECOND) AND PRONOUNCE CLEARLY: Face, Velvet, Church, Daisy, Red

INSTRUCT RESPONDENT TO REPEAT LIST

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	3824	87.4 %
2	Did not repeat	553	12.6 %
Total		4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 521-521 (width: 1; decimal: 0)

Variable Type: numeric

MOCA_IR2_FACE: Montreal Cognitive Assessment (MoCA): immediate recall 'face' (second try)

I'm going to read the same list for a second time. Try to remember and tell me as many words as you can, including words you said the first time. READ SLOWLY (AT A RATE OF 1 WORD PER SECOND) AND PRONOUNCE CLEARLY: Face, Velvet, Church, Daisy, Red

INSTRUCT RESPONDENT TO REPEAT LIST

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	4129	94.3 %
2	Did not repeat	248	5.7 %
	Total	4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 522-522 (*width:* 1; *decimal:* 0)

Variable Type: numeric

MOCA_IR2_VELVET: Montreal Cognitive Assessment (MoCA): immediate recall 'velvet' (second try)

I'm going to read the same list for a second time. Try to remember and tell me as many words as you can, including words you said the first time. READ SLOWLY (AT A RATE OF 1 WORD PER SECOND) AND PRONOUNCE CLEARLY: Face, Velvet, Church, Daisy, Red

INSTRUCT RESPONDENT TO REPEAT LIST

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	4118	94.1 %
2	Did not repeat	259	5.9 %
	Total	4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 523-523 (width: 1; decimal: 0)

Variable Type: numeric

MOCA_IR2_CHURCH: Montreal Cognitive Assessment (MoCA): immediate recall 'church' (second try)

I'm going to read the same list for a second time. Try to remember and tell me as many words as you can, including words you said the first time. READ SLOWLY (AT A RATE OF 1 WORD PER SECOND) AND PRONOUNCE CLEARLY: Face, Velvet, Church, Daisy, Red

INSTRUCT RESPONDENT TO REPEAT LIST

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	4126	94.3 %
2	Did not repeat	251	5.7 %
Total		4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 524-524 (width: 1; decimal: 0)

Variable Type: numeric

MOCA_IR2_DAISY: Montreal Cognitive Assessment (MoCA): immediate recall 'daisy' (second try)

I'm going to read the same list for a second time. Try to remember and tell me as many words as you can, including words you said the first time. READ SLOWLY (AT A RATE OF 1 WORD PER SECOND) AND PRONOUNCE CLEARLY: Face, Velvet, Church, Daisy, Red

INSTRUCT RESPONDENT TO REPEAT LIST

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	3949	90.2 %
2	Did not repeat	428	9.8 %
	Total	4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 525-525 (width: 1; decimal: 0)

Variable Type: numeric

MOCA_IR2_RED: Montreal Cognitive Assessment (MoCA): immediate recall 'red' (second try)

I'm going to read the same list for a second time. Try to remember and tell me as many words as you can, including words you said the first time. READ SLOWLY (AT A RATE OF 1 WORD PER SECOND) AND PRONOUNCE CLEARLY: Face, Velvet, Church, Daisy, Red

INSTRUCT RESPONDENT TO REPEAT LIST

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	4117	94.1 %
2	Did not repeat	260	5.9 %
	Total	4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 526-526 (width: 1; decimal: 0)

Variable Type: numeric

MOCA_5NUMBERS: Montreal Cognitive Assessment (MoCA) 8: forward sequence (5 numbers)

Now, I am going to say some numbers and when I am through, repeat them to me exactly as I said them. READ THE FIVE NUMBER SEQUENCE TO THE RESPONDENT AT A RATE OF ONE DIGIT PER SECOND.

2, 1, 8, 5, 4

HAVE R REPEAT DIGITS

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Correct answer	3846	87.9 %
2	Incorrect answer	500	11.4 %
3	Tried, unable to do	28	0.6 %
4	R unable to understand instructions	1	0.0 %
Missing Data			
-1	Refused	2	0.0 %
Total		4,377	100%

Based upon 4,375 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 527-528 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -3 , -2 , -1

MOCA_3NUMBERS: Montreal Cognitive Assessment (MoCA) 9: backward sequence (3 numbers)

Now I am going to say some more numbers, but when I am through, I want you to repeat them to me in the backwards order. READ THE THREE NUMBER SEQUENCE TO THE RESPONDENT AT A RATE OF ONE DIGIT PER SECOND.

7, 4, 2

HAVE R REPEAT DIGITS IN THE BACKWARDS ORDER

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Correct answer	3544	81.0 %
2	Incorrect answer	783	17.9 %
3	Tried, unable to do	31	0.7 %

Value	Label	Unweighted Frequency	%
4	R unable to understand instructions	16	0.4 %
	Missing Data		
-1	Refused	3	0.1 %
	Total	4,377	100%

Based upon 4,374 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 529-530 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

MOCA_SUBTRACT: Montreal Cognitive Assessment (MoCA) 10: serial 7s (# correct)

Now, starting with 100, I would like you to subtract 7, and then keep counting down by 7.
(YOU CAN REPEAT THESE INSTRUCTIONS IF NECESSARY)

PRESS 'START/STOP' ON STOPWATCH.

RECORD UP TO 6 NUMBERS.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Note: analysts may wish to score serial 7s subtraction as 0 if MOCA_FLAG==1

Value	Label	Unweighted Frequency	%
0	-	204	4.7 %
1	-	480	11.0 %
2	-	379	8.7 %
3	-	578	13.2 %
4	-	836	19.1 %
5	-	1513	34.6 %
	Missing Data		
-2	Don't know	187	4.3 %
-1	Refused	200	4.6 %
	Total	4,377	100%

Based upon 3,990 valid cases out of 4,377 total cases.

- Mean: 3.48
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.59

Location: 531-532 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MOCA_SUBCAT: Montreal Cognitive Assessment (MoCA) 10: serial 7s (4 categories)

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Note:

1. recode MOCA_SUBTRACT 2/3=2 4/5=3, gen(MOCA_SUBCAT)
2. analysts may wish to score serial 7s subtraction as 0 if MOCA_FLAG==1

Value	Label	Unweighted Frequency	%
0	0	204	4.7 %
1	1	480	11.0 %
2	2-3	957	21.9 %
3	4-5	2349	53.7 %
	Missing Data		
-2	Don't know	187	4.3 %
-1	Refused	200	4.6 %
	Total	4,377	100%

Based upon 3,990 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 533-534 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -2 , -1

MOCA_SUBTRACT_MIN: Montreal Cognitive Assessment (MoCA) 10: completion time (minutes)

MoCA 10: completion time (minutes)

Skip if: MOCA_SUBTRACT equals "refused" or "don't know"

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
0	-	3292	75.2 %
1	-	606	13.8 %
2	-	70	1.6 %
3	-	15	0.3 %
4	-	5	0.1 %
9	-	1	0.0 %
Missing Data			
-6	Missing in error	1	0.0 %
-3	Not applicable	387	8.8 %
Total		4,377	100%

Based upon 3,989 valid cases out of 4,377 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.50

Location: 535-536 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MOCA_SUBTRACT_SEC: Montreal Cognitive Assessment (MoCA) 10: completion time (seconds)

MoCA 10: completion time (seconds)

Skip if: MOCA_SUBTRACT equals "refused" or "don't know"

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
0	-	83	1.9 %

Value	Label	Unweighted Frequency	%
1	-	30	0.7 %
2	-	35	0.8 %
3	-	24	0.5 %
4	-	36	0.8 %
5	-	27	0.6 %
6	-	25	0.6 %
7	-	23	0.5 %
8	-	37	0.8 %
9	-	30	0.7 %
10	-	52	1.2 %
11	-	54	1.2 %
12	-	72	1.6 %
13	-	64	1.5 %
14	-	100	2.3 %
15	-	126	2.9 %
16	-	118	2.7 %
17	-	96	2.2 %
18	-	107	2.4 %
19	-	97	2.2 %
20	-	127	2.9 %
21	-	112	2.6 %
22	-	114	2.6 %
23	-	113	2.6 %
24	-	87	2.0 %
25	-	105	2.4 %
26	-	102	2.3 %
27	-	92	2.1 %
28	-	90	2.1 %
29	-	87	2.0 %
30	-	98	2.2 %
31	-	75	1.7 %
32	-	95	2.2 %
33	-	85	1.9 %
34	-	82	1.9 %
35	-	88	2.0 %
36	-	67	1.5 %
37	-	60	1.4 %
38	-	59	1.3 %
39	-	63	1.4 %

Value	Label	Unweighted Frequency	%
40	-	61	1.4 %
41	-	65	1.5 %
42	-	69	1.6 %
43	-	57	1.3 %
44	-	56	1.3 %
45	-	78	1.8 %
46	-	41	0.9 %
47	-	45	1.0 %
48	-	55	1.3 %
49	-	54	1.2 %
Missing Data			
-6	Missing in error	1	0.0 %
-3	Not applicable	387	8.8 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,989 valid cases out of 4,377 total cases.

- Mean: 28.08
- Median: 26.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 14.60

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MOCA_SENTCAT: Montreal Cognitive Assessment (MoCA) 11: repeat sentence containing 'cat'

I am going to read you a sentence. Repeat it after me, exactly as I say it. (PAUSE) READ
SENTENCE: The cat always hid under the couch when dogs were in the room.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Correct answer	2820	64.4 %
2	Incorrect answer	1483	33.9 %

Value	Label	Unweighted Frequency	%
3	Tried, unable to do	70	1.6 %
4	R unable to understand instructions	3	0.1 %
Missing Data			
-1	Refused	1	0.0 %
Total		4,377	100%

Based upon 4,376 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 539-540 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

MOCA_WORD: Montreal Cognitive Assessment (MoCA) 12: words that start with 'f'

Tell me as many words as you can think of that begin with a certain letter of the alphabet that I will tell you in a moment. You can say any kind of word you want, except for proper nouns and names like Bob or Boston, and numbers or words that begin with the same sound, but have a different ending, for example, love, lover, loving. I will tell you to stop after 1 minute.

I will record your answers in this booklet. Are you ready? WHEN R IS READY: Now, tell me as many words as you can think of that begin with the letter F.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Note: a correct score requires 11 or more words

Value	Label	Unweighted Frequency	%
1	Completed task	3747	85.6 %
2	Stopped before 60 seconds is up	572	13.1 %
3	Tried, unable to do	36	0.8 %
4	R unable to understand instructions	13	0.3 %
Missing Data			
-1	Refused	9	0.2 %
Total		4,377	100%

Based upon 4,368 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 541-542 (*width:* 2; *decimal:* 0)

Variable Type: numeric
(Range of) Missing Values: -3 , -2 , -1

MOCA_WORD2: Montreal Cognitive Assessment (MoCA) 12: words score

MoCA 12: words score

Skip if: MOCA_WORD equals "refused"

Value	Label	Unweighted Frequency	%
0	Incorrect	2076	47.4 %
1	Correct	2235	51.1 %
	Missing Data		
-6	Missing in error	22	0.5 %
-4	No answer	35	0.8 %
-3	Not applicable	9	0.2 %
	Total	4,377	100%

Based upon 4,311 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 543-544 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -4 , -3

MOCA_ALIKE2: Montreal Cognitive Assessment (MoCA) 13: how are ruler and watch alike?

For this exercise, tell me what this pair of words has in common. Tell me how a ruler and a watch are alike.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Measuring instruments	1081	24.7 %
2	Used to measure	1368	31.3 %
3	They have numbers	1606	36.7 %
4	Other (specify)	224	5.1 %
	Missing Data		
-2	Don't know	98	2.2 %

Value	Label	Unweighted Frequency	%
Total		4,377	100%

Based upon 4,279 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 545-546 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

MOCA_FACE: Montreal Cognitive Assessment (MoCA) 14: delayed recall 'face'

I read a list of words to you earlier, which I asked you to repeat and remember. Tell me as many of those words as you can remember. It doesn't matter in what order you say them.

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	2440	55.7 %
2	Did not repeat	1937	44.3 %
Total		4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 547-547 (width: 1; decimal: 0)

Variable Type: numeric

MOCA_VELVET: Montreal Cognitive Assessment (MoCA) 15: delayed recall 'velvet'

I read a list of words to you earlier, which I asked you to repeat and remember. Tell me as many of those words as you can remember. It doesn't matter in what order you say them.

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading,

please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	2837	64.8 %
2	Did not repeat	1540	35.2 %
	Total	4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 548-548 (width: 1; decimal: 0)

Variable Type: numeric

MOCA_CHURCH: Montreal Cognitive Assessment (MoCA) 16: delayed recall 'church'

I read a list of words to you earlier, which I asked you to repeat and remember. Tell me as many of those words as you can remember. It doesn't matter in what order you say them.

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	2842	64.9 %
2	Did not repeat	1535	35.1 %
	Total	4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 549-549 (width: 1; decimal: 0)

Variable Type: numeric

MOCA_DAISY: Montreal Cognitive Assessment (MoCA) 17: delayed recall 'daisy'

I read a list of words to you earlier, which I asked you to repeat and remember. Tell me as many of those words as you can remember. It doesn't matter in what order you say them.

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	1892	43.2 %
2	Did not repeat	2485	56.8 %
	Total	4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 550-550 (width: 1; decimal: 0)

Variable Type: numeric

MOCA_RED: Montreal Cognitive Assessment (MoCA) 18: delayed recall 'red'

I read a list of words to you earlier, which I asked you to repeat and remember. Tell me as many of those words as you can remember. It doesn't matter in what order you say them.

RECORD WHICH WORDS THE RESPONDENT REPEATS. THE ORDER DOES NOT MATTER.

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
1	Repeated	2669	61.0 %
2	Did not repeat	1708	39.0 %
	Total	4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 551-551 (width: 1; decimal: 0)

Variable Type: numeric

MOCA_FLAG: Montreal Cognitive Assessment (MoCA) interviewer notes (coded)

MoCA interviewer notes (coded)

(The next questions are about problem solving and memory. The questions may seem unusual, but they are routine questions we ask everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. Try your best to answer all of the questions without using clues from around the room. If you wear glasses for reading, please use them.)

Value	Label	Unweighted Frequency	%
0	No notes/not coded	4369	99.8 %
1	Used paper & pencil for subtraction	0	0.0 %
2	Interruption/distractions present	0	0.0 %
3	Self-reported cognitive problem	0	0.0 %
4	R has hearing problem	0	0.0 %
5	R has vision problem	7	0.2 %
6	Phys limitation affecting ability to write/draw	0	0.0 %
7	Current meds may affect performance (self-reported)	0	0.0 %
8	Difficulty with english/language barrier	1	0.0 %
9	Used aid when drawing clock	0	0.0 %
10	Looked for clues during item 12 (words)	0	0.0 %
Total		4,377	100%

Based upon 4,377 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 8.00

Location: 552-553 (*width:* 2; *decimal:* 0)

Variable Type: numeric

WEIGHT_INTRO: Intro to weight measurement

Now let's measure your weight.

Value	Label	Unweighted Frequency	%
1	Enter in pounds	4195	95.8 %
2	R in wheelchair	40	0.9 %
4	R over scale maximum	17	0.4 %
5	Equipment problem	14	0.3 %
6	Tried, unable to do	29	0.7 %
Missing Data			
-1	Refused	82	1.9 %
Total		4,377	100%

Based upon 4,295 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 554-555 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -1

WEIGHT: Weight (lbs)

Weight (lbs)

Skip if: WEIGHT_INTRO does not equal "enter in pounds" or "r over scale maximum"

Value	Label	Unweighted Frequency	%
77.000000000000	-	1	0.0 %
83.000000000000	-	1	0.0 %
86.000000000000	-	1	0.0 %
87.500000000000	-	1	0.0 %
90.40000152588	-	1	0.0 %
91.000000000000	-	1	0.0 %
94.000000000000	-	1	0.0 %
95.000000000000	-	3	0.1 %
96.000000000000	-	2	0.0 %
96.500000000000	-	2	0.0 %
97.000000000000	-	3	0.1 %
97.19999694825	-	1	0.0 %
97.59999847413	-	1	0.0 %
98.000000000000	-	2	0.0 %
99.000000000000	-	1	0.0 %
99.80000305176	-	1	0.0 %
100.000000000000	-	3	0.1 %
100.59999847413	-	1	0.0 %
101.40000152588	-	1	0.0 %
101.500000000000	-	1	0.0 %
101.59999847413	-	1	0.0 %
101.80000305176	-	1	0.0 %
102.000000000000	-	1	0.0 %
102.40000152588	-	1	0.0 %
102.500000000000	-	2	0.0 %
102.59999847413	-	1	0.0 %
102.80000305176	-	1	0.0 %
103.500000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
103.59999847413	-	1	0.0 %
104.000000000000	-	2	0.0 %
104.40000152588	-	2	0.0 %
104.500000000000	-	2	0.0 %
105.000000000000	-	5	0.1 %
105.80000305176	-	1	0.0 %
106.000000000000	-	2	0.0 %
106.19999694825	-	2	0.0 %
106.500000000000	-	1	0.0 %
106.59999847413	-	2	0.0 %
106.80000305176	-	2	0.0 %
107.000000000000	-	2	0.0 %
107.59999847413	-	1	0.0 %
107.80000305176	-	1	0.0 %
108.000000000000	-	4	0.1 %
108.19999694825	-	1	0.0 %
108.40000152588	-	1	0.0 %
108.80000305176	-	1	0.0 %
109.000000000000	-	2	0.0 %
109.40000152588	-	1	0.0 %
109.500000000000	-	1	0.0 %
109.59999847413	-	1	0.0 %
Missing Data			
-3.000000000000	Not applicable	182	4.2 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,195 valid cases out of 4,377 total cases.

- Mean: 183.24481518897
- Minimum: 77.00000000000
- Maximum: 330.00000000000
- Standard Deviation: 42.88714250016

Location: 556-570 (width: 15; decimal: 11)

Variable Type: numeric

(Range of) Missing Values: -8.00000000000 , -6.00000000000 , -5.00000000000 , -4.00000000000 , -3.00000000000 , -2.00000000000 , -1.00000000000

WAIST_INTRO: Intro to waist measurement

Next, let's measure your waist.

Value	Label	Unweighted Frequency	%
1	Continue	2065	47.2 %
	Missing Data		
-3	Not applicable	2248	51.4 %
-1	Refused	64	1.5 %
	Total	4,377	100%

Based upon 2,065 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 571-572 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -1

WAIST: Final status of waist measurement

Final status of waist measurement

Skip if: WAIST_INTRO does not equal "continue"

Value	Label	Unweighted Frequency	%
1	Inches	2056	47.0 %
2	Equipment problem	5	0.1 %
3	Tried, unable to do	4	0.1 %
	Missing Data		
-3	Not applicable	2312	52.8 %
	Total	4,377	100%

Based upon 2,065 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

WAISTM: Waist (inches)

Waist (inches)

Skip if: WAIST does not equal "inches"

Value	Label	Unweighted Frequency	%
22.0	-	1	0.0 %
24.0	-	3	0.1 %
24.5	-	1	0.0 %
25.0	-	2	0.0 %
25.5	-	2	0.0 %
26.0	-	6	0.1 %
26.5	-	3	0.1 %
27.0	-	10	0.2 %
27.5	-	3	0.1 %
28.0	-	15	0.3 %
28.5	-	10	0.2 %
29.0	-	23	0.5 %
29.5	-	16	0.4 %
30.0	-	42	1.0 %
30.5	-	15	0.3 %
31.0	-	36	0.8 %
31.5	-	16	0.4 %
32.0	-	55	1.3 %
32.5	-	17	0.4 %
33.0	-	63	1.4 %
33.5	-	19	0.4 %
34.0	-	90	2.1 %
34.5	-	15	0.3 %
35.0	-	83	1.9 %
35.5	-	31	0.7 %
36.0	-	107	2.4 %
36.5	-	30	0.7 %
37.0	-	93	2.1 %
37.5	-	25	0.6 %
38.0	-	105	2.4 %
38.5	-	30	0.7 %
39.0	-	79	1.8 %
39.5	-	33	0.8 %
40.0	-	98	2.2 %
40.5	-	24	0.5 %
41.0	-	85	1.9 %
41.5	-	29	0.7 %
42.0	-	103	2.4 %
42.5	-	28	0.6 %

Value	Label	Unweighted Frequency	%
43.0	-	70	1.6 %
43.5	-	22	0.5 %
44.0	-	72	1.6 %
44.5	-	15	0.3 %
45.0	-	58	1.3 %
45.5	-	10	0.2 %
46.0	-	55	1.3 %
46.5	-	13	0.3 %
47.0	-	32	0.7 %
47.5	-	10	0.2 %
48.0	-	41	0.9 %
Missing Data			
-3.0	Not applicable	2321	53.0 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,056 valid cases out of 4,377 total cases.

- Mean: 39.70
- Median: 39.00
- Mode: 36.00
- Minimum: 22.00
- Maximum: 72.00
- Standard Deviation: 6.65

Location: 575-578 (*width:* 4; *decimal:* 1)

Variable Type: numeric

(Range of) Missing Values: -8.0 , -6.0 , -5.0 , -4.0 , -3.0 , -2.0 , -1.0

HEIGHT_INTRO: Intro to height measurement

Now, let's measure your height.

Value	Label	Unweighted Frequency	%
1	Inches	2078	47.5 %
2	R in wheelchair	11	0.3 %
4	Equipment problem	3	0.1 %
5	Tried, unable to do	7	0.2 %
Missing Data			
-6	Missing in error	1	0.0 %
-3	Not applicable	2248	51.4 %
-1	Refused	29	0.7 %

Value	Label	Unweighted Frequency	%
	Total	4,377	100%

Based upon 2,099 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -3 , -1

HEIGHT: Height (inches)

Height (inches)

Skip if: HEIGHT_INTRO does not equal "inches"

Value	Label	Unweighted Frequency	%
29.0	-	1	0.0 %
40.0	-	2	0.0 %
43.5	-	1	0.0 %
46.5	-	1	0.0 %
49.5	-	1	0.0 %
50.0	-	1	0.0 %
51.0	-	1	0.0 %
51.5	-	1	0.0 %
52.0	-	4	0.1 %
52.5	-	2	0.0 %
53.0	-	5	0.1 %
53.5	-	2	0.0 %
54.0	-	6	0.1 %
54.5	-	2	0.0 %
55.0	-	3	0.1 %
56.0	-	1	0.0 %
56.5	-	3	0.1 %
57.0	-	5	0.1 %
57.5	-	2	0.0 %
58.0	-	12	0.3 %
58.5	-	11	0.3 %
59.0	-	39	0.9 %
59.5	-	12	0.3 %

Value	Label	Unweighted Frequency	%
60.0	-	46	1.1 %
60.5	-	18	0.4 %
61.0	-	70	1.6 %
61.5	-	34	0.8 %
62.0	-	83	1.9 %
62.5	-	50	1.1 %
63.0	-	130	3.0 %
63.5	-	63	1.4 %
64.0	-	127	2.9 %
64.5	-	44	1.0 %
65.0	-	134	3.1 %
65.5	-	58	1.3 %
66.0	-	115	2.6 %
66.5	-	50	1.1 %
67.0	-	114	2.6 %
67.5	-	47	1.1 %
68.0	-	100	2.3 %
68.5	-	53	1.2 %
69.0	-	113	2.6 %
69.5	-	39	0.9 %
70.0	-	96	2.2 %
70.5	-	26	0.6 %
71.0	-	87	2.0 %
71.5	-	36	0.8 %
72.0	-	76	1.7 %
72.5	-	14	0.3 %
73.0	-	53	1.2 %
Missing Data			
-3.0	Not applicable	2299	52.5 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,078 valid cases out of 4,377 total cases.

- Mean: 66.15
- Median: 66.00
- Mode: 65.00
- Minimum: 29.00
- Maximum: 91.00
- Standard Deviation: 4.59

Location: 581-584 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -8.0 , -6.0 , -5.0 , -4.0 , -3.0 , -2.0 , -1.0

BP_INTRO: Intro to blood pressure module

Now let's take two blood pressure readings and measure your pulse. While I am setting up, please get a glass of water and drink it. It is necessary for upcoming measures.

Value	Label	Unweighted Frequency	%
1	Continue	4301	98.3 %
	Missing Data		
-1	Refused	76	1.7 %
	Total	4,377	100%

Based upon 4,301 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -1

BP_1: Final status of first blood pressure (BP) reading

Final status of first blood pressure (BP) reading

Skip if: BP_INTRO does not equal "continue"

Value	Label	Unweighted Frequency	%
1	Click here to enter blood pressure	4171	95.3 %
2	Equipment problem	101	2.3 %
3	Tried, unable to do	29	0.7 %
	Missing Data		
-3	Not applicable	76	1.7 %
	Total	4,377	100%

Based upon 4,301 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

SYSTOLIC_1: First systolic value (mm Hg)

First systolic value (mm Hg)

Skip if: BP_1 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
58	-	1	0.0 %
74	-	3	0.1 %
76	-	1	0.0 %
78	-	2	0.0 %
79	-	1	0.0 %
83	-	2	0.0 %
85	-	1	0.0 %
86	-	1	0.0 %
87	-	1	0.0 %
90	-	3	0.1 %
91	-	4	0.1 %
92	-	3	0.1 %
94	-	10	0.2 %
95	-	9	0.2 %
96	-	12	0.3 %
97	-	6	0.1 %
98	-	14	0.3 %
99	-	13	0.3 %
100	-	11	0.3 %
101	-	8	0.2 %
102	-	29	0.7 %
103	-	17	0.4 %
104	-	22	0.5 %
105	-	29	0.7 %
106	-	48	1.1 %
107	-	21	0.5 %
108	-	34	0.8 %
109	-	25	0.6 %
110	-	63	1.4 %
111	-	37	0.8 %
112	-	56	1.3 %
113	-	28	0.6 %
114	-	74	1.7 %
115	-	32	0.7 %

Value	Label	Unweighted Frequency	%
116	-	51	1.2 %
117	-	53	1.2 %
118	-	88	2.0 %
119	-	63	1.4 %
120	-	59	1.3 %
121	-	68	1.6 %
122	-	112	2.6 %
123	-	58	1.3 %
124	-	69	1.6 %
125	-	62	1.4 %
126	-	134	3.1 %
127	-	63	1.4 %
128	-	54	1.2 %
129	-	74	1.7 %
130	-	120	2.7 %
131	-	61	1.4 %
Missing Data			
-3	Not applicable	206	4.7 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,171 valid cases out of 4,377 total cases.

- Mean: 137.63
- Median: 135.00
- Mode: 126.00
- Minimum: 58.00
- Maximum: 230.00
- Standard Deviation: 22.18

Location: 589-591 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DIASTOLIC_1: First diastolic value (mm Hg)

First diastolic value (mm Hg)

Skip if: BP_1 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
42	-	1	0.0 %

Value	Label	Unweighted Frequency	%
44	-	1	0.0 %
45	-	2	0.0 %
46	-	4	0.1 %
47	-	4	0.1 %
48	-	8	0.2 %
49	-	1	0.0 %
50	-	11	0.3 %
51	-	4	0.1 %
52	-	4	0.1 %
53	-	7	0.2 %
54	-	16	0.4 %
55	-	10	0.2 %
56	-	14	0.3 %
57	-	14	0.3 %
58	-	34	0.8 %
59	-	28	0.6 %
60	-	27	0.6 %
61	-	35	0.8 %
62	-	86	2.0 %
63	-	35	0.8 %
64	-	35	0.8 %
65	-	54	1.2 %
66	-	112	2.6 %
67	-	62	1.4 %
68	-	59	1.3 %
69	-	68	1.6 %
70	-	175	4.0 %
71	-	94	2.1 %
72	-	101	2.3 %
73	-	110	2.5 %
74	-	187	4.3 %
75	-	102	2.3 %
76	-	86	2.0 %
77	-	95	2.2 %
78	-	193	4.4 %
79	-	112	2.6 %
80	-	102	2.3 %
81	-	106	2.4 %
82	-	221	5.0 %

Value	Label	Unweighted Frequency	%
83	-	122	2.8 %
84	-	100	2.3 %
85	-	103	2.4 %
86	-	189	4.3 %
87	-	113	2.6 %
88	-	86	2.0 %
89	-	85	1.9 %
90	-	143	3.3 %
91	-	65	1.5 %
92	-	65	1.5 %
Missing Data			
-3	Not applicable	206	4.7 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,171 valid cases out of 4,377 total cases.

- Mean: 80.63
- Median: 80.00
- Mode: 82.00
- Minimum: 42.00
- Maximum: 198.00
- Standard Deviation: 12.93

Location: 592-594 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

IRREGLR_1: First blood pressure (BP) reading: heartbeat irregular?

WAS THERE AN IRREGULAR HEARTBEAT (OUTLINE OF A HEART APPEARED ON MONITOR)?

Skip if: BP_1 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
0	No	3924	89.7 %
1	Yes	246	5.6 %
Missing Data			
-6	Missing in error	1	0.0 %
-3	Not applicable	206	4.7 %
Total		4,377	100%

Based upon 4,170 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PULSE1: Final status of first pulse reading

Final status of first pulse reading

Skip if: BP_1 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
1	Enter reading	4157	95.0 %
2	Pulse error reading	14	0.3 %
	Missing Data		
-3	Not applicable	206	4.7 %
	Total	4,377	100%

Based upon 4,171 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

PULSE_1: First pulse rate (beats/min)

First pulse rate (beats/min)

Skip if: PULSE1 does not equal "enter reading"

Value	Label	Unweighted Frequency	%
40	-	1	0.0 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	3	0.1 %
44	-	6	0.1 %
45	-	6	0.1 %
46	-	7	0.2 %

Value	Label	Unweighted Frequency	%
47	-	2	0.0 %
48	-	15	0.3 %
49	-	15	0.3 %
50	-	22	0.5 %
51	-	28	0.6 %
52	-	41	0.9 %
53	-	39	0.9 %
54	-	75	1.7 %
55	-	45	1.0 %
56	-	54	1.2 %
57	-	74	1.7 %
58	-	66	1.5 %
59	-	86	2.0 %
60	-	152	3.5 %
61	-	142	3.2 %
62	-	132	3.0 %
63	-	44	1.0 %
64	-	121	2.8 %
65	-	150	3.4 %
66	-	148	3.4 %
67	-	146	3.3 %
68	-	157	3.6 %
69	-	154	3.5 %
70	-	64	1.5 %
71	-	164	3.7 %
72	-	166	3.8 %
73	-	162	3.7 %
74	-	47	1.1 %
75	-	143	3.3 %
76	-	144	3.3 %
77	-	42	1.0 %
78	-	140	3.2 %
79	-	36	0.8 %
80	-	124	2.8 %
81	-	129	2.9 %
82	-	34	0.8 %
83	-	126	2.9 %
84	-	27	0.6 %
85	-	106	2.4 %

Value	Label	Unweighted Frequency	%
86	-	37	0.8 %
87	-	91	2.1 %
88	-	27	0.6 %
89	-	91	2.1 %
	Missing Data		
-3	Not applicable	220	5.0 %
	Total	4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,157 valid cases out of 4,377 total cases.

- Mean: 71.95
- Median: 71.00
- Mode: 72.00
- Minimum: 40.00
- Maximum: 148.00
- Standard Deviation: 12.32

Location: 599-601 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BP_ARM_1: Arm used for first blood pressure (BP) reading

WHAT ARM WAS USED FOR THE READING?

Skip if: BP_1 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
1	Left arm	3705	84.6 %
2	Right arm	466	10.6 %
	Missing Data		
-3	Not applicable	206	4.7 %
	Total	4,377	100%

Based upon 4,171 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 602-603 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

BP_INTRO_2: Intro to second blood pressure (BP) reading

Let's take your final blood pressure reading.

Skip if: BP_INTRO does not equal "continue" or BP_1 equals "tried, unable to do"

Value	Label	Unweighted Frequency	%
1	Continue	4254	97.2 %
	Missing Data		
-3	Not applicable	105	2.4 %
-1	Refused	18	0.4 %
	Total	4,377	100%

Based upon 4,254 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -1

BP_2: Final status of second blood pressure (BP) reading

Final status of second bp reading

Skip if: BP_INTRO_2 does not equal "continue"

Value	Label	Unweighted Frequency	%
1	Click here to enter blood pressure	4134	94.4 %
2	Equipment problem	116	2.7 %
3	Tried, unable to do	4	0.1 %
	Missing Data		
-3	Not applicable	123	2.8 %
	Total	4,377	100%

Based upon 4,254 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 606-607 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

SYSTOLIC_2: Second systolic value (mm Hg)

Second systolic value (mm Hg)

Skip if: BP_2 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
20	-	1	0.0 %
30	-	1	0.0 %
79	-	1	0.0 %
86	-	5	0.1 %
87	-	1	0.0 %
88	-	2	0.0 %
89	-	2	0.0 %
90	-	1	0.0 %
91	-	2	0.0 %
92	-	2	0.0 %
93	-	2	0.0 %
94	-	13	0.3 %
95	-	9	0.2 %
96	-	7	0.2 %
97	-	8	0.2 %
98	-	22	0.5 %
99	-	17	0.4 %
100	-	13	0.3 %
101	-	13	0.3 %
102	-	39	0.9 %
103	-	15	0.3 %
104	-	25	0.6 %
105	-	20	0.5 %
106	-	46	1.1 %
107	-	30	0.7 %
108	-	23	0.5 %
109	-	35	0.8 %
110	-	60	1.4 %
111	-	50	1.1 %
112	-	43	1.0 %
113	-	60	1.4 %
114	-	98	2.2 %
115	-	64	1.5 %

Value	Label	Unweighted Frequency	%
116	-	45	1.0 %
117	-	47	1.1 %
118	-	117	2.7 %
119	-	70	1.6 %
120	-	66	1.5 %
121	-	52	1.2 %
122	-	140	3.2 %
123	-	61	1.4 %
124	-	72	1.6 %
125	-	62	1.4 %
126	-	112	2.6 %
127	-	70	1.6 %
128	-	69	1.6 %
129	-	73	1.7 %
130	-	126	2.9 %
131	-	71	1.6 %
132	-	63	1.4 %
Missing Data			
-3	Not applicable	243	5.6 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,134 valid cases out of 4,377 total cases.

- Mean: 135.43
- Median: 133.00
- Mode: 122.00
- Minimum: 20.00
- Maximum: 226.00
- Standard Deviation: 21.55

Location: 608-610 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DIASTOLIC_2: Second diastolic value (mm Hg)

Second diastolic value (mm Hg)

Skip if: BP_2 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
20	-	2	0.0 %
38	-	1	0.0 %
46	-	3	0.1 %
47	-	1	0.0 %
48	-	2	0.0 %
49	-	4	0.1 %
50	-	7	0.2 %
51	-	7	0.2 %
52	-	7	0.2 %
53	-	10	0.2 %
54	-	10	0.2 %
55	-	15	0.3 %
56	-	16	0.4 %
57	-	19	0.4 %
58	-	37	0.8 %
59	-	34	0.8 %
60	-	31	0.7 %
61	-	44	1.0 %
62	-	76	1.7 %
63	-	45	1.0 %
64	-	46	1.1 %
65	-	50	1.1 %
66	-	107	2.4 %
67	-	70	1.6 %
68	-	70	1.6 %
69	-	85	1.9 %
70	-	161	3.7 %
71	-	86	2.0 %
72	-	109	2.5 %
73	-	86	2.0 %
74	-	182	4.2 %
75	-	90	2.1 %
76	-	106	2.4 %
77	-	106	2.4 %
78	-	219	5.0 %
79	-	109	2.5 %
80	-	114	2.6 %
81	-	88	2.0 %
82	-	227	5.2 %

Value	Label	Unweighted Frequency	%
83	-	98	2.2 %
84	-	81	1.9 %
85	-	107	2.4 %
86	-	193	4.4 %
87	-	101	2.3 %
88	-	77	1.8 %
89	-	83	1.9 %
90	-	149	3.4 %
91	-	76	1.7 %
92	-	64	1.5 %
93	-	61	1.4 %
Missing Data			
-3	Not applicable	243	5.6 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,134 valid cases out of 4,377 total cases.

- Mean: 80.12
- Median: 80.00
- Mode: 82.00
- Minimum: 20.00
- Maximum: 166.00
- Standard Deviation: 12.74

Location: 611-613 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

IRREGLR_2: Second blood pressure (BP) reading: heartbeat irregular?

WAS THERE AN IRREGULAR HEARTBEAT (OUTLINE OF A HEART APPEARED ON MONITOR)?

Skip if: BP_2 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
0	No	3903	89.2 %
1	Yes	231	5.3 %
Missing Data			
-3	Not applicable	243	5.6 %
Total		4,377	100%

Based upon 4,134 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 614-615 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PULSE2: Final status of second pulse reading

Final status of second pulse reading

Skip if: BP_2 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
1	Enter reading	4130	94.4 %
2	Pulse error reading	4	0.1 %
	Missing Data		
-3	Not applicable	243	5.6 %
	Total	4,377	100%

Based upon 4,134 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 616-617 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

PULSE_2: Second pulse rate (beats/min)

Second pulse rate (beats/min)

Skip if: PULSE2 does not equal "enter reading"

Value	Label	Unweighted Frequency	%
36	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
43	-	3	0.1 %
44	-	6	0.1 %

Value	Label	Unweighted Frequency	%
45	-	8	0.2 %
46	-	8	0.2 %
47	-	6	0.1 %
48	-	15	0.3 %
49	-	22	0.5 %
50	-	25	0.6 %
51	-	44	1.0 %
52	-	32	0.7 %
53	-	35	0.8 %
54	-	70	1.6 %
55	-	36	0.8 %
56	-	70	1.6 %
57	-	63	1.4 %
58	-	85	1.9 %
59	-	106	2.4 %
60	-	202	4.6 %
61	-	130	3.0 %
62	-	142	3.2 %
63	-	46	1.1 %
64	-	145	3.3 %
65	-	123	2.8 %
66	-	140	3.2 %
67	-	135	3.1 %
68	-	164	3.7 %
69	-	147	3.4 %
70	-	59	1.3 %
71	-	170	3.9 %
72	-	165	3.8 %
73	-	165	3.8 %
74	-	46	1.1 %
75	-	132	3.0 %
76	-	159	3.6 %
77	-	48	1.1 %
78	-	126	2.9 %
79	-	38	0.9 %
80	-	135	3.1 %
81	-	128	2.9 %
82	-	27	0.6 %
83	-	105	2.4 %

Value	Label	Unweighted Frequency	%
84	-	30	0.7 %
85	-	89	2.0 %
86	-	33	0.8 %
87	-	76	1.7 %
Missing Data			
-3	Not applicable	247	5.6 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,130 valid cases out of 4,377 total cases.

- Mean: 71.06
- Median: 70.00
- Mode: 60.00
- Minimum: 36.00
- Maximum: 147.00
- Standard Deviation: 11.95

Location: 618-620 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BP_ARM_2: Arm used for second blood pressure (BP) reading

WHAT ARM WAS USED FOR THE READING?

Skip if: BP_2 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
1	Left arm	3660	83.6 %
2	Right arm	474	10.8 %
Missing Data			
-3	Not applicable	243	5.6 %
Total		4,377	100%

Based upon 4,134 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 621-622 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

BP_TIMEH: Time of blood pressure (BP) readings: hour

Time of blood pressure (BP) readings: hour

Note: In W1/W2, these were entered manually by the interviewer; in W3 they were derived from an electronic timestamp.

Value	Label	Unweighted Frequency	%
0	-	452	10.3 %
1	-	459	10.5 %
2	-	553	12.6 %
3	-	424	9.7 %
4	-	378	8.6 %
5	-	290	6.6 %
6	-	285	6.5 %
7	-	181	4.1 %
8	-	107	2.4 %
9	-	147	3.4 %
10	-	378	8.6 %
11	-	518	11.8 %
Missing Data			
-3	Not applicable	205	4.7 %
Total		4,377	100%

Based upon 4,172 valid cases out of 4,377 total cases.

- Mean: 4.90
- Median: 4.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.73

Location: 623-624 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BP_TIMEM: Time of blood pressure (BP) readings: minute

Time of blood pressure (BP) readings: minute

Note: In W1/W2, these were entered manually by the interviewer; in W3 they were derived from an electronic timestamp.

Value	Label	Unweighted Frequency	%
0	-	73	1.7 %
1	-	72	1.6 %
2	-	78	1.8 %
3	-	64	1.5 %
4	-	87	2.0 %
5	-	82	1.9 %
6	-	70	1.6 %
7	-	77	1.8 %
8	-	75	1.7 %
9	-	77	1.8 %
10	-	83	1.9 %
11	-	72	1.6 %
12	-	63	1.4 %
13	-	70	1.6 %
14	-	64	1.5 %
15	-	70	1.6 %
16	-	59	1.3 %
17	-	61	1.4 %
18	-	54	1.2 %
19	-	71	1.6 %
20	-	62	1.4 %
21	-	50	1.1 %
22	-	66	1.5 %
23	-	63	1.4 %
24	-	66	1.5 %
25	-	62	1.4 %
26	-	73	1.7 %
27	-	61	1.4 %
28	-	60	1.4 %
29	-	72	1.6 %
30	-	71	1.6 %
31	-	61	1.4 %
32	-	70	1.6 %
33	-	54	1.2 %
34	-	56	1.3 %
35	-	50	1.1 %
36	-	61	1.4 %
37	-	62	1.4 %
38	-	65	1.5 %

Value	Label	Unweighted Frequency	%
39	-	63	1.4 %
40	-	73	1.7 %
41	-	74	1.7 %
42	-	66	1.5 %
43	-	87	2.0 %
44	-	70	1.6 %
45	-	74	1.7 %
46	-	77	1.8 %
47	-	77	1.8 %
48	-	69	1.6 %
49	-	84	1.9 %
Missing Data			
-3	Not applicable	205	4.7 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,172 valid cases out of 4,377 total cases.

- Mean: 29.71
- Median: 30.00
- Mode: 54.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 17.80

Location: 625-626 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BP_TIME: Time of blood pressure (BP) readings: am or pm

Time of blood pressure (BP) readings: am or pm

Note: In W1/W2, these were entered manually by the interviewer; in W3 they were derived from an electronic timestamp.

Value	Label	Unweighted Frequency	%
1	AM	1052	24.0 %
2	PM	3120	71.3 %
Missing Data			
-3	Not applicable	205	4.7 %
Total		4,377	100%

Based upon 4,172 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 627-628 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

BALANCE_INTRO: Introduction to balance measure

Next we are going to do a balance measure. Let me first demonstrate this measure. After I demonstrate the measure, please tell me if you cannot do a particular movement or if you feel it would be unsafe to try and do it.

Value	Label	Unweighted Frequency	%
1	Continue	4151	94.8 %
2	R cannot participate (in wheelchair, can't stand unassisted)	175	4.0 %
	Missing Data		
-1	Refused	51	1.2 %
	Total	4,377	100%

Based upon 4,326 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 629-630 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

BALANCE_1: Balance outcome feet side-by-side

STAND WITH FEET TOGETHER, SIDE-BY-SIDE FOR 10 SECONDS.

TRY NOT TO MOVE YOUR FEET.

TRY TO HOLD THIS POSITION UNTIL I TELL YOU TO STOP.

(Next we are going to do a balance measure. Let me first demonstrate this measure.

After I demonstrate the measure, please tell me if you cannot do a particular movement
or if you feel it would be unsafe to try and do it.)

Value	Label	Unweighted Frequency	%
1	Number of seconds held	4102	93.7 %
2	Equipment problem	0	0.0 %
3	Tried, unable to do	21	0.5 %
4	R could not hold position unassisted	9	0.2 %
5	Not attempted, fi felt it was unsafe	6	0.1 %
6	Not attempted, R felt unsafe	8	0.2 %
7	R unable to understand instructions	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Other (specify)	5	0.1 %
	Missing Data		
-3	Not applicable	226	5.2 %
	Total	4,377	100%

Based upon 4,151 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 631-632 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

BALANCE_1_SEC: Seconds balanced feet side-by-side

Seconds balanced feet side-by-side

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	3	0.1 %
3	-	4	0.1 %
4	-	2	0.0 %
5	-	3	0.1 %
6	-	5	0.1 %
7	-	1	0.0 %
8	-	3	0.1 %
9	-	2	0.0 %
10	-	4076	93.1 %
	Missing Data		
-3	Not applicable	275	6.3 %
	Total	4,377	100%

Based upon 4,102 valid cases out of 4,377 total cases.

- Mean: 9.97
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 0.46

Location: 633-634 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BALANCE_2: Balance outcome one foot ahead

STAND WITH THE HEEL OF ONE FOOT TOUCHING THE SIDE OF THE BIG TOE OF THE OTHER FOOT FOR 10 SECONDS.

TRY NOT TO MOVE YOUR FEET.

TRY TO HOLD THIS POSITION UNTIL I TELL YOU TO STOP.

(Next we are going to do a balance measure. Let me first demonstrate this measure.

After I demonstrate the measure, please tell me if you cannot do a particular movement or if you feel it would be unsafe to try and do it.)

Value	Label	Unweighted Frequency	%
1	Number of seconds held	3955	90.4 %
2	Equipment problem	0	0.0 %
3	Tried, unable to do	60	1.4 %
4	R could not hold position unassisted	33	0.8 %
5	Not attempted, fi felt it was unsafe	8	0.2 %
6	Not attempted, R felt unsafe	18	0.4 %
7	R unable to understand instructions	0	0.0 %
8	Other (specify)	1	0.0 %
Missing Data			
-6	Missing in error	1	0.0 %
-3	Not applicable	301	6.9 %
Total		4,377	100%

Based upon 4,075 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 635-636 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

BALANCE_2_SEC: Seconds balanced one foot ahead

Seconds balanced one foot ahead

Value	Label	Unweighted Frequency	%
1	-	4	0.1 %
2	-	14	0.3 %
3	-	13	0.3 %
4	-	6	0.1 %
5	-	15	0.3 %
6	-	16	0.4 %

Value	Label	Unweighted Frequency	%
7	-	6	0.1 %
8	-	13	0.3 %
9	-	6	0.1 %
10	-	3862	88.2 %
	Missing Data		
-6	Missing in error	1	0.0 %
-3	Not applicable	421	9.6 %
	Total	4,377	100%

Based upon 3,955 valid cases out of 4,377 total cases.

- Mean: 9.88
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 0.84

Location: 637-638 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BALANCE_3: Balance outcome heel-to-toe

STAND WITH THE HEEL OF ONE FOOT IN FRONT OF AND TOUCHING THE TOES OF THE OTHER FOOT FOR 10 SECONDS.

TRY NOT TO MOVE YOUR FEET.

TRY TO HOLD THIS POSITION UNTIL I TELL YOU TO STOP.

(Next we are going to do a balance measure. Let me first demonstrate this measure.

After I demonstrate the measure, please tell me if you cannot do a particular movement or if you feel it would be unsafe to try and do it.)

Value	Label	Unweighted Frequency	%
1	Number of seconds held	3577	81.7 %
2	Equipment problem	0	0.0 %
3	Tried, unable to do	162	3.7 %
4	R could not hold position unassisted	75	1.7 %
5	Not attempted, fi felt it was unsafe	15	0.3 %
6	Not attempted, R felt unsafe	30	0.7 %
7	R unable to understand instructions	2	0.0 %
8	Other (specify)	2	0.0 %
	Missing Data		
-3	Not applicable	514	11.7 %

Value	Label	Unweighted Frequency	%
	Total	4,377	100%

Based upon 3,863 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 639-640 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

BALANCE_3_SEC: Seconds balanced heel-to-toe

Seconds balanced heel-to-toe

Value	Label	Unweighted Frequency	%
1	-	12	0.3 %
2	-	28	0.6 %
3	-	69	1.6 %
4	-	51	1.2 %
5	-	60	1.4 %
6	-	54	1.2 %
7	-	51	1.2 %
8	-	53	1.2 %
9	-	31	0.7 %
10	-	3168	72.4 %
Missing Data			
-3	Not applicable	800	18.3 %
	Total	4,377	100%

Based upon 3,577 valid cases out of 4,377 total cases.

- Mean: 9.46
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.67

Location: 641-642 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WALK_INTRO: Intro to timed walk

Now I am going to observe how you normally walk. If you use a cane or other walking aid and you feel you need it to walk a short distance, then you may use it. Let me first demonstrate this measure.

Value	Label	Unweighted Frequency	%
1	Continue	4147	94.7 %
2	R unable to do	158	3.6 %
	Missing Data		
-1	Refused	72	1.6 %
	Total	4,377	100%

Based upon 4,305 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 643-644 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -1

WALK_1: Timed walk #1

USE PRE-CUT STRING TO MEASURE DISTANCE ON THE FLOOR.

STAND WITH TOES TOUCHING THE BEGINNING OF THE STRING.

START WALKING WHEN I SAY BEGIN.

WALK AT YOUR USUAL PACE.

WALK PAST THE END OF THE STRING BEFORE YOU STOP.

When I say "Begin" you may start walking.

(Now I am going to observe how you normally walk. If you use a cane or other walking aid and you feel you need it to walk a short distance, then you may use it. Let me first demonstrate this measure.)

Value	Label	Unweighted Frequency	%
1	Able to do	4113	94.0 %
2	Equipment problem	3	0.1 %
3	Tried, unable to do	5	0.1 %
4	R could not walk unassisted	6	0.1 %
5	Not attempted, fi felt it was unsafe	2	0.0 %
6	Not attempted, R felt unsafe	2	0.0 %
7	R unable to understand instructions	3	0.1 %
8	Other (specify)	13	0.3 %
	Missing Data		
-3	Not applicable	230	5.3 %
	Total	4,377	100%

Based upon 4,147 valid cases out of 4,377 total cases.

- Minimum: 1.00

- Maximum: 8.00

Location: 645-646 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

WALK_1_NUMSEC: Time to complete walk #1 (seconds)

Time to complete walk #1 (seconds)

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	118	2.7 %
3	-	972	22.2 %
4	-	1327	30.3 %
5	-	785	17.9 %
6	-	340	7.8 %
7	-	191	4.4 %
8	-	121	2.8 %
9	-	64	1.5 %
10	-	69	1.6 %
11	-	26	0.6 %
12	-	21	0.5 %
13	-	20	0.5 %
14	-	12	0.3 %
15	-	6	0.1 %
16	-	10	0.2 %
17	-	2	0.0 %
18	-	3	0.1 %
19	-	3	0.1 %
20	-	3	0.1 %
22	-	4	0.1 %
24	-	1	0.0 %
25	-	1	0.0 %
27	-	3	0.1 %
28	-	1	0.0 %
29	-	1	0.0 %
32	-	2	0.0 %
35	-	1	0.0 %
38	-	1	0.0 %
40	-	1	0.0 %
45	-	2	0.0 %
56	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-3	Not applicable	264	6.0 %
	Total	4,377	100%

Based upon 4,113 valid cases out of 4,377 total cases.

- Mean: 4.87
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 56.00
- Standard Deviation: 2.88

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WALK_2: Timed walk #2

ASK RESPONDENT TO REPEAT WALK, FROM THE END OF THE STRING BACK TO THE BEGINNING OF THE STRING.

When I say "Begin" you may start walking.

(Now I am going to observe how you normally walk. If you use a cane or other walking aid and you feel you need it to walk a short distance, then you may use it. Let me first demonstrate this measure.)

Value	Label	Unweighted Frequency	%
1	Able to do	4106	93.8 %
2	Equipment problem	0	0.0 %
3	Tried, unable to do	3	0.1 %
4	R could not walk unassisted	2	0.0 %
5	Not attempted, fi felt it was unsafe	1	0.0 %
6	Not attempted, R felt unsafe	1	0.0 %
7	R unable to understand instructions	0	0.0 %
8	Other (specify)	0	0.0 %
	Missing Data		
-3	Not applicable	264	6.0 %
	Total	4,377	100%

Based upon 4,113 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 649-650 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

WALK_2_NUMSEC: Time to complete walk #2 (seconds)

Time to complete walk #2 (seconds)

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	149	3.4 %
3	-	1125	25.7 %
4	-	1296	29.6 %
5	-	730	16.7 %
6	-	304	6.9 %
7	-	184	4.2 %
8	-	84	1.9 %
9	-	64	1.5 %
10	-	56	1.3 %
11	-	26	0.6 %
12	-	25	0.6 %
13	-	12	0.3 %
14	-	13	0.3 %
15	-	12	0.3 %
16	-	2	0.0 %
17	-	6	0.1 %
18	-	1	0.0 %
20	-	3	0.1 %
21	-	3	0.1 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
34	-	1	0.0 %
37	-	1	0.0 %
57	-	1	0.0 %
Missing Data			
-3	Not applicable	271	6.2 %
Total		4,377	100%

Based upon 4,106 valid cases out of 4,377 total cases.

- Mean: 4.66
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 57.00
- Standard Deviation: 2.55

Location: 651-652 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CHAIR_INTRO: Into to chair stands

Now I am going to ask you to stand up from a chair without using your arms. Let me first demonstrate this measure. After I demonstrate the measure, please tell me if you cannot do this movement or if you feel it would be unsafe to try.

Value	Label	Unweighted Frequency	%
1	Continue	3973	90.8 %
2	R in wheelchair	311	7.1 %
Missing Data			
-1	Refused	93	2.1 %
Total		4,377	100%

Based upon 4,284 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 653-654 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -1

CHAIR_1: Single chair stand

SIT IN CHAIR WITH YOUR FEET ON THE FLOOR. SIT SO THAT YOU CAN PLACE THE WIDTH OF YOUR HANDS BETWEEN THE CHAIR AND YOUR KNEES.

FOLD YOUR ARMS ACROSS YOUR CHEST.

STAND UP, KEEPING YOUR ARMS FOLDED ACROSS YOUR CHEST.

When I say 'Begin' you may stand up straight from the chair.

Value	Label	Unweighted Frequency	%
1	R stood without using arms	3766	86.0 %
2	R used arms to stand	51	1.2 %
3	Equipment problem	17	0.4 %
4	Tried, unable to do	64	1.5 %
5	R could not stand unassisted	18	0.4 %
6	Not attempted, fi felt it was unsafe	6	0.1 %

Value	Label	Unweighted Frequency	%
7	Not attempted, R felt unsafe	21	0.5 %
8	R unable to understand instructions	0	0.0 %
9	Other (specify)	30	0.7 %
Missing Data			
-3	Not applicable	404	9.2 %
Total		4,377	100%

Based upon 3,973 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 655-656 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

CHAIR_2: Repeated chair stand

Now I'm going to ask you to stand up and sit down as quickly as you can five times, keeping your arms folded across your chest. I'm going to demonstrate one for you.

When I say "Begin" you may stand up.

Value	Label	Unweighted Frequency	%
1	Time to complete five stands	3662	83.7 %
2	Equipment problem	1	0.0 %
3	Tried, unable to do	39	0.9 %
4	R could not stand unassisted	3	0.1 %
5	Not attempted, fi felt it was unsafe	19	0.4 %
6	Not attempted, R felt unsafe	27	0.6 %
7	R unable to understand instructions	1	0.0 %
8	Other (specify)	14	0.3 %
Missing Data			
-3	Not applicable	611	14.0 %
Total		4,377	100%

Based upon 3,766 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 657-658 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

CHAIR_2_NUMSEC: Time to complete repeated chair stand (seconds)

TIME TO COMPLETE FIVE STANDS (SPECIFY SECONDS)

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	2	0.0 %
3	-	1	0.0 %
4	-	2	0.0 %
5	-	45	1.0 %
6	-	63	1.4 %
7	-	120	2.7 %
8	-	220	5.0 %
9	-	318	7.3 %
10	-	405	9.3 %
11	-	412	9.4 %
12	-	445	10.2 %
13	-	347	7.9 %
14	-	327	7.5 %
15	-	255	5.8 %
16	-	167	3.8 %
17	-	130	3.0 %
18	-	110	2.5 %
19	-	72	1.6 %
20	-	56	1.3 %
21	-	33	0.8 %
22	-	30	0.7 %
23	-	19	0.4 %
24	-	16	0.4 %
25	-	14	0.3 %
26	-	11	0.3 %
27	-	3	0.1 %
28	-	8	0.2 %
29	-	4	0.1 %
30	-	2	0.0 %
31	-	4	0.1 %
32	-	4	0.1 %
34	-	2	0.0 %
35	-	1	0.0 %
38	-	2	0.0 %
40	-	4	0.1 %

Value	Label	Unweighted Frequency	%
42	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
51	-	1	0.0 %
53	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
Missing Data			
-3	Not applicable	715	16.3 %
Total		4,377	100%

Based upon 3,662 valid cases out of 4,377 total cases.

- Mean: 12.70
- Median: 12.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 60.00
- Standard Deviation: 4.52

Location: 659-660 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SML_INTRO2: Introduction to smell module

Please hold this hand warmer in your non-dominant hand for an upcoming measure.

Now we are going to use pens to identify odors.

Skip if: PATH equals 2 or 4

Value	Label	Unweighted Frequency	%
1	Continue	1464	33.4 %
Missing Data			
-3	Not applicable	2850	65.1 %
-1	Refused	63	1.4 %
Total		4,377	100%

Based upon 1,464 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 661-662 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

PRACTICE_1: Practice pen for n-butanol (8.0%)

First, I am going to give you a pen to smell. This pen has the odor we want you to identify. I will place the pen near your nose like this (DEMONSTRATE ON YOURSELF) and ask you to breathe in slowly through your nose. Are you ready to try?

Did you smell the odor?

Skip if: SML_INTRO2 does not equal "continue"

Value	Label	Unweighted Frequency	%
0	No	112	2.6 %
1	Yes	1337	30.5 %
	Missing Data		
-3	Not applicable	2913	66.6 %
-2	Don't know	10	0.2 %
-1	Refused	5	0.1 %
	Total	4,377	100%

Based upon 1,449 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 663-664 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

REDPEN2_1: Odor detection: n-butanol 0.13% (pen 2)

Let's continue. I will offer you three pens to smell, one after the other. One of the three pens has the odor you already smelled and the other two do not. I will ask you to tell me which pen has the odor.

Some of the pens are strong and some of the pens are weak, so do not be discouraged if you cannot smell the odor in some of the pens because this is part of the measure. Just try your best to decide which pen has the odor.

Which pen has the odor?

Skip if: SML_INTRO2 does not equal "continue"

Value	Label	Unweighted Frequency	%
1	One	226	5.2 %
2	Two	434	9.9 %

Value	Label	Unweighted Frequency	%
3	Three	344	7.9 %
4	None of the pens have the odor (if volunteered)	373	8.5 %
Missing Data			
-3	Not applicable	2913	66.6 %
-2	Don't know	78	1.8 %
-1	Refused	9	0.2 %
Total		4,377	100%

Based upon 1,377 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 665-666 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -3 , -2 , -1

REDPEN2_2: Odor detection: n-butanol 0.25% (pen 1)

Which pen has the odor?

(Let's continue. I will offer you three pens to smell, one after the other. One of the three pens has the odor you already smelled and the other two do not. I will ask you to tell me which pen has the odor.)

Some of the pens are strong and some of the pens are weak, so do not be discouraged if you cannot smell the odor in some of the pens because this is part of the measure. Just try your best to decide which pen has the odor.)

Value	Label	Unweighted Frequency	%
1	One	429	9.8 %
2	Two	275	6.3 %
3	Three	361	8.2 %
4	None of the pens have the odor (if volunteered)	318	7.3 %
Missing Data			
-3	Not applicable	2913	66.6 %
-2	Don't know	71	1.6 %
-1	Refused	10	0.2 %
Total		4,377	100%

Based upon 1,383 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 667-668 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

REDPEN2_3: Odor detection: n-butanol 0.5% (pen 3)

Which pen has the odor?

(Let's continue. I will offer you three pens to smell, one after the other. One of the three pens has the odor you already smelled and the other two do not. I will ask you to tell me which pen has the odor.)

Some of the pens are strong and some of the pens are weak, so do not be discouraged if you cannot smell the odor in some of the pens because this is part of the measure. Just try your best to decide which pen has the odor.)

Value	Label	Unweighted Frequency	%
1	One	160	3.7 %
2	Two	220	5.0 %
3	Three	825	18.8 %
4	None of the pens have the odor (if volunteered)	194	4.4 %
Missing Data			
-3	Not applicable	2913	66.6 %
-2	Don't know	54	1.2 %
-1	Refused	11	0.3 %
Total		4,377	100%

Based upon 1,399 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 669-670 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

REDPEN2_4: Odor detection: n-butanol 2.0% (pen 2)

Which pen has the odor?

(Let's continue. I will offer you three pens to smell, one after the other. One of the three pens has the odor you already smelled and the other two do not. I will ask you to tell me which pen has the odor.)

Some of the pens are strong and some of the pens are weak, so do not be discouraged if you cannot smell the odor in some of the pens because this is part of the measure. Just try your best to decide which pen has the odor.)

Value	Label	Unweighted Frequency	%
1	One	135	3.1 %
2	Two	1007	23.0 %
3	Three	128	2.9 %
4	None of the pens have the odor (if volunteered)	136	3.1 %
Missing Data			
-3	Not applicable	2913	66.6 %
-2	Don't know	46	1.1 %
-1	Refused	12	0.3 %
Total		4,377	100%

Based upon 1,406 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 671-672 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

REDPEN2_5: Odor detection: n-butanol 4.0% (pen 1)

Which pen has the odor?

(Let's continue. I will offer you three pens to smell, one after the other. One of the three pens has the odor you already smelled and the other two do not. I will ask you to tell me which pen has the odor.

Some of the pens are strong and some of the pens are weak, so do not be discouraged if you cannot smell the odor in some of the pens because this is part of the measure. Just try your best to decide which pen has the odor.)

Value	Label	Unweighted Frequency	%
1	One	961	22.0 %
2	Two	120	2.7 %
3	Three	163	3.7 %
4	None of the pens have the odor (if volunteered)	165	3.8 %
Missing Data			
-3	Not applicable	2913	66.6 %
-2	Don't know	43	1.0 %
-1	Refused	12	0.3 %
Total		4,377	100%

Based upon 1,409 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 673-674 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

REDPEN2_6: Odor detection: n-butanol 8.0% (pen 3)

Which pen has the odor?

(Let's continue. I will offer you three pens to smell, one after the other. One of the three pens has the odor you already smelled and the other two do not. I will ask you to tell me which pen has the odor.)

Some of the pens are strong and some of the pens are weak, so do not be discouraged if you cannot smell the odor in some of the pens because this is part of the measure. Just try your best to decide which pen has the odor.)

Value	Label	Unweighted Frequency	%
1	One	87	2.0 %
2	Two	135	3.1 %
3	Three	1117	25.5 %
4	None of the pens have the odor (if volunteered)	79	1.8 %
Missing Data			
-3	Not applicable	2913	66.6 %
-2	Don't know	33	0.8 %
-1	Refused	13	0.3 %
Total		4,377	100%

Based upon 1,418 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 675-676 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

BLUEPEN_1: Odor identification: rose

I have five (last) pens that contain a smell of something familiar. For each pen, identify the smell using the four answer choices on this card (HAND CARD X).

PRESENT BLACK PEN #1

Is it...

Value	Label	Unweighted Frequency	%
1	Chamomile	291	6.6 %
2	Raspberry	55	1.3 %
3	Rose	988	22.6 %
4	Cherry	45	1.0 %
	Missing Data		
-3	Not applicable	2913	66.6 %
-2	Don't know	79	1.8 %
-1	Refused	6	0.1 %
	Total	4,377	100%

Based upon 1,379 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 677-678 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

BLUEPEN_2: Odor identification: leather

I have five (last) pens that contain a smell of something familiar. For each pen, identify the smell using the four answer choices on this card (HAND CARD X).

PRESENT BLACK PEN #2

Is it...

Value	Label	Unweighted Frequency	%
1	Smoke	104	2.4 %
2	Glue	138	3.2 %
3	Leather	995	22.7 %
4	Grass	113	2.6 %
	Missing Data		
-3	Not applicable	2913	66.6 %
-2	Don't know	108	2.5 %
-1	Refused	6	0.1 %
	Total	4,377	100%

Based upon 1,350 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 679-680 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -6 , -3 , -2 , -1

BLUEPEN_3: Odor identification: orange

I have five (last) pens that contain a smell of something familiar. For each pen, identify the smell using the four answer choices on this card (HAND CARD X).

PRESENT BLACK PEN #3

Is it...

Value	Label	Unweighted Frequency	%
1	Orange	1278	29.2 %
2	Blueberry	42	1.0 %
3	Strawberry	53	1.2 %
4	Onion	36	0.8 %
Missing Data			
-3	Not applicable	2913	66.6 %
-2	Don't know	49	1.1 %
-1	Refused	6	0.1 %
Total		4,377	100%

Based upon 1,409 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 681-682 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

BLUEPEN_4: Odor identification: fish

I have five (last) pens that contain a smell of something familiar. For each pen, identify the smell using the four answer choices on this card (HAND CARD X).

PRESENT BLACK PEN #4

Is it...

Value	Label	Unweighted Frequency	%
1	Bread	68	1.6 %
2	Fish	1160	26.5 %
3	Cheese	87	2.0 %

Value	Label	Unweighted Frequency	%
4	Ham	71	1.6 %
	Missing Data		
-3	Not applicable	2913	66.6 %
-2	Don't know	72	1.6 %
-1	Refused	6	0.1 %
	Total	4,377	100%

Based upon 1,386 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 683-684 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

BLUEPEN_5: Odor identification: peppermint

I have five (last) pens that contain a smell of something familiar. For each pen, identify the smell using the four answer choices on this card (HAND CARD X).

PRESENT BLACK PEN #5

Is it...

Value	Label	Unweighted Frequency	%
1	Chive	39	0.9 %
2	Peppermint	1289	29.4 %
3	Pine	63	1.4 %
4	Onion	23	0.5 %
	Missing Data		
-3	Not applicable	2913	66.6 %
-2	Don't know	43	1.0 %
-1	Refused	7	0.2 %
	Total	4,377	100%

Based upon 1,414 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 685-686 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

DTH_CLOSE: Someone close died in past 5 years

In the past five years, has anyone close to you died, such as a spouse, a close family member, or a close friend?

Note:

1. asked in leave-behind in W3
2. cf. vars FAMDEATH, NFAMDEATH, FRDEATH and NFRDEATH in W1

Value	Label	Unweighted Frequency	%
0	No	548	12.5 %
1	Yes	1078	24.6 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	65	1.5 %
-3	Not applicable	2049	46.8 %
Total		4,377	100%

Based upon 1,626 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 687-688 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DEATH_REL: Relationship to deceased

What is this person's relationship to you?

(In the past five years, has anyone close to you died, such as a spouse, a close family member, or a close friend?)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Spouse	37	0.8 %
2	Parent	332	7.6 %
3	Child	20	0.5 %
4	Grandchild	6	0.1 %
5	Close friend	188	4.3 %
6	Other (specify)	451	10.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
-5	Not returned	637	14.6 %
-4	No answer	44	1.0 %
-3	Not applicable	2662	60.8 %
Total		4,377	100%

Based upon 1,034 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 689-690 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

RESIDEY2: Time lived in this area

The following questions ask about your local area - that is, everywhere within a 20-minute walk or within about a mile of your home.

About how many years have you lived in this area?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Less than one year	130	3.0 %
2	1-5 years	504	11.5 %
3	6-10 years	380	8.7 %
4	11-15 years	456	10.4 %
5	16-20 years	372	8.5 %
6	21-25 years	376	8.6 %
7	26-50 years	1069	24.4 %
8	More than 50 years	415	9.5 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	38	0.9 %
Total		4,377	100%

Based upon 3,702 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 691-692 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

VISIT: How often do people in this area visit?

How often do you and people in this area visit in each other's homes or when you meet on the street?

(The following questions ask about your local area - that is, everywhere within a 20-minute walk or within about a mile of your home.)

Note:

1. asked in leave-behind in W3
2. cf. VAR NEIGHBOR_2 in W1

Value	Label	Unweighted Frequency	%
0	Never	613	14.0 %
1	Rarely	1144	26.1 %
2	Sometimes	1320	30.2 %
3	Often	611	14.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	52	1.2 %
Total		4,377	100%

Based upon 3,688 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 693-694 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

DOFAVORS: How often do people in this area do favors?

How often do you and other people in this area do favors for each other?

(The following questions ask about your local area - that is, everywhere within a 20-minute walk or within about a mile of your home.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	409	9.3 %
1	Rarely	982	22.4 %
2	Sometimes	1711	39.1 %
3	Often	588	13.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	50	1.1 %
	Total	4,377	100%

Based upon 3,690 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 695-696 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

PERSADVICE: How often do people in this area ask advice?

How often do you and other people in this area ask each other for advice about personal things?

(The following questions ask about your local area - that is, everywhere within a 20-minute walk or within about a mile of your home.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	1587	36.3 %
1	Rarely	1208	27.6 %
2	Sometimes	767	17.5 %
3	Often	127	2.9 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	51	1.2 %
	Total	4,377	100%

Based upon 3,689 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 697-698 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

CLOSEKNIT: This is a close-knit area

Next, please indicate your agreement or disagreement with the following statements about your

local area - that is, everywhere within a 20-minute walk or within about a mile of your home.

This is a close-knit area.

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Strongly disagree	215	4.9 %
2	Disagree	598	13.7 %
3	Neither agree nor disagree	1611	36.8 %
4	Agree	1021	23.3 %
5	Strongly agree	207	4.7 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	87	2.0 %
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 3,652 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 699-700 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

HELPNEIGH: People around here are willing to help

People around here are willing to help their neighbors.

(Next, please indicate your agreement or disagreement with the following statements about your local area - that is, everywhere within a 20-minute walk or within about a mile of your home.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Strongly disagree	80	1.8 %
2	Disagree	200	4.6 %
3	Neither agree nor disagree	997	22.8 %
4	Agree	1963	44.8 %
5	Strongly agree	440	10.1 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	59	1.3 %

Value	Label	Unweighted Frequency	%
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 3,680 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 701-702 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

GETALONG: People in this area don't get along

People in this area generally don't get along with each other.

(Next, please indicate your agreement or disagreement with the following statements about your local area - that is, everywhere within a 20-minute walk or within about a mile of your home.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Strongly disagree	628	14.3 %
2	Disagree	1662	38.0 %
3	Neither agree nor disagree	1100	25.1 %
4	Agree	210	4.8 %
5	Strongly agree	52	1.2 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	87	2.0 %
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 3,652 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 703-704 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

VALUES: People in this area don't share same values

People in this area don't share the same values.

(Next, please indicate your agreement or disagreement with the following statements about your local area - that is, everywhere within a 20-minute walk or within about a mile of your home.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Strongly disagree	257	5.9 %
2	Disagree	1043	23.8 %
3	Neither agree nor disagree	1733	39.6 %
4	Agree	539	12.3 %
5	Strongly agree	90	2.1 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	77	1.8 %
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 3,662 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 705-706 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

CANTRUST: People in this area can be trusted

People in this area can be trusted.

(Next, please indicate your agreement or disagreement with the following statements about your local area - that is, everywhere within a 20-minute walk or within about a mile of your home.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Strongly disagree	75	1.7 %
2	Disagree	210	4.8 %
3	Neither agree nor disagree	1268	29.0 %
4	Agree	1720	39.3 %
5	Strongly agree	403	9.2 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	63	1.4 %

Value	Label	Unweighted Frequency	%
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 3,676 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 707-708 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

AFRAIDNITE: People in this area are afraid at night

Many people in this area are afraid to go out at night.

(Next, please indicate your agreement or disagreement with the following statements about your local area - that is, everywhere within a 20-minute walk or within about a mile of your home.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Strongly disagree	587	13.4 %
2	Disagree	1557	35.6 %
3	Neither agree nor disagree	1050	24.0 %
4	Agree	362	8.3 %
5	Strongly agree	114	2.6 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	69	1.6 %
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 3,670 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 709-710 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

TROUBLE: There are places where 'trouble' is expected

There are places in this area where everyone knows "trouble" is expected.

(Next, please indicate your agreement or disagreement with the following statements about your local area - that is, everywhere within a 20-minute walk or within about a mile of your home.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Strongly disagree	862	19.7 %
2	Disagree	1282	29.3 %
3	Neither agree nor disagree	881	20.1 %
4	Agree	483	11.0 %
5	Strongly agree	160	3.7 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	71	1.6 %
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 3,668 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 711-712 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

CHANCE: You're taking a big chance walking alone at night

You're taking a big chance if you walk in this area alone after dark.

(Next, please indicate your agreement or disagreement with the following statements about your local area - that is, everywhere within a 20-minute walk or within about a mile of your home.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Strongly disagree	918	21.0 %
2	Disagree	1456	33.3 %
3	Neither agree nor disagree	799	18.3 %
4	Agree	356	8.1 %
5	Strongly agree	140	3.2 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	70	1.6 %

Value	Label	Unweighted Frequency	%
-2	Don't know	1	0.0 %
Total		4,377	100%

Based upon 3,669 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 713-714 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

LESSCOURTESY: How often treated with less courtesy than others?

This section asks about how others behave towards you in your day-to-day life.

In your day-to-day life, how often have you been treated with less courtesy than other people?

Value	Label	Unweighted Frequency	%
0	Never	1607	36.7 %
1	Less than once a year	891	20.4 %
2	About once or twice a year	600	13.7 %
3	Several times a year	278	6.4 %
4	About once a month	148	3.4 %
5	Every week	88	2.0 %
6	Several times a week	65	1.5 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	63	1.4 %
Total		4,377	100%

Based upon 3,677 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 715-716 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

BETTERTHANYOUARE: How often have others acted as if better than you?

In your day-to-day life, how often have people acted as if they're better than you are?

(This section asks about how others behave towards you in your day-to-day life.)

Value	Label	Unweighted Frequency	%
0	Never	1491	34.1 %
1	Less than once a year	844	19.3 %
2	About once or twice a year	650	14.9 %
3	Several times a year	370	8.5 %
4	About once a month	124	2.8 %
5	Every week	112	2.6 %
6	Several times a week	81	1.9 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	68	1.6 %
Total		4,377	100%

Based upon 3,672 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 717-718 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

MAINREASON_1: Reason treated badly: ancestry or origin

When these things happen in your day-to-day life, what do you think is the main reason(s) for them?

Please check all that apply. Your ancestry or national origins

(This section asks about how others behave towards you in your day-to-day life.)

Value	Label	Unweighted Frequency	%
0	No	2560	58.5 %
1	Yes	220	5.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	909	20.8 %
-2	Don't know	46	1.1 %
-1	Refused	5	0.1 %
Total		4,377	100%

Based upon 2,780 valid cases out of 4,377 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 719-720 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MAINREASON_2: Reason treated badly: gender

When these things happen in your day-to-day life, what do you think is the main reason(s) for them?

Please check all that apply. Your gender

(This section asks about how others behave towards you in your day-to-day life.)

Value	Label	Unweighted Frequency	%
0	No	2510	57.3 %
1	Yes	270	6.2 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	909	20.8 %
-2	Don't know	46	1.1 %
-1	Refused	5	0.1 %
Total		4,377	100%

Based upon 2,780 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 721-722 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MAINREASON_3: Reason treated badly: race

When these things happen in your day-to-day life, what do you think is the main reason(s) for them?

Please check all that apply. Your race

(This section asks about how others behave towards you in your day-to-day life.)

Value	Label	Unweighted Frequency	%
0	No	2408	55.0 %
1	Yes	372	8.5 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	909	20.8 %

Value	Label	Unweighted Frequency	%
-2	Don't know	46	1.1 %
-1	Refused	5	0.1 %
Total		4,377	100%

Based upon 2,780 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 723-724 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MAINREASON_4: Reason treated badly: age

When these things happen in your day-to-day life, what do you think is the main reason(s) for them?

Please check all that apply. Your age

(This section asks about how others behave towards you in your day-to-day life.)

Value	Label	Unweighted Frequency	%
0	No	1795	41.0 %
1	Yes	985	22.5 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	909	20.8 %
-2	Don't know	46	1.1 %
-1	Refused	5	0.1 %
Total		4,377	100%

Based upon 2,780 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 725-726 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MAINREASON_5: Reason treated badly: height or weight

When these things happen in your day-to-day life, what do you think is the main reason(s) for them?

Please check all that apply. Your height or weight

(This section asks about how others behave towards you in your day-to-day life.)

Value	Label	Unweighted Frequency	%
0	No	2546	58.2 %
1	Yes	234	5.3 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	909	20.8 %
-2	Don't know	46	1.1 %
-1	Refused	5	0.1 %
Total		4,377	100%

Based upon 2,780 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 727-728 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MAINREASON_6: Reason treated badly: skin color

When these things happen in your day-to-day life, what do you think is the main reason(s) for them?

Please check all that apply. Your shade of skin color

(This section asks about how others behave towards you in your day-to-day life.)

Value	Label	Unweighted Frequency	%
0	No	2642	60.4 %
1	Yes	138	3.2 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	909	20.8 %
-2	Don't know	46	1.1 %
-1	Refused	5	0.1 %
Total		4,377	100%

Based upon 2,780 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 729-730 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MAINREASON_7: Reason treated badly: sexual orientation

When these things happen in your day-to-day life, what do you think is the main reason(s) for them?
Please check all that apply. Your sexual orientation

(This section asks about how others behave towards you in your day-to-day life.)

Value	Label	Unweighted Frequency	%
0	No	2728	62.3 %
1	Yes	52	1.2 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	909	20.8 %
-2	Don't know	46	1.1 %
-1	Refused	5	0.1 %
Total		4,377	100%

Based upon 2,780 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 731-732 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MAINREASON_8: Reason treated badly: other

When these things happen in your day-to-day life, what do you think is the main reason(s) for them?
Please check all that apply. Other, please describe

(This section asks about how others behave towards you in your day-to-day life.)

Value	Label	Unweighted Frequency	%
0	No	1649	37.7 %
1	Yes	1131	25.8 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	909	20.8 %
-2	Don't know	46	1.1 %
-1	Refused	5	0.1 %
Total		4,377	100%

Based upon 2,780 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 733-734 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CAREGIVER: Currently assisting adult with day-to-day activities?

Are you currently assisting an adult who needs help with day to day activities because of age or disability?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	2816	64.3 %
1	Yes	624	14.3 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	300	6.9 %
	Total	4,377	100%

Based upon 3,440 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 735-736 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CARE_REL2: Relationship to R of adult receiving care

What is this person's relationship to you?

Skip if: CAREGIVER does not equal 0

(Are you currently assisting an adult who needs help with day to day activities because of age or disability?)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Spouse	174	4.0 %
2	Parent	194	4.4 %

Value	Label	Unweighted Frequency	%
3	Child	34	0.8 %
4	Grandchild	9	0.2 %
5	Other (specify)	191	4.4 %
Missing Data			
-4	No answer	22	0.5 %
-3	Not applicable	3753	85.7 %
Total		4,377	100%

Based upon 602 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 737-738 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -5 , -4 , -3 , -2 , -1

CARE_PRIM: Is R primary caregiver?

Do you consider yourself the primary caregiver?

Skip if: CAREGIVER does not equal 0

(Are you currently assisting an adult who needs help with day to day activities because of age or disability?)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	No	262	6.0 %
1	Yes	353	8.1 %
Missing Data			
-4	No answer	9	0.2 %
-3	Not applicable	3753	85.7 %
Total		4,377	100%

Based upon 615 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 739-740 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SEXIMPRT: How important is sex?

For some people sex is a very important part of their lives and for others it is not very important at all. How important a part of your life would you say that sex is?

Value	Label	Unweighted Frequency	%
1	Not at all important	1136	26.0 %
2	Somewhat important	753	17.2 %
3	Moderately important	829	18.9 %
4	Very important	657	15.0 %
5	Extremely important	175	4.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	182	4.2 %
-1	Refused	8	0.2 %
Total		4,377	100%

Based upon 3,550 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 741-742 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

THINKSEX: How often do you think about sex?

About how often do you think about sex?

Value	Label	Unweighted Frequency	%
0	Never (volunteered)	560	12.8 %
1	Less than once a month	807	18.4 %
2	One to a few times a month	960	21.9 %
3	One to a few times a week	1046	23.9 %
4	Every day	572	13.1 %
5	Several times a day	194	4.4 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	83	1.9 %
-1	Refused	154	3.5 %
Total		4,377	100%

Based upon 4,139 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 743-744 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -5 , -4 , -3 , -2 , -1

AGREESEX2: How often do you agree to sex?

When your spouse or romantic partner wants to have sex with you, how often do you agree?

Value	Label	Unweighted Frequency	%
0	Never	276	6.3 %
1	Rarely	139	3.2 %
2	Sometimes	268	6.1 %
3	Usually	777	17.8 %
4	Always	1006	23.0 %
5	Do not have spouse/partner	831	19.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	428	9.8 %
-2	Don't know	1	0.0 %
-1	Refused	14	0.3 %
Total		4,377	100%

Based upon 3,297 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 745-746 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

PLEASURE: How physically pleasurable is/was relationship?

ASK THIS SECTION OF IF RESPONDENT HAS CURRENT PARTNER. IF R DOES NOT HAVE A CURRENT PARTNER, ASK SECTION IN REGARDS TO MOST RECENT PARTNER. A RECENT PARTNER IS DEFINED AS A PARTNERSHIP THAT OCCURRED IN THE PAST 5 YEARS.

How physically pleasurable did/do you find your relationship with [CURRENT/RECENT PARTNER]
 to be: extremely pleasurable, very pleasurable, moderately pleasurable, slightly pleasurable,
 or not at all pleasurable? (HAND CARD U)

Value	Label	Unweighted Frequency	%
0	Not at all	132	3.0 %
1	Slightly	218	5.0 %
2	Moderately	686	15.7 %
3	Very	1321	30.2 %

Value	Label	Unweighted Frequency	%
4	Extremely	1009	23.1 %
Missing Data			
-3	Not applicable	858	19.6 %
-2	Don't know	45	1.0 %
-1	Refused	108	2.5 %
Total		4,377	100%

Based upon 3,366 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 747-748 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -3 , -2 , -1

EMTSATFY: How emotionally satisfying is/was relationship?

How emotionally satisfying did/do you find your relationship with (him/her) to be? Extremely satisfying, very satisfying, moderately satisfying, slightly satisfying, or not at all satisfying? (HAND CARD U)

(ASK THIS SECTION OF IF RESPONDENT HAS CURRENT PARTNER. IF R DOES NOT HAVE A CURRENT PARTNER, ASK SECTION IN REGARDS TO MOST RECENT PARTNER. A RECENT PARTNER IS DEFINED AS A PARTNERSHIP THAT OCCURRED IN THE PAST 5 YEARS.)

Value	Label	Unweighted Frequency	%
0	Not at all	87	2.0 %
1	Slightly	189	4.3 %
2	Moderately	680	15.5 %
3	Very	1374	31.4 %
4	Extremely	1080	24.7 %
Missing Data			
-3	Not applicable	858	19.6 %
-2	Don't know	28	0.6 %
-1	Refused	81	1.9 %
Total		4,377	100%

Based upon 3,410 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 749-750 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -3 , -2 , -1

OFTSEX2: Frequency of sex

The next set of questions is about your sexual relationship with [PARTNER] in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.

During the last 12 months (IF NOT CURRENT PARTNER: During your relationship), about how often did you have sex with [CURRENT/RECENT PARTNER]? Was it... (HAND CARD V)

Value	Label	Unweighted Frequency	%
0	None at all	957	21.9 %
1	Once a month or less	694	15.9 %
2	2 to 3 times a month	682	15.6 %
3	Once or twice a week	622	14.2 %
4	3-6 times a week	229	5.2 %
5	Once a day or more	65	1.5 %
Missing Data			
-3	Not applicable	858	19.6 %
-2	Don't know	52	1.2 %
-1	Refused	218	5.0 %
Total		4,377	100%

Based upon 3,249 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 751-752 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -3 , -2 , -1

MSTBATE: Frequency of masturbation in last 12 months

(USE HAND CARD V2) Masturbation is a very common practice. By masturbation, we mean stimulating your genitals or sex organs for sexual pleasure, not with a sexual partner. On average, in the past 12 months, how often did you masturbate? (Please select one answer only.)

Value	Label	Unweighted Frequency	%
0	Not at all this year	2420	55.3 %
1	1-2 times a year	273	6.2 %
2	3-5 times a year	220	5.0 %
3	Every other month	147	3.4 %
4	Once a month	299	6.8 %
5	2-3 times a month	279	6.4 %
6	Once a week	165	3.8 %

Value	Label	Unweighted Frequency	%
7	Several times a week	133	3.0 %
8	Every day	20	0.5 %
9	More than once a day	8	0.2 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	71	1.6 %
-1	Refused	341	7.8 %
Total		4,377	100%

Based upon 3,964 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 753-754 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -5 , -4 , -3 , -2 , -1

LACKSEX: Lacked interest in sex

Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. During the last 12 months has there ever been a period of several months or more when you... lacked interest in having sex?

Value	Label	Unweighted Frequency	%
0	No	2289	52.3 %
1	Yes	1741	39.8 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	143	3.3 %
-1	Refused	203	4.6 %
Total		4,377	100%

Based upon 4,030 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 755-756 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

NOCLMAX: Unable to climax

Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. During the last 12 months has there ever been a period of several months or more when you... were unable to climax, that is, experience an orgasm?

Value	Label	Unweighted Frequency	%
0	No	2793	63.8 %
1	Yes	892	20.4 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	393	9.0 %
-1	Refused	298	6.8 %
Total		4,377	100%

Based upon 3,685 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 757-758 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CLMAXQK: Climaxed too quickly

Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. During the last 12 months has there ever been a period of several months or more when you... came to a climax, that is, experienced orgasm too quickly?

Value	Label	Unweighted Frequency	%
0	No	3274	74.8 %
1	Yes	452	10.3 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	336	7.7 %
-1	Refused	314	7.2 %
Total		4,377	100%

Based upon 3,726 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 759-760 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SEXPAIN: Experienced pain during sex

Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. During the last 12 months has there ever been a period of several months or more when you... experienced physical pain during intercourse?

Value	Label	Unweighted Frequency	%
0	No	3551	81.1 %
1	Yes	300	6.9 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	243	5.6 %
-1	Refused	282	6.4 %
Total		4,377	100%

Based upon 3,851 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 761-762 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SEXNOPL: Did not find sex pleasurable

Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. During the last 12 months has there ever been a period of several months or more when you... did not find sex pleasurable even if it was not painful?

Value	Label	Unweighted Frequency	%
0	No	3358	76.7 %
1	Yes	393	9.0 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	321	7.3 %
-1	Refused	304	6.9 %
Total		4,377	100%

Based upon 3,751 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 763-764 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ANXBSEX: Anxious re ability to perform

Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. During the last 12 months has there ever been a period of several months or more when you... felt anxious just before having sex about your ability to perform sexually?

Value	Label	Unweighted Frequency	%
0	No	3211	73.4 %
1	Yes	576	13.2 %
	Missing Data		
-8	Incomplete interview	1	0.0 %
-2	Don't know	293	6.7 %
-1	Refused	296	6.8 %
	Total	4,377	100%

Based upon 3,787 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 765-766 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

NOERECT: Trouble getting/maintaining erection

(FOR MALE RESPONDENTS) Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. During the last 12 months has there ever been a period of several months or more when you... had trouble getting or maintaining an erection?

Value	Label	Unweighted Frequency	%
0	No	1153	26.3 %
1	Yes	663	15.1 %
	Missing Data		
-8	Incomplete interview	1	0.0 %
-3	Not applicable	2374	54.2 %
-2	Don't know	67	1.5 %
-1	Refused	119	2.7 %
	Total	4,377	100%

Based upon 1,816 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 767-768 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

LUBRCTE: Trouble lubricating

(FOR FEMALE RESPONDENTS ONLY) Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. During the last 12 months has there ever been a period of several months or more when you... had trouble lubricating?

Value	Label	Unweighted Frequency	%
0	No	1469	33.6 %
1	Yes	489	11.2 %
	Missing Data		
-8	Incomplete interview	1	0.0 %
-3	Not applicable	2002	45.7 %
-2	Don't know	224	5.1 %
-1	Refused	192	4.4 %
	Total	4,377	100%

Based upon 1,958 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 769-770 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PROBBOTHER: How much did problem(s) bother you?

IF RESPONDENT HAD ANY PROBLEMS: How much did this/these problems bother you?

(Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. During the last 12 months has there ever been a period of several months or more when you...)

Value	Label	Unweighted Frequency	%
0	Not at all	1222	27.9 %
1	Slightly	553	12.6 %
2	Moderately	558	12.7 %
3	Very	173	4.0 %
4	Extremely	161	3.7 %
	Missing Data		
-3	Not applicable	1662	38.0 %
-2	Don't know	27	0.6 %
-1	Refused	21	0.5 %
	Total	4,377	100%

Based upon 2,667 valid cases out of 4,377 total cases.

- Minimum: 0.00

- Maximum: 4.00

Location: 771-772 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -3 , -2 , -1

AVOIDSEX: Avoided sex because of problem(s)?

SKIP IF R DID NOT HAVE ANY PROBLEMS: During the past 12 months, have you ever avoided sex because of the problem(s) you mentioned?

(Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. During the last 12 months has there ever been a period of several months or more when you...)

Value	Label	Unweighted Frequency	%
0	No	2021	46.2 %
1	Yes	608	13.9 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-3	Not applicable	1661	37.9 %
-2	Don't know	50	1.1 %
-1	Refused	36	0.8 %
Total		4,377	100%

Based upon 2,629 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 773-774 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SPTALKPTR: Talked to partner re problem(s)?

SKIP IF R DID NOT HAVE ANY PROBLEMS: Have you ever talked with [CURRENT PARTNER] about the problem(s) you mentioned?

(Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. During the last 12 months has there ever been a period of several months or more when you...)

Value	Label	Unweighted Frequency	%
0	No	736	16.8 %
1	Yes	1196	27.3 %
Missing Data			
-8	Incomplete interview	1	0.0 %

Value	Label	Unweighted Frequency	%
-3	Not applicable	2414	55.2 %
-2	Don't know	11	0.3 %
-1	Refused	19	0.4 %
Total		4,377	100%

Based upon 1,932 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 775-776 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

GNGWELL2: How often are things with partner going well?

In general, how often do you think that things between you and your spouse or romantic partner are going well?

Value	Label	Unweighted Frequency	%
0	Never	35	0.8 %
1	Rarely	93	2.1 %
2	Occasionally	226	5.2 %
3	More often than not	328	7.5 %
4	Most of the time	1405	32.1 %
5	All the time	655	15.0 %
6	Do not have spouse/partner	860	19.6 %
Missing Data			
-4	No answer	136	3.1 %
-3	Not applicable	637	14.6 %
-1	Refused	2	0.0 %
Total		4,377	100%

Based upon 3,602 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 777-778 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

OFTSEXOK3: Is sex frequency ok?

During the past 12 months, would you say that you had sex:

Value	Label	Unweighted Frequency	%
1	Much less than you would like	1032	23.6 %
2	Somewhat less than you would like	633	14.5 %
3	About as often as you would like	1119	25.6 %
4	Somewhat more than you would like	103	2.4 %
5	Much more than you would like	49	1.1 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	791	18.1 %
-2	Don't know	1	0.0 %
-1	Refused	12	0.3 %
Total		4,377	100%

Based upon 2,936 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 779-780 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

SEX_OBLIG2: How often had sex because felt obligated?

In the past 12 months, how often did you have sex primarily because you felt obligated or that it was your duty?

Value	Label	Unweighted Frequency	%
0	Never	1285	29.4 %
1	Rarely	461	10.5 %
2	Sometimes	275	6.3 %
3	Usually	79	1.8 %
4	Always	46	1.1 %
6	Did not have sex last yr	1250	28.6 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	332	7.6 %
-2	Don't know	1	0.0 %
-1	Refused	11	0.3 %
Total		4,377	100%

Based upon 3,396 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 781-782 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

SEXPREF: Sexual orientation

Do you consider yourself to be:

Value	Label	Unweighted Frequency	%
1	Heterosexual or straight	3315	75.7 %
2	Gay or lesbian	42	1.0 %
3	Bisexual	35	0.8 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	340	7.8 %
-1	Refused	8	0.2 %
Total		4,377	100%

Based upon 3,392 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 783-784 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

NUMCHLD: Number of living children

This section asks about any children and grandchildren you may have.

How many living children do you have? You may include children who are not biologically related to you, such as stepchildren or adopted children.

Note:

1. asked in leave-behind in W3
2. cf. vars SONS and DAUGHTER in W1 and W2

Value	Label	Unweighted Frequency	%
0	-	189	4.3 %
1	-	228	5.2 %
2	-	523	11.9 %
3	-	330	7.5 %
4	-	178	4.1 %
5	-	87	2.0 %
6	-	36	0.8 %

Value	Label	Unweighted Frequency	%
7	-	26	0.6 %
8	-	12	0.3 %
9	-	5	0.1 %
10	-	9	0.2 %
11	-	4	0.1 %
12	-	2	0.0 %
13	-	3	0.1 %
14	-	1	0.0 %
15	-	4	0.1 %
16	-	2	0.0 %
20	-	2	0.0 %
27	-	1	0.0 %
40	-	1	0.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	48	1.1 %
-3	Not applicable	2049	46.8 %
Total		4,377	100%

Based upon 1,643 valid cases out of 4,377 total cases.

- Mean: 2.65
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 2.39

Location: 785-786 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CHILD: Number children given birth to or fathered

How many children have you given birth to or fathered throughout your life?

(This section asks about any children and grandchildren you may have.)

Note:

1. asked in leave-behind in W3
2. cf. var BIRTHS in W1

Value	Label	Unweighted Frequency	%
0	-	232	5.3 %

Value	Label	Unweighted Frequency	%
1	-	243	5.6 %
2	-	563	12.9 %
3	-	339	7.7 %
4	-	156	3.6 %
5	-	52	1.2 %
6	-	23	0.5 %
7	-	12	0.3 %
8	-	5	0.1 %
9	-	5	0.1 %
10	-	5	0.1 %
11	-	2	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
20	-	1	0.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	50	1.1 %
-3	Not applicable	2049	46.8 %
Total		4,377	100%

Based upon 1,641 valid cases out of 4,377 total cases.

- Mean: 2.26
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.72

Location: 787-788 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

NGRNCLD: Number of living grandchildren

How many living grandchildren do you have? You may include grandchildren from step-sons or step-daughters, or stepgrandchildren, if you wish.

(This section asks about any children and grandchildren you may have.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	-	633	14.5 %
1	-	127	2.9 %
2	-	196	4.5 %
3	-	123	2.8 %
4	-	111	2.5 %
5	-	89	2.0 %
6	-	75	1.7 %
7	-	75	1.7 %
8	-	30	0.7 %
9	-	43	1.0 %
10	-	27	0.6 %
11	-	18	0.4 %
12	-	19	0.4 %
13	-	12	0.3 %
14	-	16	0.4 %
15	-	4	0.1 %
16	-	10	0.2 %
17	-	4	0.1 %
18	-	3	0.1 %
19	-	1	0.0 %
20	-	1	0.0 %
21	-	3	0.1 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
34	-	1	0.0 %
35	-	2	0.0 %
37	-	1	0.0 %
59	-	1	0.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	60	1.4 %
-3	Not applicable	2049	46.8 %
Total		4,377	100%

Based upon 1,631 valid cases out of 4,377 total cases.

- Mean: 3.23
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 4.58

Location: 789-790 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

AGE_FRSTCHLD: Age at first pregnancy or fathered child

How old were you at the time of your first pregnancy or when you first fathered a child?

(This section asks about any children and grandchildren you may have.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
3	-	1	0.0 %
12	-	2	0.0 %
13	-	1	0.0 %
14	-	4	0.1 %
15	-	17	0.4 %
16	-	44	1.0 %
17	-	57	1.3 %
18	-	92	2.1 %
19	-	100	2.3 %
20	-	99	2.3 %
21	-	94	2.1 %
22	-	89	2.0 %
23	-	92	2.1 %
24	-	80	1.8 %
25	-	88	2.0 %
26	-	65	1.5 %
27	-	70	1.6 %
28	-	58	1.3 %
29	-	55	1.3 %
30	-	64	1.5 %
31	-	26	0.6 %
32	-	37	0.8 %
33	-	24	0.5 %

Value	Label	Unweighted Frequency	%
34	-	25	0.6 %
35	-	27	0.6 %
36	-	15	0.3 %
37	-	9	0.2 %
38	-	13	0.3 %
39	-	13	0.3 %
40	-	14	0.3 %
41	-	1	0.0 %
42	-	5	0.1 %
43	-	4	0.1 %
44	-	1	0.0 %
45	-	3	0.1 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
54	-	1	0.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	294	6.7 %
-3	Not applicable	2049	46.8 %
-2	Don't know	1	0.0 %
-1	Refused	1	0.0 %
Total		4,377	100%

Based upon 1,395 valid cases out of 4,377 total cases.

- Mean: 24.59
- Median: 24.00
- Mode: 19.00
- Minimum: 2.00
- Maximum: 54.00
- Standard Deviation: 6.27

Location: 791-792 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

GRCHILD: Number biologically-related grandchildren

How many biologically-related grandchildren do you have?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	-	291	6.6 %
1	-	132	3.0 %
2	-	234	5.3 %
3	-	217	5.0 %
4	-	194	4.4 %
5	-	149	3.4 %
6	-	138	3.2 %
7	-	105	2.4 %
8	-	85	1.9 %
9	-	75	1.7 %
10	-	51	1.2 %
11	-	40	0.9 %
12	-	30	0.7 %
13	-	24	0.5 %
14	-	13	0.3 %
15	-	12	0.3 %
16	-	12	0.3 %
17	-	9	0.2 %
18	-	9	0.2 %
19	-	7	0.2 %
20	-	8	0.2 %
21	-	7	0.2 %
22	-	3	0.1 %
23	-	6	0.1 %
24	-	3	0.1 %
25	-	6	0.1 %
26	-	2	0.0 %
27	-	2	0.0 %
30	-	6	0.1 %
31	-	1	0.0 %
32	-	2	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
38	-	3	0.1 %
42	-	2	0.0 %
48	-	2	0.0 %
56	-	1	0.0 %

Value	Label	Unweighted Frequency	%
73	-	1	0.0 %
85	-	1	0.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	1855	42.4 %
Total		4,377	100%

Based upon 1,885 valid cases out of 4,377 total cases.

- Mean: 5.31
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 85.00
- Standard Deviation: 6.15

Location: 793-794 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

COMPANION2: University of California, Los Angeles (UCLA) loneliness scale: lack companionship (4 categories)

How often do you feel that you lack companionship?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	1335	30.5 %
1	Hardly ever	982	22.4 %
2	Some of the time	981	22.4 %
3	Often	319	7.3 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	123	2.8 %
Total		4,377	100%

Based upon 3,617 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 795-796 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

LEFTOUT2: University of California, Los Angeles (UCLA) loneliness scale: feel left out (4 categories)

How often do you feel left out?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	1121	25.6 %
1	Hardly ever	1368	31.3 %
2	Some of the time	964	22.0 %
3	Often	149	3.4 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	138	3.2 %
Total		4,377	100%

Based upon 3,602 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 797-798 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -5, -4, -3, -2, -1

ISOLATED2: University of California, Los Angeles (UCLA) loneliness scale: feel isolated (4 categories)

How often do you feel isolated from others?

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Never	1363	31.1 %
1	Hardly ever	1223	27.9 %
2	Some of the time	847	19.4 %
3	Often	147	3.4 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	160	3.7 %
Total		4,377	100%

Based upon 3,580 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 799-800 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -5 , -4 , -3 , -2 , -1

FLTTENS: Hospital Anxiety and Depression Scale (HADS): felt tense or wound up

The next set of questions asks about thoughts and feelings you may have had during the past week. Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long, thought-out response.

During the past week... I felt tense or "wound up."

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	1426	32.6 %
2	Some of the time	1106	25.3 %
3	Occasionally	864	19.7 %
4	Most of the time	181	4.1 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	163	3.7 %
Total		4,377	100%

Based upon 3,577 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 801-802 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FRIGHT: Hospital Anxiety and Depression Scale (HADS): something awful about to happen

During the past week... I got a frightened feeling as if something awful was about to happen

(The next set of questions asks about thoughts and feelings you may have had during the past week. Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long, thought-out response.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	2528	57.8 %
2	Some of the time	537	12.3 %
3	Occasionally	400	9.1 %
4	Most of the time	52	1.2 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	223	5.1 %
Total		4,377	100%

Based upon 3,517 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 803-804 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WORRY: Hospital Anxiety and Depression Scale (HADS): worrying thoughts went through mind

During the past week... Worrying thoughts went through my mind

(The next set of questions asks about thoughts and feelings you may have had during the past week. Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long, thought-out response.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	1201	27.4 %
2	Some of the time	1430	32.7 %
3	Occasionally	709	16.2 %
4	Most of the time	181	4.1 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	219	5.0 %
Total		4,377	100%

Based upon 3,521 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 805-806 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

RELAXED: Hospital Anxiety and Depression Scale (HADS): could sit at ease and feel relaxed

During the past week... I could sit at ease and feel relaxed

(The next set of questions asks about thoughts and feelings you may have had during the past week. Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long, thought-out response.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	393	9.0 %
2	Some of the time	737	16.8 %
3	Occasionally	587	13.4 %
4	Most of the time	1839	42.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	184	4.2 %
Total		4,377	100%

Based upon 3,556 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 807-808 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BUTRFLY: Hospital Anxiety and Depression Scale (HADS): butterflies in my stomach

During the past week... I got a frightened feeling like butterflies in my stomach

(The next set of questions asks about thoughts and feelings you may have had during the past week. Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long, thought-out response.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	2585	59.1 %
2	Some of the time	514	11.7 %
3	Occasionally	387	8.8 %

Value	Label	Unweighted Frequency	%
4	Most of the time	64	1.5 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	190	4.3 %
	Total	4,377	100%

Based upon 3,550 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 809-810 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

RESTLES: Hospital Anxiety and Depression Scale (HADS): felt restless

During the past week... I felt restless as if I had to be on the move

(The next set of questions asks about thoughts and feelings you may have had during the past week. Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long, thought-out response.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	1837	42.0 %
2	Some of the time	975	22.3 %
3	Occasionally	561	12.8 %
4	Most of the time	156	3.6 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	211	4.8 %
	Total	4,377	100%

Based upon 3,529 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 811-812 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PANIC: Hospital Anxiety and Depression Scale (HADS): sudden feeling of panic

During the past week... I had a sudden feeling of panic

(The next set of questions asks about thoughts and feelings you may have had during the past week. Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long, thought-out response.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	2826	64.6 %
2	Some of the time	370	8.5 %
3	Occasionally	269	6.1 %
4	Most of the time	77	1.8 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	198	4.5 %
Total		4,377	100%

Based upon 3,542 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 813-814 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

UNCNTRL: Perceived Stress Scale (PSS): unable to control important things

During the past week... I was unable to control important things in my life

(The next set of questions asks about thoughts and feelings you may have had during the past week. Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long, thought-out response.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	2228	50.9 %
2	Some of the time	762	17.4 %
3	Occasionally	344	7.9 %
4	Most of the time	190	4.3 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	216	4.9 %

Value	Label	Unweighted Frequency	%
Total		4,377	100%

Based upon 3,524 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 815-816 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONFIDNT: Perceived Stress Scale (PSS): confident about my ability

During the past week... I felt confident about my ability to handle personal problems

(The next set of questions asks about thoughts and feelings you may have had during the past week. Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long, thought-out response.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	443	10.1 %
2	Some of the time	543	12.4 %
3	Occasionally	345	7.9 %
4	Most of the time	2220	50.7 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	189	4.3 %
Total		4,377	100%

Based upon 3,551 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 817-818 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

GOMYWAY: Perceived Stress Scale (PSS): things are going my way

During the past week... I felt that things were going my way

(The next set of questions asks about thoughts and feelings you may have had during the past week. Don't take too long over your replies; your immediate reaction to each item

will probably be more accurate than a long, thought-out response.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	304	6.9 %
2	Some of the time	810	18.5 %
3	Occasionally	782	17.9 %
4	Most of the time	1625	37.1 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	219	5.0 %
	Total	4,377	100%

Based upon 3,521 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 819-820 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PILEDIFF: Perceived Stress Scale (PSS): difficulties piling up

During the past week... I felt that difficulties were piling up so high I could not overcome them

(The next set of questions asks about thoughts and feelings you may have had during the past week. Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long, thought-out response.)

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	2408	55.0 %
2	Some of the time	632	14.4 %
3	Occasionally	420	9.6 %
4	Most of the time	114	2.6 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	166	3.8 %
	Total	4,377	100%

Based upon 3,574 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 821-822 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HAPPY: Self-rated general happiness

Now we will turn to thoughts and feelings you may have about your life or yourself. By asking about your thoughts and feelings in addition to your physical health, we can paint a more complete picture of your life.

If you were to consider your life in general these days, how happy or unhappy would you say you are, on the whole...

Value	Label	Unweighted Frequency	%
1	Unhappy usually	103	2.4 %
2	Unhappy sometimes	460	10.5 %
3	Pretty happy	1574	36.0 %
4	Very happy	1670	38.2 %
5	Extremely happy	555	12.7 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	5	0.1 %
-1	Refused	9	0.2 %
Total		4,377	100%

Based upon 4,362 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 823-824 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

NOTEAT: Center for Epidemiologic Studies Depression Scale (CES-D): did not feel like eating

Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this; rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.

During the past week... I did not feel like eating; my appetite was poor.

(USE HAND CARD X)

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	3176	72.6 %
2	Some of the time	681	15.6 %
3	Occasionally	358	8.2 %
4	Most of the time	155	3.5 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	2	0.0 %
-1	Refused	4	0.1 %
Total		4,377	100%

Based upon 4,370 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 825-826 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

FLTDEP: Center for Epidemiologic Studies Depression Scale (CES-D): felt depressed

During the past week... I felt depressed

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this; rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

(USE HAND CARD X)

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	2924	66.8 %
2	Some of the time	797	18.2 %
3	Occasionally	485	11.1 %
4	Most of the time	165	3.8 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	2	0.0 %
-1	Refused	3	0.1 %
Total		4,377	100%

Based upon 4,371 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 827-828 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -3 , -2 , -1

FLTEFF: Center for Epidemiologic Studies Depression Scale (CES-D): felt everything was an effort

During the past week... I felt that everything I did was an effort

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this; rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

(USE HAND CARD X)

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	2610	59.6 %
2	Some of the time	1021	23.3 %
3	Occasionally	381	8.7 %
4	Most of the time	349	8.0 %
	Missing Data		
-8	Incomplete interview	1	0.0 %
-2	Don't know	12	0.3 %
-1	Refused	3	0.1 %
	Total	4,377	100%

Based upon 4,361 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 829-830 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -3 , -2 , -1

NOSLEEP: Center for Epidemiologic Studies Depression Scale (CES-D): sleep was restless

During the past week... My sleep was restless

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this; rarely or none

of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

(USE HAND CARD X)

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	1640	37.5 %
2	Some of the time	1419	32.4 %
3	Occasionally	649	14.8 %
4	Most of the time	660	15.1 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	5	0.1 %
-1	Refused	3	0.1 %
Total		4,377	100%

Based upon 4,368 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 831-832 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -8 , -3 , -2 , -1

WASHAPPY: Center for Epidemiologic Studies Depression Scale (CES-D): was happy

During the past week... I was happy

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this; rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

(USE HAND CARD X)

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	124	2.8 %
2	Some of the time	672	15.4 %
3	Occasionally	390	8.9 %
4	Most of the time	3181	72.7 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	6	0.1 %

Value	Label	Unweighted Frequency	%
-1	Refused	3	0.1 %
Total		4,377	100%

Based upon 4,367 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 833-834 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

WASONLY: Center for Epidemiologic Studies Depression Scale (CES-D): felt lonely

During the past week... I felt lonely

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this; rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

(USE HAND CARD X)

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	2930	66.9 %
2	Some of the time	694	15.9 %
3	Occasionally	543	12.4 %
4	Most of the time	203	4.6 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	3	0.1 %
-1	Refused	3	0.1 %
Total		4,377	100%

Based upon 4,370 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 835-836 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

UNFRIEND: Center for Epidemiologic Studies Depression Scale (CES-D): people were unfriendly

During the past week... People were unfriendly

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this; rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

(USE HAND CARD X)

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	3505	80.1 %
2	Some of the time	510	11.7 %
3	Occasionally	243	5.6 %
4	Most of the time	95	2.2 %
	Missing Data		
-8	Incomplete interview	1	0.0 %
-2	Don't know	19	0.4 %
-1	Refused	4	0.1 %
	Total	4,377	100%

Based upon 4,353 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 837-838 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

ENJLIFE: Center for Epidemiologic Studies Depression Scale (CES-D): enjoyed life

During the past week... I enjoyed life

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this; rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

(USE HAND CARD X)

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	94	2.1 %
2	Some of the time	428	9.8 %
3	Occasionally	256	5.8 %

Value	Label	Unweighted Frequency	%
4	Most of the time	3591	82.0 %
	Missing Data		
-8	Incomplete interview	1	0.0 %
-2	Don't know	3	0.1 %
-1	Refused	4	0.1 %
	Total	4,377	100%

Based upon 4,369 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 839-840 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

FLTSAD: Center for Epidemiologic Studies Depression Scale (CES-D): felt sad

During the past week... I felt sad

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this; rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

(USE HAND CARD X)

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	2503	57.2 %
2	Some of the time	994	22.7 %
3	Occasionally	721	16.5 %
4	Most of the time	151	3.4 %
	Missing Data		
-8	Incomplete interview	1	0.0 %
-2	Don't know	3	0.1 %
-1	Refused	4	0.1 %
	Total	4,377	100%

Based upon 4,369 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 841-842 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

DISLIKD: Center for Epidemiologic Studies Depression Scale (CES-D): felt people disliked me

During the past week... I felt that people disliked me

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this; rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

(USE HAND CARD X)

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	3694	84.4 %
2	Some of the time	390	8.9 %
3	Occasionally	217	5.0 %
4	Most of the time	57	1.3 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	12	0.3 %
-1	Refused	6	0.1 %
Total		4,377	100%

Based upon 4,358 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 843-844 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

NOTGETGO: Center for Epidemiologic Studies Depression Scale (CES-D): could not get going

During the past week... I could not get "going"

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this; rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

(USE HAND CARD X)

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	2424	55.4 %
2	Some of the time	1211	27.7 %
3	Occasionally	489	11.2 %
4	Most of the time	244	5.6 %
	Missing Data		
-8	Incomplete interview	1	0.0 %
-2	Don't know	4	0.1 %
-1	Refused	4	0.1 %
	Total	4,377	100%

Based upon 4,368 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 845-846 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8, -3, -2, -1

JOBSTAT_1: Employment status: currently working

We are interested in the financial circumstances that might affect the health of Americans, so I'd like to ask you some questions about your employment and your finances.

CHOOSE ALL THAT APPLY. IF NONE OF THESE APPLIES, SELECT OTHER. (HAND CARD Y)

Are you... Currently working?

Value	Label	Unweighted Frequency	%
0	No	2759	63.0 %
1	Yes	1608	36.7 %
	Missing Data		
-8	Incomplete interview	1	0.0 %
-2	Don't know	3	0.1 %
-1	Refused	6	0.1 %
	Total	4,377	100%

Based upon 4,367 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 847-848 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8, -6, -5, -4, -3, -2, -1

JOBSTAT_2: Employment status: retired

Are you... Retired?

(We are interested in the financial circumstances that might affect the health of Americans, so I'd like to ask you some questions about your employment and your finances.)

CHOOSE ALL THAT APPLY. IF NONE OF THESE APPLIES, SELECT OTHER. (HAND CARD Y)

Value	Label	Unweighted Frequency	%
0	No	2173	49.6 %
1	Yes	2194	50.1 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	3	0.1 %
-1	Refused	6	0.1 %
Total		4,377	100%

Based upon 4,367 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 849-850 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

JOBSTAT_3: Employment status: disabled

Are you... Disabled and unable to work?

(We are interested in the financial circumstances that might affect the health of Americans, so I'd like to ask you some questions about your employment and your finances.)

CHOOSE ALL THAT APPLY. IF NONE OF THESE APPLIES, SELECT OTHER. (HAND CARD Y)

Value	Label	Unweighted Frequency	%
0	No	3857	88.1 %
1	Yes	510	11.7 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	3	0.1 %
-1	Refused	6	0.1 %
Total		4,377	100%

Based upon 4,367 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 851-852 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

JOBSTAT_4: Employment status: unemployed

Are you... Unemployed or laid off and looking for work?

(We are interested in the financial circumstances that might affect the health of Americans, so I'd like to ask you some questions about your employment and your finances.)

CHOOSE ALL THAT APPLY. IF NONE OF THESE APPLIES, SELECT OTHER. (HAND CARD Y)

Value	Label	Unweighted Frequency	%
0	No	4252	97.1 %
1	Yes	115	2.6 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	3	0.1 %
-1	Refused	6	0.1 %
Total		4,377	100%

Based upon 4,367 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 853-854 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

JOBSTAT_5: Employment status: homemaker

Are you... A homemaker?

(We are interested in the financial circumstances that might affect the health of Americans, so I'd like to ask you some questions about your employment and your finances.)

CHOOSE ALL THAT APPLY. IF NONE OF THESE APPLIES, SELECT OTHER. (HAND CARD Y)

Value	Label	Unweighted Frequency	%
0	No	3906	89.2 %

Value	Label	Unweighted Frequency	%
1	Yes	461	10.5 %
	Missing Data		
-8	Incomplete interview	1	0.0 %
-2	Don't know	3	0.1 %
-1	Refused	6	0.1 %
	Total	4,377	100%

Based upon 4,367 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 855-856 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

JOBSTAT_6: Employment status: other

Are you... OTHER (SPECIFY):

(We are interested in the financial circumstances that might affect the health of Americans, so I'd like to ask you some questions about your employment and your finances.)

CHOOSE ALL THAT APPLY. IF NONE OF THESE APPLIES, SELECT OTHER. (HAND CARD Y)

Value	Label	Unweighted Frequency	%
0	No	4244	97.0 %
1	Yes	123	2.8 %
	Missing Data		
-8	Incomplete interview	1	0.0 %
-2	Don't know	3	0.1 %
-1	Refused	6	0.1 %
	Total	4,377	100%

Based upon 4,367 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 857-858 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WORKPAY: Ever worked for pay?

ASK ONLY IF RESPONDENT IS NOT CURRENTLY WORKING AND IS NOT RETIRED: Have you ever worked for pay?

Skip if: JOBSTAT_1 equals "yes", or JOBSTAT_2 equals "yes"

(We are interested in the financial circumstances that might affect the health of Americans, so I'd like to ask you some questions about your employment and your finances.)

Value	Label	Unweighted Frequency	%
0	No	82	1.9 %
1	Yes	659	15.1 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-3	Not applicable	3634	83.0 %
-1	Refused	1	0.0 %
Total			4,377 100%

Based upon 741 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 859-860 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FULLPART: Currently working for pay?

ASK ONLY IF RESPONDENT ANSWERED 'YES' TO JOBSTAT_6: Are you working for pay, either full-time or part-time, at the present time?

(We are interested in the financial circumstances that might affect the health of Americans, so I'd like to ask you some questions about your employment and your finances.)

Value	Label	Unweighted Frequency	%
0	No	68	1.6 %
1	Yes	55	1.3 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-3	Not applicable	4253	97.2 %
Total			4,377 100%

Based upon 123 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 861-862 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WEEKPAY: Worked for pay last week?

I am next going to ask a few questions about work-related activities in the last week. By last week, I mean the week beginning on Sunday, [DATE], and ending on Saturday, [DATE].

Last week, did you do any work for pay?

Value	Label	Unweighted Frequency	%
0	No	2792	63.8 %
1	Yes	1576	36.0 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	3	0.1 %
-1	Refused	5	0.1 %
Total		4,377	100%

Based upon 4,368 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 863-864 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HRSCJOB: How many hours/week does R work?

ASK IF 'YES' TO WEEKPAY: How many hours per week do you usually work on this job?

(I am next going to ask a few questions about work-related activities in the last week. By last week, I mean the week beginning on Sunday, [DATE], and ending on Saturday, [DATE].)

Value	Label	Unweighted Frequency	%
1	-	8	0.2 %
2	-	9	0.2 %
3	-	7	0.2 %
4	-	17	0.4 %
5	-	14	0.3 %
6	-	14	0.3 %
7	-	6	0.1 %

Value	Label	Unweighted Frequency	%
8	-	24	0.5 %
9	-	4	0.1 %
10	-	27	0.6 %
12	-	13	0.3 %
13	-	3	0.1 %
14	-	7	0.2 %
15	-	33	0.8 %
16	-	18	0.4 %
17	-	2	0.0 %
18	-	9	0.2 %
20	-	76	1.7 %
21	-	5	0.1 %
22	-	7	0.2 %
23	-	5	0.1 %
24	-	25	0.6 %
25	-	51	1.2 %
26	-	4	0.1 %
27	-	6	0.1 %
28	-	20	0.5 %
29	-	1	0.0 %
30	-	73	1.7 %
31	-	2	0.0 %
32	-	31	0.7 %
33	-	3	0.1 %
34	-	3	0.1 %
35	-	53	1.2 %
36	-	19	0.4 %
37	-	21	0.5 %
38	-	26	0.6 %
39	-	4	0.1 %
40	-	442	10.1 %
41	-	1	0.0 %
42	-	22	0.5 %
43	-	9	0.2 %
44	-	12	0.3 %
45	-	89	2.0 %
46	-	5	0.1 %
47	-	4	0.1 %
48	-	30	0.7 %

Value	Label	Unweighted Frequency	%
49	-	1	0.0 %
50	-	133	3.0 %
51	-	1	0.0 %
52	-	11	0.3 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-3	Not applicable	2800	64.0 %
-2	Don't know	3	0.1 %
Total		4,377	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,573 valid cases out of 4,377 total cases.

- Mean: 36.47
- Median: 40.00
- Mode: 40.00
- Minimum: 1.00
- Maximum: 96.00
- Standard Deviation: 15.05

Location: 865-866 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HEARN_RECODE: Household income (last year) recode

Now, I'd like to ask you about the income of your household. Altogether, what would you say was approximately the income of your household in [CURRENT YEAR MINUS 1] before taxes or deductions?

Value	Label	Unweighted Frequency	%
1	0-24,999	835	19.1 %
2	25,000-49,999	876	20.0 %
3	50,000-99,999	1051	24.0 %
4	100k or higher	732	16.7 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	684	15.6 %
-1	Refused	198	4.5 %
Total		4,377	100%

Based upon 3,494 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 867-868 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -3 , -2 , -1

IML50K: Household (HH) income more/less than 50k?

ASK IF "DON'T KNOW/REFUSED" TO HEARN_RECODE: Would you say the income of your household in (CURRENT YEAR MINUS 1) was more than \$50,000 or less than \$50,000?

(Now, I'd like to ask you about the income of your household.)

Value	Label	Unweighted Frequency	%
1	Less than \$50,000	413	9.4 %
2	About \$50,000	40	0.9 %
3	More than \$50,000	227	5.2 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-3	Not applicable	3494	79.8 %
-2	Don't know	115	2.6 %
-1	Refused	87	2.0 %
Total		4,377	100%

Based upon 680 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 869-870 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

IML25K: Household (HH) income more/less than 25k?

ASK IF "LESS THAN \$50,000" TO IML50K: Would you say the income of your household in (CURRENT YEAR MINUS 1) was more than \$25,000 or less than \$25,000?

(Now, I'd like to ask you about the income of your household.)

Value	Label	Unweighted Frequency	%
1	Less than \$25,000	165	3.8 %
2	About \$25,000	62	1.4 %
3	More than \$25,000	140	3.2 %
Missing Data			
-8	Incomplete interview	1	0.0 %

Value	Label	Unweighted Frequency	%
-3	Not applicable	3963	90.5 %
-2	Don't know	37	0.8 %
-1	Refused	9	0.2 %
Total		4,377	100%

Based upon 367 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 871-872 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

IML100K: Household (HH) income more/less than 100k?

ASK IF "MORE THAN \$50,000" TO IML50K: Would you say the income of your household in (CURRENT YEAR MINUS 1) was more than \$100,000 or less than \$100,000?

(Now, I'd like to ask you about the income of your household.)

Value	Label	Unweighted Frequency	%
1	Less than \$100,000	95	2.2 %
2	About \$100,000	17	0.4 %
3	More than \$100,000	87	2.0 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-3	Not applicable	4149	94.8 %
-2	Don't know	15	0.3 %
-1	Refused	13	0.3 %
Total		4,377	100%

Based upon 199 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 873-874 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

INCOME_2: Household (HH) income relative to American families

Compared with American families in general, would you say that your household income is far

below average, below average, average, above average, or far above average?

(Now, I'd like to ask you about the income of your household.)

Note: asked in leave-behind in W2

Value	Label	Unweighted Frequency	%
1	Far below average	294	6.7 %
2	Below average	706	16.1 %
3	Average	1532	35.0 %
4	Above average	837	19.1 %
5	Far above average	132	3.0 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	239	5.5 %
Total		4,377	100%

Based upon 3,501 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 875-876 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -5 , -4 , -2 , -1

HSASSETS_RECODE: Total household assets recode

Now I'd like you to think about all of the assets of your household. These are things like your house if you own it, your cars, other rental properties and businesses you own, and financial assets like savings accounts, stocks, bonds, mutual funds, and pensions. Altogether, how much would you say that amounted to, approximately, after accounting for the loans you might have to pay off?

Value	Label	Unweighted Frequency	%
1	0-9,999	456	10.4 %
2	10,000-49,999	387	8.8 %
3	50,000-99,999	284	6.5 %
4	100,000-499,999	1098	25.1 %
5	500k or higher	966	22.1 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-2	Don't know	927	21.2 %
-1	Refused	258	5.9 %
Total		4,377	100%

Based upon 3,191 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 877-878 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

HAML50K: Household (HH) assets more/less than 50k?

ASK IF "DON'T KNOW" OR "REFUSED" TO HSASSETS_RECODE: Would you say that all of your assets combined amount to more or less than \$50,000?

(Now I'd like you to think about all of the assets of your household.)

Value	Label	Unweighted Frequency	%
1	Less than \$50,000	239	5.5 %
2	About \$50,000	59	1.3 %
3	More than \$50,000	560	12.8 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-3	Not applicable	3191	72.9 %
-2	Don't know	181	4.1 %
-1	Refused	146	3.3 %
Total		4,377	100%

Based upon 858 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 879-880 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HAML10K: Household (HH) assets more/less than 10k?

ASK IF "LESS THAN \$50,000" TO HAML50K: Would you say that all of your assets combined amount to more or less than \$10,000?

(Now I'd like you to think about all of the assets of your household.)

Value	Label	Unweighted Frequency	%
1	Less than \$10,000	66	1.5 %
2	About \$10,000	42	1.0 %
3	More than \$10,000	115	2.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	Incomplete interview	1	0.0 %
-3	Not applicable	4137	94.5 %
-2	Don't know	16	0.4 %
	Total	4,377	100%

Based upon 223 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 881-882 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HAML500K: Household (HH) assets more/less than 500k?

ASK IF "MORE THAN \$50,000" TO HAML50K: Would you say that all of your assets combined amount to more or less than \$500,000?

(Now I'd like you to think about all of the assets of your household.)

Value	Label	Unweighted Frequency	%
1	Less than \$500,000	315	7.2 %
2	About \$500,000	44	1.0 %
3	More than \$500,000	139	3.2 %
	Missing Data		
-8	Incomplete interview	1	0.0 %
-3	Not applicable	3816	87.2 %
-2	Don't know	34	0.8 %
-1	Refused	28	0.6 %
	Total	4,377	100%

Based upon 498 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 883-884 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HAML100K: Household (HH) assets more/less than 100k?

ASK IF "LESS THAN \$500,000" TO HAML500K: Would you say that all of your assets combined amount to more or less than \$100,000?

(Now I'd like you to think about all of the assets of your household.)

Value	Label	Unweighted Frequency	%
1	Less than \$100,000	72	1.6 %
2	About \$100,000	53	1.2 %
3	More than \$100,000	166	3.8 %
Missing Data			
-8	Incomplete interview	1	0.0 %
-3	Not applicable	4061	92.8 %
-2	Don't know	21	0.5 %
-1	Refused	3	0.1 %
Total		4,377	100%

Based upon 291 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 885-886 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

RELIGION3: Current religious preference

What is your current religious preference?

Note:

1. asked in leave-behind in W3
2. cf. RELIGION in W1 and W2

Value	Label	Unweighted Frequency	%
1	None	271	6.2 %
2	Protestant	437	10.0 %
3	Catholic	418	9.5 %
4	Christian orthodox	103	2.4 %
5	Jewish	32	0.7 %
6	Muslim	5	0.1 %
7	Other	364	8.3 %
Missing Data			
-5	Not returned	637	14.6 %

Value	Label	Unweighted Frequency	%
-4	No answer	61	1.4 %
-3	Not applicable	2049	46.8 %
	Total	4,377	100%

Based upon 1,630 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 887-888 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

BRANCH3: Specific denomination or branch

If your current religious preference is Protestant, what specific denomination of branch is that, if any?

Note:

1. asked in leave-behind in W3
2. cf. BRANCH in W1 and W2

Value	Label	Unweighted Frequency	%
1	Baptist	119	2.7 %
2	Congregational	20	0.5 %
3	Episcopalian	14	0.3 %
4	Lutheran	54	1.2 %
5	Methodist	76	1.7 %
6	Mormon	5	0.1 %
7	Presbyterian	43	1.0 %
8	United church of christ	11	0.3 %
9	Other	84	1.9 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	11	0.3 %
-3	Not applicable	3303	75.5 %
	Total	4,377	100%

Based upon 426 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 889-890 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

BORNAGN3: Have you been 'born again'?

Would you say that you have been "born again" or have had a "born again" experience?

Note:

1. asked in leave-behind in W3
2. cf. BORNAGN in W1 and W2

Value	Label	Unweighted Frequency	%
0	No	975	22.3 %
1	Yes	638	14.6 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	76	1.7 %
-3	Not applicable	2049	46.8 %
-2	Don't know	2	0.0 %
	Total	4,377	100%

Based upon 1,613 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 891-892 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ATNDSERV2: Frequency Of attending religious services

In the past 12 months, about how often have you attended religious services?

Note:

1. asked in leave-behind in W3
2. cf. ATNDSERV in W1

Value	Label	Unweighted Frequency	%
0	Never	925	21.1 %
1	About once or twice a year	519	11.9 %
2	Several times a year	397	9.1 %
3	About once a month	302	6.9 %
4	Every week	1221	27.9 %
5	Several times a week	251	5.7 %
	Missing Data		
-5	Not returned	637	14.6 %

Value	Label	Unweighted Frequency	%
-4	No answer	125	2.9 %
Total		4,377	100%

Based upon 3,615 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 893-894 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -5 , -4 , -3 , -2 , -1

OUTGOING: Consider self outgoing

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Outgoing

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	96	2.2 %
1	A little	307	7.0 %
2	Some	748	17.1 %
3	A lot	726	16.6 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	172	3.9 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,877 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 895-896 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

MOODY: Consider self moody

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Moody

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	559	12.8 %
1	A little	780	17.8 %
2	Some	417	9.5 %
3	A lot	68	1.6 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	225	5.1 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,824 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 897-898 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

ORGANIZ: Consider self organized

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Organized

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	59	1.3 %
1	A little	241	5.5 %
2	Some	749	17.1 %
3	A lot	796	18.2 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	204	4.7 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,845 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 899-900 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FRIENDLY: Consider self friendly

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Friendly

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	3	0.1 %
1	A little	67	1.5 %
2	Some	511	11.7 %
3	A lot	1328	30.3 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	140	3.2 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,909 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 901-902 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WARM: Consider self warm

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Warm

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	14	0.3 %
1	A little	161	3.7 %
2	Some	663	15.1 %
3	A lot	981	22.4 %
Missing Data			

Value	Label	Unweighted Frequency	%
-5	Not returned	637	14.6 %
-4	No answer	230	5.3 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,819 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 903-904 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WORRYING: Consider self worrying

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Worrying

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	183	4.2 %
1	A little	703	16.1 %
2	Some	625	14.3 %
3	A lot	329	7.5 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	209	4.8 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,840 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 905-906 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

RESPONSIBL: Consider self responsible

This section lists a number of characteristics that may or may not apply to you. Please read

the words below and indicate how well each of the following DESCRIBES YOU: Responsible

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	10	0.2 %
1	A little	56	1.3 %
2	Some	316	7.2 %
3	A lot	1498	34.2 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	169	3.9 %
-3	Not applicable	1691	38.6 %
	Total	4,377	100%

Based upon 1,880 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 907-908 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

LIVELY: Consider self lively

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Lively

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	49	1.1 %
1	A little	317	7.2 %
2	Some	831	19.0 %
3	A lot	647	14.8 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	205	4.7 %
-3	Not applicable	1691	38.6 %
	Total	4,377	100%

Based upon 1,844 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 909-910 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

CARING: Consider self caring

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Caring

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	13	0.3 %
1	A little	87	2.0 %
2	Some	433	9.9 %
3	A lot	1319	30.1 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	197	4.5 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,852 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 911-912 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

NERVS: Consider self nervous

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Nervous

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	397	9.1 %
1	A little	707	16.2 %
2	Some	544	12.4 %

Value	Label	Unweighted Frequency	%
3	A lot	188	4.3 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	213	4.9 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,836 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 913-914 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

CREATIVE: Consider self creative

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Creative

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	130	3.0 %
1	A little	490	11.2 %
2	Some	718	16.4 %
3	A lot	508	11.6 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	203	4.6 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,846 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 915-916 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

HARDWRK: Consider self hardworking

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Hardworking

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	56	1.3 %
1	A little	209	4.8 %
2	Some	593	13.5 %
3	A lot	1017	23.2 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	174	4.0 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,875 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 917-918 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

IMAGNTVE: Consider self imaginative

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Imaginative

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	70	1.6 %
1	A little	428	9.8 %
2	Some	826	18.9 %
3	A lot	513	11.7 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	212	4.8 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,837 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 919-920 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

SOFTHEART: Consider self softhearted

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Softhearted

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	16	0.4 %
1	A little	201	4.6 %
2	Some	662	15.1 %
3	A lot	999	22.8 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	171	3.9 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,878 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 921-922 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

CALM: Consider self calm

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Calm

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	25	0.6 %
1	A little	283	6.5 %

Value	Label	Unweighted Frequency	%
2	Some	986	22.5 %
3	A lot	568	13.0 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	187	4.3 %
-3	Not applicable	1691	38.6 %
	Total	4,377	100%

Based upon 1,862 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 923-924 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

CURIOS: Consider self curious

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Curious

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	41	0.9 %
1	A little	321	7.3 %
2	Some	838	19.1 %
3	A lot	663	15.1 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	186	4.2 %
-3	Not applicable	1691	38.6 %
	Total	4,377	100%

Based upon 1,863 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 925-926 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

ACTIVE: Consider self active

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Active

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	63	1.4 %
1	A little	337	7.7 %
2	Some	706	16.1 %
3	A lot	772	17.6 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	171	3.9 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,878 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 927-928 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

SYMPATC: Consider self sympathetic

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Sympathetic

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	16	0.4 %
1	A little	153	3.5 %
2	Some	692	15.8 %
3	A lot	999	22.8 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	189	4.3 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,860 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 929-930 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -5 , -4 , -3 , -2 , -1

TALKTVE: Consider self talkative

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Talkative

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	89	2.0 %
1	A little	396	9.0 %
2	Some	749	17.1 %
3	A lot	622	14.2 %
Missing Data			
-5	Not returned	637	14.6 %
-4	No answer	193	4.4 %
-3	Not applicable	1691	38.6 %
Total		4,377	100%

Based upon 1,856 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 931-932 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -5 , -4 , -3 , -2 , -1

ADVENTUR: Consider self adventurous

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Adventurous

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	170	3.9 %
1	A little	610	13.9 %

Value	Label	Unweighted Frequency	%
2	Some	689	15.7 %
3	A lot	370	8.5 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	210	4.8 %
-3	Not applicable	1691	38.6 %
	Total	4,377	100%

Based upon 1,839 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 933-934 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

THOROUGH: Consider self thorough

This section lists a number of characteristics that may or may not apply to you. Please read the words below and indicate how well each of the following DESCRIBES YOU: Thorough

Note: asked in leave-behind in W3

Value	Label	Unweighted Frequency	%
0	Not at all	46	1.1 %
1	A little	256	5.8 %
2	Some	829	18.9 %
3	A lot	728	16.6 %
	Missing Data		
-5	Not returned	637	14.6 %
-4	No answer	189	4.3 %
-3	Not applicable	1691	38.6 %
-2	Don't know	1	0.0 %
	Total	4,377	100%

Based upon 1,859 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 935-936 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

PERSPRES: Others present during interview?

INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.

Other persons were present:

Value	Label	Unweighted Frequency	%
0	During none of the interview	2925	66.8 %
1	Occasionally passing through the interview area	880	20.1 %
2	During 1/4 of the interview	121	2.8 %
3	During half of the interview	99	2.3 %
4	During 3/4 of the interview	80	1.8 %
5	For the entire interview	266	6.1 %
Missing Data			
-6	Missing in error	6	0.1 %
Total		4,377	100%

Based upon 4,371 valid cases out of 4,377 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 937-938 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

CANDID: How candid was respondent?

How candid was the respondent?

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	Probably not candid at all	33	0.8 %
2	Somewhat candid	204	4.7 %
3	Mostly candid	1320	30.2 %
4	Entirely candid	2794	63.8 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	20	0.5 %
Total		4,377	100%

Based upon 4,351 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 939-940 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RFHLTHR: R's hearing (interviewer rated)

Please rate the respondent's functional health and behavior during the interview on the following scales: Practically deaf - Normal hearing

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Practically deaf)	23	0.5 %
2	2	155	3.5 %
3	3	335	7.7 %
4	4	936	21.4 %
5	5 (Normal hearing)	2902	66.3 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	20	0.5 %
Total		4,377	100%

Based upon 4,351 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 941-942 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RFHLTH2R: R's vision (interviewer rated)

Please rate the respondent's functional health and behavior during the interview on the following scales: Practically blind - Normal vision

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Practically blind)	24	0.5 %
2	2	73	1.7 %
3	3	437	10.0 %

Value	Label	Unweighted Frequency	%
4	4	1285	29.4 %
5	5 (Normal vision)	2514	57.4 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	38	0.9 %
Total		4,377	100%

Based upon 4,333 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 943-944 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RFHLTH3R: R's literacy (interviewer rated)

Please rate the respondent's functional health and behavior during the interview on the following scales: Unable to read - Normal adult literacy

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Unable to read)	53	1.2 %
2	2	66	1.5 %
3	3	276	6.3 %
4	4	792	18.1 %
5	5 (Normal adult literacy)	3062	70.0 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	122	2.8 %
Total		4,377	100%

Based upon 4,249 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 945-946 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR1: R's physical attractiveness

Describe the respondent using the following scales: Physically attractive - Not physically attractive

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Physically attractive)	568	13.0 %
2	2	1522	34.8 %
3	3	1670	38.2 %
4	4	387	8.8 %
5	5 (Not physically attractive)	80	1.8 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	144	3.3 %
Total		4,377	100%

Based upon 4,227 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 947-948 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR2: R's personality

Describe the respondent using the following scales: Attractive personality - Not attractive personality

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Attractive personality)	1632	37.3 %
2	2	1511	34.5 %
3	3	872	19.9 %
4	4	180	4.1 %
5	5 (Not attractive personality)	49	1.1 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	127	2.9 %
Total		4,377	100%

Based upon 4,244 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 949-950 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR3: R's attire

Describe the respondent using the following scales: Well-dressed - Poorly dressed

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Well-dressed)	1178	26.9 %
2	2	1544	35.3 %
3	3	1367	31.2 %
4	4	214	4.9 %
5	5 (Poorly dressed)	45	1.0 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	23	0.5 %
Total		4,377	100%

Based upon 4,348 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 951-952 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR4: R's hygiene

Describe the respondent using the following scales: Hygienic - Not hygienic

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Hygienic)	2698	61.6 %
2	2	1049	24.0 %
3	3	450	10.3 %
4	4	109	2.5 %
5	5 (Not hygienic)	27	0.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	Missing in error	6	0.1 %
-2	Don't know	38	0.9 %
	Total	4,377	100%

Based upon 4,333 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 953-954 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR5: R's posture

Describe the respondent using the following scales: Straight posture - Stooped/slouching

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Straight posture)	1746	39.9 %
2	2	1436	32.8 %
3	3	775	17.7 %
4	4	231	5.3 %
5	5 (Stooped/slouching)	51	1.2 %
	Missing Data		
-6	Missing in error	6	0.1 %
-2	Don't know	132	3.0 %
	Total	4,377	100%

Based upon 4,239 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 955-956 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR6: R's stomach shape

Describe the respondent using the following scales: Flat stomach - Pot belly

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Flat stomach)	911	20.8 %
2	2	1132	25.9 %
3	3	1164	26.6 %
4	4	700	16.0 %
5	5 (Pot belly)	284	6.5 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	180	4.1 %
Total		4,377	100%

Based upon 4,191 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 957-958 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR7: R's body shape

Describe the respondent using the following scales: Thin - Obese

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Thin)	678	15.5 %
2	2	1155	26.4 %
3	3	1590	36.3 %
4	4	638	14.6 %
5	5 (Obese)	200	4.6 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	110	2.5 %
Total		4,377	100%

Based upon 4,261 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 959-960 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR8: R's speech

Describe the respondent using the following scales: Spoke clearly - Did not speak clearly

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Spoke clearly)	3061	69.9 %
2	2	910	20.8 %
3	3	255	5.8 %
4	4	98	2.2 %
5	5 (Did not speak clearly)	47	1.1 %
Missing Data			
-6	Missing in error	6	0.1 %
Total		4,377	100%

Based upon 4,371 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 961-962 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWLOC3: Interview room cleanliness

Describe the room(s) in which the interview was conducted, using the following scales:
Clean - Dirty

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Clean)	2731	62.4 %
2	2	804	18.4 %
3	3	488	11.1 %
4	4	217	5.0 %
5	5 (Dirty)	80	1.8 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	51	1.2 %

Value	Label	Unweighted Frequency	%
Total		4,377	100%

Based upon 4,320 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 963-964 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWLOC4: Interview room tidiness

Describe the room(s) in which the interview was conducted, using the following scales:

Neat and Tidy - Messy

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Neat and tidy)	2409	55.0 %
2	2	937	21.4 %
3	3	517	11.8 %
4	4	319	7.3 %
5	5 (Messy)	131	3.0 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	58	1.3 %
Total		4,377	100%

Based upon 4,313 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 965-966 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWLOC5: Interview room noise

Describe the room(s) in which the interview was conducted, using the following scales:

Quiet - Noisy

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Quiet)	3098	70.8 %
2	2	747	17.1 %
3	3	316	7.2 %
4	4	124	2.8 %
5	5 (Noisy)	55	1.3 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	31	0.7 %
Total		4,377	100%

Based upon 4,340 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 967-968 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWLOC_CRAMPED: Interview room spaciousness

Describe the room(s) in which the interview was conducted, using the following scales:

Cramped - Spacious

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Cramped)	281	6.4 %
2	2	650	14.9 %
3	3	1231	28.1 %
4	4	1164	26.6 %
5	5 (Spacious)	997	22.8 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	48	1.1 %
Total		4,377	100%

Based upon 4,323 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 969-970 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWLOC_CLUTTERED: Interview room clutter

Describe the room(s) in which the interview was conducted, using the following scales:
Very Cluttered - Not cluttered

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Very cluttered)	212	4.8 %
2	2	486	11.1 %
3	3	923	21.1 %
4	4	1207	27.6 %
5	5 (Not cluttered at all)	1494	34.1 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	49	1.1 %
Total		4,377	100%

Based upon 4,322 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 971-972 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWLOC6: Interview room odor

Describe the room(s) in which the interview was conducted, using the following scales:
No smell - Strong smell

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (No smell)	3143	71.8 %
2	2	517	11.8 %
3	3	377	8.6 %
4	4	194	4.4 %
5	5 (Strong smell)	102	2.3 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	38	0.9 %

Value	Label	Unweighted Frequency	%
Total		4,377	100%

Based upon 4,333 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 973-974 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWLOC7: Interview room odor pleasantness

Describe the room(s) in which the interview was conducted, using the following scales:

Pleasant smell - Unpleasant smell

Skip if "IWLOC6" = 1 (No smell)

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Pleasant smell)	98	2.2 %
2	2	307	7.0 %
3	3	505	11.5 %
4	4	186	4.2 %
5	5 (Unpleasant smell)	89	2.0 %
Missing Data			
-6	Missing in error	6	0.1 %
-3	Not applicable	3143	71.8 %
-2	Don't know	43	1.0 %
Total		4,377	100%

Based upon 1,185 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 975-976 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

STRUCTQ: Type of structure in which R lives

Type of structure in which respondent lives:

SKIP IF INTERVIEW WAS NOT CONDUCTED IN RESPONDENT'S HOME

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	Trailer	204	4.7 %
2	Detached single family house	3128	71.5 %
3	Two-family house, two units side-by-side	166	3.8 %
4	Two-family house, two units one above the other	49	1.1 %
5	Detached 3-4 family house	24	0.5 %
6	Rowhouse (3 or more units in an attached row)	137	3.1 %
7	Apartment house (5 or more units, 3 stories or less)	238	5.4 %
8	Apartment house (5 or more units, 4 stories or more)	119	2.7 %
9	Apartment in a partly-commercial structure	6	0.1 %
10	Assisted living facility or group home	39	0.9 %
11	Nursing home	0	0.0 %
12	Other	86	2.0 %
Missing Data			
-3	Not applicable	179	4.1 %
-2	Don't know	2	0.0 %
Total		4,377	100%

Based upon 4,196 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 977-978 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -6 , -3 , -2 , -1

BUILD: How well-kept is building in which R lives?

How well-kept is the building in which the respondent lives?

SKIP IF INTERVIEW WAS NOT CONDUCTED IN RESPONDENT'S HOME

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	Very poorly kept (needs major repairs)	123	2.8 %
2	Poorly kept (needs minor repairs)	374	8.5 %
3	Fairly well kept (needs cosmetic work)	1391	31.8 %
4	Very well kept	2290	52.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-3	Not applicable	179	4.1 %
-2	Don't know	20	0.5 %
	Total	4,377	100%

Based upon 4,178 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 979-980 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -6 , -3 , -2 , -1

OTBUILD: How well-kept are other buildings on street?

How well kept are most of the buildings on the street (one block, both sides) where the respondent lives?

SKIP IF INTERVIEW WAS NOT CONDUCTED IN RESPONDENT'S HOME

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	Very poorly kept (needs major repairs)	82	1.9 %
2	Poorly kept (needs minor repairs)	398	9.1 %
3	Fairly well kept (needs cosmetic work)	1743	39.8 %
4	Very well kept	1865	42.6 %
	Missing Data		
-3	Not applicable	179	4.1 %
-2	Don't know	110	2.5 %
	Total	4,377	100%

Based upon 4,088 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 981-982 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -6 , -3 , -2 , -1

COMBUILD: R's home compared to others in neighborhood

Compared to other houses/apartments in the neighborhood, would you say that the respondent's house/apartment was:

SKIP IF INTERVIEW WAS NOT CONDUCTED IN RESPONDENT'S HOME

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	Far below average	38	0.9 %
2	Below average	268	6.1 %
3	Average	2769	63.3 %
4	Above average	915	20.9 %
5	Far above average	146	3.3 %
Missing Data			
-3	Not applicable	179	4.1 %
-2	Don't know	62	1.4 %
Total		4,377	100%

Based upon 4,136 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 983-984 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

SUITCASE: How difficult was it to get survey suitcase inside?

Considering the structure and accessibility of the respondent's residence, how difficult was it for you to get your survey suitcase inside the respondent's house/apartment?

SKIP IF INTERVIEW WAS NOT CONDUCTED IN RESPONDENT'S HOME

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	Very easy	1611	36.8 %
2	Easy	2116	48.3 %
3	Difficult	382	8.7 %
4	Very difficult	66	1.5 %
Missing Data			
-3	Not applicable	179	4.1 %
-2	Don't know	23	0.5 %
Total		4,377	100%

Based upon 4,175 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 985-986 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWDESCRIBE1: R's street: cleanliness

Describe the street (one block, both sides) where the respondent lives, using the following scales:

Clean - Full of litter or rubble

SKIP IF INTERVIEW WAS NOT CONDUCTED IN RESPONDENT'S HOME

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Clean)	2416	55.2 %
2	2	1090	24.9 %
3	3	499	11.4 %
4	4	135	3.1 %
5	5 (Full of litter/rubble)	31	0.7 %
Missing Data			
-3	Not applicable	179	4.1 %
-2	Don't know	27	0.6 %
Total		4,377	100%

Based upon 4,171 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 987-988 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWDESCRIBE2: R's street: noise

Describe the street (one block, both sides) where the respondent lives, using the following scales:

Quiet - Noisy

SKIP IF INTERVIEW WAS NOT CONDUCTED IN RESPONDENT'S HOME

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Quiet)	2440	55.7 %
2	2	1012	23.1 %
3	3	516	11.8 %
4	4	173	4.0 %
5	5 (Noisy)	46	1.1 %
Missing Data			
-3	Not applicable	179	4.1 %
-2	Don't know	11	0.3 %
Total		4,377	100%

Based upon 4,187 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 989-990 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWDESCRIBE3: R's street: amount of traffic

Describe the street (one block, both sides) where the respondent lives, using the following scales:

No traffic on the street - Heavy traffic on the street

SKIP IF INTERVIEW WAS NOT CONDUCTED IN RESPONDENT'S HOME

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (No traffic)	1667	38.1 %
2	2	1420	32.4 %
3	3	746	17.0 %
4	4	257	5.9 %
5	5 (Heavy traffic)	100	2.3 %
Missing Data			
-3	Not applicable	179	4.1 %
-2	Don't know	8	0.2 %
Total		4,377	100%

Based upon 4,190 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 991-992 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -6 , -3 , -2 , -1

IWDESCRIBE4: R's street: houses close together

Describe the street (one block, both sides) where the respondent lives, using the following scales:
Buildings/houses are close together - Buildings/houses are far apart

SKIP IF INTERVIEW WAS NOT CONDUCTED IN RESPONDENT'S HOME

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (Houses close together)	601	13.7 %
2	2	1349	30.8 %
3	3	1381	31.6 %
4	4	526	12.0 %
5	5 (Houses far apart)	323	7.4 %
Missing Data			
-3	Not applicable	179	4.1 %
-2	Don't know	18	0.4 %
Total		4,377	100%

Based upon 4,180 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 993-994 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWDESCRIBE5: R's street: strong smell or air pollution

Describe the street (one block, both sides) where the respondent lives, using the following scales:
No smell or air pollution - Strong smell or air pollution

SKIP IF INTERVIEW WAS NOT CONDUCTED IN RESPONDENT'S HOME

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (No smell or air pollution)	3148	71.9 %
2	2	689	15.7 %
3	3	321	7.3 %

Value	Label	Unweighted Frequency	%
4	4	18	0.4 %
5	5 (Strong smell or air pollution)	6	0.1 %
Missing Data			
-3	Not applicable	179	4.1 %
-2	Don't know	16	0.4 %
Total		4,377	100%

Based upon 4,182 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 995-996 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

AREACOMFORT: What was the comfort of the area?

Select your response to the following statements based on your observation of the area where the respondent lives: I felt comfortable - I felt uncomfortable

SKIP IF INTERVIEW WAS NOT CONDUCTED IN RESPONDENT'S HOME

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (I felt comfortable)	3585	81.9 %
2	2	418	9.5 %
3	3	254	5.8 %
4	4	75	1.7 %
5	5 (I felt uncomfortable)	25	0.6 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	14	0.3 %
Total		4,377	100%

Based upon 4,357 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 997-998 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

AREASAFE: What was the safety of the area?

Select your response to the following statements based on your observation of the area where the respondent lives: I felt safe - I felt unsafe

SKIP IF INTERVIEW WAS NOT CONDUCTED IN RESPONDENT'S HOME

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (I felt safe)	3592	82.1 %
2	2	419	9.6 %
3	3	253	5.8 %
4	4	81	1.9 %
5	5 (I felt unsafe)	14	0.3 %
Missing Data			
-6	Missing in error	6	0.1 %
-2	Don't know	12	0.3 %
Total		4,377	100%

Based upon 4,359 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 999-1000 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

AREAAMENITIES: How often did you observe amenities in the area?

Select your response to the following statements based on your observation of the area where the respondent lives: I saw many amenities (grocery stores, parks) - I saw few amenities

SKIP IF INTERVIEW WAS NOT CONDUCTED IN RESPONDENT'S HOME

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (I saw many amenities)	559	12.8 %
2	2	816	18.6 %
3	3	1198	27.4 %
4	4	991	22.6 %
5	5 (I saw few amenities)	740	16.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	Missing in error	6	0.1 %
-2	Don't know	67	1.5 %
	Total	4,377	100%

Based upon 4,304 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1001-1002 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

AREAPRESENCE: Did people notice your presence in the area?

Select your response to the following statements based on your observation of the area where the respondent lives: I felt like people in the area noticed my presence - They did not notice my presence

SKIP IF INTERVIEW WAS NOT CONDUCTED IN RESPONDENT'S HOME

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	1 (I felt like people in the area noticed my presence)	368	8.4 %
2	2	738	16.9 %
3	3	865	19.8 %
4	4	762	17.4 %
5	5 (They did not notice my presence)	1261	28.8 %
	Missing Data		
-6	Missing in error	6	0.1 %
-2	Don't know	377	8.6 %
	Total	4,377	100%

Based upon 3,994 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1003-1004 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

CASEDIF: How difficult was this case to get?

How difficult was this case to get?

(INTERVIEWER: PLEASE COMPLETE THESE QUESTIONS AS SOON AS POSSIBLE AFTER YOU LEAVE THE INTERVIEW.)

Value	Label	Unweighted Frequency	%
1	Very difficult	383	8.8 %
2	Somewhat difficult	1046	23.9 %
3	Not very difficult	1398	31.9 %
4	Not at all difficult	1544	35.3 %
	Missing Data		
-6	Missing in error	6	0.1 %
	Total	4,377	100%

Based upon 4,371 valid cases out of 4,377 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1005-1006 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1