

Sleep Apnea Detection System

Patient Report - Sleep Session 2

Patient Information

Name	Mario Carranza Castillo
Age	26
Sex	Male
BMI	24.68
Neck Circumference	45 cm
Regular Alcohol Use	False
Sleep Difficulties	False
Familiar Apnea History	True

Session Summary

Duration (h)	Total Apneas	Mean Snoring	Snoring Variability	Max Decibel	Apnea Rate (/h)	Treatment Required
0.04	0.0	0.189	0.415	-11.14	0.0	Yes


Descriptive Statistics

index	Snoring Intensity	Nasal Airflow	Spectral Centroid	Decibel Level (dB)
count	31.0	31.0	31.0	31.0
mean	0.19	0.31	-0.03	-15.72
std	0.08	0.03	0.02	5.58
min	0.03	0.25	-0.09	-30.59
25%	0.15	0.29	-0.04	-16.79
50%	0.22	0.3	-0.02	-13.11
75%	0.24	0.32	-0.01	-12.27
max	0.28	0.4	-0.0	-11.14
cv	0.42	0.1	-0.78	-0.35


Posture Detection Summary

Data	Value
Supine postures detected	0
Lateral postures detected	0
Prone postures detected	0
Fetal postures detected	5

Apnea Time Distribution



Signal Evolution Summary



Recommendations

- Although you are young, maintaining healthy habits is important to prevent early apnea.
- Males have a higher risk of apnea. Be alert for symptoms such as loud snoring or daytime sleepiness.

- A large neck circumference is a risk indicator. Total body fat reduction is recommended.
- With a history of apnea, regular medical check-ups and symptom monitoring are essential.
- Avoid sleeping on your back; side sleeping reduces the likelihood of airway obstruction.
- Consult a sleep specialist if you experience symptoms like loud snoring or breathing pauses during sleep.

Note

Remember that this is an AI detection system for Obstructive Sleeping Apnea (OSA). This report is for informing purposes only and does not replace a professional diagnosis. Please check results with a doctor.