

PCR Flow Process Document

The RAA within this Document and the PCR Flow has been agreed upon by IPT Managers. The details of each step are subject to change.

GSE, Provisioning, Training, and ILS will need new boards in ADO. Service Engineering will need ADO access

Purpose/Summary:

This process document provides navigation through the workflow of a PCR that utilizes both the VECTOR and ADO tools. It serves as an instruction manual for the use of VECTOR and ADO throughout the execution of a PCR.

PCR Definition:

A Publications Change Request (PCR) is a request submitted internally, by a customer, or FSR via VECTOR. It is a request for an update to a maintenance or flight manual that must be processed by multiple teams to ensure validity and quality. PCRs, if accepted, are incorporated into the technical publication and released back to the customer at the end of each revision cycle, which is defined by the customers sustainment contract.

VECTOR Definition:

VECTOR is a virtual tracking and reporting tool used for the creation and tracking of customer/FSR/internal requests. Both the customer and functions have access, allowing for transparency and communication during processes.

ADO Definition:

Azure DevOps (ADO) is a sever based MS application that allows collaboration and coordination between teams. It is a user-friendly interface that is updated every four minutes, providing real-time status

PCR Flow




Table of Contents:

- Purpose/Summary.....	1
- PCR Flow	1
- Teams.....	3
- Preliminary Process.....	3
o ADO Tier 0.....	3
o ADO Tier 1.....	6
- PCR Flow Process.....	8
o VECTOR navigation.....	8
o Assigning in VECTOR.....	10
o ADO Tier 2.....	10
o VECTOR Hyperlink.....	12
o ADO General Card.....	13
o PCR engineering impact.....	16
o ADO Tier 3.....	16
o Quality Check and PCR incorporation.....	19
o PCR close in VECTOR.....	21
o PCR close in ADO.....	23
- ADO Filters.....	24
- ADO Queries.....	26


Teams:

- Technical Publications..... MBL
- PSA..... MBC
- Ground Support Equipment..... MBE
- Provisioning..... MBJ
- Wiring..... MBL
- Technical Integration..... MBB/MBM
- Training..... MCA
- Aircrew..... MBF
- Service Engineering..... MBD


Preliminary Steps:

❖ **Customer on Contract: Create Tier 0 Sustainment Contract Card in ADO on PCR Board**

- Open ADO and select BGS_SUPT_SUPL_CHN_ENGG.




- Hover the Boards tab and select Boards in the pop-out.




- Scroll down and select the board labeled “The PCR Board”. Favorite this item so that it is easier to find in the future.

Note: all team cards related to PCRs appear on this board and can be filtered as needed. Reference the Filters section




- Select new item and name the Tier 0 card “[Customer] Sustainment Contract”. It will appear in the proposed state, to change this, click and drag the card to active. Then, select the card to open and edit.

***Note: ensure you are in Tier 0. To change, toggle with the dropdown labeled Tier (0...3) ***



- Select the Tab under the title named “Unassigned” and assign the card to the appropriate person. Then click User Defined to add the revision cycles required for the contract.


Note: you can see all Tier 1 cards that have a parent/child relationship with the Tier 0 card. This will be introduced in the following directions



- Inputs can be added under the User Defined Strings and User Defined Date/Times. This is where the rev cycles and their due dates will be tracked.

Note: In this example a 5-year Singapore contract with a yearly rev cycle was used. This will vary depending on the customer


- Click Save and Close on the card to exit once all needed fields are filled in



❖ Create Tier 1 Sustainment Contract Cards in ADO on IPT Boards


- Navigate to Tier 1 using the dropdown on the upper right of the screen. Select new item and create a Tier 1 card for every team involved in the PCR process. Name it “[Customer] Sustainment Contract [(IPT)]”

Note: the teams needed are listed above




- Assign the card to the appropriate person and insert the rev cycles under in the User Defined tab. Select the dropdown next to where it says “Area” and assign it to the appropriate teams area path. It will now show up on their board and the PCR board. Next, to make the Tier 0 that was just created the parent of this card, select “Add an existing item as a parent”

Note: you can see all Tier 2 cards that have a parent/child relationship with the Tier 1 card. Reference Step 5 further down



- Make sure Parent is selected as the Link Type. Then search the name of the Tier 0 card , select it, then click ok. This creates the parent child relationship needed between the Tier 0 and Tier 1 cards
- Click Save and Close on the card to exit once all needed fields are filled in




PCR Flow Process:

1. PCR Generated in VECTOR


A PCR can be generated multiple ways, but it will always end up in ADO assigned to service engineering.

Note: all teams involved need access to VECTOR

- 1.1. To find a PCR in VECTOR, open the platform and hover over search. Then select “Publication Change Request (PCR)”



- 1.2. Filter as needed, it is easiest to use the customer dropdown and date created



Sticking with Singapore as our example, below the most recent PCRs in VECTOR

Note: This is also viewed by the customer. The status tab needs to be updated at the end of this process

 											
All Platforms Support Work Queues Create CLIP Search											
SEARCH RESULTS Download search results Excel											
<< first prev 40 41 42 43 44 45 46 47 48 49 next > last >>											
Item Number	Days Hours Due	Subject	Location	Asset Number	GRP Specialty Area/ ATA	Priority	Status	Assigned	Date Created	Date Due	
BSAF-CH-47-PCR-25-0005-F02	N/A	CH-47SD/CAAS-AMM - CH-B-28-012-03-00A-075/520/720A-B, CH-B-28-012-05-00A-075/520/720A-B, CH-B-28-015-03-00A-075/520/720A-B, CH-B-28-015-05-00A-075/520/720A-B					Awaiting Response	Johnson, Brian	02/24/2025 19:01	N/A	
BSAF-CH-47-PCR-25-0005-B01	N/A	CH-A-00-70-00-00A-060A-A Special Tools and Test Equipment					Awaiting Response	Johnson, Brian	03/03/2025 17:36	N/A	
BSAF-CH-47-PCR-25-0007-F01	N/A	CH-47F(SG)-AMM Data Modules Affected, CH-A-02-62-20-01A-941A-A, CH-A-02-62-20-02A-941A-A, CH-A-12-10-62-02A-212A-A, CH-A-62-21-01-10A-720A-A and CH-A-62-22-01-10A-720A-A					Awaiting Response	Johnson, Brian	03/11/2025 18:07	N/A	
BSAF-CH-47-PCR-25-0008-F01	N/A	CH-47F(SG)-AMM - CH-A-10-11-02-00A-810A-A and CH-A-10-11-03-00A-810A-A					Awaiting Response	Johnson, Brian	03/11/2025 21:04	N/A	
BSAF-CH-47-PCR-25-0009-F01	N/A	CH-47F(SG)-AMM - IMPACTS TO AMM AS A RESULT OF INVESTIGATION AND RESOLUTION TO EOIR VIDEO DISPLAY FLICKERING - Ref BSAF-CH-47-TR-22-0292					Awaiting Response	Weikel, Robert	03/31/2025 18:41	N/A	
BSAF-CH-47-PCR-25-0010-B01	N/A	Primer for Assembly of Thrust Control Stick					Awaiting Response	Weikel, Robert	03/31/2025 22:44	N/A	
BSAF-CH-47-PCR-25-0011-F01	N/A	CH-47F(SG)-AMM - CH-A-07-11-02-00A-130A-A - Addition of 10 Ten Jack for Fwd Landing Gear Lifting Tasks					Awaiting Response	Weikel, Robert	04/15/2025 29:54	N/A	
BSAF-CH-47-PCR-25-0012-F01	N/A	CH-47F(SG)-AMM - CH-A-32-14-05-00A-720A-A					Awaiting Response	Weikel, Robert	04/17/2025 19:49	N/A	
BSAF-CH-47-PCR-25-0013-B01	N/A	Wrong Torque AR End of RH Lower Drag Link					Awaiting Response	Weikel, Robert	04/17/2025 18:50	N/A	
BSAF-CH-47-PCR-25-0014-F01	N/A	CH-47F(SG)-AMM - BOEING APPROVED RAMP TONGUE STANDARD REPAIRS					Awaiting Response	Weikel, Robert	04/22/2025 18:07	N/A	
BSAF-CH-47-PCR-25-0015-F01	N/A	CH-47F(SG)-AMM - SYSTEM 00-70 SPECIAL TOOLS and TE, SYSTEM 07 - LIFTING and JACKING 07-11 SINGLE POINT JACKING, 07-12 MULTI POINT JACKING					Awaiting Response	Weikel, Robert	05/20/2025 13:21	N/A	
BSAF-CH-47-PCR-25-0016-F01	N/A	CH-47F(SG)-AMM - DMC CH-A-02-63-22-06A-941A-A - Listed Item 109 is incorrect Pt No 2-157V0747-75, Incorrect NSN 5331-00-1675139 and is not Part of the Combining Transmission Pt No 145D5300-21 BOM.					Awaiting Response	Weikel, Robert	05/20/2025 14:22	N/A	
BSAF-CH-47-PCR-25-0017-F01	N/A	Correction to Scheduled Maintenance Checks (Operation Time) - Inspect regarding the engine aft connecting link every 200 hours.					Awaiting Response	Weikel, Robert	05/21/2025 18:38	N/A	
BSAF-CH-47-PCR-25-0018-F01	N/A	CH-47F(SG)-AMM - CH-02-24-93-09A-941A-A & CH-02-24-93-10A-941A-A & CH-02-24-93-11A-941A-A CH-02-24-93-12A-941A-A					Awaiting Response	Weikel, Robert	05/23/2025 01:03	N/A	
BSAF-CH-47-PCR-25-0019-F01	N/A	CH-47F(SG)-AMM - CH-A-63-11-03-00A-720A-A & CH-A-63-12-03-00A-720A-A					Awaiting Response	Weikel, Robert	05/23/2025 02:00	N/A	
BSAF-CH-47-PCR-25-0020-B01	N/A	Incorrect Illustration - Dual Holst Installation					Awaiting Response	Weikel, Robert	06/04/2025 07:06	N/A	

2. Is the PCR under contract?

- 2.1. Service engineering will do preliminary coordination with ILS to understand what customers are/aren't on contract. If the customer is not on contract, service engineering will update the PCR status in VECTOR to deferred. If the customer has a sustainment contract the process continues.

3. Is the PCR Valid

- 3.1. Service Engineering will do a high-level validity check of the PCR to make sure it makes sense. If it is not valid then Service Engineering will reach out to the customer for possible rework. If it is valid the process continues. Below shows an unassigned PCR in VECTOR.

All Platforms
Support
Work Queues
Create CLIP
Search

PCR - BSAF-CH-47-PCR-25-0001

Front Page
Inquiry
Notebook
Links (0/0)
History

Message
Resolved By
Type
State
Days Hours Due
Submitted By
Assigned To
Associated Message

0/1
Initial Inquiry
Inquiry Review
N/A
Gillespie, Matthew
Gillespie, Matthew
0

Create
Print
Manual Export
Conditional Access

Inquiry Author: Gillespie, Matthew
Phone: xxxxxxxxxxxx

Item Number: BSAF-CH-47-PCR-25-0001-B01
Status: Inquiry Review

Date Created: 07/29/2025 14:54 GMT

Publication/Subject/Title:

BSAF-CH-47-PCR-TEST

PUB Select: Maintenance Manual

Publication Date: 07/29/2025

Customer Reference Number:

System Code/DRM/DMC/WP/ File Name: 25

Chapter:

Para Or Step:

Figure No/ Table No/ Index No:

Item:

Page No:

Task No:

Reason for Inquiry:

This is a test PCR for a new PCR flow.

Work Package:

Attachments

Name

File

Size

No data to display

4. Assign PCR to Tech Pubs in VECTOR

Once the PCR is vetted, service engineering will assign the PCR to the required person in Tech Pubs.

- 4.1. In the inquiry tab of the PCR, scroll down to Inquiry review. Click the organization drop down and select the tech pub type. Then click individual dropdown to assign to change management. Click approve.
- 4.2. *Note: a notification will automatically be sent to the person assigned actioning them to continue the process*


The screenshot shows the 'Inquiry Review' section of the VECTOR system. The 'Assignee' section has a red box around the 'Organization' dropdown menu, which is currently set to 'CH47 PHIL IT Team'. Below it, the 'Individual' dropdown is also visible. The 'Approve' button is highlighted with a red box. The 'Info Only' and 'Cancel Inquiry' buttons are also visible. The 'Export Message' at the bottom states: 'Uncategorized data created by Boeing, not for release outside of Boeing. Boeing Proprietary'.

5. Create Tech PUBs Tier 2 card for PCR


Tech Pubs will be notified of the PCR in VECTOR via email actioning them to create a Tier 2 Card in ADO.

- 5.1. Navigate to Tier 2 in the PCR board or Tech Pubs Board. Select new item and create a Tier 2 card for Tech pubs Name it “PCR # (Tech Pubs)”

Note: if created in the PCR Board, the area path must be changed to Tech Pubs. Reference Preliminary Step 2




- 5.2. Assign the card to the appropriate person and leave the PCR in the proposed state. It will now show up on Tech Pubs board and the PCR board. Next, to make the Tech Pubs Tier 1 the parent, select “Add an existing item as a parent”



- 5.3. Make sure Parent is selected as the Link Type. Then search the name of the Tech Pubs Tier 1 card, select it, then click ok. This creates the parent/child relationship that files a PCR under the correct Sustainment Contract and team

Note: you can see all Tier 3 Task cards that have a parent/child relationship with the PCR Tier 2 card. You can also see other teams impacted by this PCR and their Tier 2 card. Reference step 11


- 5.4. Click Save and Close on the card to exit once all needed fields are filled in



6. Create VECTOR PCR hyperlink and attach in ADO


6.1. Open the PCR in VECTOR and highlight the URL. Hit *Ctrl C* on your keyboard to copy the link.

*Note: It says “Pre-Prod Region” and “-pp” on the URL in this screenshot. This was done in a test environment and will not appear during the real process. *



6.2. Go back to the Tech Pubs Tier 2 card created in the step before. Under where it says discussion click in the add comment box. Hit *Ctrl V* to paste the URL then hit save. Do not close the card.


Note: The PCR in VECTOR is now attached and accessible via ADO. Every team will need access to VECTOR



7. Create VECTOR Close General Card


To ensure VECTOR Updates at any end of this process, a general card will be created as a child of the Tech Pubs Tier 2 PCR Card.

7.1. Within the same card, select “add link” dropdown, then select new item “new item”




7.2. Choose from the dropdowns to match the screen shot. In the Title text box, type “VECTOR UPDATE (PCR #)”. Click ok and it will take you to the new card.

Note: This general card will not show up on any board and can only be seen within the Tech Pubs Tier 2 card. Its purpose is to action and track a VECTOR Update*



7.3. Check the card to ensure area path, parent, and any other information is correct. Leave it unassigned then save and close the card. The General card is now a “Child” of the Tier 2 PCR card


Note: This general card will not show up on any board and can only be seen within the Tech Pubs Tier 2 card. Its purpose is to action and track a VECTOR Update and will be assigned when necessary*




8. Is the PCR valid?

Tech Pubs will do a more in-depth assessment of the PCR. If it is determined to be invalid follow the steps below. If it is valid skip to step 9 and continue with the process.

8.1. In the Case of rejection, the General Card will to be actioned. Go to the Tech Pubs Tier 2 PCR Card that is being rejected and open the VECTOR UPDATE General Card. Assign change management and hit save and close.




8.2. On the PCR Tier 2 card, in the discussions section, @ change management you just assigned and leave a note of the rejection and need for a VECTOR update. Hit save and close



8.3. Once the PCR is closed in VECTOR, it can be moved to the “Closed” column.

Go to Step 16 to see VECTOR Close process



9. Does the PCR impact engineering?

Tech Pubs will review the PCR for engineering impact. If it is determined there is engineering impact follow the steps below. If there is no engineering impact skip to step 9 to continue with the process.

- 9.1. Tech Pubs will create a Tier 2 Card for the PCR on the ILS area path. Add a comment explaining the need for engineering. This actions ILS to review the PCR and contact engineering
 Note: reference step 5 to create Tier 2 Card. Ensure proper name, ILS area path, and right assignee. No need for general card on the ILS card
- 9.2. ILS will request engineering support (RFEC Submitted).
 - If engineering agrees and accepts, the CR process will start. ILS will track the process through completion.
 - ILS will update their ADO Tier 2 card upon CR completion, actioning Tech Pubs
 - Tech Pubs will update their ADO Tier 2 card and VECTOR Status of PCR completion via CR
 - If engineering rejects, the PCR is invalid and will be rejected.
 - ILS will update their ADO Tier 2 card upon rejection, actioning Tech Pubs
 - Tech Pubs will update their ADO Tier 2 card and VECTOR Status of PCR rejection

Go to Step 16 to see VECTOR Close process

10. Are other IPTs impacted?

Continuing with the review process, Tech Pubs will look at the PCR for other IPT impact. If there is reason to believe a team is impacted, create a Tier 2 card in ADO for the team. This actions the team to review th PCR for potential impact. If there is no other IPT impacted, move on.

Note: reference step 5 to create Tier 2 Card. Ensure proper name, correct IPT area path, and right assignee. No need for general card on IPT card


*Possible IPTs: MBC (PSA), MBE (GSE), MBI (Provisioning), MBL (Tech Pubs and EWS), MCA (Training), MBB/MBM (ILS and PLM), MBD (Service Engineering) *

11. Create Tier 3 task cards for impacted contents

Tech Pubs and any other impacted IPT will determine their tasks needed for PCR completion.


- 11.1. Navigate to Tier 3 in the PCR board or your specific IPT board. Select new item and create a Tier 3 card for your team and name it “PCR # (Task Name)(Team)”

Note: if created in the PCR Board, the area path must be changed to your IPT Board




- 11.2. Assign the card to the appropriate person and change the area path to appropriate team if needed. It will now show up on your IPT Board and the PCR Board. Next, make your teams Tier 2 PCR Card the parent.

Note: reference step 5 for adding the parent/child relationship



- 11.3. Next, add a related relation between all Tier 2 and Tier 3 cards for this PCR. Select add link and click existing item. Change the link type to “Related” then search and select cards with the same PCR number.




- 11.4. Click Save and Close on the card to exit once all needed fields are filled in

12. Implement changes as required, Update Tier 3 Task Card status

Assigned members of each team will work to complete the task and update the status of the card within ADO as progress is made. To update the status of the Tier 3 Cards you may reference step 7 or see below

- 12.1. Open the Tier 3 Card and select the dropdown labeled “State”. In this you will see all of the states along with proposed and closed. Choose the state that fits and the card will automatically be moved to that column



*Note: all teams will have a proposed and closed state/column, along with 19 states/columns for Tier 3. Teams do not have to use columns if it does not apply to their process. Only proposed, quality check (State 19), and closed will appear on the PCR Board

13. Close Tier 2 PCR Card upon completion of all Tier 3 Tasks

This is for other impacted IPT only, if no other impact, skip this step. Tech Pubs will close Tier 2 Card later

- 13.1. Impacted IPT will execute and track Tier 3 Tasks for the PCR. Once all are complete and closed, update the status of the Tier 2 PCR card to complete.

Note: reference step 8 or 12 for ADO status updates and comments


14. Complete final Quality Check

Once all Tier 3 Task Cards and other IPT Tier 2 PCR Cards are closed, Tech Pubs will complete their Quality Check.


15. Incorporate PCR into Tech Pub and Action VECTOR Update General Card

Once the Quality Check is complete, the PCR will be incorporate into the Tech Pubs. Now VECTOR Close must be actioned.


- 15.1. Open the Tech Pubs Tier 2 PCR Card. In the “Child” section, select the VECTOR Update General Card.



15.2. Assign change management and hit save and close.



15.3. On the PCR Tier 2 card, in the discussions section, @ change management you just assigned and leave a note of the completion and need for a VECTOR update. Hit save and close




16. Close PCR in VECTOR


Now that the PCR has been incorporated into the Tech Pub, change management will update the VECTOR status to reflect the state of the PCR

16.1. Click the Hyperlink Attached to the PCR Tier 2 Card.

Note: Can also open VECTOR and navigate to the PCR. Reference step 1 for navigation and search instructions



16.2. This will open the PCR in VECTOR. Go to the Inquiry tab. Select the dropdown labeled “Create” and choose response



- 16.3. A new tab will open. In the Response Type dropdown select “Final”. In the Response Category dropdown select manual type (maintenance or flight)

PCR - RSAF-CH-47-PCR-25-0001

Front Page | Inquiry | **Response** | Notebook | Links (0/0) | History

Message	Resolved By	Type	State	Days Hours Due	Submitted By	Assigned To	Associated Message	
B01	B02	Initial Inquiry	Writing Response	N/A	Gillespie, Matthew	Weikel, Robert		0
B02		Initial Response	Writing Response	N/A	Gillespie, Matthew		B01	0

Create Sub-action(s)

Please enter appropriate data below. Fields marked with * are required.

Item Number: RSAF-CH-47-PCR-25-0001-B02
State: Writing Response

Resolves:

☐ B01

Copy From

To copy data from an existing item hit the copy button. Users can also enter a different Item number to copy if required. Otherwise, fill out form as normal.

Copy From Item Number:

*Response Type:

Target Incorporation Date:

*Response Category:

- 16.4. Scroll down to where it says “Response” above a big text box. Here there needs to be a description of the status of the PCR and the reason behind the status

https://vector-pp.web.boeing.com/viewCLIP.action?itemId=144962643#messageId=144972298&revisionId=144972300&tab=revision

All Platforms | Support | Work Queues | Create CLIP | Search

*Response:

- 16.5. Scroll down again. Attach any files necessary and choose a Peer Reviewer from the dropdown. Once everything looks right, hit submit. The PCR status is now updated in VECTOR

Attachments

Maximum Attachment file size is 1.8 GB, 5GB total per message and 20GB total per CLIP. Consider using Message Courier for large files that do not need permanent storage within the record.

Name	File	Size	Delete
No data to display			

Upload New File:

SECURITY WARNING: You are attempting to post a document onto an UNCLASSIFIED system. It is your responsibility to ensure this document does not contain any classified information. If in doubt contact your local security manager for assistance. Selecting SUBMIT is verification that you have ensured this document does not contain any classified information and has appropriate classification and distribution markings.

Notifications

CH-47 PCR RSAP: Response Release Distribution

*Requested Peer Reviewer:

Export Message: Uncategorized data created by Boeing, not for release outside of Boeing.

Boeing Proprietary

Note: The interim response type can be used for any partial or preliminary updates of the PCR (Deferment or any status updates). The final response type is used for either PCR completion or rejection

17. Close Tier 2 PCR Card in ADO

The PCR is now officially complete, ADO just needs to be updated to reflect the completion.

- 17.1. Close the Tech Pubs Tier 2 PCR card and ensure all of ADO cards with the same PCR number are closed. Incorporate any comments necessary.

Note: reference step 8 or 12 for ADO state updates and comments

Azure DevOps / BOS / BOS_SUPT_SUPPL_CHN_KING / Boards / Boards

TEST_PCR

Board Analytics Feature Timeline Epic Roadmap View as Backlog

Filter by keyword

Types Assigned to Tags Iteration Area Singapore Sustainment (Tech Pubs) (+3)

Proposed In Work Done

149711 PCR #48 (SL)

State: State02 Rev2

149697 PCR #45 (Tech Pubs)

State: State02 Rev2

149695 PCR #12 (Tech Pubs)

State: State02 Rev1

149709 PCR #78 (PSA)

State: Closed Rev2

149696 PCR #76 (Tech Pubs)

State: Closed Rev2


149701 PCR #76 (Provisioning)

State: Closed Rev2

Filters:


Filters can be used to control what shows up on the PCR Board. This is very important as it ensures only PCRs appear on this board. All cards from all teams will show up on the PCR Board if not filtered properly.

❖ Click the filter icon in the upper right corner. A new menu will appear below.




❖ There are multiple dropdowns that can be used to filter. Start by opening “Parent Work Item” and select the all of the active Tier 0 Sustainment Contracts. Now the only Tier 1 cards on the PCR Board are for Sustainment Contracts

Note: Filters will automatically save



- ❖ Navigate to Tier 2, select the filter icon, and open the “Parent Work Item” dropdown again. This time you will filter based on the Tier 1 parent items. Select all PCR sustainment contract cards.




Now every card on the PCR Board Tier 2 will be a PCR card. Tier 3 can be filtered the same way to see the tasks for a specific PCR. There are other filters available on the menu, which can be used to specify what you are searching for even more. Another way of find and organizing your data is through a query which is explained below.

Queries:


A query in ADO is a question asked by a series of statements relating to the accesable data. They are a quick and easy way to find find and organize work being performed. They can be created as a personal query or a shared queries and saved accordingly.

- ❖ To get to queries, click on the Queries tab and the page will display. You can see your “Favorite” queries as well as “All” queries. Select new query to begin your search

Note: There are a few favorites on this board. This is important if you have a query you will be using multiple times and is very easy to do.



- ❖ The editor tab will automatically open. A query is comprised of clauses that house a Field, Operator, and Value dropdown. This is where you will customize your query to find the data needed. Click “add new clause” if more are needed and Create the confiditions for your query. Hit run query. The results will populate below.



Below there are two examples of Queries. One for all PCRs under a Sustainment Contract and the other is for a specific PCR. You can see the lineage and all tasks involved. Queries can be as specific or as broad as you would like.

The screenshot shows the Azure DevOps interface with the 'BGS_SUPT_SUPL_CHN_ENG' project selected. The 'Queries' section is active, and a query named 'PCR Board' is displayed. The query results show a list of work items with columns for ID, Work Item, Title, Assigned To, State, Tags, and Area Path. The work items are related to PCR tasks and their lineage.

ID	Work Item	Title	Assigned To	State	Tags	Area Path
349659	HOSHIN...	Singapore Sustainment Contract	Gillespie (US), Mat...	Active		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_PCR
349702	MtE_WORK	Singapore Sustainment (Tech Pubs)		State02		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_Pubs
349695	MtE_BUN...	PCR #12 (Tech Pubs)	Gillespie (US), Mat...	Closed		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_Pubs
349698	MtE_ACTL...	PCR #12 Task (Tech Pubs)	Gillespie (US), Mat...	Closed		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_Pubs
349718	MtE_GEN...	VECTOR CLOSE #12	Gillespie (US), Mat...	Closed		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_Pubs
349696	MtE_BUN...	PCR #76 (Tech Pubs)	Gillespie (US), Mat...	State02		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_Pubs
349699	MtE_ACTL...	PCR #76 Task (Tech Pubs)	Gillespie (US), Mat...	State02		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_Pubs
349722	MtE_GEN...	VECTOR UPDATE #76	Gillespie (US), Mat...	Propos...		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_Pubs
349697	MtE_BUN...	PCR #45 (Tech Pubs)	Gillespie (US), Mat...	State02		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_Pubs
349719	MtE_GEN...	VECTOR CLOSE #45	Gillespie (US), Mat...	Active		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_Pubs
349703	MtE_WORK	Singapore Sustainment (Provisioning)		State02		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_PROVISIONING
349701	MtE_BUN...	PCR #76 (Provisioning)	Gillespie (US), Mat...	State02		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_PROVISIONING
349708	MtE_ACTL...	PCR #76 Task (Provisioning)	Gillespie (US), Mat...	State19		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_PROVISIONING
349704	MtE_WORK	Singapore Sustainment (PSA)		State02		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_PSA
349709	MtE_BUN...	PCR #76 (PSA)	Gillespie (US), Mat...	Closed		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_PSA
349710	MtE_ACTL...	PCR #76 Task (PSA)	Gillespie (US), Mat...	Closed		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_PSA
349705	MtE_WORK	Singapore Sustainment (GSE)		State02		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_GSE
349706	MtE_WORK	Singapore Sustainment (EWS)		State02		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_EWS
349707	MtE_WORK	Singapore Sustainment (ILS)		State02		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_ILS
349711	MtE_BUN...	PCR #45 (ILS)	Gillespie (US), Mat...	State02		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_ILS
349712	MtE_ACTL...	PCR #45 RFEC (ILS)		Propos...		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_ILS

The screenshot shows the Azure DevOps interface with the 'BGS_SUPT_SUPL_CHN_ENG' project selected. The 'Queries' section is active, and a query named 'PCR#76' is displayed. The query results show a list of work items with columns for ID, Work Item, Title, Assigned To, State, Tags, and Area Path. The work items are related to PCR tasks and their lineage.

ID	Work Item	Title	Assigned To	State	Tags	Area Path
349696	MtE_BUN...	PCR #76 (Tech Pubs)	Gillespie (US), Mat...	State02		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_Pubs
349699	MtE_ACTL...	PCR #76 Task (Tech Pubs)	Gillespie (US), Mat...	State02		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_Pubs
349722	MtE_GEN...	VECTOR UPDATE #76	Gillespie (US), Mat...	Propos...		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_Pubs
349701	MtE_BUN...	PCR #76 (Provisioning)	Gillespie (US), Mat...	State02		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_PROVISIONING
349708	MtE_ACTL...	PCR #76 Task (Provisioning)	Gillespie (US), Mat...	State19		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_PROVISIONING
349709	MtE_BUN...	PCR #76 (PSA)	Gillespie (US), Mat...	Closed		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_PSA
349710	MtE_ACTL...	PCR #76 Task (PSA)	Gillespie (US), Mat...	Closed		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_PSA
349723	MtE_BUN...	PCR #76 (PSA)		Propos...		BGS_SUPT_SUPL_CHN_ENG.CARGO VERTICAL LIFT.TEST.TEST_PSA

- ❖ You may adjust the query for required results, then select “Save as” and save to your “My Queries” folder. You may also favorite the query but clicking the gold star at the top.

ID	Work Item...	Title	Assigned To	State	Tags	Area Path
349659	HOSHIN...	Singapore Sustainment Contract	*** Gillespie (US), Mat...	Active		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_PCR
349702	MxE_WORK	Singapore Sustainment (Tech Pubs)		State02		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_Tech Pubs
349695	MxE_BUN...	PCR #12 (Tech Pubs)	Gillespie (US), Mat...	Closed		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_Tech Pubs
349698	MxE_ACTI...	PCR #12 Task (Tech Pubs)	Gillespie (US), Mat...	Closed		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_Tech Pubs
349718	MxE_GEN...	VECTOR CLOSE #12	Gillespie (US), Mat...	Closed		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_Tech Pubs
349696	MxE_BUN...	PCR #76 (Tech Pubs)	espie (US), Mat...	State02		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_Tech Pubs
349699	MxE_ACTI...	PCR #76 Task (Tech Pubs)	Gillespie (US), Mat...	State02		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_Tech Pubs
349722	MxE_GEN...	VECTOR UPDATE #76	Gillespie (US), Mat...	Propos...		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_Tech Pubs
349697	MxE_BUN...	PCR #45 (Tech Pubs)	(US), Mat...	State02		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_Tech Pubs
349719	MxE_GEN...	VECTOR CLOSE #45	(US), Mat...	Active		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_Tech Pubs
349703	MxE_WORK	Singapore Sustainment (Provisioning)		State02		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_PROVISIONING
349701	MxE_BUN...	PCR #76 (Provisioning)	Gillespie (US), Mat...	State02		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_PROVISIONING
349708	MxE_ACTI...	PCR #76 Task (Provisioning)	Gillespie (US), Mat...	State19		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_PROVISIONING
349704	MxE_WORK	Singapore Sustainment (PSA)		State02		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_PSA
349709	MxE_BUN...	PCR #76 (PSA)	Gillespie (US), Mat...	Closed		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_PSA
349710	MxE_ACTI...	PCR #76 Task (PSA)	Gillespie (US), Mat...	Closed		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_PSA
349705	MxE_WORK	Singapore Sustainment (GSE)		State02		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_GSE
349706	MxE_WORK	Singapore Sustainment (EWS)		State02		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_EWS
349707	MxE_WORK	Singapore Sustainment (ILS)		State02		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_ILS
349711	MxE_BUN...	PCR #45 (ILS)	Gillespie (US), Mat...	State02		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_ILS
349712	MxE_ACTI...	PCR #45 RFEC (ILS)		Propos...		BGS_SUPT_SUPL_CHN_ENG\CARGO VERTICAL LIFT\TEST\TEST_ILS

Tier 0 Card

Tier 1 Card

State of the Card

Area Path

Tier 2 Card

General Card

Tier 3 Card