

OpenSesame workshop handout & workbook

Matt Green

Wednesday 6th November 5pm – 7pm

Contents

<i>The simplest case of an experiment</i>	1
<i>Problem specification</i>	1
<i>Solution in plain English</i>	1
<i>Solution as flowchart</i>	1
<i>Solution as OpenSesame experiment (.osexp)</i>	2
<i>Appendix</i>	3

The simplest case of an experiment

Every OpenSesame experiment is organised around a few core notions: **stimulus**, **instructions**, and **response**.

Problem specification

Let's imagine that we want to know whether the word *war* is associated with positive or negative emotions.

Solution in plain English

We need to present the word (in this example the word *war*) for some length of time (in this example it is 5 seconds); then instruct the participant what keys they can press (in this example it is *n* for negative, or *p* for positive); and then collect a response from the keyboard, only allowing *n* for negative, or *p* for positive).

Solution as flowchart

OpenSesame experiments can be visualised as flowcharts. Figure (1) is the flowchart for this particular example, the simplest case of a stimulus-response experiment.




Figure 1: Simplest stimulus-response experiment, presented as a flowchart

Solution as OpenSesame experiment (.osexp)

From now on I will use the shorthand **osexp** to mean "OpenSesame experiment": in the same way that the file extension for a jpeg photo is ".jpeg", the file extension for an opensesame experiment is ".osexp".

You can now download the first osexp that we will use in the workshop: https://mjgreen.github.io/opensesame_workshop_BU/examples/example_01_the_simplest_case.osexp

Appendix

This is a minimal flowchart.

Start



Stop

This is a fully specified flowchart you can steal from.




Figure 2: Problem formulation and the process