

VoroGaze AOI

From facial landmarks to defensible areas of interest

Matthew J. Green

Psychology · Bournemouth University · mgreen@bournemouth.ac.uk

Make the geometry visible
before it becomes a number.

Inspectable inputs · deterministic boundaries · traceable outputs

THE PROBLEM

AOI metrics inherit every spatial decision upstream


A neat summary can conceal a broken mapping. Before counting fixations, researchers must know that screen, stimulus and gaze occupy one coherent coordinate system.

- 1 Which coordinate origin?
- 2 Where was the face placed?
- 3 Which boundary assigned this point?

VALIDITY FIRST

Geometry before statistics

VoroGaze makes the screen, face placement and fixations visible together – so mismatches can be caught before AOI metrics are computed.



EARLY USABILITY CHECK · N = 2


Useful - with signposting to refine

One eye-tracking expert and one non-specialist completed core upload/download tasks. The expert described the tool as useful and self-explanatory. The non-specialist found AOI assignment after exploration; navigation and output signposting remain explicit design priorities.

WORKED DEMONSTRATION

Landmarks → Voronoi AOIs

The bundled Lisa1 fixture keeps every step visible.



landmark centre fixation boundary

BUNDLED FIXTURE

20 fixations · 2 sessions · 1 face · 5 landmarks

DESCRIPTIVE OUTPUT

The full audit trail precedes the summary

AOI	N fix	total duration	mean duration
left eye	0	—	—
right eye	3	499 ms	166.3
nose	10	1817 ms	181.7
mouth	2	486 ms	243.0
chin	5	1235 ms	247.0
total	20	4037 ms	—

Worked fixture output – illustrative, not an empirical finding.

A VISIBLE ANALYSIS CHAIN

Inspect → define assign → export

- 1 Inspect the inputs
Map columns; view screen, face and fixations.
- 2 Define meaningful centres
Click, label and edit landmarks on the face.
- 3 Assign transparently
Nearest centre = the point's Voronoi cell.
- 4 Export the audit trail
Retain row-level assignments, then summarise.

Geometry first · metrics second

WHAT BECOMES INSPECTABLE

Deterministic after the choices

- ✓ Saved centres + image bounds reproduce the same bounded partition.
- ✓ Every fixation retains its source row and assigned AOI before aggregation.
- ✓ Validity still depends on defensible landmark choices, preprocessing and study design.

PROTOTYPE – METHODS WORKFLOW, NOT EMPIRICAL VALIDATION



TRY IT
Interactive
public demo

Bundled data only.
No upload control.

QR DESTINATION
vorogaze-demo.mjgreen.uk

Project: vorogaze.mjgreen.uk

TAKE-HOME MESSAGE

VoroGaze turns AOI construction into an inspectable analysis chain – make the geometry visible, make the boundaries reproducible, then compute the metrics.