rif® Full brand guidelines

POWERED BY IOVlabs

Contents

Part 1: **Introduction**

Introduction 03

Part 2: **Brand Guidelines**

Logo 05
Primary color scheme palette 06
Background color applications 07
Incorrect usage 08
Logo safe área 09
Isologo safe área 10
Logo sizes & scales 11
Incorrect scaling 12
Powered by logo version 13

Part 3: **rif logo family**

Example 14
Logo safe area: example 15
Orther brands following the same rules 17

Part 4: **Brand rules & tools**

Logo positioning 19
Secondary color scheme palette 20
Typography 21
Toolkit graphic elements 22
Brand elements in use 23
Photography 24
URL 25

Part 5: **Communication tools:**

Website 27
Landing 28
Social media look and feel 29
PPT template look and feel 30
Mailshimp template 31
rif's banners look and feel 32
Posters 33

Part 1:
Introduction

por: The purpose of the manual is to develop shared awareness and understanding of the **RIF®** brand concept and identities, and to explain correct usage to all the members of **RIF®** platform ecosystem.

These guidelines help ensure that the brand quality, positioning and communications are consistent around the world.

Part 2:
Brand Guidelines

Logo

The existence of the master brand is meant to create a strong association between **rif®** products and what the brand represents. While individual products will always have their own identity, it is the masterbrand that contributes to the consumer's belief that the producto is differente compared with all others in its class.

The **rif®** brand applies always with the brand ingredients, except in pieces where the logo applies smaller than minimum sizes recomended.



Primary color scheme palette

To maximize brand recognition, the logo is designed to be reproduced using specific core colors, and must not be reproduced using any other colors.

CMYK
C:76 M:43 Y:0 K:0
RGB
R:0 G:140 B:255
PANTONE
3005C

Black & white scheme

These versions are for use in print pieces where the presence of color is not permitted or if it is required for the need of a specific design.

BLACK & WHITE
K: 100
RGB
R:0 G:0 B:0

Background color applications

Clear space around the logo ensures that it has maximum visibility and impact on every communication.
Avoid crowding the logo with other graphic elements such as typography and imagery.



Lighter Green

CMYK

C:76 M:43 Y:0 K:0

RGB

R:0 G:140 B:255

PANTONE

3005C



Black

CMYK

C:100 M:100 Y:100 K:100

RGB

R:0 G:0 B:0



White

CMYK

C:0 M:0 Y:0 K:0

RGB

R:255 G:255 B:255

Incorrect usage

Incorrect use of the logo compromises its integrity and effectiveness.

DO NOT use secondary palette colors

DO NOT place logo in textured backgrounds

DO NOT include new colors

DO NOT place on more than one background color



Logo safe area

Clear space around the logo ensures that it has maximum visibility and impact on every communication.
Avoid crowding the logo with other graphic elements such as typography and imagery.

As illustrated, the height of the “seed” (X) has been chosen as the standard unit of measurement for calculating the logo clear space.



Safe Area



Isologo safe area

Clear space around the logo ensures that it has maximum visibility and impact on every communication.
Avoid crowding the logo with other graphic elements such as typography and imagery.

As illustrated, the height of the “seed” (X) has been chosen as the standard unit of measurement for calculating the logo clear space.





Logo sizes & scales

Clear space around the logo ensures that it has maximum visibility and impact on every communication.
Avoid crowding the logo with other graphic elements such as typography and imagery

Standard & minimum size

The minimum size of the logo for print is determined by the width of the **rif®** wordmark, which should not be reproduced in a size smaller than 3/4 of an inch in width.



1,55 inches

1,55 inches / The symbol should be scaled depending on the size of the logo.

under 0,77 inches

0,77 inches / The symbol should be scaled depending on the size of the logo.

Incorrect scaling

When scaling the logo, you should do so proportionally. Do not skew or stretch the logo or part of the logo.

“Powered by” lo version

The logo will also be used with the claim powered by **IOV.** Here are the versions that can be used when needed.

These logos versions apply the same rules then the **rif** logo as shown before.



Part 3:

rif logo family

Example : RSK Infrastructure Framework

The existence of the master brand is meant to create a strong association between **RSK: Smart Contracts®** products and what the brand represents. While individual products will always have their own identity, it is the masterbrand that contributes to the consumer's belief that the producto is differente compared with all others in its class.

The **rif: RSK Infrastructure Framework®** brand applies always with the brand ingredient, except in pieces where the logo applies smaller than minimum sizes recomended.



Logo safe area : example RSK Infrastructure Framework

Clear space around the logo ensures that it has maximum visibility and impact on every communication.
Avoid crowding the logo with other graphic elements such as typography and imagery.

As illustrated, the height of the “seed” (X) has been chosen as the standard unit of measurement for calculating the logo clear space.

Safe Area



Part 4:

Brand rules & tools

Logo positioning

Into communication graphic pieces the logo should always appears as key element. Level 1 Top left of any documents.

The distance and positioning between the master brand and the content copy on communications varies depending the focus you want to achieve.

See examples for better understanding of how should be built a graphic piece of communication.





Illustrative guidance of look and feel only.

Secondary color scheme palette

To maximize brand recognition, the logo is designed to be reproduced using specific core colors, and must not be reproduced using any other colors.

CMYK
C:0 M:72 Y:90 K:0
RGB
R:240 G:98 B:34
PANTONE
1665 C

CMYK
C:81 M:14 Y:17 K:1
RGB
R:44 G:157 B:192
PANTONE
307 C

Typography

Rubik is the official corporate typeface. There are several style and weight options within this font family. The correct styles and weights to use that illustrates the corporate image. Are shown on the following pages.

Please ensure the font is correctly installed according to the system requirements of your PC or Mac. Partner agencies must ensure they have taken the appropriate legal measures to purchase and use these fonts. Do not distort or change the fonts in any way.

Rubik
font

Rubik
font

EXAMPLE: normal text size =x
title text size= 2=x

Ut nulla. **Vivamus bibendum**

Ut nulla. Vivamus bibendum, nulla ut congue fringilla, lorem ipsum ultricies risus, ut rutrum velit tortor vel purus. In hac habitasse platea dictumst. Duis fermentum, metus sed congue malesuada in, ultrices in, tortor. Cras ultricies placerat eros. Quisque odio eros, feugiat non, iaculis nec, lobortis sed, arcu. Pellentesque sit amet sem et purus pretium consectetuer.

Toolkit graphic elements

Note : You can see how to use the toolkit on the examples shown later into this guidelines.



Brand elements in use

Applied inyo Curve element from toolkit graphic

Level 1 : logo + URL
Level 2 : Titles document + Copy



Level 3 : Image + segundary information

Curve element from toolkit graphic elements

Illustrative guidance of look and feel only.

Photography

rif Life Style Imagery







URL



rifos.org

Bold + Lower Case

Illustrative guidance of look and feel only.

Part 5:

External communication

rif official website





Landing

Manager Templete



Social media look and feel

Posts

PPT template look and feel















Newsletter template



rif's banners look and feel



Posters

rif
We know how
to guide you
POWERED BY IOVlabs


We know how
to guide you
All in one
easy to use
POWERED BY IOVlabs

rif

Thanks

POWERED BY IOVlabs