

Data-Driven Behavioral Analytics: Observations, Representations and Models

Meng Jiang (UIUC)

Peng Cui (Tsinghua)

Jiawei Han (UIUC)

http://www.meng-jiang.com/tutorial-cikm16.html



What is Behavior?

□ Definition. Interactions made by individuals in conjunction with themselves or their environment. (Wikipedia)





Behavioral Analysis

- □ Significance. What can we discover from behavioral data?
 - $\Box Ex$. Given every phone call/message between military leaders, scientists, businesspersons, find...

Observations

Who, what, where, when, why, how... (scientific view)

Representations

Graph, network, matrix, tensor... (mathematical view)

Models

Prediction, recommendation, anomaly detection... (application view)




Why Behavioral Analysis Today?

□ *Today*. The human behaviors are broadly recorded in an unprecedented level. Insights of sciences and society?

Physical World

Online Applications





Basic Research Areas



- Six Disruptive Basic Research Areas
 - Engineered Materials (metamaterials and plasmonics)
 - Quantum Information and Control
 - Cognitive Neuroscience
 - Nanoscience and Nanoengineering
 - Synthetic Biology
 - Computational Modeling of Human and Social Behavior



VI. Computational Models of Human Behavior



A fundamental understanding and predictive capability of human behavior dynamics from individuals to societies.

Enabled capabilities

- Predictive models supporting strategic, operational, and tactical decision making and planning
- Real time cultural situational awareness
- Immersive training and mission rehearsal
- Cross cultural coalition building

Key research challenges:

- Conflicting theories
- Data management and fusion
- Mathematical complexity
- Validation of models

Costly Punishment Across Human Societies

jeseph Henrich, 1^e Bichard McElmath, 1 Abigall I Alexander Bolgonatt, 1 Juan Camillo Cardenas, 1 Natallie Henrich, 1 Carolyn Leserogol, 10 Frank M

Racest behavioral experiments sinked at unferstarcooperation here suggested that a willingness to situation, may be port of forman psychology and fineway, because most experiments have been to generalization of three houghts for the perior has results from 55 driven appeals from show that till it and extensive state of the perior has been as puralment varies substantially across population with airtifact behavior across populations. These generacture coverlation of humae altistics and for cooperation needs to explain.

and two of thousands of years before formed contracts, stanta and contracts, stanta and contracts are success marketined important forms of cooperations in domains such as hunting, worder, read, and bood during. The small of cooperations in both contraoperary and accompanies in both contraoperary and another law selection are reinproving appears in readily outplans alternium as very large groups of amorbied individuals with, second, concentral assumptions of self-regarding performed in the committee that selected field appear quality in difficult to the face (1). Repairs and a second concentration assumptions of self-regarding performed in the committee of the self-regarding performance in second assumptions of self-regarding performance in second assumptions of self-regarding performance in second for linked to explain why recipionally should be linked to prosociality rather than self-sh or real behavior (2). Keenest themptical souch

tions (JF). Such experiments have even be-

tions (13). Such experiments have even begun to probe the neural underpinnings of punishment (14, 15).

s pieces of the parche of legislation operation. However, like previous trial genes seed to mady absents, and particular however, like previous trial genes seed to mady absents, particular how been conducted of however, and the profile of the pro

Econ to estimating how widespread coving whether costly penishrens with almostic belavrier is valuable, of the evolution of costly penishrens has societies in which costly penishcomeson will easilist stronger norms ess and procedulty, because the


			n-05
			rs=01
			0:09
		*	red1
			n=21
+	4	*	n-03
			100

Measures of success

- Early success of simple models
- Success of social network analysis
- Prediction of crowd tipping points




Challenges in Behavioral Analysis



Content (preference)

Social context (influence)

Behavioral Analysis



Spatiotemporal context



Intention (suspiciousness)

	# TICKETS GIVEN	CONSEQUENCES	# TICKETS TAKEN AWAY	
6x8=48 Extra Math	+5	** HITTING	-3	
Getting along WBLL with others	+3	BULLYING	-4 🥌	
Good Table Manners	+4 🥮	*** TEASING	-1	
LOIE & RESPECT	+5	LYING	-2	
Obeying the FIRST TIME	+3	THRONING AFIT	-3	
Calm & Quiet in STORE	+3	Ignoring Parents	-4 🥌	
Extra Reading	+2	SCHEAMING OF VELLING	-1	
CLEANING up after PLAYING	+2	BAD SPORT	-2	

Models/Algorithms




Methodology: Why Data-Driven?

- □ Applications. Recommender systems, fraud/spam detection.
- $\square Representation$. **B**ehavior **N**etwork for interaction.
 - \square **Nodes:** users/authors, items (e.g., products, tweets, papers), etc.
 - □ **Links:** (interaction) following, purchasing, tweeting, publishing, *etc*.
 - □ Node attributes: user profiles, item properties/features, etc.
 - □ Link attributes: similarity, distance, weight, etc.




Data to Network to Knowledge





Outline: Data-Driven Behavioral Analytics

- Mining behavior networks with social and spatiotemporal contexts to support intelligent and trustworthy systems
 - ☐ Mining for behavior prediction and recommendation
 - ☐ Mining for suspicious behavior detection





Outline: Data-Driven Behavioral Analytics

- Mining behavior networks with social and spatiotemporal contexts to support intelligent and trustworthy systems
 - ■Mining for behavior prediction and recommendation
 - ☐ Mining for suspicious behavior detection
- ■Structuring behavioral content and integrating behavioral analysis with **information networks**

