Running head: TITLE 1

The title

First Author¹ & Ernst-August Doelle^{1,2}

¹ Wilhelm-Wundt-University

² Konstanz Business School

Author Note

- Add complete departmental affiliations for each author here. Each new line herein must be indented, like this line.
- Enter author note here.

5

- The authors made the following contributions. First Author: Conceptualization,
- Writing Original Draft Preparation, Writing Review & Editing; Ernst-August Doelle:
- Writing Review & Editing.
- Correspondence concerning this article should be addressed to First Author, Postal address. E-mail: my@email.com

Abstract 14

One or two sentences providing a basic introduction to the field, comprehensible to a 15

scientist in any discipline. 16

Two to three sentences of more detailed background, comprehensible to scientists 17

in related disciplines.

One sentence clearly stating the **general problem** being addressed by this particular 19

study. 20

One sentence summarizing the main result (with the words "here we show" or their 21

equivalent).

Two or three sentences explaining what the main result reveals in direct comparison 23

to what was thought to be the case previously, or how the main result adds to previous

knowledge.

One or two sentences to put the results into a more **general context**. 26

Two or three sentences to provide a **broader perspective**, readily comprehensible to 27

a scientist in any discipline. 28

Keywords: keywords 29

Word count: X 30

The title

32 Methods

We report how we determined our sample size, all data exclusions (if any), all manipulations, and all measures in the study.

35 Participants

We examined the *Rolling Stone* list, which contained 500 entries. As Table 1 shows, the decade with the most songs was 1970, with 143 songs.

38 Material

39 Procedure

40 Data analysis

We used R [Version 4.1.1; R Core Team (2021)] and the R-packages dplyr [Version 1.0.7; Wickham, François, Henry, and Müller (2021)], forcats [Version 0.5.1; Wickham (2021a)], ggplot2 [Version 3.3.5; Wickham (2016)], papaja [Version 0.1.0.9997; Aust and Barth (2020)], purrr [Version 0.3.4; Henry and Wickham (2020)], readr [Version 2.0.2; Wickham and Hester (2021)], stringr [Version 1.4.0; Wickham (2019)], tibble [Version 3.1.6; Müller and Wickham (2021)], tidyr [Version 1.1.4; Wickham (2021b)], and tidyverse [Version 1.3.1; Wickham et al. (2019)] for all our analyses.

48 Results

A linear regression was carried out to determine whether ranking varied by year. The overall model fit was $R^2 = .03$, F(1,497) = 12.85, p < .001. As Table 2 and Figure 1 show, rankings were better ranked (lower values) for more recent years, b = 1.45, 95% CI [0.65, 2.24].

Discussion


54	References
55	Aust, F., & Barth, M. (2020). papaja: Create APA manuscripts with R Markdown.
56	Retrieved from https://github.com/crsh/papaja
57	Henry, L., & Wickham, H. (2020). Purrr: Functional programming tools. Retrieved
58	from https://CRAN.R-project.org/package=purrr
59	Müller, K., & Wickham, H. (2021). Tibble: Simple data frames. Retrieved from
60	https://CRAN.R-project.org/package=tibble
61	R Core Team. (2021). R: A language and environment for statistical computing.
62	Vienna, Austria: R Foundation for Statistical Computing. Retrieved from
63	https://www.R-project.org/
64	Wickham, H. (2016). ggplot2: Elegant graphics for data analysis. Springer-Verlag
65	New York. Retrieved from https://ggplot2.tidyverse.org
66	Wickham, H. (2019). Stringr: Simple, consistent wrappers for common string
67	$operations. \ \ Retrieved \ from \ https://CRAN.R-project.org/package=stringr$
68	Wickham, H. (2021a). Forcats: Tools for working with categorical variables (factors)
69	Retrieved from https://CRAN.R-project.org/package=forcats
70	Wickham, H. (2021b). Tidyr: Tidy messy data. Retrieved from
71	https://CRAN.R-project.org/package=tidyr
72	Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R.,
73	Yutani, H. (2019). Welcome to the tidyverse. Journal of Open Source Software,
74	4(43), 1686. https://doi.org/10.21105/joss.01686
75	Wickham, H., François, R., Henry, L., & Müller, K. (2021). Dplyr: A grammar of
76	$data\ manipulation.\ Retrieved\ from\ https://CRAN.R-project.org/package=dplyr$
77	Wickham, H., & Hester, J. (2021). Readr: Read rectangular text data. Retrieved from
78	https://CRAN.R-project.org/package=readr

 $\begin{tabular}{ll} Table 1 \\ Rolling Stone list by decade \\ \end{tabular}$

Decade	n	Mean	Highest	Lowest
1970	143	258.6	6	498
1960	108	202.1	1	499
1980	80	262.4	2	494
1990	70	284.2	5	489
2000	36	227.7	8	500
2010	32	302.8	20	497
1950	24	229.5	33	492
2020	3	371.0	329	438
1930	2	251.0	21	481

 $\label{eq:regression} \begin{tabular}{ll} Table~2 \\ Results~of~a~linear~regression~predicting~rank~from~release~year. \end{tabular}$

Predictor	b	95% CI	t(497)	p
Intercept	-2,617.87	[-4, 189.84, -1, 045.89]	-3.27	.001
Year	1.45	[0.65, 2.24]	3.58	< .001



 $Figure\ 1.\ {\rm Song\ rank\ by\ release\ year}$