



EXACT SCIENCES LABORATORIES, LLC

145 E Badger Road, Ste 100, Madison, WI 53713

p. 1-844-870-8870 | ExactLabs.com



Cologuard® PATIENT REPORT

ORDER INFORMATION

Patient: Saquon Barkley

Date of Birth: 1948-04-10

Medical Record #:

Sex: Male

Ordering Physician: Stacy Roskin

Client Order ID:

Cologuard Order #: 284155735

Specimen Collected: 2018-11-06

Specimen Received: 2018-11-07

Released Date: 2018-11-14

RESULT

Negative

A negative result indicates a low likelihood that a colorectal cancer (CRC) or an advanced adenoma (adenomatous polyps with more advanced pre-malignant features) is present. The chance that a person with a negative Cologuard test has a colorectal cancer is less than 1 in 1500 (negative predictive value >99.9%) or has an advanced adenoma is less than 5.3% (negative predictive value 94.7%). These data are based on a prospective cross-sectional screening study of 10,000 individuals at average risk for colorectal cancer who were screened with both Cologuard and colonoscopy. (Imperiale T. et al, *N Engl J Med* 2014;370(14):1286-1297)

COLOGUARD RE-SCREENING RECOMMENDATION: Periodic routine colorectal cancer screening is an important part of preventive healthcare for asymptomatic persons at average risk for colorectal cancer. Following a negative Cologuard result, the American Cancer Society and U.S. Multi-Society Task Force screening guidelines recommend a Cologuard re-screening interval of 3 years.

References: American Cancer Society (ACS). Colorectal cancer prevention and early detection. Atlanta, GA: American Cancer Society; [updated 2016 Apr 24].

<https://www.cancer.org/cancer/colon-rectal-cancer/detection-diagnosis-staging/acs-recommendations.html>.

Accessed August 31, 2018; Rex DK, Boland CR, Dominitz JK, Colorectal Cancer Screening:

Recommendations for Physicians and Patients from the U.S. Multi-Society Task Force on Colorectal Cancer Screening, *Am J Gastroenterology* 2017; 112:1016-1030.

COLOGUARD DESCRIPTIVE INFORMATION

Test Type: Composite algorithmic analysis of stool DNA-biomarkers with hemoglobin immunoassay. Quantitative values of individual biomarkers are not reportable and are not associated with individual biomarker result reference ranges.

Reference Range: <Not Applicable>

Specimen Type: Stool

Precautions and Limitations: Cologuard is intended for colorectal cancer screening of adults of either sex, 50 years or older, who are at typical average-risk for colorectal cancer. A negative Cologuard test result does not guarantee the absence of colorectal cancer or advanced adenoma (pre-cancer). Patients with a negative Cologuard test result should be advised to continue participating in a colorectal cancer screening program. Cologuard may produce a positive result even though a colonoscopy may not find colorectal cancer or precancerous polyps. The performance of Cologuard has been established in a cross-sectional study (i.e., single point in time). Performance has not been evaluated in adults who have been previously tested with Cologuard or in patients less than 50 years of age. Cologuard has been approved for use by the U.S. FDA. Cologuard performance data in a 10,000 patient pivotal study using colonoscopy as the reference method can be accessed at the following location: www.exactlabs.com/news. Additional description of the Cologuard test process, warnings and precautions can be found at: www.cologuardtest.com. Rx Only