



Brick Hospital
South Church Place
Mount Pleasant, PA
99999

Patient Name: Wood, Natalie
Birth Date: 8/21/1944
MRN: SS042442
FIN: S1912700004
Admit Date: 5/7/2019
Discharge Date: 5/7/2019

Bone Density/Mammography

ACCESSION	PROCEDURE	EXAM DATE/TIME	ORDERING PROVIDER	STATUS
BD-19-0002136	MM Bone Density Spine/Hip	5/7/2019 14:51 EDT	MEANS, PAUL E MD	Auth (Verified)

Reason For Exam
(MM Bone Density Spine/Hip) Post menopausal

Report
DEXA Bone Mineral Density Scan:

INDICATIONS FOR STUDY: Estrogen deficiency
Reported Reason for study: "Post menopausal"

Bone densitometry of the lumbar Spine and both hips was performed on the Hologic Horizon A bone densitometer. A copy of the printout of this report is on file and available for review, if needed. Positioning is adequate, the regions of interest are properly placed and there are no confounding factors which could adversely affect the results noted.

RESULTS:

LUMBAR SPINE: L1-L4
BMD: 0.916 gm/sq.cm
T-Score: -1.2
Z-Score: 1.2

HIP: TOTAL: Left
BMD: 0.696 gm/sq cm
T-Score: -2.0
Z-Score: -0.3

HIP: FEMORAL NECK: Left
BMD: 0.697 gm/sq cm
T-Score: -1.4

ELECTRONIC PRINTOUT: ALL MODIFICATIONS SHOULD BE MADE IN THE SOURCE SYSTEM

This information has been disclosed to you from records protected by Pennsylvania law and for drug and/or alcohol information is also protected by 4 PA Code 255.5 (b) and federal law (42 CFR Part 2). Pennsylvania and federal laws prohibit you from making any further disclosures of this information unless further disclosure is expressly permitted by the written consent of the person to whom it pertains or is authorized by the confidentiality of HIV-related information act or by 4 PA code 255.5 (b) and 42 CFR Part 2. A general authorization for the release of medical or other information is not sufficient for this purpose. The federal rules restrict any use of drug and alcohol information to criminally investigate or prosecute any alcohol or drug abuse. It is the policy of Excelsa Health to retain patient medical records in various storage modes which include electronic media and paper. Accessing patient information from various storage modes may display a break in the display of printed page numbers.

Brick Hospital
South Church Place
Mount Pleasant, PA
99999

Patient Name: Wood, Natalie
Birth Date: 8/21/1944
MRN: SS042442
FIN: S1912700004
Admit Date: 5/7/2019
Discharge Date: 5/7/2019

Bone Density/Mammography

ACCESSION	PROCEDURE	EXAM DATE/TIME	ORDERING PROVIDER	STATUS
BD-19-0002136	MM Bone Density Spine/Hip	5/7/2019 14:51 EDT	MEANS,PAUL E MD	Auth (Verified)

Report

Z-Score: 0.7

HIP: TOTAL: Right
BMD: 0.723 gm/sq cm
T-Score: -1.8
Z-Score: 0.0

HIP: FEMORAL NECK: Right
BMD: 0.678 gm/sq cm
T-Score: -1.5
Z-Score: 0.5

T-Score represents the number of standard deviations of the patient's BMD is above or below the average BMD of a young adult reference population.

Z-Score represents the number of standard deviations of patients BMD is above or below age- and sex-matched mean reference values.

Impression:

1. The patient's BMD is compatible with low bone mass. Follow up as clinically indicated.

The risk of osteoporotic fracture increases approximately two-fold for each 1.0 SD decrease in T-score. Low bone density is not the only risk factor for fracture; also consider factors such as patient's age, risk of falling, risk of injury, previous osteoporotic fractures, family history of osteoporosis, and medications.

FRACTURE RISK ASSESSMENT (FRAX)

TEN-YEAR FRACTURE RISK

Major osteoporotic fracture: 12%

Hip fracture: 3.6%

NOTE: FRAX is not calculated for values in the NORMAL or OSTEOPOROTIC range

The risk of osteoporotic fracture increases approximately two-fold for each 1.0 SD decrease in T-score. Low bone density is not the only risk

Brick Hospital
South Church Place
Mount Pleasant, PA 99999

Patient Name: Wood, Natalie
Birth Date: 8/21/1944
MRN: SS042442
FIN: S1912700004
Admit Date: 5/7/2019
Discharge Date: 5/7/2019

Bone Density/Mammography

ACCESSION	PROCEDURE	EXAM DATE/TIME	ORDERING PROVIDER	STATUS
BD-19-0002136	MM Bone Density Spine/Hip	5/7/2019 14:51 EDT	MEANS, PAUL E MD	Auth (Verified)

Report

factor for fracture; also consider factors such as patient's age, risk of falling, risk of injury, previous osteoporotic fractures, family history of osteoporosis, and medications.

All treatment decisions require clinical judgement and consideration of previous drug use, risk factors not captured in the FRAX model (e.g. frailty, falls, Vitamin D deficiency, increased bone turnover, interval significant decline in bone density) and possible under- or over-estimation of fracture risk by FRAX.

NOF Guidelines recommends that FDA-approved medical therapies be considered in postmenopausal women and men age > or = to 50 years with a:

- i. Hip or vertebral fracture
- ii. T-score of < or = -2.5 at the spine or hip
- iii. Ten-year fracture probability by FRAX of > or = 3% for hip fracture, > or = 20% for major osteoporotic fracture

This report has been electronically signed by : Todd Hrbek, MD on 5/7/2019 7:27 PM

***** Final *****

Dictated by: HRBEK, TODD A MD
Dictated DT/TM: 05/07/2019 7:27 pm

Signed (Electronic Signature): 05/07/2019 7:27 pm