

aws

Services

Resource Groups

mjpraino1

Global

Support

Amazon S3

Buckets

Batch operations

Block public access (account settings)

Feature spotlight 2

Learn how to get the most out of Amazon S3. See here »

Documentation

S3 buckets

Discover the console

Search for buckets

All access types

Create bucket

Edit public access settings

Empty

Delete

3 Buckets

1 Regions

<input type="checkbox"/>	Bucket name	Access	Region	Date created
<input type="checkbox"/>	cf-templates-1kczci0w1dn74-us-east-2	Objects can be public	US East (Ohio)	Oct 16, 2019 11:17:31 PM GMT-0400
<input type="checkbox"/>	elasticbeanstalk-us-east-2-292152339671	Objects can be public	US East (Ohio)	Oct 14, 2019 9:25:51 PM GMT-0400
<input type="checkbox"/>	udacity-static-website-deployment	Public	US East (Ohio)	Oct 17, 2019 8:33:26 PM GMT-0400

Amazon S3

udacity-static-website-deployment

Overview

Properties

Permissions

Management

Search

Type a prefix and press Enter to search. Press ESC to clear.

Upload

Create folder

Download

Actions

US East (Ohio)

Viewing 1 to 4

<input type="checkbox"/>	Name	Last modified	Size	Storage class
<input type="checkbox"/>	css	--	--	--
<input type="checkbox"/>	img	--	--	--
<input type="checkbox"/>	vendor	--	--	--
<input type="checkbox"/>	index.html	Oct 17, 2019 10:17:10 PM GMT-0400	6.1 KB	Standard

Viewing 1 to 4

[Amazon S3](#) > [udacity-static-website-deployment](#)

Overview

Properties

PermissionsPublic

Management

Versioning

Keep multiple versions of an object in the same bucket.

[Learn more](#)

☐ Disabled

Server access logging

Set up access log records that provide details about access requests.

[Learn more](#)

☐ Disabled

Static website hosting

Host a static website, which does not require server-side technologies.

[Learn more](#)

☒ Bucket hosting

Object-level logging

Default encryption

[Amazon S3](#) > [udacity-static-website-deployment](#)

Overview

Properties

PermissionsPublic

Management

Block public access

Access Control List

Bucket PolicyPublic

CORS configuration

Bucket policy editor

ARN: [arn:aws:s3:::udacity-static-website-deployment](#)

Delete

Cancel

Save

1 {  
2   "Version": "2012-10-17",  
3   "Statement": [  
4     {  
5       "Sid": "AddPerm",  
6       "Effect": "Allow",  
7       "Principal": "\*",  
8       "Action": "s3:GetObject",  
9       "Resource": "arn:aws:s3:::udacity-static-website-deployment/\*"  
10     }  
11   ]  
12 }  
13 }

CloudFront Distributions

Create Distribution

Distribution Settings

Delete

Enable

Disable

Viewing: Any Delivery Method

Any State

	Delivery Method	ID	Domain Name	Com	C	CNA	Status	State	Last Modified
<input checked="" type="checkbox"/>	Web	E3745NILNDIK1P	d3top3rp96ock.cloudfront.net	-	u	-	Deployed	Enabled	2019-10-17 20:49 UTC

<http://d3top3irp86ock.cloudfront.net/index.html>

<http://udacity-static-website-deployment.s3.us-east-2.amazonaws.com/index.html>