

Example Output Format

You may choose your own final structure, but the output should be easy to review programmatically. Below are examples of the level of detail expected.

Example 1

Input query:

Patients with HbA1c above 7%

Example output:

```
{
  "query": "Patients with HbA1c above 7%",
  "interpreted_meaning": {
    "entity": "HbA1c",
    "domain": "measurement",
    "constraint": {
      "operator": ">",
      "value": 7,
      "unit": "%"
    }
  },
  "candidate_codes": [
    {
      "vocabulary": "LOINC",
      "code": "4548-4",
      "display": "Hemoglobin A1c/Hemoglobin.total in Blood",
      "rank": 1
    },
    {
      "vocabulary": "LOINC",
      "code": "17856-6",
      "display": "Hemoglobin A1c/Hemoglobin.total in Blood by HPLC",
      "rank": 2
    }
  ],
  "selected_codes": [
    {
      "vocabulary": "LOINC",
      "code": "4548-4",
      "display": "Hemoglobin A1c/Hemoglobin.total in Blood",
      "confidence": 0.94,
      "reason": "Represents HbA1c measurement and is compatible with
percentage-based threshold logic."
    }
  ],
}
```

```

"rejected_candidates": [
  {
    "vocabulary": "ICD-10-CM",
    "code": "E11",
    "display": "Type 2 diabetes mellitus",
    "reason": "Diagnosis concept; the query asks for a lab measurement
threshold."
  }
],
"final_logic": {
  "concept": "HbA1c measurement",
  "condition": "value > 7%"
}
}

```

Example 2

Input query:

Patients currently taking metformin

Example output:

```

{
  "query": "Patients currently taking metformin",
  "interpreted_meaning": {
    "entity": "metformin",
    "domain": "drug",
    "status": "current"
  },
  "candidate_codes": [
    {
      "vocabulary": "RxNorm",
      "code": "6809",
      "display": "metformin",
      "rank": 1
    },
    {
      "vocabulary": "RxNorm",
      "code": "860975",
      "display": "metformin 500 MG Oral Tablet",
      "rank": 2
    }
  ],
  "selected_codes": [
    {
      "vocabulary": "RxNorm",
      "code": "6809",
      "display": "metformin",

```

```

    "confidence": 0.92,
    "reason": "Ingredient-level concept suitable for identifying patients
exposed to metformin across dose forms."
  }
],
"rejected_candidates": [
  {
    "vocabulary": "ICD-10-CM",
    "code": "E11.9",
    "display": "Type 2 diabetes mellitus without complications",
    "reason": "Condition concept; the query asks for medication exposure."
  }
],
"final_logic": {
  "concept": "metformin exposure",
  "condition": "current medication use"
}
}

```

Example 3

Input query:

Patients with chronic kidney disease stage 3

Example output:

```

{
  "query": "Patients with chronic kidney disease stage 3",
  "interpreted_meaning": {
    "entity": "chronic kidney disease stage 3",
    "domain": "condition"
  },
  "candidate_codes": [
    {
      "vocabulary": "ICD-10-CM",
      "code": "N18.30",
      "display": "Chronic kidney disease, stage 3 unspecified",
      "rank": 1
    },
    {
      "vocabulary": "ICD-10-CM",
      "code": "N18.31",
      "display": "Chronic kidney disease, stage 3a",
      "rank": 2
    },
    {
      "vocabulary": "ICD-10-CM",
      "code": "N18.32",

```

```

    "display": "Chronic kidney disease, stage 3b",
    "rank": 3
  }
],
"selected_codes": [
  {
    "vocabulary": "ICD-10-CM",
    "code": "N18.30",
    "display": "Chronic kidney disease, stage 3 unspecified",
    "confidence": 0.9,
    "reason": "Closest direct match for CKD stage 3 when subtype 3a or 3b
is not specified."
  },
  {
    "vocabulary": "ICD-10-CM",
    "code": "N18.31",
    "display": "Chronic kidney disease, stage 3a",
    "confidence": 0.86,
    "reason": "More specific subtype under CKD stage 3; may be included
depending on cohort definition."
  },
  {
    "vocabulary": "ICD-10-CM",
    "code": "N18.32",
    "display": "Chronic kidney disease, stage 3b",
    "confidence": 0.86,
    "reason": "More specific subtype under CKD stage 3; may be included
depending on cohort definition."
  }
],
"rejected_candidates": [
  {
    "vocabulary": "ICD-10-CM",
    "code": "N18.9",
    "display": "Chronic kidney disease, unspecified",
    "reason": "Too broad because the query specifically asks for stage 3."
  }
],
"final_logic": {
  "concept": "chronic kidney disease stage 3",
  "condition": "diagnosis present"
}
}

```