

Uncertainty Visualization

Matthew Kay

2018-10-16

Contents

Preface	5
1 Introduction	7
2 Why uncertainty visualization is hard	9
3 Foundations: Uncertainty as we'll see it	11
4 Foundations: Uncertainty and the grammar of graphics	13
5 Foundations: General strategies	15
6 Discrete data	17
7 Continuous data	19
8 Dealing with multiple uncertainties	21
9 Maps and glyphs	23
Scratch space	25

Preface

This book¹ aims to provide the *why* and the *how* of uncertainty visualization. The *why* is based on what we currently know about how people interpret and make decisions from uncertainty visualizations, and the *how* is structured around generating uncertainty visualizations using the R programming language and the grammar of graphics.²

¹or what it will be—it is a work in progress

²as implemented in the *ggplot2* package (Wickham et al., 2018)

Chapter 1

Introduction

TBD

Chapter 2

Why uncertainty visualization is hard

- Efficient encodings for uncertainty can be hard to find
 - try putting mean, variance, and interval estimation in one plot + doing this when useful channels are already used up
- Even if you get the encoding right have to contend with making sure people understand it
 - explain a CDF to someone (N.B.: sometimes this works! task has an effect here)
- Even if people understand have to deal with how people perceive uncertainty
 - linear-in-log-odds and other perceptual models of probability
- Even if people correctly perceive the uncertainty have to deal with how people make decisions under uncertainty
- Even if you solve all these problems in one context a new context may cause your solution to break
 - see e.g. deterministic construal errors
- Plus, you still have to build the damn thing
 - But some strategies for building uncertainty vis using the grammar of graphics helps a lot here (the **how** of this book)

Chapter 3

Foundations: Uncertainty as we'll see it

- primarily Bayesian perspective
 - unifies aleatory and epistemic
 - gives us one framework to work in
 - simplifies building things
 - simplifies communicating things (see e.g. confidence fallacy)
- will still occasionally touch on frequentist, usually as a subsection at the end of each chapter:
 - tips on how to translate the visualization techniques presented into that mode
 - at times, visualizations unique to the frequentist approach that might be useful

Chapter 4

Foundations: Uncertainty and the grammar of graphics

- basic strategies for applying uncertainty visualization within the grammar of graphics
- visual channels, marks, etc. (and mapping onto ggplot)
- simple prediction grid example

Chapter 5

Foundations: General strategies

Dunno if this goes before or after all the specific examples

- think about task
 - what do people actually need from the representation to do the task? densities? intervals? (arbitrary or known in advance?) point estimates?
- employ frequency framing where possible
 - *(maybe a table here translating common non-frequency representations into frequency representations)*
 - quantile dotplots
 - representative sampling in scatterplots (need a better name for this)
 - spaghetti
 - pixelated maps (also needs a name)
- use animation / HOPs
- anticipate deterministic construal errors
 - think about task context, common elements of that context with plausibly similar abstract representations
 - when animating / using metaphor, think about the mechanism - do we think of it as random?

Chapter 6

Discrete data

- categorical
 - proportions
 - * product plots / mosaic plots
 - icon arrays
 - * unit visualizations
 - HOPs-like stuff
 - entropy-based approaches
- ordinal / integer
 - proportions
 - histograms
 - CDFs
 - dotplots
 - ...

Chapter 7

Continuous data

not sure of the organization here, especially within multivariate...

- univariate
 - densities, gradients
 - CDFs
 - intervals
 - quantile dotplots
 - HOPs
- multivariate
 - the joint case
 - * gradients
 - * contour plots
 - the conditional case
 - * gradients
 - * bands
 - generalizing quantile dotplots to multiple dimensions: representative sampling approaches
 - * scatterplots
 - * spaghetti plots
 - HOPs
- frequentist addendum
 - interpreting in a Bayesian mode: advantages and pitfalls (and what it reveals)
 - * *this maybe goes elsewhere*
 - those double-sided p value plot things

Chapter 8

Dealing with multiple uncertainties

- a note on comparisons
 - univariate marginals might bite you...
- aleatory / epistemic (or data space / parameter space)
 - frankenplots maybe (product plots / mosaic plots / unit visualizations)
 - animation
 - * NYT needle
 - * Galton boards
- mixing discrete and continuous
 - color with densities
 - HOPs
 - some hurricane stuff

Chapter 9

Maps and glyphs

Not sure this is a separate chapter but putting this here for now...

- always remember to ask if you need a map in the first place
- uncertainty glyphs
 - blur, and problems with it
 - problems with glyphs more generally
- bivariate maps
- VSUPs
 - connect back to LLO and/or regularization (I think LLO...)
- pixelation
- HOPs


Scratch space

```
library(tidyverse)
library(modelr)
library(broom)
library(ggstance)

set.seed(12345)
x = rnorm(10, -0.25)
ci_color = "#d95f02"

intervals = data_frame(
  # conf.level = seq(.7, .99, by = .01),
  conf.level = c(.50, .80, .95),
  alpha = 1 - conf.level,
  test = map(conf.level, ~ tidy(t.test(x, conf.level = ..1)))
) %>%
unnest()

crossing(
  null = seq(-6, 6, length.out = 1001)
) %>%
mutate(test = map(null, ~ tidy(t.test(x, mu = ..1)))) %>%
unnest() %>%
ggplot() +
  geom_line(aes(x = null, y = p.value)) +
  geom_hline(aes(yintercept = alpha), color = "gray50", data = intervals, linetype = "dotted") +
  geom_rect(aes(xmin = conf.low, xmax = conf.high, ymax = alpha), ymin = -1, fill = ci_color, alpha = .5,
    data = intervals, color = NA, size = .75) +
  geom_pointrangeh(aes(xmin = conf.low, xmax = conf.high, x = estimate, y = alpha),
    data = intervals, color = ci_color, size = .75) +
  geom_vline(aes(xintercept = estimate), data = intervals, color = ci_color, linetype = "dotted") +
  geom_text(aes(y = alpha, label = paste0("p value = ", format(alpha, digits = 2, nsmall = 2))),
    x = -5.3, vjust = -.5, hjust = 0, data = intervals, color = "gray50") +
  geom_text(aes(y = alpha, label = paste0("1 - ", format(alpha, digits = 2, nsmall = 2), " = ", round(
    x = 0.33, vjust = -.5, color = ci_color, hjust = 0, data = intervals) +
  theme_light() +
  theme(panel.grid = element_blank()) +
  xlab("two-sided null hypothesis") +
  ylab("p value") +
  coord_cartesian(xlim = c(-5, 5))
```



Bibliography

Wickham, H., Chang, W., Henry, L., Pedersen, T. L., Takahashi, K., Wilke, C., and Woo, K. (2018). *ggplot2: Create Elegant Data Visualisations Using the Grammar of Graphics*. R package version 3.0.0.