
Rust Red

GS06_RustRed · seed 6



REFERENCE PHOTOGRAPH folder 6th · original 12 MP



PROCEDURAL MATERIAL Cycles render · 2400 × 3000 · polished + honed


DATASET 06 · FOLDER 6th · REF SE269550

Rust Red — surface detail


same physical patch, then lit close-up



PHOTO PATCH ~28 cm wide



SHADER ALBEDO 2048 px · same area



LIT CLOSE-UP 2400 px · polished face

Observed in the photographs

- Rust and red-brown stone: 94% of pixels lean red.
- Almost no grey clouds; long, steep dark streaks (~65°).
- Fine foliation stripes inside the rust layers.


Calibration (photo → shader)

Mean sRGB	82 69 62	→	**84 71 65**
Contrast σ	27.1	→	**24.3**
p5–p95	27–116	→	**31–113**
Reddish pixels	94%	→	**93%**


DATASET 06 · FOLDER 6th · REF SE269550

Rust Red — finish and seed variation


edge close-up · same material, four seeds




HONED EDGE polished face meets the side / top finish · 2400 × 1600




SEED 6 (DEFAULT)



SEED 11



SEED 222



SEED 3333

Finish

Fully polished in the photos; a honed variant is included for sawn or matte faces.

Key preset values

scale	**9**	flow angle	**65°**	stretch	**0.35**	warp	**1.2**
fold	**0.35**	rose	**0.8**	leucosome	**0.25**	melanosome	**0.4**
biotite	**0.75**	speckle	**0.2**	lamination	**0.35**	saturation	**0.75**

Seed control and parameters

one self-contained script per dataset folder

Run a script

- Open Blender 4.0+ (tested on 5.2 LTS) → Scripting → open the .py in the dataset folder → Run Script.
- Selected meshes get <ID>_Polished; the Honed (and, for 04, RockPitched) materials are created alongside.
- Object coordinates in metres, front face in the X/Z plane. Apply scale (Ctrl+A).

Seed control (three levels, they add up)

- Material: the "Granite" group node → Seed (live), SEED in the script, or set_seed(42).
- Per object: Custom Property granite_seed, set_object_seed(obj, 7) or randomize_selected_seeds().
- Automatic: Object Random Seed = 1 makes duplicates differ with no setup; 0 makes them identical.
- Seed Variation (0–1) also lets the seed nudge warp and the amount of rose / grey clouds.

Verified in Blender: same seed → correlation 0.996; different seed → 0.08; re-entering a seed reproduces the image exactly.

Preset values per dataset

	01	02	03	04	05	06
scale	9	8	10	8.5	8.5	9
flow °	32	18	45	33	25	65
stretch	0.35	0.5	0.35	0.35	0.26	0.35
warp	0.9	2	2	1.8	1.3	1.2
fold	0.35	0.7	2.4	2.2	0.8	0.35
crinkle	0.4	1.8	0.8	0.8	0.5	0.5
rose	0.38	0.45	0.55	0.42	0.42	0.8
leucosome	0.7	0.25	0.15	0.55	0.62	0.25
melanosome	0.45	0.3	0.55	0.5	0.6	0.4
biotite	0.6	0.9	0.85	0.6	0.75	0.75
speckle	0.6	0.3	0.2	0.5	0.7	0.2
lamination	0.1	0	0.6	0.7	0.25	0.35
grain	75	80	75	75	75	75
saturation	0.7	0.6	0.85	0.85	1	0.75
brightness	1	1.08	1	1.1	0.92	1
honed gain	1.2	1.2	1.2	1.2	3	1.2

Every value is also an input on the Granite node group, so the look can be tuned live without editing code.