REV. CAUSE ID:

STREAM REV. NO.: 10

STREAM NO.:4539

BLIND FLANGE ASME B16.5 300# A105N RFFE NREQD 125 - 250 AARH F10CFC44B005 I1652374 <BLFA300R351/2> (L-143) SPIRAL WOUND GASKET ASME B16.20 300# RFTBE 304/GRAFOIL CARBON STEEL SS 304 1/2 163508949 STUD BOLTS&NUTS ASME B18.31.2/ B18.2.2 A193-B7/A194-2H INCH SIZE I010B0301 153437190 <SB2R51G1/221/2> - 2 NUTS PER BOLT - 65 mm Length VALVES / IN-LINE ITEMS BALL VALVE API 608 300# A216-WCB RFFE 316/R-PTFE, GF B7/2H 125 - 250 AARH 19918105 2PSB-FULL BORE FLOATING BALL OHW ASME B16.5 V04JFC29BZZG NREOD <B41_2L-AL084> (L-AL084) G2 B3 G2 B3 STEM SOUTH 2121-VZ40P02-3 SPEC 1C17 E 139525072 N 113387325 EL +3445 REMARKS FOR MECHANICAL SUBCONTRACTOR:

1) LINES 1.1/2" AND SMALLER SHALL BE SUPPORTED IN FIELD IF NOT OTHERWISE INDICATED. PIPE MATERIAL NOTES: 1. FOR TECHNICAL DETAILS SEE LINE LIST. **ISSUED FOR** 2. FOR VENT, DRAIN OR INSTRUMENT CONNECTION DETAILS SEE 45-L-45-000-2-00-80102 2) ALL DIMENSION AND PROPER CONFIGURATION FOR LINES NPS 1.1/2* AND SMALLER SHALL BE CHECKED IN FIELD BEFORE CONSTRUCTION.

3) FOR THE COMPONENTS MARKED AS FIELD WELDED WITH THIS SYMBOL

✓, ONE WELD FOR ADJUSTMENT OF IN LINE COMPONENT MUST BE LEFT CS 3. WELDING ACCORDING TO 45-L-45-000-2-00-80021 REFERENCE 4) FOR EXTRA PIPE LENGTH REFER TO 4274-LZ-PC-00000603.
5) GUSSETING TO BE IMPLEMENTED BY MECHANICAL SUBCONTRACTOR AS PER 45-L-45-000-2-00-80004 / 4274-XH-SG-00000002. HEAT TREATMENT (PWHT) 5. CODE SHOWN IN BOM BETWEEN "<" & ">" DENOTES REPSOL UNICODE. "<N/A>" MEANS UNICODE IS "NOT AVAILABLE" 6) CROSSING BETWEEN WELDS ON PIPELINE SHALL NOT BE ADMITTED.
7) IN CASE OF DISCREPANCIES BETWEEN DATA SHOWN ON ISO AND IN LINE LIST (AS APPLICABLE, DATA SHOWN IN LINE LIST GOVERN. PAINTING SCHEME (3) CONTRACTOR: CONTRACTOR DRAWING NUMBER: 8) ACTUAL CUT LENGTH OF PIPE AND FIELD WELDS SHALL BE DEFINED BY MECHANICAL SUBCONTRACTOR (REF.TO 4274-LZ-PC-00000603 PROJECT: Signature for construction is shown A=RESTING SUPPORT G=GUIDE F=AYAL STOP B=ANCHOR M=SPRING S=TEFLON PAD WHERE Δ WITHOUT NUMBERING IS INDICATED, THIS MEANS THAT THERE IS A REST DIRECTLY ON STEEL STRUCTURE. PIPING CLASS 4001008 DENOTES PARTS LIST NO PIPE SUPPORT — 4274-XH-DL-2121VZ40P02-4 on Iso list of relevant CWA SUPPORTS LEGEND: 1C17 TRESS CALC. Nº WELDING CLASS (4) LOW LINEAL DENSITY POLYETHILENE (PEL) CLIENT / COMPLEX AND POLYPROPYLENE (PP) PLANTS ISOMETRIC DRAWING REPSOL POLYMEROS/ PED CATEGORY 19-A-19-000-1-01-00001 sheet 45 FOR PROJECT - ALBA PROJECT SINES INDUSTRIAL COMPLEX REPSQL LINE Art 4.3 ISSUED FOR REFERENCE 11-AUG-23 U.CHAVAN P.VAZE G.PAGANONI 19-L-19-000-2-00-80602 INSULATION CODE / THK. (mm) ANNEX DRAWING NUMBER 00 PIPE LAYOUT Nº 1/2"-VZ-40P02-1C17 19-000-2-02-00001 sheet 2121VZ40P02-4 REV. DESCRIPTION APPR. CLIENT CHECK BY APPR. BY 19-L-19-000-2-00-86196 sheet 1

BILL OF MATERIAL

COMPONENT DESCRIPTION

FLANGES

HOLD

STATUS

QTY

ITEM CODE

(IN)