STREAM NO::4510

REMARKS FOR MECHANICAL SUBCONTRACTOR:

1) LINES 1.1/2" AND SMALLER SHALL BE SUPPORTED IN FIELD IF NOT OTHERWISE INDICATED.

DESCRIPTION

6) CROSSING BETWEEN WELDS ON PIPELINE SHALL NOT BE ADMITTED

2)

ALL DIMENSION AND PROPER CONFIGURATION FOR LINES NPS 1.1/2" AND SMALLER SHALL BE CHECKED IN FIELD BEFORE CONSTRUCTION.

FOR THE COMPONENTS MARKED AS FIELD WELDED WITH THIS SYMBOL ✗ , ONE WELD FOR ADJUSTMENT OF IN LINE COMPONENT MUST BE LEFT

9) WHERE EARTHING BONDING IS REQUIRED, MECHANICAL SUBCONTRACTOR TO PERFORM IT BASED ON DOC. 45-P-000-7-06-00902/ 4274 -NN-DW-00000002 AND ASSEMBLY NO FEA005 AND FE019.

14-JUL-23

M.YADAV

A=RESTING SUPPORT G=GUIDE F=AYAL STOP B=ANCHOR M=SPRING S=TEFLON PAD WHERE Δ WITHOUT NUMBERING IS INDICATED, THIS MEANS THAT THERE IS A REST DIRECTLY ON STEEL STRUCTURE.

P.VAZE

CHECK BY

G.PAGANONI

APPR. BY

TRESS CALC. N

19-L-19-000-2-00-80602

19-L-19-000-2-00-86197 sheet 2

REP-PE-001

PIPE LAYOUT No

APPR. CLIENT

4) FOR EXTRA PIPE LENGTH REFER TO 4274-LZ-PC-00000603.
5) GUSSETING TO BE IMPLEMENTED BY MECHANICAL SUBCONTRACTOR AS PER 45-L-45-000-2-00-80004 / 4274-XH-SG-00000002.

DENOTES PARTS LIST NO PIPE SUPPORT —


(7) IN CASE OF DISCREPANCIES BETWEEN DATA SHOWN ON ISO AND IN LINE LIST (AS APPLICABLE, DATA SHOWN IN LINE LIST GOVERN.

8) ACTUAL CUT LENGTH OF PIPE AND FIELD WELDS SHALL BE DEFINED BY MECHANICAL SUBCONTRACTOR (REF.TO 4274-LZ-PC-00000603

REV.

SUPPORTS LEGEND:

ISSUED FOR REFERENCE



BILL OF MATERIAL HOLD COMPONENT DESCRIPTION ITEM CODE QTY (IN) STATUS PIPE - A106-B PE SMLS T01AC03Z02 S-XS < PIPA010A13/4XS> (L-6679) I132785 FITTINGS TEE ASME B16.11 3000# A105N SWE SWE - R11FNC441101 NREQD <TESA300LBK3/4> 3/4X3/4 I1651300 CONCENTRIC SWAGE MSS SP-95 - A105N PE PE SMLS SCH1-XS SCH2-XS R21FQC44ZZ01 $\,$ 3/4X1/2 $\,$ <CSWA010AR11161016> (L-7890) COUPLING ASME B16.11 3000# A105N SWE SWE - R01FNC441101 NREQD I1651675 <FCPA300LBK1/2>(L-180) NIPPLE - - A106-B PE MTE SMLS LENGTH 100mm R03AOC03ZW04 S-160 I2221167 CAP ASME B16.11 3000# A105N FTE NREOD - R41FNC442001 NREOD <CATA300KBK1/2> 1/2 11651685 (L-79) LANGES SW FLANGE ASME B16.5 300# A105N RFFE SWE 125 - 250 AARH F02CFC44B105 S-XS 19762190 <SWFA300R353/4XS> (L-375) BLIND FLANGE ASME B16.5 300# A105N RFFE NREOD 125 - 250 AARH F10CFC44B005 I1652375 ASKETS SPIRAL WOUND GASKET ASME B16.20 300# RFTBE 316/GRAFOIL CARBON STEEL SS 316 3/4 160205406 ASME B16.5 G03GFP1IO01 < SPAO504R3EA3/4> (L-SPA01) 10 STUD BOLTS&NUTS ASME B18.31.2/ B18.2.2 A193-B7/A194-2H INCH SIZE I010B0301 153437418 <SB2R51G5/831/4> - 2 NUTS PER BOLT - 80 mm Length ALVES / IN-LINE ITEMS 1 BALL V-FLT-MS-FB API 608 300# A216-WCB RFFE 316/METAL B7/2H 125 - 250 AARH 164811940 2PSB-FULL BORE FLOATING BALL OHW ASME B16.5 V1MJFC29B71 NREQD <N/A> (N/A). PIPE MATERIAL NOTES: 1. FOR TECHNICAL DETAILS SEE LINE LIST. 2. FOR VENT, DRAIN OR INSTRUMENT CONNECTION DETAILS SEE 45-L-45-000-2-00-80102 CS 3. WELDING ACCORDING TO 45-L-45-000-2-00-80021 HEAT TREATMENT (PWHT) 5. CODE SHOWN IN BOM BETWEEN "<" & ">" DENOTES REPSOL UNICODE. "<N/A>" MEANS UNICODE IS "NOT AVAILABLE" PAINTING SCHEME (3) CONTRACTOR: CONTRACTOR DRAWING NUMBER: PROJECT: 4001008 PIPING CLASS 4274-XH-DL-2121CYG40B02-8 1E87 WELDING CLASS (4) LOW LINEAL DENSITY POLYETHILENE (PEL) CLIENT / COMPLEX AND POLYPROPYLENE (PP) PLANTS REPSOL POLYMEROS/ PED CATEGORY FOR PROJECT - ALBA PROJECT SINES INDUSTRIAL COMPLEX REPSQL INSULATION CODE / THK. (mm) DRAWING NUMBER ANNEX 00 19-000-2-02-00001 sheet 2121CYG40B02-8

ISSUED FOR

REFERENCE

FILENAME: 19-000-2-02-00001 sheet 2121CYG40B02-8.dwg