

# THINKBOX AI INTENSIVE TRAINING MISSION CONTROL BUILD LAB

Every student leaves with a live AI command-center dashboard connected to their own tools — built by prompting, refreshed automatically, owned forever. Pick your track:

## ● TRACK 1 · BEGINNERS

Zero coding. Copy three prompts, press Enter three times, tap Allow once. Large-print pages 3–6 are your whole world.

TIME: ~90 MIN · PAGES 3–6 · OUTCOME:  
LIVE DASHBOARD + AUTOPILOT

## ● TRACK 2 · ADVANCED

Everything in Track 1, then: read the data contract, operate the refresh system, customize panels, and ship a build for a client.

TIME: HALF DAY · PAGES 7–10 · OUTCOME:  
OPERATOR-LEVEL MASTERY



# WHAT EVERY STUDENT BUILDS

One private web page that looks like a NASA control room: an **AI Morning Briefing** that cross-references your email, calendar, tasks and money; a **Connector Array** of live status lights; schedule, inbox, design, chat, and credit panels; a privacy blur for screen-sharing; and a cinematic 3D presentation layer. It refreshes itself twice a day.

## ⚡ THE FIVE GROUND RULES — RECITE BEFORE PROMPTING

- **Real data only.** Every number comes from a live tool probe — no samples, no guessing.
- **Fail honest.** Unreachable tools show "NO SIGNAL" — the page never breaks, never pretends.
- **One self-contained file.** Works offline; no internet libraries or fonts.
- **Data ≠ design.** Data lives in dashboard-data.js; visuals in index.html. Refreshes only touch data.
- **Privacy by default.** Private link; money blurs with one tap.



## BEFORE CLASS — EVERY STUDENT, BOTH TRACKS

- Claude account with **Claude Code on the web** (claude.ai/code) — Pro, Max, or Team.
- Connectors linked at claude.ai → Settings → Connectors (Gmail, Calendar, Drive, Notion, Slack, Canva — what you use).
- A private **GitHub repository** connected to the session.
- Instructor check: ask Claude to read one email subject. If it can, you're mission-ready.

# 0

## Get Ready

- ▶ **Go to [claude.ai/code](https://claude.ai/code) and sign in.**

Paid Claude plan required (Pro, Max, or Team).

- ▶ **Connect your tools.**

claude.ai → Settings → Connectors → link **Gmail, Calendar, Drive, Notion, Slack, Canva** — whatever you use.

- ▶ **Connect a GitHub repository.**

Any private repo — it keeps your dashboard safe forever.

- ▶ **Open a new Claude Code session.**

The next three pages are the only prompts you need.

## 1

# Build It

**COPY THIS WHOLE BOX → PASTE INTO CLAUDE → PRESS ENTER**

Probe every connector I have and build me a personal MISSION CONTROL dashboard as one local HTML page in a mission-control/ folder. Requirements:

1. Dark NASA-control-room design: phosphor green/amber/cyan on near-black, monospace type, grid background, scanlines, corner-ticked panels, live clock in my timezone, status LEDs.
2. REAL DATA ONLY. Call each of my connected tools live (email, calendar, files, tasks, team chat, designs, credits/finance – whatever I have connected). Any tool that fails or needs approval gets marked offline and its panel shows "NO SIGNAL – SOURCE OFFLINE". Never invent data, never break the page.
3. Structure: index.html (the visual shell) reads from dashboard-data.js (a cached data feed you rewrite on every refresh). Single self-contained page, works fully offline, no external CDNs or libraries.
4. Include: an AI MORNING BRIEFING panel – a prioritized, numbered action list you write by cross-referencing sources (flag security alerts, schedule conflicts, duplicate events, money items, and mismatches like an empty task board against a full calendar); a CONNECTOR ARRAY panel showing every source online/offline; a 7-day schedule; notable inbox traffic tagged SECURITY/ACTION/MONEY; one panel per connected tool.
5. Add a PRIVACY toggle button that blurs all money values (balances, revenue, collections) for screen-sharing.
6. Create a skill file documenting the refresh procedure: re-probe all tools, rewrite dashboard-data.js with real data only, mark failures offline, write a fresh briefing, verify with node --check, commit and push. The refresh must never modify the visual layer.
7. Verify the page renders (screenshot it), commit and push, then publish it as a private Artifact so I get one permanent link – and show me screenshots of every panel to prove it works.

**DONE WHEN:** Claude shows screenshots + one link starting with [claude.ai/code/artifact/](https://claude.ai/code/artifact/) —  
**SAVE THAT LINK.**

## 2

# Make It 3D

**COPY THIS WHOLE BOX → PASTE → PRESS ENTER**

Let's enhance `mission-control/index.html` to feel like a 3D cinematic sci-fi command center instead of a flat retro terminal, while keeping it a single self-contained file that still works fully offline (no external CDN dependencies). Please add: (1) depth/perspective – a CSS perspective container with each panel given a subtle 3D tilt that responds to mouse movement (parallax), so panels feel like physical screens in a console rather than flat divs; (2) lighting effects – glowing box-shadows on the status LEDs so they look like they emit light, soft radial-gradient "glass" glow behind panels, and an occasional subtle glare/scanline sweep animation across panels; (3) atmosphere – a lightweight canvas-based starfield or drifting particle layer behind everything, plus a vignette darkening the screen edges; (4) motion/cinematic feel – a brief boot-up animation on load (flicker-on/scanline sweep) followed by panels fading/sliding in with a slight stagger, animated counting/typing-in for key data values, and subtle pulsing glow on the status LEDs. Keep performance light (pure CSS/canvas/vanilla JS, no heavy libraries) since this needs to run smoothly as a static offline file. Don't touch the underlying data logic in `dashboard-data.js` or the refresh skill – this should be a visual/animation layer on top of the existing structure. Show me screenshots when done.

**DONE WHEN:** screenshots show a boot-up screen and panels that tilt with your mouse.

# 3

## Automate It

**COPY → PASTE → THEN TAP "ALLOW" WHEN ASKED**

Put the Mission Control refresh into permanent automation: create a Routine that runs daily at 7:00 AM and 11:00 AM my time. Each run must follow the refresh skill – re-probe every connected tool plus any newly approved connectors, rewrite dashboard-data.js with real probed data only, mark failed sources offline (never fake data, never break the page), write a fresh AI briefing, verify with node --check, commit and push, rebuild the single-file page, and republish the Artifact at MY EXISTING LINK using the url parameter so my link never changes. Do not modify the visual layer. Message me only if something urgent surfaced (security alerts, revenue events, missed commitments); otherwise refresh silently.

**DONE WHEN:** Claude confirms a Routine ID + next run time. Tapping ALLOW on the popup is the only manual step.

**GRADUATE:** Open your link → Add to Home Screen → tap the TEXT and PRIVACY buttons.  
Track 1 complete. 🎓

## A1

## ▶ MODULE A1

## READ THE DATA CONTRACT

Advanced operators debug by understanding the pipeline: **probe** → **cache** → **render**. Claude probes your tools, caches results in this JSON, and the page renders whatever the JSON says. Every bug lives in one of those three steps.

```
window.MISSION_DATA = {
  generatedAt: "2026-07-30T11:07:00Z",           ← stamp of the live probe
  operator: { name, email, org, timezone },
  briefing: { headline, actions: [ { priority: 1, title, detail,
    sources: ["Gmail", "Calendar"],           ← the cross-references
    money: true } ] },                       ← blurred by privacy mode
  sources: [ { name, status: "online" | "offline" | "auth", detail } ],
  gmail: { inboxEstimateLast3Days, threads: [ { at, from, subject,
    tag: "SECURITY"|"ACTION"|"MONEY"|"NEWSLETTER" } ] },
  calendar: { timezone, calendarCount, events: [ { day, time, title, note } ] },
  notion: { openTasks, tasksDb, recentPages },
  drive: { files: [] },                      ← empty array = NO SIGNAL panel
  canva: { designs }, slack: { workspace, channels },
  higgsfield: { credits: 437.91, plan }       ← any balance-type tool fits
};
```

## ▶ LAB EXERCISE A1

Open your repo → mission-control/dashboard-data.js. Find: (1) the probe timestamp, (2) one **money: true** item, (3) one offline source. Then open the dashboard and point to where each renders. 10 minutes.



## A2

## ▶ MODULE A2

## OPERATE THE REFRESH SYSTEM

The Routine fires twice daily. Each run: **re-probe all tools** → **rewrite the JSON** → **node --check** → **commit + push** → **republish the same artifact link**. It messages the owner only for security alerts, revenue events, or missed commitments. Your job as operator is reading the signals:

| SIGNAL               | MEANING                                  | OPERATOR RESPONSE                                                  |
|----------------------|------------------------------------------|--------------------------------------------------------------------|
| "Page not found"     | Viewer isn't signed in — page is private | Sign in with the owner account; teach clients this first           |
| One panel NO SIGNAL  | Connector off or approval-gated          | Settings → Connectors → reconnect; verify next refresh             |
| All panels NO SIGNAL | Routine fired without connectors         | Recreate Routine from Settings → Routines with connectors attached |
| Stale DATA stamp     | Routine paused, or run failed            | Say "refresh now"; check Settings → Routines is enabled            |
| Git history          | Every refresh is a commit                | Read commit messages as a daily ops log of the account             |

## ▶ LAB EXERCISE A2

Say "refresh now" and watch the full cycle. Then open your repo's commit history and read the last three refresh commits aloud — that's your client-reporting narrative.



## OPERATOR RULES OF ENGAGEMENT

- **Never ask Claude to fake a panel** — an honest NO SIGNAL is a selling point, not a bug.
- **Approvals are one-tap, in-session** — Routines and some connectors need you present to tap Allow.
- **The artifact URL is permanent** — republishing to the same link is what keeps client bookmarks alive.



## A3

## ▶ MODULE A3

## CUSTOMIZE, EXTEND, AND SHIP

| UPGRADE        | SAY THIS TO CLAUDE                                                                       |
|----------------|------------------------------------------------------------------------------------------|
| New schedule   | "Change the refresh schedule to ____ and ____ my time."                                  |
| New panel      | "Add a panel for ____ — probe it live like the others."                                  |
| Brand skin     | "Recolor the theme to my brand: primary ____, accent ____ — keep the control-room feel." |
| Accessibility  | "Add a TEXT toggle that enlarges all panel text for large-print reading."                |
| Deeper privacy | "Blur client names too when privacy mode is on."                                         |
| Notifications  | "After each morning refresh, message me the top 3 briefing items."                       |

## ➤ CAPSTONE MISSION 1 — CLIENT BUILD

Partner up. Using only the Track 1 pages, guide your partner's build on *their* account without touching their keyboard. Ship: their artifact link + Routine ID.

## ➤ CAPSTONE MISSION 2 — SIGNATURE PANEL

Design one panel that doesn't exist yet (revenue tracker, content calendar, prayer-call roster, client pipeline). Write the one-sentence probe description and the JSON shape, then have Claude add it live.

## ➤ CAPSTONE MISSION 3 — TEACH-BACK

Record a 3-minute walkthrough of your dashboard using the privacy blur. Post it in the ThinkBox Slack #all-thinkbox-ai-operating-systems channel — first transmission wins the channel.



# CERTIFICATION CHECKLISTS

## ✓ TRACK 1 — BEGINNER CERTIFIED WHEN:

- Dashboard live at a [claude.ai/code/artifact](#) link with today's DATA stamp
- Cinematic layer verified: boot animation + mouse parallax on screen
- Routine confirmed with ID + next-run time (Allow tapped in session)
- Phone: signed in, Added to Home Screen, PRIVACY and TEXT toggles demonstrated

## ✓ TRACK 2 — ADVANCED CERTIFIED WHEN:

- Can locate any dashboard number in `dashboard-data.js` within 60 seconds
- Ran a manual "refresh now" and narrated the probe → cache → render cycle
- Diagnosed all five operator signals from the A2 table without notes
- Capstone 1 shipped: a second person's dashboard live under their own account
- Capstone 2 shipped: one custom panel probing live data

## INSTRUCTOR PACK

- **This curriculum:** [mission-control/ThinkBox-AI-Intensive-Training.pdf](#)
- **Cinematic deep-dive guide:** [Mission-Control-Classroom-Guide.pdf](#) · **Large-print handout:** [Mission-Control-Large-Print.pdf](#)
- **Wall chart:** in Canva ("Step-by-step guide for seamless AI integration") — Resize → Whiteboard to project
- **Reference build:** the MJU Mission Control dashboard + [SOP-mission-control.md](#) in the [openclaw](#) repo