


CODE

Index.php




A screenshot of a code editor interface. The title bar says "Project". The left sidebar shows a project structure with files like config, dbconfig.php, css, contact.php, dashboard.php, footer.php, header.php, index.php, login.php, logout.php, member.php, and register.php. The main editor area shows the content of index.php:

```
<?php
// Include the header file
include 'header.php';
?>
<div class="arrange">
    <div class="left">
        <h1>Welcome to Trip Go!

The status bar at the bottom shows "Ln 21, Col 1" and "Spaces: 4".


```

Header.php



A screenshot of a code editor interface. The title bar says "Project". The left sidebar shows a project structure with files like config, dbconfig.php, css, contact.php, dashboard.php, footer.php, header.php, index.php, login.php, logout.php, member.php, and register.php. The main editor area shows the content of header.php:

```
<!DOCTYPE HTML>
<html>
<head>
    <!-- Character encoding for the document -->
    <meta charset="utf-8">
    <!-- Title of the webpage displayed in the browser tab -->
    <title>Trip Website</title>
    <!-- Link to the external CSS stylesheet for styling the webpage -->
    <link rel="stylesheet" type="text/css" href="css/styles.css">
</head>
<body>
    <!-- Main container for the webpage content -->
    <div id="container">
        <!-- Header section containing the banner -->
        <header id="banner">
            <h1>Trip Go</h1> <!-- Website title -->
        </header>
        <!-- Navigation bar for the website -->
        <div id="nav">
            <ul>
                <!-- List of navigation links -->
                <li><a href="index.php">Home</a></li> <!-- Link to the home page -->
                <li><a href="member.php">Member</a></li> <!-- Link to the member page -->
                <li><a href="register.php">Register</a></li> <!-- Link to the registration page -->
                <li><a href="contact.php">Contact</a></li> <!-- Link to the contact page -->
            </ul>
        </div>
    </div> <!-- Close main container -->
</body>
```

The status bar at the bottom shows "Ln 31, Col 1" and "Spaces: 4".

Footer.php

The screenshot shows a code editor interface with a dark theme. The top menu bar includes File, Edit, Selection, View, Go, Run, etc. The title bar says "Project". The left sidebar has sections for EXPLORER, OPEN EDITORS, and PROJECT. In the OPEN EDITORS section, "index.php", "header.php", and "footer.php" are listed, with "footer.php" currently selected. The PROJECT section lists files like config/dbconfig.php, css/styles.css, images/contact.php, images/dashboard.php, footer.php, header.php, index.php, login.php, logout.php, member.php, and register.php. The main editor area contains the following PHP code:

```
<!-- Footer section -->
<div>
| <footer>Developed by Aditi Trivedi</footer>
</div>
```

Register.php

The screenshot shows a code editor interface with a dark theme. The top menu bar includes File, Edit, Selection, View, Go, Run, etc. The title bar says "Project". The left sidebar has sections for EXPLORER, OPEN EDITORS, and PROJECT. In the OPEN EDITORS section, "index.php", "header.php", "footer.php", and "register.php" are listed, with "register.php" currently selected. The PROJECT section lists files like config/dbconfig.php, css/styles.css, images/contact.php, images/dashboard.php, footer.php, header.php, index.php, login.php, logout.php, member.php, and register.php. The main editor area contains the following PHP code, which includes a CSS link and a series of image containers:

```
<?php
// Include the database configuration file
include("config/dbconfig.php");
?>
<!-- Start of the main content container -->
<div class="tool">
<html>
<?php
// Include the header file
include 'header.php';
?>
<head>

<link rel="stylesheet" type="text/css" href="css/styles.css">
</head>
<body>
<!-- Image gallery section -->
<div class="picture">
<!-- Each image is wrapped in a div with a class 'contain' and includes a label -->
<div class="contain"><br>Alberta</div>
<div class="contain"><br>British Columbia</div>
<div class="contain"><br>Canadian Rocky Mountain Par...
<div class="contain"><br>Columbia Icefield</div>
<div class="contain"><br>Manitoba</div>
...
<div class="contain"><br>New Brunswick</div>
<div class="contain"><br>Newfoundland and Labrador</div>
<div class="contain"><br>Northwest Territories</div>
<div class="contain"><br>Nova Scotia</div>
<div class="contain"><br>Nunavut</div>
```

Screenshot of a code editor showing the 'register.php' file. The code handles user registration, including form validation and session handling.

```
<?>
<body>
<div class="register">
<form action="register.php" method="POST">
<input type="text" id="fname" name="fname"><br><br>
<input type="submit" name="submit" value="Register">
<!-- Logout button -->
<button><a href="logout.php">Logout</a></button>
</form>
</div>

<?php
// Include the footer file
include 'footer.php';
?>

<?php
// Check if the form has been submitted
if (isset($_POST['submit'])) {
    $fname = $_POST['fname'];
    $lname = $_POST['lname'];
    $email = $_POST['email'];
    $password = $_POST['password'];
    $pname = $_POST['pname'];


    // Validate email input
    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        echo "<p>Invalid email address!</p>";
    } else {
        // Insert into database
        $conn = mysqli_connect("localhost", "root", "", "mydb");
        $sql = "INSERT INTO users (fname, lname, email, password, pname) VALUES ('$fname', '$lname', '$email', '$password', '$pname')";

        if ($conn->query($sql) === TRUE) {
            echo "<p>Registration successful!</p>";
        } else {
            echo "<p>Error: " . $conn->error . "</p>";
        }
        $conn->close();
    }
}
?>
```

Screenshot of a code editor showing the 'register.php' file. The code includes sections for displaying images of Canadian provinces and territories, and a registration form.


```
<?>
<body>
<div class="picture">
<div class="contain"><br>Quebec</div>
<div class="contain"><br>Saskatchewan</div>
<div class="contain"><br>Yukon</div>
</div>


<div class="register">
<h1> Registration Form </h1>
<div class="red">
|   <p> All fields are compulsory to fill** </p>
</div>
<form action="register.php" method="POST">
    <!-- Input fields for user registration -->
    <label for="fname">First Name:</label>
    <input type="text" id="fname" name="fname"><br><br>
    <label for="lname">Last Name:</label>
    <input type="text" id="lname" name="lname"><br><br>
    <label for="email">Email:</label>
    <input type="email" id="email" name="email"><br><br>
    <label for="password">Password:</label>
    <input type="password" id="password" name="password"><br><br>
    <label for="name">Enter the place from above:</label>
    <input type="text" id="pname" name="pname"><br><br>
    <input type="submit" name="submit" value="Register">
    <!-- Logout button -->
    <button><a href="logout.php">Logout</a></button>
</form>
</div>
```



```
File Edit Selection View Go Run ... < > Project
OPEN EDITORS index.php header.php footer.php register.php X
register.php
11 ?>
12 <body>
13 if (isset($_POST['submit'])) {
14     // Validate email input
15     if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
16         echo "<p>Invalid email address!</p>";
17     } else {
18         // Prepare and bind parameters for SQL statement
19         $stmt = $pdo->prepare("INSERT INTO trip (fname, lname, email, password, pname) VALUES (:fname, :lname, :email, :password, :pname)");
20         $stmt->bindParam(':fname', $fname);
21         $stmt->bindParam(':lname', $lname);
22         $stmt->bindParam(':email', $email);
23         $stmt->bindParam(':password', $password);
24         $stmt->bindParam(':pname', $pname);
25         try {
26             // Execute the SQL statement
27             $stmt->execute();
28             echo "<p>Registration successful!</p>";
29             // Redirect to the login page after successful registration
30             header('Location: login.php');
31             exit;
32         } catch (PDOException $e) {
33             echo "<p>Error registering user: " . $e->getMessage() . "</p>";
34         }
35     }
36 }
37 ?>
38 </body>
39 </html>
40 </div>
```

Login.php



```
File Edit Selection View Go Run ... < > Project
OPEN EDITORS index.php header.php footer.php register.php login.php X
login.php
1 <?php
2 // Include the database configuration file
3 include("config/dbconfig.php");
4 ?>
5 <?php
6 // Check if the login form has been submitted
7 if (isset($_POST['login'])) {
8     $email = $_POST['email'];
9     $password = $_POST['password'];
10
11     // Prepare and execute a statement to validate login credentials
12     $stmt = $pdo->prepare("SELECT * FROM trip WHERE email = :email AND password = :password");
13     $stmt->bindParam(':email', $email);
14     $stmt->bindParam(':password', $password);
15     $stmt->execute();
16
17     try {
18         // If credentials are valid, redirect to the dashboard page
19         $stmt->execute();
20         header('Location: dashboard.php'); // Redirect to dashboard page
21         exit;
22     } catch (PDOException $e) {
23         // Display an error message if registration fails
24         echo "<p>Error registering user: " . $e->getMessage() . "</p>";
25     }
26 }
27 ?>
28 <!-- Start of the login page content -->
29 <div class="back">
```

The screenshot shows a code editor interface with a dark theme. The top menu bar includes File, Edit, Selection, View, Go, Run, and various icons. A search bar labeled 'Project' is at the top right. The left sidebar has sections for EXPLORER, OPEN EDITORS, and PROJECT. In the OPEN EDITORS section, 'login.php' is selected. The main editor area displays the PHP code for the login page:

```
31 <html lang="en">
32 <?php
33 // Include the header file
34 include 'header.php';
35 ?
36 <head>
37     <!-- Link to the external CSS stylesheet for styling the webpage -->
38     <link rel="stylesheet" type="text/css" href="css/styles.css">
39 </head>
40 <body>
41     <!-- Login form section -->
42     <div class="login-form">
43         <h2>Login</h2>
44         <!-- Form for user login -->
45         <form action="login.php" method="post">
46             <label for="email">Email:</label>
47             <input type="email" id="email" name="email"><br><br>
48             <label for="password">Password:</label>
49             <input type="password" id="password" name="password"><br><br>
50             <input type="submit" name="login" value="Login">
51         </form>
52         <!-- Display error message if login fails -->
53         <?php if (isset($error)) { echo "<p>$error</p>"; } ?>
54     </div>
55     <!-- Include the footer file -->
56     <?php include 'footer.php'; ?>
57 </body>
58 </html>
59 </div>
```

The status bar at the bottom shows 'Ln 60, Col 1' and other system information.

Contact.php

The screenshot shows a code editor interface with a dark theme, similar to the previous one. The top menu bar and sidebar are identical. The 'contact.php' file is selected in the OPEN EDITORS section. The main editor area displays the PHP code for the contact page:

```
1 <?php
2 // Include the database configuration file
3 include("config/dbconfig.php");
4 ?
5 <!-- Main container for the contact page -->
6 <div class="container1">
7 <!DOCTYPE html>
8 <html>
9 <php>
10 // Include the header file
11 include 'header.php';
12 ?
13 <body>
14     <div class="container">
15         <!-- Contact form heading and description -->
16         <h1>Contact Us</h1>
17         <p>Fill out the form below to send us a message.</p>
18         <!-- Contact form section -->
19         <div class="form">
20             <form action="contact.php" method="POST">
21                 <!-- Input field for name -->
22                 <label for="name">Name:</label>
23                 <input type="text" id="name" name="name"><br><br>
24                 <!-- Input field for email -->
25                 <label for="email">Email:</label>
26                 <input type="email" id="email" name="email"><br><br>
27                 <!-- Text area for message -->
28                 <label for="message">Message:</label>
29                 <textarea id="message" name="message"></textarea><br><br>
```

The status bar at the bottom shows 'Ln 44, Col 1' and other system information.

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, Run, ...
- Search Bar:** Project
- Toolbar:** Standard icons for file operations.
- Explorer:** Shows the project structure with files like index.php, header.php, footer.php, register.php, login.php, and contact.php.
- Editor:** The contact.php file is open, displaying PHP code for a contact form. The code includes fields for name, email, and message, along with validation logic for errors and success messages.
- Bottom Bar:** Includes tabs for Share Code Link, Explain Code, Comment Code, Find Bugs, Code Chat, and various system status indicators like date and time.

Logout.php

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, Run, ...
- Search Bar:** Project
- Toolbar:** Standard icons for file operations.
- Explorer:** Shows the project structure with files like index.php, header.php, footer.php, register.php, login.php, contact.php, and logout.php.
- Editor:** The logout.php file is open, displaying PHP code for logging out a user. It starts a session, unsets session variables for email and password, destroys the session, and then redirects the user to the index.php page.
- Bottom Bar:** Includes tabs for Share Code Link, Explain Code, Comment Code, Find Bugs, Code Chat, and various system status indicators like date and time.

Member.php

The screenshot shows a code editor interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, Run, ...
- Project Bar:** footer.php, register.php, login.php, contact.php, logout.php, member.php (highlighted), dashboard.php
- Explorer:** Shows the project structure with files like index.php, header.php, footer.php, register.php, login.php, contact.php, logout.php, member.php, and dashboard.php.
- Editor:** Displays the content of the member.php file. The code includes PHP logic for including header files and styling with CSS classes like profile-item and person.
- Bottom Bar:** Share Code Link, Explain Code, Comment Code, Find Bugs, Code Chat, Line numbers (Ln 25, Col 1), Spaces: 4, UTF-8, LF, PHP, Go Live, AI Code Chat, Spell Check, and system status (ENG IN, 16:34, 09-08-2024).

This screenshot shows the same code editor interface as the first one, but the member.php file has been modified at the bottom:

```
</html>
<?php
// Include the footer file for consistent page footers
include 'footer.php';
?>
```

The rest of the code remains identical to the first screenshot.

Dashboard.php

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, Run, ...
- Toolbar:** Project search bar, file operations (New, Open, Save, etc.), and a tab bar showing multiple PHP files: footer.php, register.php, login.php, contact.php, logout.php, member.php, and dashboard.php (which is currently selected).
- Explorer:** Shows the project structure under "PROJECT".
- Editor:** Displays the content of dashboard.php. The code includes database connection setup, a query to fetch user information, and the start of an HTML document.
- Bottom Bar:** Includes tabs for Explain Code, Comment Code, Find Bugs, Code Chat, and various system status indicators like Ln 50, Col 1, Spaces: 4, UTF-8, LF, PHP, Go Live, AI Code Chat, Spell Check, and a date/time stamp (09-08-2024).

The screenshot shows the same code editor interface after modifications to dashboard.php:

- File Menu:** File, Edit, Selection, View, Go, Run, ...
- Toolbar:** Project search bar, file operations, and a tab bar showing footer.php, register.php, login.php, contact.php, logout.php, member.php, and dashboard.php (selected).
- Explorer:** Project structure.
- Editor:** The dashboard.php code now includes the opening HTML tags, the header inclusion, and the main content block. It displays a welcome message and a logout button.
- Bottom Bar:** Includes tabs for Explain Code, Comment Code, Find Bugs, Code Chat, and various system status indicators like Ln 50, Col 1, Spaces: 4, UTF-8, LF, PHP, Go Live, AI Code Chat, Spell Check, and a date/time stamp (09-08-2024).

dbconfig.php

The screenshot shows a code editor interface with a dark theme. The top menu bar includes File, Edit, Selection, View, Go, Run, etc. The title bar says "Project". The left sidebar has icons for Explorer, Open Editors, Project, Outline, and Timeline. The main area shows the "dbconfig.php" file under "OPEN EDITORS". The code is as follows:

```
<?php
// Database connection parameters
$host = 'localhost'; // Hostname of the database server
$dbname = 'test'; // Name of the database
$username = 'root'; // Username to connect to the database
$password = '';// Password for the database user

try {
    // Create a new PDO instance for connecting to the database
    $pdo = new PDO("mysql:host=$host;dbname=$dbname", $username, $password);
} catch (PDOException $e) {
    // Set the PDO error mode to exception for better error handling
    $pdo->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
    // Set the default fetch mode to associative array
    $pdo->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_ASSOC);
} catch (Exception $e) {
    // Handle connection failure and display error message
    echo "Connection failed: " . $e->getMessage();
}
?>
```

The status bar at the bottom shows various icons and the date/time: 09-08-2024.

Style.css

The screenshot shows a code editor interface with a dark theme. The top menu bar includes File, Edit, Selection, View, Go, Run, etc. The title bar says "Project". The left sidebar has icons for Explorer, Open Editors, Project, Outline, and Timeline. The main area shows the "# styles.css" file under "OPEN EDITORS". The code is as follows:

```
/* Global Styles */
* {
    box-sizing: border-box;
    margin: 0;
    padding: 0;
}

/* Style for the body element */
body {
    font-family: Arial, sans-serif; /* Set a readable font */
    font-size: 16px; /* Set the base font size */
    line-height: 1.5; /* Increase line height for readability */
    color: #ffffcfc; /* Set the text color */
}

/* Style for links */
a {
    text-decoration: none; /* Remove default underline */
    color: #337ab7; /* Set link color */
}

/* Style for links on hover */
a:hover {
    color: #23527c; /* Change link color on hover */
}

/* Header Styles */

```

The status bar at the bottom shows various icons and the date/time: 09-08-2024.

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** Shows files like footer.php, register.php, login.php, contact.php, logout.php, member.php, dashboard.php, dbconfig.php, and styles.css.
- Open Editors:** The main editor pane displays the first 59 lines of a CSS file named # styles.css. The code includes styles for a header container, left section, banner, and main header text.
- Bottom Bar:** Includes tabs for Share Code Link, Explain Code, Comment Code, Find Bugs, and Code Chat. It also shows code statistics (Ln 377, Col 1), file encoding (UTF-8), and other settings.

```
css > # styles.css > ...
31 /* Style for header container */
32 .arrange {
33 | background-image: url("https://www.tripsavvy.com/thmb/VkL8HmumZQvMMF6z1KTYBR9Rlpg=/750x0/filters:no_upscale():max_bytes(150000)
34 | background-repeat: no-repeat; /* Prevent background image from repeating */
35 | background-size: cover; /* Cover the entire container with the background image */
36 }
37
38 /* Style for left section in the header */
39 .left {
40 | background-color: #rgb(7, 7, 7); /* Dark background color */
41 | margin-left: 25%; /* Align to the right */
42 | line-height: 50px; /* Increase line height */
43 | padding: 3%; /* Add padding around content */
44 | margin-right: 20%; /* Align to the left */
45 }
46
47 /* Style for header banner */
48 #banner {
49 | background-color: #337ab7; /* Set background color */
50 | color: #fff; /* Set text color */
51 | padding: 5px; /* Add padding */
52 | text-align: center; /* Center-align text */
53 }
54
55 /* Style for main header text */
56 #banner h1 {
57 | font-size: 50px; /* Large font size */
58 | margin-bottom: 10px; /* Space below the header */
59 | text-shadow: 5px 5px 5px black; /* Add shadow to text */
}
```

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** Shows files like footer.php, register.php, login.php, contact.php, logout.php, member.php, dashboard.php, dbconfig.php, and styles.css.
- Open Editors:** The main editor pane displays the last 91 lines of the same CSS file. The code continues with styles for secondary header text, navigation container, and individual navigation items.
- Bottom Bar:** Includes tabs for Share Code Link, Explain Code, Comment Code, Find Bugs, and Code Chat. It also shows code statistics (Ln 377, Col 1), file encoding (UTF-8), and other settings.

```
css > # styles.css > ...
62 /* Style for secondary header text */
63 #banner h3 {
64 | font-size: 18px; /* Font size for secondary header */
65 | margin-bottom: 20px; /* Space below the header */
66 }
67
68 /* Navigation Styles */
69
70 /* Style for navigation container */
71 #nav {
72 | background-color: #333; /* Dark background color */
73 | padding: 10px; /* Add padding */
74 | text-align: center; /* Center-align navigation items */
75 }
76
77 /* Style for navigation list */
78 #nav ul {
79 | list-style: none; /* Remove default list styling */
80 | margin: 0; /* Remove margin */
81 | padding: 0; /* Remove padding */
82 }
83
84 /* Style for individual navigation items */
85 #nav li {
86 | display: inline-block; /* Display list items in a line */
87 | margin-right: 20px; /* Space between items */
88 }
89
90 /* Style for navigation links */
91 #nav a {
```

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, Run, ...
- Project Bar:** Project (with a search icon), Minimize, Maximize, Close.
- Editor Area:** The code editor displays the contents of the `# styles.css` file. The visible code includes:

```
css > # styles.css > ...
90  /* Style for navigation links */
91  #nav a {
92  |   color: #fff; /* Set text color */
93  |   padding: 8px; /* Add padding */
94  }
95
96  /* Style for navigation links on hover */
97  #nav a:hover {
98  |   color: #ef2020; /* Change color on hover */
99  }

100 /* Main Content Styles */
101
102 /* Style for main content container */
103 .main-content {
104 |   max-width: 800px; /* Limit width */
105 |   margin: 40px auto; /* Center align with margin */
106 |   padding: 20px; /* Add padding */
107 |   background-color: #fff; /* White background color */
108 |   border: 1px solid #ddd; /* Light border */
109 |   box-shadow: 0 0 10px rgba(0, 0, 0, 0.1); /* Add shadow */
110 }

111 /* Footer Styles */
112
113 /* Style for footer */
114 footer {
115 |   background-color: #333; /* Dark background color */
116 |   margin-top: 10%; /* Margin on top */
117 }

118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
```

Explorer Bar: Shows the project structure with files like gister.php, login.php, contact.php, logout.php, member.php, dashboard.php, dbconfig.php, and styles.css.

Bottom Bar: Share Code Link, Explain Code, Comment Code, Find Bugs, Code Chat, Line 377, Col 1, Spaces: 2, UTF-8, LF, CSS, Go Live, AI Code Chat, Spell, ENG IN, 16:39, 09-08-2024.

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, Run, ...
- Project Bar:** Project (with a search icon), Minimize, Maximize, Close.
- Editor Area:** The code editor displays the contents of the `# styles.css` file. The visible code includes:

```
css > # styles.css > ...
115 /* Style for footer */
116 footer {
117 |   background-color: #333; /* Dark background color */
118 |   margin-top: 10%; /* Margin on top */
119 |   color: #fff; /* White text color */
120 |   padding: 10px; /* Add padding */
121 |   text-align: center; /* Center-align text */
122 |   clear: both; /* Clear floats */
123 }

124
125 /* Responsive Design */
126
127 /* Styles for screens smaller than 768px */
128 @media (max-width: 768px) {
129   #nav {
130     | | padding: 5px; /* Reduce padding */
131   }
132   #nav li {
133     | | margin-right: 10px; /* Reduce space between items */
134   }
135   .main-content {
136     | | margin: 20px auto; /* Reduce margin */
137   }
138 }

139 /* Styles for screens smaller than 480px */
140 @media (max-width: 480px) {
141   #banner {
142     | | padding: 10px; /* Reduce padding */
143   }
144 }
```

Explorer Bar: Shows the project structure with files like gister.php, login.php, contact.php, logout.php, member.php, dashboard.php, dbconfig.php, and styles.css.

Bottom Bar: Share Code Link, Explain Code, Comment Code, Find Bugs, Code Chat, Line 377, Col 1, Spaces: 2, UTF-8, LF, CSS, Go Live, AI Code Chat, Spell, ENG IN, 16:40, 09-08-2024.

The screenshot shows a code editor interface with the following details:

- File Explorer:** Shows files like footer.php, register.php, login.php, contact.php, logout.php, member.php, dashboard.php, dbconfig.php, and styles.css.
- Editor Area:** Displays the contents of the styles.css file. The code includes media queries for a maximum width of 480px, styling for a banner (padding, font-size), a nav bar (padding), and a main content area (margin). It also defines a general container style with a black text color, a light gray background color (#e0e0e0), and centered text alignment.
- Bottom Bar:** Includes tabs for Share Code Link, Explain Code, Comment Code, Find Bugs, and Code Chat. It also shows the current file path (ln 377, Col 1), spaces (Spaces: 2), encoding (UTF-8), and language (CSS).

The screenshot shows a code editor interface with the following details:

- File Explorer:** Shows files like footer.php, register.php, login.php, contact.php, logout.php, member.php, dashboard.php, dbconfig.php, and styles.css.
- Editor Area:** Displays the contents of the styles.css file. The code includes additional styles:
 - .container: padding-right: 5%; padding-left: 5%; border: 1px solid #ddd; border-radius: 10px; box-shadow: 0 0 10px rgba(0,0,0,0.1);
 - .container1: background-color: #337ab7; /* Set background color */
 - .red: color: red; /* Text color */; text-decoration-color: red; /* Text decoration color */;
 - .tool: background-color: black; /* Background color */; color: white; /* Text color */; background-size: cover; /* Cover the entire container with background image */;
 - .picture: display: flex; /* Use flexbox layout */;
- Bottom Bar:** Includes tabs for Share Code Link, Explain Code, Comment Code, Find Bugs, and Code Chat. It also shows the current file path (ln 377, Col 1), spaces (Spaces: 2), encoding (UTF-8), and language (CSS).

The screenshot shows a code editor interface with a dark theme. The left sidebar contains an Explorer view with files like footer.php, register.php, login.php, contact.php, logout.php, member.php, dashboard.php, dbconfig.php, and a styles.css file. The main editor area displays the following CSS code:

```
css > # styles.css > ...
195 .picture {
196   flex-wrap: wrap; /* Allow items to wrap */
197   justify-content: space-around; /* Distribute items evenly */
198 }
199 }
200 /* Style for pictures in the container */
201 .picture img {
202   width: 250px; /* Set width */
203   height: 250px; /* Set height */
204   object-fit: cover; /* Cover the container without distortion */
205 }
206 }
207 /* Style for containing text below images */
208 .contain {
209   font-size: 18px; /* Font size */
210   font-weight: bold; /* Bold text */
211   margin-top: 8%; /* Space above */
212   text-align: center; /* Center-align text */
213 }
214 }
215 /* Style for registration section */
216 .register {
217   background-color: #337ab7; /* Background color */
218   height: 60%; /* Height */
219   width: 50%; /* Width */
220   padding: 5px; /* Padding */
221   margin-top: 20%; /* Space above */
222   margin-left: 30%; /* Align to the center */
223 }
```

The status bar at the bottom shows various icons and the text "16:40 09-08-2024".

The screenshot shows a code editor interface with a dark theme, similar to the first one. The left sidebar contains an Explorer view with files like footer.php, register.php, login.php, contact.php, logout.php, member.php, dashboard.php, dbconfig.php, and a styles.css file. The main editor area displays the following CSS code:

```
css > # styles.css > ...
225 /* Style for profile container */
226 .profile {
227   display: flex; /* Use flexbox layout */
228   flex-wrap: wrap; /* Allow items to wrap */
229   justify-content: space-around; /* Distribute items evenly */
230   background-color: aquamarine; /* Background color */
231   background-size: cover; /* Cover the container with background image */
232 }
233 }
234 /* Style for individual profile items */
235 .profile-item {
236   margin: 20px; /* Space around items */
237   text-align: center; /* Center-align text */
238 }
239 }
240 /* Style for profile images */
241 .profile-item img {
242   width: 250px; /* Set width */
243   height: 350px; /* Set height */
244   object-fit: cover; /* Cover the container without distortion */
245 }
246 }
247 /* Style for profile text container */
248 .person {
249   background-color: black; /* Background color */
250   font-weight: bolder; /* Bold text */
251   font-size: 20px; /* Font size */
252   padding: 10px; /* Padding */
253   border: 2px solid #337ab7; /* Border color */
254 }
```

The status bar at the bottom shows various icons and the text "16:40 09-08-2024".

```
css > # styles.css > ...
279 .login-form h2 {
280   color: #333; /* Text color */
281 }
282
283 /* Style for login form labels */
284 .login-form label {
285   display: block; /* Display as block */
286   margin-bottom: 5px; /* Space below */
287 }
288
289
290 /* Style for email and password inputs */
291 .login-form input[type="email"],
292 .login-form input[type="password"] {
293   width: 100%; /* Full width */
294   padding: 8px; /* Padding */
295   border: 1px solid #f69988; /* Border color */
296   border-radius: 4px; /* Rounded corners */
297   box-sizing: border-box; /* Include padding and border in width */
298   margin-bottom: 10px; /* Space below */
299 }
300
301
302 /* Style for submit button */
303 .login-form input[type="submit"] {
304   width: 100%; /* Full width */
305   padding: 8px; /* Padding */
306   background-color: #4CAF50; /* Background color */
307   color: #fff; /* Text color */
308   border: none; /* Remove border */
309   border-radius: 4px; /* Rounded corners */
310 }
```

```
css > # styles.css > ...
249 .person {
250   border: 2px solid #000000; /* Border color */
251   border-radius: 10px; /* Rounded corners */
252   margin-top: 20px; /* Space above */
253   display: block; /* Display as block */
254 }
255
256 /* Style for profile image hover effect */
257 .profile-item img:hover {
258   transform: scale(1.1); /* Scale up image */
259   box-shadow: 0 0 20px rgba(0, 0, 0, 0.4); /* Add shadow on hover */
260 }
261
262 /* Style for login form */
263 .login-form {
264   width: 300px; /* Set width */
265   margin: 0 auto; /* Center-align */
266   padding: 20px; /* Add padding */
267   background-color: #fffa5a; /* Background color */
268   border: 1px solid #b7b7b7; /* Border color */
269   border-radius: 4px; /* Rounded corners */
270   box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1); /* Add shadow */
271   margin-top: 100px; /* Space from top */
272 }
273
274 /* Style for login form heading */
275 .login-form h2 {
276   text-align: center; /* Center-align text */
277   margin-bottom: 20px; /* Space below */
278   color: #333; /* Text color */
279 }
280
281
282 }
```

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, Run, ...
- Search Bar:** Project
- Toolbar:** Share Code Link, Explain Code, Comment Code, Find Bugs, Code Chat
- Status Bar:** Ln 377, Col 1, Spaces: 2, UTF-8, LF, CSS, Go Live, AI Code Chat, Spell, ENG IN, 16:41, 09-08-2024

Explorer: The sidebar lists various PHP files (gister.php, login.php, contact.php, logout.php, member.php, dashboard.php, dbconfig.php) and a CSS file (# styles.css). The # styles.css file is currently selected.

Code Editor: The main area displays the following CSS code:

```
css > # styles.css > ...
303 .login-form input[type="submit"] {
308   border: none; /* Remove border */
309   border-radius: 4px; /* Rounded corners */
310   cursor: pointer; /* Pointer cursor on hover */
311 }

312 /* Style for submit button on hover */
314 .login-form input[type="submit"]:hover {
315   background-color: #45a049; /* Darker background color on hover */
316 }

317 /* Style for back container */
318 .back {
319   background-color: #000000; /* Background color */
320 }

321 }

322 /* Style for dashboard container */
323 .dashboard {
325   object-fit: cover; /* Cover the container */
326   margin: 40px; /* Space around container */
327   margin-top: 10%; /* Space from top */
328   padding: 20px; /* Add padding */
329   background-color: black; /* Background color */
330   border: 1px solid #ddd; /* Border color */
331   box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1); /* Add shadow */
332 }

333 /* Style for logout form */
334 .logout-form {
335 }
```

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, Run, ...
- Search Bar:** Project
- Toolbar:** Share Code Link, Explain Code, Comment Code, Find Bugs, Code Chat
- Status Bar:** Ln 377, Col 1, Spaces: 2, UTF-8, LF, CSS, Go Live, AI Code Chat, Spell, ENG IN, 16:41, 09-08-2024

Explorer: The sidebar lists various PHP files (gister.php, login.php, contact.php, logout.php, member.php, dashboard.php, dbconfig.php) and a CSS file (# styles.css). The # styles.css file is currently selected.

Code Editor: The main area displays the following CSS code, including responsive design and media queries:

```
css > # styles.css > ...
339 /* Style for logout button */
340 .logout-form input[type="submit"] {
341   background-color: #4CAF50; /* Background color */
342   color: white; /* Text color */
343   border: none; /* Remove border */
344   border-radius: 4px; /* Rounded corners */
345   cursor: pointer; /* Pointer cursor on hover */
346   padding: 10px 20px; /* Padding */
347 }

348 /* Style for logout button on hover */
349 .logout-form input[type="submit"]:hover {
350   background-color: #45a049; /* Darker background color on hover */
351 }

352 }

353 /* Responsive design */

354 /* Styles for screens smaller than 600px */
355 @media (max-width: 600px) {
356   .dashboard {
357     margin: 20px auto; /* Reduce margin */
358     padding: 10px; /* Reduce padding */
359   }
360   .logout-form {
361     margin-top: 10px; /* Reduce space above */
362   }
363 }

364 }

365 }

366 }

367 /* Styles for screens smaller than 400px */
```

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, Run, ...
- Search Bar:** Project
- Toolbar:** Share Code Link, Explain Code, Comment Code, Find Bugs, Code Chat
- Status Bar:** Ln 377, Col 1, Spaces: 2, UTF-8, LF, CSS, Go Live, AI Code Chat, Spell, 16:42, ENG IN, 09-08-2024

Explorer:

- OPEN EDITORS:
 - gister.php
 - login.php
 - contact.php
 - logout.php
 - member.php
 - dashboard.php
 - dbconfig.php
 - # styles.css
- PROJECT:
 - config
 - dbconfig.php
 - css
 - # styles.css
 - images
 - contact.php
 - dashboard.php
 - footer.php
 - header.php
 - index.php
 - login.php
 - logout.php
 - member.php

Editor: The main editor pane displays the content of the file `# styles.css`. The code includes media queries for different screen widths, specifically targeting 600px and 400px. It defines styles for the `.dashboard` class and the `.logout-form` class, including padding and margin adjustments.

```
css > # styles.css > ...
357 @media (max-width: 600px) {
358   .dashboard {
359     padding: 10px; /* Reduce padding */
360   }
361   .logout-form {
362     margin-top: 10px; /* Reduce space above */
363   }
364 }
365 }
366
367 /* Styles for screens smaller than 400px */
368 @media (max-width: 400px) {
369   .dashboard {
370     margin: 10px auto; /* Reduce margin */
371     padding: 5px; /* Reduce padding */
372   }
373   .logout-form {
374     margin-top: 5px; /* Reduce space above */
375   }
376 }
377
```



OUTPUT

The screenshot shows a web browser window titled "Trip Website" at "localhost/Project/index.php". The main header is "Trip Go". Below it is a navigation bar with "Home", "Member", "Register", and "Contact" links. A large banner image of a winding road through a green hillside is visible. Overlaid on the banner is a black box containing the text "Welcome to Trip Go!" and a bulleted list:

- Plan your next adventure with us.
- Select destinations of Canada.
- Get started now and make unforgettable memories!
- Select destination of various province in Canada

The taskbar at the bottom shows various application icons and the date/time "09-08-2024 16:18".

The screenshot shows a web browser window titled "Trip Website" at "localhost/Project/register.php". The main header is "Trip Go". Below it is a navigation bar with "Home", "Member", "Register", and "Contact" links. A row of five thumbnail images represents different Canadian provinces: Alberta, British Columbia, Canadian Rocky Mountain Park, Columbia Icefield, and Manitoba. Each thumbnail has its name labeled below it. The taskbar at the bottom shows various application icons and the date/time "09-08-2024 16:18".



localhost / 127.0.0.1 / test / trip X Trip Website +

localhost/Project/register.php

Registration Form

All fields are compulsory to fill**

First Name:

Last Name:

Email:

Password:

Enter the place from above:

[Register](#) [Logout](#)

Developed by Aditi Trivedi



16:20 ENG IN 09-08-2024

localhost / 127.0.0.1 / test / trip X Trip Website +

localhost/Project/login.php

Trip Go

Home Member Register Contact

Login

Email:

Password:

[Login](#)



16:21 ENG IN 09-08-2024

Screenshot of a web browser showing the "Contact Us" page of a trip website.

The page has a blue header with navigation links: Home, Member, Register, and Contact.

The main content area is titled "Contact Us" and contains a form for sending a message:

- Text: Fill out the form below to send us a message.
- Text input field: Name: []
- Text input field: Email: []
- Text input field: Message: []
- Text button: Send Message

The footer of the page says "Developed by Aditi Trivedi".

The browser's address bar shows: localhost / 127.0.0.1 / test / trip / Trip Website

The taskbar at the bottom shows various application icons and the date/time: 09-08-2024, 16:22, ENG IN.

Screenshot of a web browser showing the "Member" page of the trip website.

The page has a blue header with the title "Trip Go".

The main content area displays three member profiles:

Profile Picture	Name
	ADITI TRIVEDI
	MANDEEP KAUR
	ISHA SHARMA

The browser's address bar shows: localhost / 127.0.0.1 / test / trip / Trip Website

The taskbar at the bottom shows various application icons and the date/time: 09-08-2024, 16:22, ENG IN.

The screenshot shows the phpMyAdmin interface for the 'test' database. The left sidebar lists databases like 'information_schema', 'mysql', 'performance_schema', 'phpmyadmin', and 'test'. Under 'test', there's a 'trip' table. The main area displays the 'trip' table with the following data:

	Edit	Copy	Delete	id	fname	lname	email	password	pname	reg_date
<input type="checkbox"/>	Edit	Copy	Delete	6	Yash	Patel	ys.patel@gmail.com	YAsh@20	Yukon	2024-08-09 12:44:24
<input type="checkbox"/>	Edit	Copy	Delete	7	Aditi	Trivedi	aditi.08@gmail.com	Zxcvbnm@20	Alberta	2024-08-09 16:16:29
<input type="checkbox"/>	Edit	Copy	Delete	8	Aditi	Trivedi	aditi.08@gmail.com	Zxcvbnm@11	Yukon	2024-08-09 16:21:22
<input type="checkbox"/>	Edit	Copy	Delete	9	Isha	Sharma	isha@gmail.com	Ajhgxjs	Ontario	2024-08-09 16:23:22
<input type="checkbox"/>	Edit	Copy	Delete	10	Mandeep	Kaur	mandeep@gmail.com	gjadfsk	Ontario	2024-08-09 16:23:58

Below the table are buttons for 'Check all', 'With selected:', 'Edit', 'Copy', 'Delete', and 'Export'. There are also filters for 'Show all' and 'Number of rows: All', and a search bar for 'Filter rows: Search this table'. The bottom section includes 'Query results operations' with links for 'Print', 'Copy to clipboard', 'Export', 'Display chart', and 'Create view'. A 'Bookmark this SQL query' section allows labeling the query and letting every user access it.

The screenshot shows the Trip Go website dashboard. The header features a blue bar with the title 'Trip Go'. Below it is a dark navigation bar with links for 'Home', 'Member', 'Register', and 'Contact'. The main content area has a white background with a black border. It displays a welcome message: 'Welcome, Aditi!' followed by 'Your email address is: aditi.08@gmail.com' and 'Thank you for logging in. Our officer will contact you shortly.' A 'Logout' button is located at the bottom left of this area. At the very bottom of the page, a footer bar reads 'Developed by Aditi Trivedi'. The taskbar at the bottom of the screen shows various open applications and system icons.