

FOOD DELIVERY SYSTEM UI

CART MODULE:

HTML:

```
<!DOCTYPE html>

<html>

  <head>

    <title>FOOD DELIVERY SYSTEM</title>

    <link rel="stylesheet" src="fds.css">

  </head>

  <body>

    <div class="CartContainer">

      <div class="Header">

        <h3 class="Heading">Shopping Cart</h3>

        <h5 class="Action">Remove all</h5>

      </div>

      <div class="Cart-Items">

        <div class="about">

          <h1 class="title">IDLI</h1>

          <h3 class="subtitle">1 NOS</h3>

          

        </div>

        <div class="counter">

          <div class="btn">+</div>

          <div class="count">2</div>

          <div class="btn">-</div>

        </div>

        <div class="prices">
```

```
<div class="amount"> ₹10</div>

<div class="save"><u>Save for later</u></div>

<div class="remove"><u>Remove</u></div>

</div>

</div>

<div class="Cart-Items pad">

  <div class="about">

    <h1 class="title">DOSAs</h1>

    <h3 class="subtitle">1 NOS</h3>

    

  </div>

  <div class="counter">

    <div class="btn">+</div>

    <div class="count">1</div>

    <div class="btn">-</div>

  </div>

  <div class="prices">

    <div class="amount"> ₹30 </div>

    <div class="save"><u>Save for later</u></div>

    <div class="remove"><u>Remove</u></div>

  </div>

</div>

<hr>

<div class="checkout">

<div class="total">

  <div>

    <div class="Subtotal">Sub-Total</div>

    <div class="items">2 items</div>

  </div>

  <div class="total-amount"> ₹60</div>


```

```

        </div>

        <button onclick="location.href = 'payment.html';" id="myButton" class="float-left submit-
button" >CHECKOUT</button></div>

    </div>
</body>
</html>

```

PAYMENT MODULE:

HTML:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta
name="viewport"
content="width=device-width,
            initial-scale=1.0"/>
    <link rel="stylesheet" href="style.css"
            class="css" />
</head>
<body>
    <div class="container">
        <div class="main-content">
            <p class="text"></p>
        </div>
        <div class="last-content">
            <button type="button" class="pay-now-btn">
                Apply Coupons
            </button>
            <button type="button" class="pay-now-btn">
                Pay with Netbanking
            </button>
        </div>
    </div>

```

</button>

<!-- <button type="button" class="pay-now-btn">

Netbanking options

</button> -->

</div>

<div class="card-details">

<p>Pay using Credit or Debit card</p>

<div class="card-number">

<label> Card Number </label>

<input

type="text"

class="card-number-field"

placeholder="###-###-###"/>

</div>

<div class="date-number">

<label> Expiry Date </label>

<input type="text" class="date-number-field"

placeholder="DD-MM-YY" />

</div>

<div class="cvv-number">

<label> CVV number </label>

<input type="text" class="cvv-number-field"

placeholder="xxx" />

</div>

<div class="nameholder-number">

<label> Card Holder name </label>

```
        <input
            type="text"
            class="card-name-field"
            placeholder="Enter your Name"/>
    </div>

    <button onclick="location.href = 'submit.html';" id="myButton" class="float-left
submit-button" >SUBMIT</button>

</div>
</div>
</body>
</html>
```

SUBMIT PAGE MODULE:

HTML:

```
<html>

<head>

    <link
href="https://fonts.googleapis.com/css?family=Nunito+Sans:400,400i,700,900&display=swap"
rel="stylesheet">

</head>

<style>

    body {

        text-align: center;

        padding: 40px 0;

        background: #EBF0F5;

    }

    h1 {

        color: #88B04B;

        font-family: "Nunito Sans", "Helvetica Neue", sans-serif;

        font-weight: 900;

        font-size: 40px;

        margin-bottom: 10px;

    }
```

```

p {
  color: #404F5E;
  font-family: "Nunito Sans", "Helvetica Neue", sans-serif;
  font-size: 20px;
  margin: 0;
}
i {
  color: #9ABC66;
  font-size: 100px;
  line-height: 200px;
  margin-left: -15px;
}
.card {
  background: white;
  padding: 60px;
  border-radius: 4px;
  box-shadow: 0 2px 3px #C8D0D8;
  display: inline-block;
  margin: 0 auto;
}
</style>
<body>
  <div class="card">
    <div style="border-radius: 200px; height: 200px; width: 200px; background: #F8FAF5; margin: 0 auto;">
      <i class="checkmark">✓</i>
    </div>
    <h1>Success</h1>
    <p>We received your purchase request;<br/> we'll be in touch shortly!</p>
  </div>
</body>

```

</html>

SIGNUP MODULE:

HTML:

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="title" content="Project 1 - A.H. Abir | Executing The Code">

<meta name="description" content="I'm Ashfaque Hossain Abir, a Web Developer, Graphic Designer and Content Writer based in Bangladesh. I love to provide awesome services to my lovely clients. Hire me now!">

<meta property="og:image" content="images/preview2.png" />

<meta property="og:type" content="website" />

<meta property="og:url" content="https://abirett.github.io/Project-1/" />

<meta property="og:title" content="Project 1 - A.H. Abir | Executing The Code" />

<meta property="og:description" content="I'm Ashfaque Hossain Abir, a Web Developer, Graphic Designer and Content Writer based in Bangladesh. I love to provide awesome services to my lovely clients. Hire me now!" />

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<link rel="icon" href="images/webicon.png" type="image/x-icon">

<!-- ===== Iconscout CSS ===== -->

<link rel="stylesheet" href="signup.css">

<!-- ===== CSS ===== -->

<link rel="stylesheet" href="style.css">

<title>Login & Registration Form</title>

</head>

<body>

```
<div class="container">

  <div class="forms">

    <div class="form login">

      <span class="title">Login</span>

      <form action="#">

        <div class="input-field">

          <input type="text" placeholder="Enter your email" required>

            <i class="uil uil-envelope icon"></i>

          </div>

          <div class="input-field">

            <input type="password" class="password" placeholder="Enter your password"
required>

              <i class="uil uil-lock icon"></i>

              <i class="uil uil-eye-slash showHidePw"></i>

            </div>

            <div class="checkbox-text">

              <div class="checkbox-content">

                <input type="checkbox" id="logCheck">

                  <label for="logCheck" class="text">Remember me</label>

                </div>

                <a href="#" class="text">Forgot password?</a>

              </div>

              <div class="input-field button">

                <input type="button" value="Login Now">

              </div>

            </form>
```



```
<div class="login-signup">
  <span class="text">Not a member?
    <a href="#" class="text signup-link">Signup now</a>
  </span>
</div>
</div>
```

```
<!-- Registration Form -->
```

```
<div class="form signup">
  <span class="title">Registration</span>
```

```
<form action="#">
```

```
<div class="input-field">
```

```
<input type="text" placeholder="Enter your name" required>
```

```
<i class="uil uil-user"></i>
```

```
</div>
```

```
<div class="input-field">
```

```
<input type="text" placeholder="Enter your email" required>
```

```
<i class="uil uil-envelope icon"></i>
```

```
</div>
```

```
<div class="input-field">
```

```
<input type="password" class="password" placeholder="Create a password" required>
```

```
<i class="uil uil-lock icon"></i>
```

```
</div>
```

```
<div class="input-field">
```

```
<input type="password" class="password" placeholder="Confirm a password"
required>
```

```
<i class="uil uil-lock icon"></i>
```

```
<i class="uil uil-eye-slash showHidePw"></i>
```

```
</div>
```

```
<div class="checkbox-text">
  <div class="checkbox-content">
    <input type="checkbox" id="sigCheck">
    <label for="sigCheck" class="text">Remember me</label>
  </div>
```

```
    <a href="#" class="text">Forgot password?</a>
  </div>
```

```
<div class="input-field button">
  <input type="button" value="Login Now">
</div>
</form>
```

```
<div class="login-signup">
  <span class="text">Already a member?
    <a href="#" class="text login-link">Login now</a>
  </span>
</div>
</div>
</div>
</div>
```

```
<script src="signup.js"></script>
```

```
</body>
```

```
</html>
```

CSS:

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700&display=swap')
;
```

```
*{  
  margin: 0;  
  padding: 0;  
  box-sizing: border-box;  
  font-family: 'Poppins', sans-serif;  
}
```

```
body{  
  height: 100vh;  
  display: flex;  
  align-items: center;  
  justify-content: center;  
  background-color: #4070f4;  
}
```

```
.container{  
  position: relative;  
  max-width: 430px;  
  width: 100%;  
  background: #fff;  
  border-radius: 10px;  
  box-shadow: 0 5px 10px rgba(0, 0, 0, 0.1);  
  overflow: hidden;  
  margin: 0 20px;  
}
```

```
.container .forms{  
  display: flex;  
  align-items: center;  
  height: 440px;  
  width: 200%;
```

```
    transition: height 0.2s ease;
}
```

```
.container .form{
    width: 50%;
    padding: 30px;
    background-color: #fff;
    transition: margin-left 0.18s ease;
}
```

```
.container.active .login{
    margin-left: -50%;
    opacity: 0;
    transition: margin-left 0.18s ease, opacity 0.15s ease;
}
```

```
.container .signup{
    opacity: 0;
    transition: opacity 0.09s ease;
}
```

```
.container.active .signup{
    opacity: 1;
    transition: opacity 0.2s ease;
}
```

```
.container.active .forms{
    height: 600px;
}
```

```
.container .form .title{
    position: relative;
```

```
font-size: 27px;  
font-weight: 600;  
}
```

```
.form .title::before{  
  content: "";  
  position: absolute;  
  left: 0;  
  bottom: 0;  
  height: 3px;  
  width: 30px;  
  background-color: #4070f4;  
  border-radius: 25px;  
}
```

```
.form .input-field{  
  position: relative;  
  height: 50px;  
  width: 100%;  
  margin-top: 30px;  
}
```

```
.input-field input{  
  position: absolute;  
  height: 100%;  
  width: 100%;  
  padding: 0 35px;  
  border: none;  
  outline: none;  
  font-size: 16px;  
  border-bottom: 2px solid #ccc;
```

```
border-top: 2px solid transparent;
transition: all 0.2s ease;
}
```

```
.input-field input:is(:focus, :valid){
  border-bottom-color: #4070f4;
}
```

```
.input-field i{
  position: absolute;
  top: 50%;
  transform: translateY(-50%);
  color: #999;
  font-size: 23px;
  transition: all 0.2s ease;
}
```

```
.input-field input:is(:focus, :valid) ~ i{
  color: #4070f4;
}
```

```
.input-field i.icon{
  left: 0;
}
```

```
.input-field i.showHidePw{
  right: 0;
  cursor: pointer;
  padding: 10px;
}
```

```
.form .checkbox-text{
```

```
display: flex;
align-items: center;
justify-content: space-between;
margin-top: 20px;
}
```

```
.checkbox-text .checkbox-content{
display: flex;
align-items: center;
}
```

```
.checkbox-content input{
margin: 0 8px -2px 4px;
accent-color: #4070f4;
}
```

```
.form .text{
color: #333;
font-size: 14px;
}
```

```
.form a.text{
color: #4070f4;
text-decoration: none;
}
```

```
.form a:hover{
text-decoration: underline;
}
```

```
.form .button{
margin-top: 35px;
```

```
}
```

```
.form .button input{  
  border: none;  
  color: #fff;  
  font-size: 17px;  
  font-weight: 500;  
  letter-spacing: 1px;  
  border-radius: 6px;  
  background-color: #4070f4;  
  cursor: pointer;  
  transition: all 0.3s ease;  
}
```

```
.button input:hover{  
  background-color: #265df2;  
}
```

```
.form .login-signup{  
  margin-top: 30px;  
  text-align: center;  
}
```

JAVASCRIPT:

```
const container = document.querySelector(".container"),  
  pwShowHide = document.querySelectorAll(".showHidePw"),  
  pwFields = document.querySelectorAll(".password"),  
  signUp = document.querySelector(".signup-link"),  
  login = document.querySelector(".login-link");  
  
// js code to show/hide password and change icon  
pwShowHide.forEach(eyeIcon =>{
```



```

eyeIcon.addEventListener("click", ()=>{
  pwFields.forEach(pwField =>{
    if(pwField.type === "password"){
      pwField.type = "text";

      pwShowHide.forEach(icon =>{
        icon.classList.replace("uil-eye-slash", "uil-eye");
      })
    }else{
      pwField.type = "password";

      pwShowHide.forEach(icon =>{
        icon.classList.replace("uil-eye", "uil-eye-slash");
      })
    }
  })
})
})

```

// js code to appear signup and login form

```

signUp.addEventListener("click", ( )=>{
  container.classList.add("active");
});

login.addEventListener("click", ( )=>{
  container.classList.remove("active");
});

```