

№5

: -

: -01-25

% : YYYY-MM-DD

GitHub, №5, Git
Gitflow Conventional Commits
(CHANGELOG),
Markdown .

- Git GitHub №5.
- Gitflow (master/main, develop, feature, release, hotfix).
- Conventional Commits (CHANGELOG.md).
- (Release) GitHub.
- Markdown.

- : Windows 11.
- Git for Windows (Git Bash).
- Node.js npm.
- GitHub.
- Conventional Commits changelog (: commitizen, cz-conventional-changelog, standard-changelog).
- GPG SSH (GitHub).
- (, Visual Studio Code) Markdown.

1.

1. Clone repository from GitHub, №5,
(: os-intro-lab5).
2. Add SSH.
3. Add Git (, ,
– GPG-).
GitHub .

2. Gitflow

1. Create (master/main) develop.
2. develop (push) GitHub.
3. , master/main develop, Git-
flow.
(GitHub), master/main develop.

3. Conventional Commits changelog

1. Node.js- (package.json).
2. Conventional Commits
CHANGELOG.md.
3. package.json :
• CHANGELOG.md;
• Conventional Commits.
package.json, config.

4. feature- №5

1. develop (feature),
№5 (: feature/lab5-report).
2. , :
• Markdown (report-lab5.md);
• .
3. feature- Conventional Commits (
feat, fix, chore ..).
(git log Commits GitHub),
Conventional Commits.

5. feature- develop

1. Feature- GitHub.

2. feature- develop (merge, Pull Request).
3. , , №5, develop.
- merge Pull Request.

6. release- CHANGELOG.md

1. develop release- , (:
- release/1.0.0).
2. (, package.json) .
3. CHANGELOG.md
4. (CHANGELOG.md) release- .
- CHANGELOG.md .

7. GitHub Release

1. Release- master/main Gitflow (--no-ff).
2. (tag), (: v1.0.0).
3. release- develop .
4. GitHub.
5. GitHub Release v1.0.0, CHANGELOG.md.
- GitHub Releases v1.0.0 ().

- Git №5 Gitflow.
- Conventional Commits, CHANGELOG.md.
- , GitHub.
- Markdown, (PDF, DOCX, HTML).

№5 Git GitHub, Gitflow Conventional Commits.

- GitHub:
- , :
- Git, GitHub, Gitflow, Conventional Commits ,