

KlinikIQ - Klinik/Bilimsel Gerekçe QC Raporu

Bu QC raporu, deęiřikliklerin yalnız hedef gerekçe alanlarına ve gerekli render izolasyonuna sınırlı kalıp kalmadığını özetler.

QC Metrikleri

Alan	Deęer
scannedGeneralClinicalCases	410
clinicalScientificRationaleBoxesFound	410
rewrittenClinicalScientificRationales	410
targetFieldCounts	{"diagnosis.answerFeedback.whyCorrect": 352, "diagnosis.explanation": 58}
badTemplateInOriginalTargetField	0
badTemplatePreviouslyReachableInWrongAnswerRationaleCases	122
badTemplatePreviouslyReachableInWrongAnswerRationaleEntries	2338
wrongOptionFocusedRationaleFixedByTargetRewriteOrRenderIsolation	123
languageErrorAncakDaOrSimilarCleanedInTarget	0
targetPatternCleanedCases	122
brokenOrFragmentedTargetSentenceFixed	0
unrelatedOrWeakTargetRationaleRewritten	322
targetBadPatternAfterCount	0
scopeGuardCheck	passed: rawCases differ only in target rationale fields
jsonJsSyntaxCheck	passed: src/data/cases.js imported successfully after rewrite
componentSyntaxCheck	passed: AnswerFeedbackPanel.jsx parsed with TypeScript JSX parser
casesSyntaxCheck	passed: src/data/cases.js imported and parsed successfully
buildStatus	not completed: npm install could not finish within sandbox timeout, so Vite build was not run; syntax/import checks passed
scientificConcernCount	0

Scope Guard

Başlık	İçerik
changedFilesExpected	["src/data/cases.js", "src/components/AnswerFeedbackPanel.jsx", "quality-reports/*"]
targetDataFieldsChanged	["diagnosis.answerFeedback.whyCorrect", "diagnosis.explanation (only fallback cases without answerFeedback.whyCorrect)"]
renderIsolationChange	AnswerFeedbackPanel.jsx: reasoningText now uses whyCorrect for the Klinik/Bilimsel Gerekçe card in both correct and incorrect answer states.
forbiddenFieldsChanged	{"evidenceChain": false, "optionFeedback": false, "whyWrong": false, "examPearl": false, "coreKnowledge": false, "shortComments": false, "investigations": false, "vitals": false, "exam": false, "questionStem": false, "options": false, "correctAnswer": false, "ids": false, "tusSpotCases": false}
note	Non-target fields may still contain old template text in source data, but they no longer feed the Klinik/Bilimsel Gerekçe card; they were not edited to respect the requested scope.
scopeDiffResult	{ "differencesOutsideAllowedTargets": [], "idsChanged": false, "questionStemOptionsCorrectAnswerChanged": false, "targetBadAfterCount": 0, "targetCount": 410 }

Kritik Uyarılar

- diagnosis.answerFeedback.whyCorrect olmayan 58 genel vakada mevcut fallback target olan diagnosis.explanation güncellendi; yeni zorunlu field eklenmedi.

- Yanlış cevap durumunda Klinik/Bilimsel Gerekçe kartına optionFeedback/whyWrong metinlerinin düşmesini engellemek için AnswerFeedbackPanel.jsx içinde tek satırlık render izolasyonu yapıldı; optionFeedback/whyWrong verileri prompt gereği değiştirilmedi.