

Viral Clipper v2

User Guide — Getting Started

Step 1 — Download the Video

- Go to YouTube and copy the link of the video you want to clip
- Use any video downloader like **y2mate** to download the video

Step 2 — Get the SRT Subtitle File

- Go to <https://downsub.com/>
- Paste the YouTube link and download the SRT file

Step 3 — Generate Clip Definitions (JSON)

Go to any AI (recommended: **Gemini AI Studio with Pro model**, or **Claude**). Upload the SRT file and use this prompt:

Analyze the provided transcript and identify the 15 most viral-worthy moments.

Requirements:

- Each clip must be between 20 to 60 seconds long
- Clips must start and end at complete sentences (no cut-off speech)
- Select moments with strong hooks, emotional impact, controversy, humor, or high engagement potential
- Avoid filler or low-value segments

For each clip:

- Generate a highly catchy, attention-grabbing title optimized for virality
- Censor any inappropriate words by replacing letters with ** (e.g., f**k)

Output Format: Return ONLY valid JSON (no explanations, no extra text).
Follow this exact structure:

```
[
{
  "id": 1,
  "viral_chance_score": "00",
  "title": "Catchy title here",
  "start_time": "00:00",
  "end_time": "00:00",
  "text": "Full clip transcript here"
}
```

Rules:

- Ensure JSON is valid and properly formatted
- Use consistent timestamp format (MM:SS or HH:MM:SS)
- IDs must be sequential from 1 to 15
- Do not include trailing commas

If the AI gives you a JSON file directly, download it. Otherwise, copy the JSON code, paste it into a text file, and save with a **.json** extension.

Step 4 — Launch the Software

- Double-click the **Start** batch file
- It opens the app and a browser tab automatically
- Or manually go to **http://localhost:5173/**

Step 5 — Import Your Files

1. Create a new project from the sidebar
2. Import all three files: video, SRT, and JSON
3. Create templates in the Templates tab (or import premade ones)
4. Render one or multiple clips in the Process tab

Import Tab

Upload files and configure per-project resources

File Uploads

Video

Click **Choose Video** to upload .mp4 / .mkv / .mov / .avi / .webm files. Or paste a YouTube URL and click **Download** (requires yt-dlp installed).

Subtitles (SRT)

Click **Choose SRT File** to upload the subtitle file.

Clips (JSON)

Click **Choose JSON File** to load your pre-defined clips. Or click **Auto-Detect Clips** to let the app find viral moments automatically from the SRT.

Background Music

- Click **Select Music Folder** to open a folder picker
- Select any folder on your computer with MP3 / WAV / OGG files
- Check the boxes next to tracks you want to use
- Each selected track has its own volume control (default **10%**)
- If multiple tracks are selected, one is randomly assigned per clip
- Click the play button to preview a track

Logo Overlay

- Click **Upload Logo Image** to pick any image file (PNG / JPG / SVG)
- Adjust **X Position**, **Y Position**, **Size**, and **Opacity** (all percentages)
- Click **Change** to replace the logo, or the **X** icon to remove it

Subtitle Quick Controls

Adjust subtitle text size and vertical position with sliders for quick tweaks without opening the Templates tab.

Live Preview

Shows the first clip rendered with your current settings. Click **Next Clip** to cycle through. Music and logo changes apply in real-time.

Templates Tab

Template Creator — configure styles and save as reusable templates

Subtitle Style

- **Font family** dropdown (Arial, Impact, Helvetica, etc.)
- **Font Size** slider (20–100px)
- **Text Color**: color picker + hex input for normal words
- **Active Word Color**: color picker for the currently-spoken word
- **Outline Color**: text outline/shadow color
- **Outline Width** slider (0–10px)
- **Position** slider: vertical distance from the bottom (20–500px)

Title Overlay Style

- **Font Size** (or Auto for default)
- **Max Chars/Line** — controls word wrapping
- **Vertical Position** slider (0–100%) — precise Y position
- **Padding** slider (5–40px)
- **Corner Radius** slider (0–40px) — square to heavily rounded
- **Text Color** and **Background Color** pickers
- **Background Opacity** slider (0–100%)

Export Format

- Choose preset: **YouTube Shorts**, **TikTok**, **Instagram Reels**, or **Horizontal**
- **Quality (CRF)** slider (15–35) — lower = higher quality, larger file
- **Preset** dropdown (Ultrafast → Slow) for encoding speed vs. quality

PIP Layout (toggle to enable)

- **Background Frame** dropdown: pick which clip's frame to use as reference
- Drag and resize two boxes on the frame:
 - **Blue Content box**: what appears on top of the output
 - **Green Speaker box**: what appears on bottom
- **Split Ratio** slider (30–80%) — content vs speaker height
- Coordinates display shows exact box positions

Saving & Managing Templates

- Enter a template name and click **Save Template** — captures ALL current settings
- **Import** button (top right of Saved Templates) — load a template from a .json file
- Per-template icons: **Load** (arrow down), **Export** (file down), **Delete** (trash)
- PIP templates show a green **PIP** badge
- **Save as Default** button — applies current settings as project defaults

Process Tab

Render clips with templates, re-render individual clips

Clip Selection

- Each clip has a checkbox to select/deselect it for processing
- Click **Select All** / **Deselect All** toggle at the top
- Button shows "**Process X of Y clips**"

Template Assignment

- Each clip has a template dropdown — *Default (Project Styles)* or any saved template
- Different clips can use different templates
- PIP templates are marked with a **(PIP)** suffix

Start Processing

- Click **Process X of Y clips** to render selected clips
- Each clip shows progress bar and ETA while rendering
- Green check when complete, red X when failed
- Click **Cancel** to stop mid-render

Re-render (completed / failed clips)

- Change the template dropdown for that clip
- Click **Re-render** — processes just that clip with the new template
- Other clips remain untouched

Re-PIP (completed / failed clips)

- Click **Re-PIP** to open the PIP override modal for that specific clip
- Modal shows that clip's frame as background
- Drag and position boxes, set split ratio
- Choose **Full Clip** — applies PIP to the entire clip
- Choose **Partial** — applies PIP only during a specific time range (enter start/end seconds)
Example: normal 0–5s, PIP 5–20s, normal 20s–end
- Click **Apply PIP & Re-render** — renders just that clip with the override

Rendered Clips Gallery

- Thumbnails of all completed clips
- Click the **Play** button to preview in-browser
- **Download** icon to save the MP4 file

Tips & Tricks

Workflow, troubleshooting, and performance

Projects

- Create separate projects for each video — sidebar shows all projects
- Hover over a project to see the **Trash** icon and delete it

Batch Workflow

1. Create a **standard** template with your default styles
2. Create **PIP** templates for clips where the speaker is in a corner (webcam overlay style)
3. In the Process tab, assign templates per clip based on content
4. Use **Select All**, then deselect clips you don't want to render
5. Process once — all clips render with their assigned templates

Fixing Individual Clips

- Don't like how one clip turned out? Click **Re-render** with a different template
- Need partial PIP (speaker appears only mid-clip)? Use **Re-PIP** with the time range mode
- Only that clip re-processes — others stay as they are

Music

- Keep music folder outside the project for easy reuse across projects
- Default volume is **10%** — adjust per track for different songs
- With multiple tracks selected, each clip gets a random one (adds variety)

Performance

- First render takes longer (bundling compositions in headless Chrome ≈5s)
- Subsequent renders are faster (bundle is cached)
- Source video FPS is auto-detected; output matches source for smoothest playback

Troubleshooting

- If **processing doesn't start**, check that another app isn't using port **8000**
- If **music doesn't play** in preview, make sure you clicked the checkbox to select the track
- If **PIP boxes look wrong**, check the Background Frame dropdown — you may be seeing a different clip's frame

- If **templates don't apply**, restart the server (some changes require a reload)