COMPLAINTAI-BANK

COMPLAINT PRIORITY, DEPARTMENT ROUTING AND DATA PRIVACY POLICY

Policy ID: CPB-POL-008

Version: 1.0

Policy Category: Complaint Priority, Department Routing and Data Privacy

1. Purpose

Objectives

This policy establishes how ComPlaintAI-Bank assigns internal complaint priorities, selects handling queues, controls administrator access, protects complaint information, and manages sensitive data throughout the complaint lifecycle. It defines how rules, automated classifications, extracted entities, and operational records may be used without confusing system-generated outputs with verified facts.

The policy supports consistent triage, accountable assignment, controlled access, clear auditability, and privacy-aware use of complaint records. Internal priorities and routing are for workflow management; they are not customer-facing service promises or findings about the truth of an allegation.

The system must describe actions accurately. It must not claim a complaint was saved, assigned, escalated, reviewed, or resolved unless the relevant operation has actually been confirmed.

2. Scope

Activities covered

This policy applies to complaint categorization, High/Medium/Low priority assignment, queue selection, case assignment and reassignment, escalation, administrator authentication, dashboard access, search and filtering, CSV export, entity extraction, model-assisted classification, complaint database storage, access controls, retention, correction, deletion where permitted, audit records, and incident response.

It covers data supplied by customers and data created by the configured NLP, named-entity recognition, retrieval, and response-generation workflow. The same safeguards apply to complaint text, customer contact information, transaction identifiers, extracted entities, internal notes, priority labels, routing status, and generated summaries.

Priority mappings and queue names must reflect the project configuration. An internal queue is not automatically a real external department, and this policy does not imply any external integration unless the connected system confirms the action.

3. Definitions

Key terms

Priority: An internal classification used to organize the order and urgency of complaint handling under configured rules.

Routing: Assignment of a complaint to a configured internal queue, category, or authorized case owner.

Queue: A project-defined destination used to group complaints for review.

PII: Personally identifiable information that identifies or can reasonably be linked to an individual.

Sensitive Data: Information whose unauthorized access or disclosure could cause privacy, security, financial, or other harm.

Entity Extraction: Identification of structured values in text, such as names, dates, amounts, transaction references, or account-related identifiers.

Administrator: An authenticated person authorized to access specified management features and records.

Audit Trail: A record of material actions and status changes, where this capability is implemented.

Data Minimization: Collecting, displaying, using, and retaining only information needed for an authorized purpose.

Model Output: A classification, confidence value, extracted entity, summary, or generated answer that may require verification.

Data Incident: A suspected or confirmed event involving unauthorized access, disclosure, loss, alteration, or misuse of complaint information.

4. Internal Complaint Priority Framework

4.1 Priority levels

ComPlaintAI-Bank may use High, Medium, and Low as internal priority levels. They help organize the project's queue and must not be treated as guaranteed response or resolution times.

High priority is intended for complaints indicating possible immediate financial harm or a security threat, such as an unrecognized transaction, lost or stolen payment instrument, suspected account compromise, active credential exposure, or continuing suspicious activity.

Medium priority is intended for complaints requiring investigation or follow-up without a clear indication of ongoing immediate harm, such as a delayed transfer, duplicate transaction entry, unresolved refund, or disputed charge where no active security incident is identified.

Low priority is intended for routine, non-urgent enquiries or service questions, such as general policy information or a basic service clarification, where the available information does not indicate an immediate risk.

4.2 Provisional assessment

Priority must be based on the configured rules and the available complaint details. A keyword alone does not prove that fraud occurred, and the absence of a particular keyword does not establish that a complaint is safe or unimportant.

If the facts are incomplete but suggest ongoing risk, the case should be flagged for review rather than automatically downgraded. Priority may be changed when new information changes the apparent urgency.

4.3 Customer-facing restrictions

Internal priority, classifier confidence, rule triggers, staff-only notes, and internal routing decisions must not be shown in routine customer confirmations. Customer responses should provide the complaint reference, confirmed status, required follow-up, and appropriate customer-facing guidance.

A priority label must not be translated into a promised service timeframe unless a documented service commitment separately supports that promise.

5. Priority Rules and Quality Review

5.1 Documented mappings

The project should maintain an explicit mapping between supported complaint categories or intent labels and their default priority. The mapping should be version-controlled, reviewable, and aligned with the labels actually used by the classifier and the complaint workflow.

High-priority indicators may include an unrecognized transaction, a lost or stolen card, or suspected active account compromise. Medium-priority indicators may include a transfer delay, duplicate posting, or refund under review. Routine questions may be Low priority when no additional risk signal is present.

These examples are configuration guidance, not a claim that every case within a category has identical urgency. The complete intent label set and actual rules should be reviewed before deployment.

5.2 Classifier output and fallback

A fine-tuned text classifier may recommend a complaint intent, but the prediction is a decision aid, not evidence that the allegation is true. Where the confidence is low, the narrative is ambiguous, or the predicted label conflicts with the described facts, the system should use a defined fallback or flag the case for review.

The original complaint text must be preserved. A model output must not silently rewrite the complaint, suppress a clear risk signal, or independently decide a sensitive complaint outcome.

5.3 Authorized overrides and testing

Authorized reviewers may change the assigned priority when the facts support a change. Where audit logging is available, a material override should include the reason, time, and responsible role.

Rules should be tested using representative complaint examples to identify missed urgent cases, excessive urgent assignments, unsupported labels, and conflicting outcomes. Changes should be documented and tested before implementation.

6. Routing, Queue Selection and Case Ownership

6.1 Routing basis

Routing should use the primary service and complaint category, the configured intent mapping, the type of review required, and any documented escalation condition. Internal queues may cover account services, cards, fraud-related review, transfers and remittances, fees and interest, digital banking, and general complaint resolution.

Queue names are project-internal destinations. They must not be described as real departments or external teams unless an authorized integration confirms that the complaint was sent to that destination.

6.2 Unknown and multi-topic complaints

The workflow should define a fallback queue for unknown, unsupported, conflicting, or empty classifier results. A complaint must not be dropped simply because a category cannot be determined automatically.

If one complaint concerns multiple connected issues, the record should retain the primary category and note secondary issues. Linked cases may be used only if that behavior is implemented and the relationship between cases is recorded.

6.3 Assignment confirmation and failure

The selected queue or owner should be saved before the system reports assignment as complete. If assignment fails, the case should remain identifiable and should be sent to a configured fallback or flagged for administrator review.

An acknowledgement that a case was saved is not proof that it was assigned. The system must not report escalation or transfer to a specialist unless the corresponding assignment or transfer event is confirmed.

6.4 Reassignment and escalation

Reassignment may be appropriate when the original route is incorrect, new information changes the issue category, or specialist review is required. Material changes should record the previous destination, new destination, reason, and timestamp where logging is available.

Escalation may be used for ongoing risk, complexity, repeated unresolved issues, or a decision requiring additional authority. Escalation is a workflow action, not proof that an allegation is true or that a specific remedy will follow.

7. Administrator Authentication and Access Control

7.1 Restricted dashboard

The administrator dashboard must be separate from the customer-facing interface and protected by authentication. Customers must not be able to access the complaint register, internal notes, priority values, extracted entities, staff-only data, or export controls through ordinary customer routes.

Administrator access should be granted only to authorized users who require the data for case management, oversight, testing, or maintenance. Shared or publicly exposed administrator credentials must not be used.

7.2 Secret management

Administrator passwords, database credentials, API tokens, and deployment secrets must not be placed in a public repository, visible client-side code, or downloadable complaint records. Secrets should be stored using the approved server-side configuration or secret-management method available to the deployment.

If a secret is exposed, it should be revoked or rotated through the authorized process. The exposure should be assessed as a potential security incident.

7.3 Least privilege and session safety

Access should be restricted to the records and actions required for each role. Where roles are implemented, viewing, editing, reassigning, closing, exporting, and administering the system should be controlled according to operational need.

Sessions should use the safeguards supported by the application, including appropriate authentication and session expiry where available. Access should be removed when authorization is no longer needed, and permissions should be reviewed after role changes.

8. Complaint Data Collection and Minimization

8.1 Required fields and purpose

The complaint register may contain a case reference, timestamp, customer details needed for follow-up, complaint text, category, extracted entities, priority, priority reason, routing destination, policy reference, response, and case status. Each field should have a defined operational purpose.

Optional information should not become mandatory merely because it is technically possible to collect it. Data collection should be proportionate to registering, investigating, communicating about, or resolving the complaint.

8.2 Sensitive identifiers and credentials

Complaint text may contain names, contact details, account identifiers, card details, transaction references, amounts, or other sensitive information. The customer interface should instruct users not to include passwords, PINs, OTPs, CVVs, or other authentication secrets.

Where a transaction identifier is required, collect only the minimum information needed to locate the event. Full account or card information should not be shown in general lists or exports when masking or partial identifiers are sufficient.

8.3 Data accuracy and correction

Original customer text should be preserved sufficiently to support a fair investigation. System-generated categories, normalized values, summaries, and extracted entities should be kept separate from the customer's original words.

Requests to correct inaccurate contact or complaint data should follow an authorized procedure. Material changes should retain an appropriate history where auditability is required.

8.4 Evidence and attachments

Supporting documents should be accepted only through a configured and appropriately protected channel. Each attachment should be linked to the correct case and made accessible only to authorized users.

If secure attachment storage has not been implemented, the application must not imply that sensitive files can be safely uploaded through an unsupported feature. Evidence must not be stored at a public URL or exposed to unauthorized users.

9. Entity Extraction, NLP and Generated Responses

9.1 Extracted entities

Named-entity recognition and rule-based patterns may identify dates, amounts, names, transaction references, account-related identifiers, and other configured values. Extracted values may be incomplete, incorrectly recognized, or associated with a different part of the complaint.

An extracted value is a candidate field, not verified evidence. Values that affect routing, investigation, or a response should be checked against the original complaint or an authorized source.

9.2 Model outputs and confidence

Intent predictions and confidence scores are internal decision-support information. A confidence score is not proof of the complaint's truth, the customer's credibility, or the occurrence of a transaction.

Customer-facing responses must not show internal confidence values or state that a predicted category has been confirmed by investigation. Ambiguous outputs should use the configured fallback or review process.

9.3 Retrieval and generated answers

Responses generated using retrieved policy passages must remain grounded in the available source text and must distinguish general policy guidance from case-specific findings. The system must not invent fee rules, deadlines, refund eligibility, a fraud conclusion, or a routing result unsupported by records.

If relevant policy support is not found, the system should state that the detail cannot be confirmed from available information and direct the customer to an authorized review route.

9.4 Human and operational review

Automated processing supports triage and organization; it does not replace authorized investigation or approval where required. A generated summary should not replace access to the original complaint for material decisions.

Changes to models, prompts, extraction rules, or queue mappings should be tested for misclassification, sensitive-data exposure, unsupported claims, and incorrect disclosure before adoption.

10. Database Security, Audit and Retention

10.1 Secure storage

Complaint records should be stored in the configured database or approved storage with access limited to authorized application components and users. Credentials must not be exposed in public repositories, client code, logs, or customer-visible messages.

Storage and transmission should use the security controls available in the deployed environment. The project must not claim encryption, backups, role-based access, or complete audit logging unless these controls are actually configured.

10.2 Audit trail

Where supported, audit records should capture material events such as successful registration, reference creation, category or priority override, assignment, status change, administrative edit, export, and closure.

Audit records should be protected against unauthorized modification and should not include passwords, API keys, OTPs, or other secrets. If complete logging is not implemented, the project must not claim full traceability.

10.3 Retention and deletion

Complaint records should be retained only for a documented operational, legal, regulatory, or project purpose and disposed of through an authorized process when no longer needed. A fixed retention period must not be invented without a supporting requirement.

Deletion must consider linked records, backups, and any applicable retention obligation. The system must not promise permanent removal from all copies when the implementation cannot verify that outcome.

10.4 Backup and recovery

If database backups are configured, they should be access-controlled and restored only through an authorized process. After restoration, the responsible maintainer should verify that references, complaint fields, and status values remain consistent.

Backup or recovery activity must not be claimed unless the relevant process was configured and confirmed.

11. Admin Dashboard, Search and CSV Export

11.1 Dashboard access

The dashboard should display only the fields necessary for case management and should mask sensitive values where full values are not required. Search and filtering must not bypass authorization controls.

Customer-facing users must not have access to the overall complaint register or other customers' records. Aggregate reporting should use summary information wherever individual case details are not required.

11.2 Export permissions and data minimization

CSV export should be available only to authorized administrators whose role requires it. Before exporting, the administrator should select or verify the fields needed for the stated task and remove unnecessary personal details, full identifiers, internal notes, or entity values.

Exports should be stored and shared only through controlled channels. Complaint files must not be placed in public folders, public code repositories, or openly accessible links.

11.3 File safety and accountability

CSV content may include text that spreadsheet software interprets as formulas. Where relevant to the implementation, exported user-entered text should be handled to reduce formula-injection risk and preserve data integrity.

Where logging is implemented, export activity should record the time, authorized actor, and scope of the export without unnecessarily duplicating all sensitive contents in the log.

12. Privacy Incidents and Security Response

12.1 Incident indicators

Possible incidents include unauthorized dashboard access, a lost export, unintended disclosure of complaint text, exposed deployment secrets, unauthorized alteration or deletion, use of another person's credentials, or a customer response that reveals restricted information.

An incident may be suspected before its full scope is known. Initial records should preserve the known facts and avoid unsupported claims about the number of people or records affected.

12.2 Containment and reporting

The person discovering a potential incident should use the designated project or organizational reporting route. Authorized containment actions may include revoking exposed secrets, restricting access, securing an export, preserving logs, or disabling an affected feature.

Containment steps and current status should be recorded where possible. The project must not claim an incident is fully contained or resolved until appropriate checks support that conclusion.

12.3 Assessment and communication

The responsible reviewer should assess the information involved, systems and users affected, likely scope, and any further actions required under applicable rules. Access to incident investigation records should be limited to authorized persons.

Any notification to customers, authorities, or stakeholders should follow applicable legal and organizational requirements. This policy does not create a universal notification deadline or replace a required incident response procedure.

12.4 Corrective action

After an incident, the cause should be examined where possible and corrective measures recorded. Controls, data fields, export procedures, prompts, access settings, and deployment configuration should be reviewed as appropriate.

Corrective changes should be tested and verified. The record must distinguish completed actions from recommendations that remain pending.

13. Customer-Facing Transparency and Internal Confidentiality

13.1 Customer-facing information

Customers may receive the complaint reference, confirmation of successful registration, confirmed status, requests for relevant information, and an outcome or next step supported by the case record.

Customers should not receive internal priority levels, confidence scores, staff-only notes, hidden risk rules, credentials, or another person's complaint information. Explanations should remain useful without disclosing restricted controls.

13.2 Internal notes and routing details

Internal notes must be separated from customer-facing text and restricted to authorized personnel. Automated templates must not append priority values, database fields, administrator notes, or system instructions to customer messages.

If routing uses only an internal project queue, customer communications must not imply that a real external department received the complaint. A claim of external routing requires confirmation from an authorized integration.

13.3 Accurate status claims

The system must not claim that a complaint was saved before the database confirms the write, that an administrator reviewed it before review occurred, or that an external action happened without confirmation.

The same rule applies to refunds, reversals, account restrictions, escalations, security remediation, and data deletion. A recommendation or planned action must be described as such rather than as a completed outcome.

14. Governance, Review and Related Policies

14.1 Ownership and change control

The project should identify an owner for policy content, priority mappings, route definitions, administrator access, database configuration, and privacy controls. Material changes should be documented with a reason, version, and testing outcome where the system supports change records.

Priority rules, supported categories, field definitions, and customer-facing status names should remain consistent across these policies, the database schema, admin dashboard, and application logic. Inconsistencies should be corrected through a controlled change.

14.2 Review and testing

This policy should be reviewed when the database schema, NLP models, entity patterns, priority rules, routing configuration, admin access, storage provider, export features, or applicable requirements change.

Testing should include routine and urgent complaints, unknown categories, low-confidence outputs, failed database writes, incorrect routing, unauthorized access attempts, and sensitive text. Testing should confirm that internal metadata is not exposed and the system does not claim unsupported actions.

14.3 Related policies

This policy should be read alongside the Account Management and Banking Services Policy; Debit and Credit Card Services Policy; Fraud, Unauthorized Transactions and Disputes Policy; Fund Transfers, Remittances and Refunds Policy; Banking Fees, Charges and Interest Policy; Digital Banking and Authentication Policy; and Customer Complaint Registration and Resolution Policy.

End of Policy