ANATOMY BCQS

1. parietal pleura develops from _____ of lateral plate mesoderm
   a) Splanchnopleuric layer
   b) somatopleuric layer
   c) commonpleuric layer
   d) all of the above
2. If primitive node persists in the embryo then it leads to which condition?
   a) neural tube defect
   b) sacrococcygeal teratoma
   c) spina bifida
   d) none of these
3. In thoracic inlet syndrome which of these structures can be pressed or pulled?
   A)subclavian artery and1st thoracic nerve
   B)subclavian artery and 2nd thoracic nerve
   C)1st thoracic nerve and left brachiocephalic vein
   D)left brachiocephalic vein and 2nd thoracic nerve
4. Which of the following structures is believed to be a primary organizer or inducer during organogenesis?
   A. somites
   B. notochord
   C. metanephric blastema
   D. lens placode
   E. none of the above
5. The blastocoels becomes the:
   A. amniotic cavity
   B. extra embryonic coelom
   C. primary yolk sac
   D. chorionic cavity
   E. secondary cavity
6. With the light microscope, the zona pellucida appears as a translucent membrane surrounding the:
   A. primary oocyte
   B. zygote
   C. morula
   D. very early blastocyst
   E. all of the above are correct
7. During the second week of development, the trophoblast differentiates into:
   A. syncytiotrophoblast
   B. ectoderm

C. intraembryonic mesoderm
D. yolk sac (secondary)

8. The first two intraembryonic germ layers to differentiate are the:
A. ectoderm and hypoblast
B. epiblast and hypoblast
C. ectoderm and endoderm
D. ectoderm and mesoderm

9. Capacitation of the sperm:

A. is caused by the zona pellucida
B. occurs in the male
C. prevents polyspermy
D. is essential for fertilization
E. removes the head of the sperm

10. Bleeding and rupturing of blood vessels is prevented by?

a. Vitamin C
b.Vitamin B2.
c.Vitamin K.
d.Vitamin E.

11. The early stages of cleavage are characterized by:

A. formation of a hollow ball of cells
B. formation of the zona pellucida
C. increase in the size of the cells in the zygote
D. increase in the number of cells in the zygote
E. none of the above

12. Haploid nuclei that fuse at fertilization are called:

A. homunculi
B. mitotic figures
C. centrioles
D. nucleoli
E. pronuclei

13. The amniotic cavity develops:

A. on the tenth day
B. within the outer cell mass
C. within the inner cell mass near the cytotrophoblast
D. in extraembryonic mesoderm
E. none of the above

14. During implantation, the blastocyst:

A. implants in the endometrium
B. usually attaches to endometrial epithelium at its embryonic pole
C. usually implants in the posterior wall of the body of the uterus
D. causes change in the endometrial tissues
E. all of the above are correct

15. which one of the following is primodial of central NERVOUS system:
a. Neural tube
b.neural plate
c.mesoderm
d.ectoderm
16. Fabella is a sesamoid bone embedded in the tendon of which muscle?

a) Popliteus
b) Gastrocnemius
c) Plantaris
d) Soleus
17. Primary ossification of long bones appears bt which week?
A)11th week
B)12th week
C)16th week
D)18th week
18. Right superior bronchus is:
a.hyparterial
b.eparterial
c.both
d.none
19. Distribution of blood flow is mainly regulated
by the:
1 Arteries
2 Arterioles
3 Capillaries
4 Venules
20. Two infants are born at 36 weeks' gestation. Infant A weighs 2600 g (5 lb, 12 oz) and infant B weighs 1600 g (3 lb, 8 oz). Infant B is more likely to have which of the following problems?
a. Congenital malformations
b. Low hematocrit
c. Hyperglycemia
d. Surfactant deficiency
e. Rapid catch-up growth retardation

21. The most common site for implantation in ectopic pregnancy is:
    A. internal os of the uterus
    B. mesentery
    C. ovary
    D. uterine tube
    E. other
22. Following are the correct statement about cholestrol of cell membrane except:
    1.maintain fluidity of cell membrane
    2.steroid nucleus is highly fatsoluble
    3.act as carrier
    4.determine degree of permeability.
23. dislocation of shoulder joint is commonly occur in which direction??
    (a)in upward direction
    (b)in downward direction
    (c)in laterally direction
    (d)in medially direction
24. The epiblast cells are bind together by?
    A) serotonin
    B)E-cadherin
    C)noggin
    D)follistatin
    E)chordin
25. Mucoproteins are present in all except.
    A)umbilical cord
    B)immunoglobulins
    C)gonadotrophins
    D)blood group substances
26. A young boy while playing football fell on ground. He had an injury on medial side of hand. He is unable to adduct the wrist. Which muscle is most likely damaged
    A. Flexor digitorum superficialis
    B. Flexor digitorum profundus
    C. Adductor policis
    D. Flexor carpi ulnaris
    E. Flexor digiti minimi
27. Healing of a wound and repair is the phenomenon which takes place by the process of
    a) mitosis
    b) meiosis
    c)cell growth
    d) mitosis and meiosis
28. Peristaltic wave of contraction move fluid within which of the following vessels?
    A) arteries
    B)veins

C)lymphatics

D)capillaries

29. The urachus after birth forms

    a)lateral umbilical ligament

    b)medial umbilical ligament

    c) median umbilical ligament

    d) ligamentum venosum

30. In walking, the hip bone of the suspended leg is raised by which of the following muscles acting on the supported side of the body?

    A : Gluteus maximus

    B : Gluteus medius

    C : Obturator internus

    D : Quadratus femoris

31. arterial constriction increases

    a. systolic pressure

    b. diastolic pressure

    c. ventricular pressure

    d. atrial pressure

32. Saturday night palsy caused by damage to?

    A. Ulnar nerve

    B. Radial nerve

    C. Median nerve

    D. Profunda brachii artery

33. Which of the following segments of the circulatory system has the highest velocity of blood flow?

    a) aorta

    b) arteries

    c) capillaries

    d) venules

34. A decrease in which of the following tends to increase the pulse pressure?

    a) systolic pressure

    b) stroke volume

    c) arterial compliance

    d) venous return

35. Platelet is a

    A. Blood cell

    B. Non nucleated formed element

    c.ramnants of magakaryocyte

    d.all of these

    e.both b,c

36. the villi degenerate to form "chorionic laeve ", at which place:

    A. EMBRYONIC POLE
    B. CAUDAL END
    C. POSTERIOR WALL NEAR PRIMITIVE PIT
    D. ABEMBRYONIC POLE
37. rbcs use ____ for energy:

    1-Glucose
    2-Ketone bodies
    3-Fatty acids
    4-Fructose
38. Duration of inspiration is limited by:
    A. Ventral respiratory group of neuron
    B. Pneumo toxic centre
    C. Dorsal resp
    group of neuron
    D. Apreustic centre
    E.thalamus
39. morula enters the uterus on which day after fertilization
    a)2
    b)3
    c)4
    d)5
40. Sleeping Foot caused by compression of
    Sciatic nerve
    Femoral nerve
    Tibial nerve
    Deep peroneal nerve
41. Which of the following is the largest gland of the body??
    1)liver
    2)skin
    3)pancrease
42. person with a vitamin B 12 or folic acid deficiency would probably also have

    A. Anemia
    B. Polycythemia
    C. Leukemia
    D. Leukocytosis
43. gravid endometrium is the functional layer in pregnant women nd :

    A. give rise to decidua

B. give rise to myometrium

C. falls after parturition

D. falls before parturition

44. Upper limb and lateral breast drain into

A celiac LN

B Internal iliac

C axillary

D superior mesenteric

45. The Right Lung Have ……Tertiary Bronchi

A) 9

B) 8

C) 10

D) 11

46. The inferior vena cava begins at the level of following vertebrae?

A. L1.

B. L3.

C. L5.

D. S2.

47. The lymphatics of superficial thigh drain into

A superficial inguinal

B popliteal

C Para aortic

D internal iliac

48. There is abnormality in spectrin protein…

A.Thalaesemia

B.Iron Deficiency Anaemia

C.Sickle Cell Anaemia

D.Hereditary Spherocytosis

49. Which is not present in dermis ?

A fibroblast

B Macrophage

C melanocyte

D reticulocyte

50. Total no of carpal bone in human is

a.2

b.4

c.8

d.16

51. the proteoglycan component, that lines the vessel nd is derived frm primary mesenchyme nd protects the blood vessels :

a. amnion
b. urachus
c. whartons jelly
d. amniotic fluid

52. sustentacular cells r also called:

a. germ cell
b. pri.spermatocytes
c.sertoli cell
d. germinal cell

53. the neural fold joins or fuse together to form the neural tube at the level of:
a.5th somite
b.6th somite
c.9th somite
d.none ov these

54. VITELLINE DUCT, is a communication btwn:

a. midgut nd hindgut
b. placenta nd forebrain
c.midgut nd yolksac
d.placenta and midgut

55. Pneumonia localized in
A. inferior lobe left lung
B.inferior lobe right lung
C.apical lobe left lung
D.apical lobe right lung

56. DESIDUA CAPSULARIS, degenerates at which week and due to :

A. 12TH WEEK,WEAKNESS
B. 23RD WEEK, BREAKAGE
C. 22ND WEEK,REDUCED BLOOD SUPPLY
D. 20TH WEEK , TUMOR

57. definitive placental villus is also cwld:
a. secondary chorionic villi
b.primary chorionic villi
c.tertiary chorionic villi
d.chorion leave

58. The movement of fetus is felt in which month and heart beats at which week?

a.5th Month,4TH Week
b.6th Month,3th Week

c.2th Month,2th Week

D.none

59. The placenta and fetal membrane. extruded from uterus after birth are called:

a. cotyledon

b. bulging villus

c. urachus

d. secundina

60. meckels diverticulum is the persistant form of:

a. urachus

b. umbilical ligament

c. allantois

d. vitelline duct

61. the antibody transmitted from mother to fetus is :

a. igD

b.igM

c.igG

d.igA

62. . Most common bone fractured during birth :

A. Clavicle

B. Humerus

C. Radius

D. Ulna

63. the term "breaking of water" occurs during labor, due to rupture of :

A. chorioamnio membrane

B. fetal membrane

C. placental membrane

D.amniochorionic membrane

64. Collapse Of Lungs IN Infants Due TO Lack OR absence OF Surfactant Condition IS called

A) Acute Respiratory Syndrome

BarLow Syndrome

C) Hyaline membrane disease

D)Respiratory Distress Syndrome

E) C And D

65. All of the following muscles have dual nerve supply, except :

a) Brachialis

b) Pectineus

c) Flexor digitorum superficialis

d) Flexor digitorum profundus

66. the best site for implantation in uterus nd the day of implantaion initiation is:

a. lateral wall near caudal end , 6th day
b. posterior wall , 9th day
c. anterior wall , 7th day
d. posterior wall, 6th day

67. allantois appears on which day and from which end of wall of yolk sac :

a.16,caudal end
b.17,cephalic end
c.16.cranial end
d.17,cephalic end

68. which component makes umbilical cord and placenta shine and smooth :

A. sebum
B.maternal blood
c. amnion
d. Wharton's jelly

69. Which Vessels side have low PH
A Arterial side
B Venous side

70. PRIMORDIAL GERM CELLS, are formed from:

a. epiblast
b. ectoderm
c. pluripotent cell
d.teratomes

71. the following is an antisterility vitamin
a. Vit A
b. Vit D
c. Vit E
d. Vit K
e. Vit C

72. Which one is called as Funny bone :
A. Radius
B. Humerus
C. Patella
D. Ulnar nerve

73. A basketball player was hit in the thigh by an opponent's knee. Which of the following arteries is likely to compress and cause ischemia because of the bruise and damage to the extensor muscles of the leg?
A. Popliteal
B. Deep femoral

C. Anterior tibial
D. Posterior tibia

74. which one of the following is sometimes cwld as 4th germ layer:
    a. neural tube
    b.intermediate mesoderm
    c.neural fold
    d.neural crest
75. which of these is use as pregnancy indicator:

    a. PDG
    b.PGC
    c.hCG
    d. DSL
76. labor has how many stages :

    a. 5
    b. 6
    c.3
    d. 4
77. . Which of the following group of lymph nodes drain the upper and outer quadrant of breast :
    A. Deltopectoral nodes
    B. Anterior pectoral nodes
    C. Posterior pectoral nodes
    D. Apical group
78. the maternal blood is consider as a part of placenta nd is cwld:

    A.hordical
    B.lacunae
    C.hemoshrial
    D.hemochorial
79. Diarrhoea causes ?
    A. Alkalosis
    B. Acidosis
80. During walking- person takes off left foot from ground - which muscle plays a major role in this action?
    A left gluteus medius
    B right gluteus medius
    C right gluteus maximus
    D left gluteus maximus
    E left gluteus minimum