d. Procerus
e. Nasalis 9:01 AM

Forwarded
Select the wrong statement regarding investing layer of deep cervical Fascia?
Select one:
a. Splits to enclose sternomastoid and Trapezius.
b. Forms roof of posterior triangle of neck.
c. Forms false capsule of parotid gland.
d. Forms floor of Anterior triangle of neck.
e. Thickens to form Stylomandibular ligament. 9:01 AM

Forwarded
Choose incorrect statement regarding fibrocartilage?
Select one:
a. Opaque in appearance.
b. When damaged do not repair
c. Intervertebral disc is best example.
d. Perichondrium surrounds the entire surface.
e. Contain numerous white fiber.
9:01 AM

Forwarded
Maternal portion of placenta is formed by?
Select one:

9:01 AM

Sat, 24 Dec

Forwarded

Maternal portion of placenta is formed by?
Select one:
a. Decidua basalis.
b. Decidua caspularis
c. Decidua peritalis.
d. Chorion leave
e. Chorion frondosum. 9:01 AM

Forwarded

Transitional epithelial cells lining the urinary bladder are held together by:
Select one:
a. Zonulae occludens
b. Nexus junctions
c. Macula adherens
d. Fascia adherens
e. Zonula adherens 9:01 AM

Forwarded

The fate of notochord is?
Select one:
a. Vertebral column.
b. Annulus fibrosus froms intervertebral Disc.
c. Nucleus pulposus form intervertebral Disc.
d. Neural tube
e. Spinal cord 9:01 AM

Forwarded

Which of spermatogenic cells contain

d. Uterus
e. Fallopian tube 9:02 AM

Forwarded
Regarding connective tissue fibers, choose the correct statement:
Select one:
a. Elastic fibers are easily digestible by proteases
b. Reticular fibers are characteristically stained with Silver
c. Collagen type-III is found in fetal membranes
d. Collagen fibers form supportive stroma of bone marrow & other lymphoid organs
e. Elastic fibers are thicker than type-I collagen 9:02 AM

Forwarded
Select the false statement regarding cutaneous branches of cervical plexus?
Select one:
a. Transverse cervical Nerve.
b. Supraclavicular Nerve.
c. Greater occipital Nerve.
d. Greater Auricular Nerve.
e. Lesser occipital Nerve. 9:02 AM

Forwarded
Select the name of structure lie superficial to submandibular gland in diagastric triangle?
Select one:

c. Posterior superior alveolar nerve
d. Maxillary ne
e. Pterygopalatine ganglion
9:02 AM

Sat, 24 Dec

Forwarded
Simple cuboidal epithelium lines which part of female reproductive tract?
Select one:
a. Cervix
b. Vagina
c. Ovary
d. Uterus
e. Fallopian tube
9:02 AM

Forwarded
Regarding connective tissue fibers, choose the correct statement:
Select one:
a. Elastic fibers are easily digestible by proteases
b. Reticular fibers are characteristically stained with Silver
c. Collagen type-III is found in fetal membranes
d. Collagen fibers form supportive stroma of bone marrow & other lymphoid organs
e. Elastic fibers are thicker than type-I collagen
9:02 AM

Forwarded
Select the false statement regarding cutaneous branches of cervical plexus?

c. Spinal cord 9:01 AM

Sat, 24 Dec

Forwarded

Which of spermatogenic cells contain haploid number of chromosomes in its nucleus?
Select one:
a. Primordial germ cell.
b. Types B spermatoginia.
c. Types A spermatoginia
d. Primary spermatocyte.
e. Secondary spermatocyte. 9:01 AM

Forwarded

hoose the incorrect answer regarding Down's syndrome?
Select one:
a. Its structural abnormality.
b. Risk increase with maternal ageing.
c. Cause by trisomy 21.
d. Resulting from meiotic disjunction..
e. Associated with mental Retardation. 9:01 AM

Forwarded

Contents of pterygopalatine fossa do not include:
Select one:
a. Maxillary artery
b. Mandibular nerve
c. Posterior superior alveolar nerve
d. Maxillary nerve
e. Pterygopalatine ganglion 9:02 AM

Forwarded

Simple cuboidal epithelium lines

e. Posterior cricoarytenoid 9:02 AM

Sat, 24 Dec

Forwarded

Select the incorrect statement regarding the derivatives of "Ureteric Bud"?
Select one:
a. Minor calyces.
b. Major calyces.
c. Renal pelvis .
d. Renal corpuscles.
e. Ureter. 9:02 AM

Forwarded

Primary Ossification center are present in skull and in long bones by?
Select one:
a. 12th week.
b. Embryonic period.
c. After birth.
d. 4th week .
e. At birth. 9:02 AM

Forwarded

hoose the false statement regarding skeletal muscles?
Select one:
a. They soon get fatigued.
b. Innervated by somatic Autonomic nerves.
c. Fibers are branched.
d. Voluntary
e. Striped muscles. 9:02 AM

Forwarded

e. Result in formation of zygote

9:02 AM

Forwarded

Climbing/afferent fibers of cerebellar cortex:
Select one:
a. They branch repeatedly at their termination
b. They originate in the superior olivary nucleus medulla oblongata
c. They terminate in the Purkinje cell layer of cerebellar cortex
d. They terminate in the granular layer of cerebellar cortex
e. They originate in the inferior olivary nucleus of medulla oblongata 9:02 AM

Forwarded

28 years old female patient came to emergency department for acute abdomen where she was diagnosed as case of ectopic pregnancy. What is common site of above mentioned condition?
Select one:
a. Pouch of Douglas.
b. Internal OS
c. Uterine cavity proper
d. Ampulla of uterine tube.
e. Isthmus of uterine tubes. 9:02 AM

Forwarded

Which of dural venous sinus is not

Forwarded Sat, 24 Dec

Which of the muscles of tongue is not innervated by hypoglossal nerve?
Select one:
a. Intrinsic muscles of tongue.
b. Hyoglossus.
c. Palatoglossus.
d. Genioglossus.
e. Styloglossus. 9:02 AM

Forwarded

Which of the following coats is not present in the wall of gall bladder?
Select one:
a. Muscularis.
b. Mucosa.
c. Serosa.
d. Submucosa.
e. Adventitia. 9:02 AM

Forwarded

Which of the following statement regarding trachea is incorrect?
Select one:
a. Ends at sternal angle by dividing into right and left principal bronchus.
b. Begins as continuation of larynx.
c. Venous blood drain into external jugular vein.
d. Its lymph drain into pre and para tracheal lymph nodes.
e. Supplied by inferior thyroid artery.
9:02 AM

b. Contain both thick & thin filaments
c. Bisected by Z-disc
d. Contain thick filaments only
e. Are also called light bands 9:02 AM

Sat, 24 Dec

Forwarded
The extra ocular muscle responsible for moving the chornea downwards and laterally is?
Select one:
a. Inferior oblique.
b. Inferior rectus.
c. Lateral Rectus.
d. Superior oblique.
e. Superior rectus. 9:02 AM

Forwarded
In below mentioned statements which is incorrect regarding fertilization?
Select one:
a. Determination of sex.
b. Restoration of diploid no of chromosome
c. Occurs in isthmus of uterine tube.
d. Capicitation is necessary step in it.
e. Result in formation of zygote
9:02 AM

Forwarded
Climbing/afferent fibers of cerebellar cortex:
Select one:
a. They branch repeatedly at their termination
b. They originate in the superior

Forwarded

Select the name of structure lie superficial to submandibular gland in diagastric triangle?
Select one:
a. Facial Artery.
b. Hypoglossal Nerve.
c. Mylohyoid muscle.
d. Facial Vein.
e. Nerve to Mylohyoid. 9:02 AM

Forwarded

Regarding histology of tooth, choose the correct statement:
Select one:
a. Dentin is formed throughout life by ameloblasts
b. The apical foramen is present in the chamber of pulp cavity
c. Cell bodies of odontoblasts lie in the pulp cavity
d. Dental pulp is the only part of tooth that is pain-sensitive
e. Dental cuticle covers dentin of tooth 9:02 AM

Forwarded

A-bands of skeletal muscle fiber:
Select one:
a. Contain thin filaments only
b. Contain both thick & thin filaments
c. Bisected by Z-disc
d. Contain thick filaments only
e. Are also called light bands 9:02 AM

c. Uterine cavity proper
d. Ampulla of uterine tube.
e. Isthmus of uterine tubes. 9:02 AM

Forwarded
Which of dural venous sinus is not related to tentorium cerebelli?
Select one:
a. Inferior saggital sinus.
b. Superior petrosal sinus.
c. Straight Sinus.
d. Right Transverse sinus.
e. Left Transverse sinus. 9:02 AM

Forwarded
emanant of left horn of sinus venous is ?
Select one:
a. Valve of coronary sinus.
b. Left Auricle.
c. Right auricle.
d. Oblique vein of left atrium
e. Smooth part of right Atrium. 9:02 AM

Forwarded
Abduction of vocal cord is brought about by:
Select one:
a. Lateral cricoarytenoid
b. Cricothyroid
c. Aryepiglotticus
d. Thyroarytenoid
e. Posterior cricoarytenoid 9:02 AM

Forwarded

Sat, 24 Dec

Z

Forwarded

The bony nodules found embedded In tendons having no periosteum and ossify after birth?choose the correct type of bone according to shape having above features.
Select one:
a. Pneumatic bone
b. Irregular bone
c. Sasemoid bone..
d. Flat bone.
e. Super numerary bone. 9:01 AM

Forwarded

Which of the following muscles of face dilates the lacrimal sac?
Select one:
a. Orbicularis oculi
b. Levator palpebrae superioris
c. Corrugator supercilii
d. Procerus
e. Nasalis 9:01 AM

Forwarded Sat, 24 Dec

Choose the incorrect statement regarding fourth ventricles of brain?
Select one:
a. Lateral wall is form by superior and inferior cerebellar puduncle.
b. Communicates with third ventricle through Aqueduct of sylvius.
c. Floor is called rhomboid fossa.
d. Foramen Megandie is lateral aperture in its roof.
e. It is cavity of hind brain. 9:02 AM

Forwarded

Which of the following cranial nerves do not carry parasympathetic fibers?
Select one:
a. Trigeminal
b. Facial
c. Vagus
d. Glossopharyngeal
e. Occulomotor 9:02 AM

Forwarded

Posterior triangle of neck is further divided into occipital and supraclavicular triangle?
Select one:
a. Superior belly of Omohyoid.
b. Anterior belly of Diagastric.
c. Posterior belly of Diagastric.
d. Inferior belly of Omohyoid.
e. Sternocleidomastoid. 9:02 AM

Sat, 24 Dec

a. Spermatogonia become sperm.
b. Morphological change.
c. Formation of Acrosome.
d. Condensation of Nucleus.
e. Shedding of cytoplasm. 9:02 AM

Forwarded
Choose the incorrect statement regarding blastocyst?
Select one:
a. Cavity of blastocyst is blastocele.
b. It enters uterine cavity from uterine tube.
c. Trophoblast forms its outer layer.
d. Cells are called blastomere.
e. Blastocyst implants in uterine wall.
9:02 AM

Forwarded
Emissary veins which can transmit superficial infections to the intracranial dural venous sinuses are present in which layer of the scalp thus making it 'dangerous area'?
Select one:
a. Loose areolar tissue
b. Skin
c. Epicranial aponeurosis
d. Superficial fascia/connective tissue
e. Pericranium 9:02 AM

Forwarded
Choose the incorrect statement regarding fourth ventricles of brain?
Select one:

Sat, 24 Dec

Forwarded

Peyer's patches are the characteristic features of:
Select one:
a. Ileum.
b. Caecum.
c. Jejunum.
d. Colon.
e. Duodenum . 9:02 AM

Forwarded

Choose the incorrect statement regarding muscular derivatives of fourth pharyngeal arch?
Select one:
a. Inferior constrictor muscles of pharynx.
b. Levator velli palatini.
c. Superior constrictor muscle of phyarynx.
d. Crico thyroid.
e. Tensor velli palatini. 9:02 AM

Forwarded

Chose the odd statement regarding Spermiogenesis?
Select one:
a. Spermatogonia become sperm.
b. Morphological change.
c. Formation of Acrosome.
d. Condensation of Nucleus.
e. Shedding of cytoplasm. 9:02 AM

Forwarded

Forwarded Sat, 24 Dec

Choose true statement regarding cleavage of zygote?
Select one:
a. Meiotic type of division.
b. Inner cells of morula are called trophoblast.
c. Mitotic division.
d. Occurs in uterine cavity.
e. Compaction occurs in four cell stage. 9:02 AM

Forwarded

The vein which is not the tributary of coronary sinus is?
Select one:
a. Small cardiac vein.
b. Anterior cardiac vein.
c. Great cardiac vein.
d. Middle cardiac vein.
e. Oblique vein of left atrium. 9:02 AM

Forwarded

The nerve carrying preganglionic parasympathetic fibers to parotid glands passes through which foramen of cranial cavity?
Select one:
a. Foramen rotundum.
b. Jugular foramen.
c. Foramen magnum.
d. Foramen lacerum.
e. stylomastoid foramen. 9:02 AM

c. Foramen magnum.
d. Foramen lacerum.
e. stylomastoid foramen. 9:02 AM

Sat, 24 Dec

Forwarded
Right coronary artery choose odd statement?
Select one:
a. Gives infundibular branch to infundibulum.
b. Anterior interventricular artery is its largest branch
c. Arise from Anterior aortic sinus..
d. Supply sinoatrial node.
e. Branch of ascending Aorta. 9:02 AM

Forwarded
Select the odd statement regarding skeletal muscles?
Select one:
a. Fleshy part is called belly.
b. Striped Muscles.
c. Aponeurosis is its flattened tendon.
d. Temporalis is Triangular muscle.
e. Fixed end of Muscle is called insertion. 9:02 AM

Forwarded
Choose the correct statement regarding histology of fibrocartilage:
Select one:
a. Extracellular matrix is homogenous & glassy
b. Contains type-II collagen
c. Chondrocytes are arranged in the

Choose the correct statement regarding histology of fibrocartilage:
Select one:
a. Extracellular matrix is homogenous & glassy
b. Contains type-II collagen
c. Chondrocytes are arranged in the form of rows
d. Perichondrium is usually present
e. Found in trachea

9:02 AM

Forwarded

Regarding pancreas :
Select one:
a. Main pancreatic duct opens in first part of duodenum
b. It is a compound tubular gland.
c. It serves purely as an exocrine gland.
d. Contains both serous and mucus acini.
e. Contains centroacinar cells in the intercalated ducts.

9:02 AM

Forwarded

Select the incorrect statement regarding ovulation?
Select one:
a. Rupture of graffian follicle and ovum is release.
b. There is rise of body temperature.
c. Due to Progesterone surge.
d. Occurs at 14TH day of menstrual cycle.

9:02 AM

Sat, 24 Dec

Forwarded

Which of the following layers of epidermis is the characteristic feature of 'thick skin'?
Select one:
a. Stratum lucidum
b. Stratum basale
c. Stratum corneum
d. Stratum spinosum
e. Stratum granulosum

9:02 AM

Forwarded

Mucosa of uterus at the time of implantation in which phase of Menstrual cycle.
Select one:
a. Ovulation.
b. Secretory Phase.
c. Menstrual phase.
d. Follicular Phase.
e. Proliferative Phase..

9:02 AM

Forwarded

Structure with in parotid gland includes all the following except?
Select one:
a. Parotid lymph nodes.
b. Facial nerve.
c. Auriculo temporal nerve.
d. External carotid Artery.
e. Retromandibular vein.

9:02 AM

Forwarded

Which of the following muscles of soft

Sat, 24 Dec

Forwarded
Choose the structure not seen on posterior surface of pons?
Select one:
a. Facial colliculus .
b. Sulcus limitans.
c. Vagal triangle
d. Medial eminence .
e. Vestibular area. 9:02 AM

Forwarded
Thyrohyoid membrane is pierced by:
Select one:
a. Superior laryngeal nerve
b. Internal laryngeal nerve
c. Pharyngeal nerve
d. Recurrent laryngeal nerve
e. External laryngeal nerve 9:02 AM

Forwarded
Regarding action of temporalis muscle anterior fibers elevate mandible and posterior fibers?
Select one:
a. Elevate mandible.
b. Retract mandible.
c. Help in chewing.
d. Protrude mandible.
e. Depress mandible. 9:02 AM

Forwarded
Which of the following layers of epidermis is the characteristic feature of 'thick skin'?

Which of the following is not a branch of cranial part of vertebral artery?
Select one:
a. Posterior inferior cerebellar artery.
b. Anterior spinal artery.
c. Posterior spinal artery.
d. Medullary artery.
e. Anterior inferior cerebellar artery.

9:02 AM

Forwarded

Retinal pigment epithelium is embryologically derived from?
Select one:
a. Pars iridia retinae
b. Outer layer of optic cup
c. Pars optica retinae.
d. Pars celiaris retinae
e. Pars ceca retinae

9:02 AM

Forwarded

choose the false statement regarding adrenal medulla?
Select one:
a. Cells are also called chromaffin cells.
b. Develops embryologically from mesoderm.
c. Secretes epinephrine and norepinephrine.
d. Contains anastomosing cords of epitheloid cells.
e. Innervated by preganglionic sympathetic nerve fibers.

9:02 AM

9:02 AM

Sat, 24 Dec

Forwarded

Which of the following cells of skin belong to mononuclear phagocyte system?
Select one:
a. Kertinocytes
b. Squames
c. Langerhan cells
d. Melanocytes
e. Merkel cells

9:02 AM

Forwarded

When palm of hand is facing upwards, choose the correct movement?
Select one:
a. Rotation
b. Supination
c. Pronation
d. Retraction
e. Protraction

9:02 AM

Forwarded

Which of the following coats is not present in the wall of gall bladder?
Select one:
a. Muscularis.
b. Mucosa.
c. Serosa.
d. Submucosa.
e. Adventitia.

9:02 AM

Forwarded

Peyer's patches are the characteristic

Forwarded
Pupillary light reflex begins at?
Select one:
a. 28th week .
b. 12th week.
c. Embryonic period.
d. After birth.
e. 7th week. 9:02 AM

Forwarded
At which level of transverse section of brain stem show motor and sensory nucleus of trigeminal nerve?
Select one:
a. Level of facial colliculus.
b. Cranial level of pons.
c. Level of olives.
d. Level of medical Leminiscus.
e. Level just inferior to pons. 9:02 AM

Forwarded
Select the odd statement regarding inner most layer of meninges of brain and spinal cord?
Select one:
a. It is vascular layer.
b. Forms ligamentum denticulatum in spinal cord region.
c. Take part in formation of choroid plexus.
d. Bridges the sulci of cerebral hemisphere.
e. Called lepto meninges along with Arachnoid matter.. 9:02 AM

d. Oblique vein of left atrium.
e. Middle card Sat, 24 Dec 9:02 AM

Forwarded
Regarding development of pancreas, which part of it not develops from dorsal bud ?
Select one:
a. Upper part of head of pancreas.
b. Body of pancreas.
c. Neck of pancreas.
d. Uncinate process .
e. Tail of pancreas. 9:02 AM

Forwarded
choose odd statement regarding gross anatomy of ureter?
Select one:
a. Opens into neck of urinary bladder.
b. Conveys urine from kidney to urinary bladder.
c. Renal artery supplies its upper one third.
d. Has constriction at pelvi-ureteral junction,
e. Upper part is funnel shaped called renal pelvis. 9:02 AM

Forwarded
hoose the false statement regarding substantia gelatinosa group of neurons?
Select one:
a. Act as second order neuron of lateral spinothalamic tract.

Forwarded
Maxillary sinus drains into:
Select one:
a. Superior meatus
b. Ethmoidal bulla of middle meatus
c. Inferior meatus
d. Hiatus semilunaris of middle meatus
e. Spheno-ethmoidal recess
9:02 AM

Forwarded
The vein which is not the tributary of coronary sinus is?
Select one:
a. Great cardiac vein.
b. Small cardiac vein.
c. Anterior cardiac vein.
d. Oblique vein of left atrium.
e. Middle cardiac vein.
9:02 AM

Forwarded
Regarding development of pancreas, which part of it not develops from dorsal bud ?
Select one:
a. Upper part of head of pancreas.
b. Body of pancreas.
c. Neck of pancreas.
d. Uncinate process .
e. Tail of pancreas.
9:02 AM

Forwarded
choose odd statement regarding

Arachnoid matter.. 9:02 AM

Sat, 24 Dec

Forwarded
Neural crest cells give rise the which one of following structure in skin.
Select one:
a. Epidermis of trunk.
b. Hair of scalp.
c. Dermis of face.
d. Sweat glands.
e. Sebaceous glands. 9:02 AM

Forwarded
Choose the incorrect statement regarding blood vessels of thyroid and parathyroid glands?
Select one:
a. Superior thyroid vein drains into internal jugular vein.
b. Para thyroid gland are supply by inferior thyroid artery.
c. Superior thyroid artery is branch of external carotid artery.
d. Inferior thyroid vein drain into left brachio cephalic vein.
e. Thyroidia ima may arise directy from ascending aorta. 9:02 AM

Forwarded
Maxillary sinus drains into:
Select one:
a. Superior meatus
b. Ethmoidal bulla of middle meatus
c. Inferior meatus
d. Hiatus semilunaris of middle

junction,

Sat, 24 Dec

e. Upper part is funnel shaped called renal pelvis.

9:02 AM

Forwarded

hoose the false statement regarding substantia gelatinosa group of neurons?
Select one:
a. Act as second order neuron of lateral spinothalamic tract.
b. Concerned with pain and temperature pathway .
c. Nucleus dorsallis lies immediately anterior to it.
d. Send its efferents to contralateral white matter.
e. Present at apex of posterior grey horn.

9:02 AM

Forwarded

Which of the following is not a tributary of internal jugular vein?
Select one:
a. Superior thyroid vein
b. Lingual vein
c. Middle thyroid vein
d. Common facial vein
e. Inferior thyroid vein

9:02 AM

Forwarded

Which of the following statement mismatches with description regarding left lung?

Which of the following statement mismatches with description regarding left lung?
Select one:
a. Have two lobes.
b. Related to Azygous vein superiorly at its root.
c. Only have oblique fissure.
d. Lingula respresent middle lobe.
e. Contain cardiac notch in its anterior border.

9:02 AM

Forwarded

Select the incorrect statement regarding contents of middle mediastinum:
Select one:
a. Phrenic nerve.
b. Lower part of superior vena cava.
c. Ascending aorta.
d. Bifurcation of trachea.
e. Vagus nerve.

9:02 AM

Forwarded

Stylopharengeus muscle is supplied by:
Select one:
a. Accessory nerve (spinal part)
b. Glossopharyngeal nerve
c. Accessory nerve (cranial part)
d. Vagus nerve
e. Hypoglossal nerve

9:02 AM

Forwarded

Forwarded

Which of the following muscles of soft palate are supplied by mandibular nerve?
Select one:
a. Tensor veli palatine
b. Palatopharyngeus
c. Musculus uvulae
d. Palatoglossus
e. Levator veli palatine

9:02 AM

Forwarded

An ultrasound scan detects a large mass near the Sacrum of a 28 week female fetus ,what might be the origin of such mass :
Select one:
a. Prechordal plate.
b. Epiblast.
c. Primitive node.
d. Hypoblast.
e. Primitive Streak.

9:02 AM

Forwarded

Revolving nose-piece of a bright-field (light) microscope usually contains how many objective lenses?
Select one:
a. 4
b. 3
c. 6
d. 2
e. 5

9:02 AM

vein in its center & portal triad at corners

9:02 AM

Forwarded

Regarding histology of parotid gland, which of the following statement is false?
Select one:
a. Serous demilunes are present.
b. Main parotid duct is mostly lined by stratified columnar epithelium.
c. Intercalated ducts are lined by simple columnar epithelium
d. It is a compound tubule-alveolar gland.
e. It contains purely serous acini.

9:02 AM

Forwarded

Bones of Face develop from:
Select one:
a. Chondrocranium.
b. Viscerocranium.
c. Neurocranium
d. Chordalchondro cranium.
e. Prechordal chondrocranium .

9:02 AM

Forwarded

Regarding venous drainage of face, mark the statement which is true?
Select one:
a. Retromandibular vein is formed by the union of supraorbital &

Sat, 24 Dec

Forwarded

Regarding venous drainage of face, mark the statement which is true?
Select one:
a. Retromandibular vein is formed by the union of supraorbital & supratrochlear veins
b. Facial vein drains into external jugular vein
c. Pterygoid venous plexus drains into superficial temporal vein.
d. Common facial vein is formed by the union of anterior division of retromandibular vein & facial vein
e. Facial vein has no direct connection with pterygoid venous plexus 9:02 AM

Forwarded

White matter of cerebral hemisphere have all true statement except?
Select one:
a. Anterior commissure is olfactory in function.
b. Associated fibers connect two gyri is same hemisphere.
c. Corpus callosum is largest commissure.
d. Fornix connect the hippo campal formation of two sides.
e. Internal capsule is example of Association fibers. 9:02 AM

Forwarded

Structure which is not included as

e. Splenic cortex 9:02 AM

Sat, 24 Dec

Forwarded
cerebellum develops from:
Select one:
a. Mesencephalon.
b. Diancephalon.
c. Metencephalon.
d. Mylencephalon.
e. Prosencephalon. 9:02 AM

Forwarded
Regarding normal anatomical position of person. choose the incorrect option?
Select one:
a. His face looking forward.
b. Both feet lie together
c. Palms of hand is facing backward
d. Person is standing straight
e. Both Arms lie by the side of body
9:02 AM

Forwarded
A large opening in the diaphragm that occludes thoracic outlet at the level of T10 vertebra transmits which of the following?
Select one:
a. Thoracic duct
b. Esophagus
c. Inferior vena cava
d. Aorta
e. Azygous vein 9:02 AM

Sat, 24 Dec

Forwarded

Choose the odd statement regarding Broadmans cortical area responsible for formation of words:
Select one:
a. Located in lower part of post central gyrus.
b. Called wernicke sensory speech area.
c. Present in left dominant hemisphere .
d. Lesion produce motor aphasia.
e. Its broadman number is 44,45.

9:02 AM

Forwarded

The events of first week of development include all except?
Select one:
a. Compaction.
b. Morula formation.
c. Cleavage occurs
d. Capicitation.
e. Formation of blastocyst.

9:02 AM

Forwarded

Hassall corpuscles are found in:
Select one:
a. Thymic cortex
b. Lymph node paracortex
c. Splenic medulla
d. Thymic medulla
e. Splenic cortex

9:02 AM

c. Inferior vena cava
d. Aorta
e. Azygous vein

Sat, 24 Dec

9:02 AM

Forwarded

Regarding ear, choose the correct statement:
Select one:
a. Membranous labyrinth of internal ear is filled with perilymph
b. External acoustic meatus is supplied by auriculotemporal nerve
c. Tensor tympani muscle is supplied by facial nerve
d. Oval & round windows are present in the posterior wall of middle ear
e. Eustachian/auditory tube connects middle ear with the oropharynx

9:02 AM

Forwarded

Protrusion of tongue is brought about by :
Select one:
a. Intrinsic muscles of tongue.
b. Styloglossus.
c. Genioglossus.
d. Palatoglossus.
e. Hyoglossus.

9:02 AM

Forwarded

Which branch of facial nerve is the content of infratemporal fossa?
Select one:

e. Hyoglossus. 9:02 AM

Sat, 24 Dec

Forwarded

Which branch of facial nerve is the content of infratemporal fossa?
Select one:
a. Posterior Auricular nerve.
b. Cervical branch.
c. Greater petrosal nerve.
d. Nerve to stepedius.
e. Chorda tympani nerve. 9:02 AM

Forwarded

Regarding compact bone, mark the incorrect statement:
Select one:
a. Matrix is organized in the form of lamellae
b. Characteristic feature is the presence of Haversian system
c. Usually found in the diaphysis of long bone
d. Also called cortical bone
e. Contains type-II collagen 9:02 AM

Forwarded

Which of the following veins are usually valveless?
Select one:
a. Azygous
b. Intercostal
c. Cerebral
d. Testicular
e. Mesenteric 9:02 AM

e. Mesenteric 9:02 AM

Forwarded
In the transverse section of mid brain, nucleus responsible for concentual pupillary reflex is.?
Select one:
a. Pretectal nucleus.
b. Inferior colliculus nucleus.
c. Occulomotor nucleus.
d. Trochear nucleus.
e. Edenger westphal nucleus. 9:02 AM

Forwarded
Continuous capillaries are found in:
Select one:
a. Kidney
b. Dental pulp
c. Spleen
d. Liver
e. Lung 9:02 AM

Forwarded
Contents of carotid sheath do not include:
Select one:
a. External jugular vein
b. Internal carotid artery
c. Internal jugular vein
d. Common carotid artery
e. Vagus nerve 9:02 AM

Forwarded
Neural tube defects include:
Select one:

Sat, 24 Dec

Forwarded
Structure which is not included as content of posterior triangle of neck?
Select one:
a. External jugular vein.
b. 3RD part of subclavian artery.
c. Trunks of brachial plexus .
d. Occipital Artery.
e. Cranial root of accessory Nerve.
9:02 AM

Forwarded
Inferior meatus of the lateral wall of nose receives the opening of:
Select one:
a. Posterior ethmoidal sinus
b. Sphenoidal sinus
c. Maxillary sinus
d. Anterior & middle ethmoidal sinuses
e. Nasolacrimal duct
9:02 AM

Forwarded
Smooth muscle fibers:
Select one:
a. Contain caveolae for calcium storage
b. Have poor mitotic activity
c. Show striations
d. Have well-organized sarcoplasmic reticulum & T-tubule system
e. Are linked together by intercalated discs
9:02 AM

Forwarded
Neural tube defects include:
Select one:
a. Polydactyly
b. Omphalocele
c. Sirenomelia
d. Spina bifida cystica
e. Cleft vertebra
9:02 AM

Forwarded
Neural crest cells give rise the which one of following structure in skin.
Select one:
a. Epidermis of trunk.
b. Hair of scalp.
c. Dermis of face.
d. Sweat glands.
e. Sebaceous glands.
9:02 AM

Forwarded
4 vivas
20 spots for ospe
8 head and neck
4 neuro
4 embryo
1 , 1 thorax abdomen
Viva me sb ayaiga head and neck , thorax , abdomen , histo , embryo , neuro , general
Dr Soofia Nigar
9:02 AM

Today

When two bones are joined by interosseous ligament. The joint is said to be?
Select one:
a. Syndesmosis.
b. Gomphosis
c. Synchondrosis.
d. Symphysis.
e. Sutures

9:02 AM

Forwarded

Pituicytes are found in which part of the pituitary gland?
Select one:
a. Infundibulum
b. Pars distalis
c. Pars intermedia
d. Pars nervosa
e. Pars tuberalis

9:02 AM

Forwarded

Regarding liver, mark the statement that is true:
Select one:
a. Central vein is a content of portal triad
b. Plates of hepatocytes are separated by fenestrated capillaries
c. Kupffer cells are found within the space of Disse
d. Portal lobule is roughly hexagonal in shape
e. Classical hepatic lobule has central vein in its center & portal triad at corner