
OSPE 15



Q1. The marked structure "A" lies in front of

a. 2nd, 3rd and 4th tracheal rings
b. 4th, 5th and 6th tracheal rings
c. 3rd, 4th and 5th tracheal rings
d. 2nd, 3rd and 4th tracheal rings
e. 1st, 2nd, and 3rd tracheal rings

Q2. Artery "B" is the branch of:

a. External carotid artery
b. Internal carotid artery
c. 1st part of subclavian artery
d. 2nd part of subclavian artery
e. 3rd part of subclavian artery

Q3. In thyroidectomies, the structure "B" is ligated:

a. Near the pole
b. Away from the pole
c. It is not ligated
d. Near its origin from external carotid artery
e. Away from its origin from external carotid artery


Q4. Which of the following structure is not a medial relation?

a. Cricothyroid muscle
b. Inferior constrictor muscle
c. External laryngeal nerve
d. Recurrent laryngeal nerve
e. Internal laryngeal nerve

Q5. Structure A is supplied by:

a. Superior cervical ganglion only
b. Middle cervical ganglion only
c. Inferior cervical ganglion only
d. Superior and middle ganglion
e. Middle and inferior cervical ganglion

OSPE



Q1) **The marked area A is supplied by which of the following artery?**

a. Middle cerebral artery
b. Posterior cerebral artery
c. Anterior cerebral artery
d. Basilar artery
e. Internal carotid artery

Q2) **this artery is a branch of following artery**

a. Internal carotid artery
b. Basilar artery
c. Middle meningeal artery
d. External carotid artery
e. Vertebral artery

Q3) **This artery supplies the following part of the brain:**

a. Anterior temporal lobe
b. Insular cortices
c. Occipital lobe
d. Superior frontal gyrus and superior medial parietal lobes
e. Posterior temporal lobe

Q4) **if this artery is blocked which of the following sign and symptom would occur?**


a. Paralysis or weakness of the foot and leg on the opposite side
b. Paralysis or weakness of the foot and leg on the same side
c. Contralateral loss of pain and temperature sensations
d. Ipsilateral loss of pain and temperature sensations
e. Loss of speech

Q5) **the area labeled as "B" is supplied by which artery?**

a. Anterior cerebral artery
b. Middle cerebral artery
c. Posterior cerebral artery
d. Basilar artery
e. Internal carotid artery

34

OSPE 3



Q1. Regardingthe structure marked A, choose the appropriate statement.

a) Bean-shaped organs.
b) Located along lymphatic vessels.
c) Scattered throughout the body.
d) Cut-section shows outer cortex and inner medulla
e) Afferent vessels are absent.

Q2. The cortex of structure A, consists of:

a) Lymphoid nodules
b) Venous sinuses
c) Cords of billroth
d) Periarterial lymphatic sheath
e) Hassal's corpuscles

Q3. Identify the ducts marked as B:

a. Cisterna chyli and thoracic duct
b. Thoracic duct and right lymphatic duct
c. Left subclavian trunk and right lymphatic duct
d. Left jugular trunk and right subclavian trunk
e. Right and left lymphatic vessels

Q4. Choose the correct function of structure marked as C:

a. Filters blood, removes microorganisms and other foreign substances
b. Helps in T-cell maturation
c. Helps in B-cell maturation
d. It is not a graveyard of RBCs
e. Does not filter blood

Q5.... Regarding structure marked as C, which statement is wrong:

a) The white pulp contains T cells and B cells.
b) B cells are concentrated in lymphoid nodules.
c) Its capsule has a mesothelial coating.
d) Its sinuses are continuous capillaries.
e) T cells are concentrated in PALS (periarteriolar lymphatic sheath).

20

case 10

11. Identify the marked structure



a. Mandibular nerve
b. Maxillary nerve
c. Ophthalmic nerve
d. Facial nerve
e. Auriculotemporal

12. Its sensory ganglion is called

a. Trigeminal ganglion
b. Otic ganglion
c. Pterygoid ganglion
d. Spiral ganglion
e. Vestibular ganglion

13. The taste fibres to anterior part of tongue is conveyed via the following branch of marked structure

a. Lingual nerve
b. Lesser petrosal nerve
c. Chorda tympani nerve
d. Greater petrosal nerve
e. Auricular nerve

14. The lesion of marked structure is characterized by all but:

a. Loss of blinking reflexes
b. Ptosis
c. Hoarseness
d. Loss of nasolacrimal fold
e. Hyperacusis to sound on the affected side


15. Right supranuclear lesion is characterized by paralysis of

a. Right half of face
b. Left half of face
c. Left lower half of face
d. Left upper half of face
e. Left upper half and right lower half

00:05

SPOT = 15

OSPE 11



Q1. Identify the Marked structure

a. Dentine
b. Enamel
c. Cementum
d. Peridontal ligament
e. Pulp cavity

Q2. Enamel is formed by

a. Amelo blast
b. Cemento blast
c. Odonto blast
d. Fibro blast
e. Neural crest cells

Q3. Dentine is form by

a. Ameloblast
b. Cementoblast
c. Fibroblast
d. Ectoderm
e. Odontoblast

Q4. Peridontal ligament is derived from

a. Neural crest cells
b. Surface ectoderm
c. Neuro ectoderm
d. Mesoderm
e. Endoderm

Q5. Number of Dental buds are formed the upper and lower jaws are:

a. Nine
b. Ten
c. Six
d. Four
e. Three

SPOT 1

OSPE 17



Q1. The structure marked by bold arrow is :

a. Superior turbinate
b. Middle turbinate
c. Inferior turbinate
d. Spheno - ethmoidal recess
e. Middle meatus

Q2. The bone which takes paid in the formation of this structure is

a. Ethmoid maxilla
b. Maxilla
c. Palatine
d. Inferior concha
e. Sphenoid

Q3. The space beneath this structure contains opening of the

a. Anterior ethmoidal sinus
b. Maxillary sinus
c. Frontal sinus
d. Nasolacrimal duct
e. Spheroidal sinus

Q4. Which structure does not open in the middle meatus


a. Posterior ethmoidal sinus
b. Anterior ethmoidal sinus
c. Middle ethmoidal sinus
d. Maxillary sinus
e. Frontal sinus

Q5. The opening in the posterolated wall of the nasopharynx just behind the marked structure connects nasopharynx with

a. Frontal sinus
b. Posterior sinus
c. Maxillary sinus
d. Middle ear
e. Oropharynx

23

OSPE 37



1)identify the marked structure

1. mandibular nerve
2. greater petrosal nerve
3. vestibulocochlear nerve
4. facial nerve
5. nervusintermedius

2) its sensory ganglion is called

a) trigeminal ganglion
b) geniculate ganglion
c)superiorsalivatory
d)spiral ganglion
e) vestibular ganglion

3)the taste fibres to anterior part of tongue is conveyed via the following branch of marked structure

a) greaterpetrosal nerve
b) lesserpetrosal nerve
c) lingual nerve
d) buccal nerve
e) chorda tympani nerve

4) the lesion of marked structure is characterized by all but:

a) loss of blinking reflexes
b) ptosis
c) decreased taste
d) loss of nasolabial fold
e) hypersensitivity to noise on the affected side.

5) right supranuclear lesion is characterized by paralysis of

a) right half of face
b)left half of face
c)left lower half of face
d)left upper half of face
e)left upper half and right lower half