Q12) Sternocleidomastoid muscle is supplied by:

a) Accessory nerve
b) Facial nerve
c) Glossopharyngeal nerve
d) Hypoglossal nerve
e) Vagus nerve

Q13) Following muscles divide anterior triangle of the neck into further smaller triangles:

a) Digastric and omohyoid
b) Digastric and sternohyoid
c) Sternohyoid and omohyoid
d) Stylohyoid and omohyoid
e) Stylohyoid and sternohyoid

Q14) Contents of carotid triangle do not include:

a) Common carotid artery
b) External jugular vein
c) Hypoglossal nerve
d) Internal jugular vein
e) Vagus nerve

Q15) Regarding thyroid gland, mark the statement which is true:

a) It is attached to thyroid cartilage by suspensory ligament of Berry
b) It is supplied by superior and inferior thyroid arteries
c) It is surrounded by a single capsule
d) It usually has three lobes
e) Myxoedema is a condition of hyperthyroidism in adults

Q16) Which pharyngeal muscle is supplied by glossopharyngeal nerve?

a) Inferior constrictor
b) Middle and superior constrictors
c) Palatopharyngeus
d) Salpingopharyngeus
e) Stylopharyngeus

Q17) Which of the following statements regarding auditory tube is true?

a) Connects oropharynx with the middle ear
b) Equalizes the pressure on both sides of the eardrum
c) Is a cartilaginous tube
d) Is made up of hyaline cartilage
e) Is supplied by facial nerve

6) Which of the following muscles of soft palate is supplied by mandibular nerve?

a) Levator veli palatini
b) Musculus uvulae
c) Palatoglossus
d) Palatopharyngeus
e) Tensor veli palatine

Q37) Which of the following muscles of tongue, shortens the tongue and makes the dorsum convex?

a) Inferior longitudinal
b) Styloglossus
c) Superior longitudinal
d) Transverse
e) Vertical

Q38) Which of the following muscles of tongue is supplied by pharyngeal plexus?

a) Genioglossus
b) Hyoglossus
c) Inferior and superior longitudinals
d) Palatoglossus
e) Styloglossus

Q39) Chorda tympani branch of facial nerve carries:

a) General sensation from the anterior 2/3rd of the tongue
b) General sensation from the posterior 1/3rd of the tongue
c) General and taste sensations from the pharyngeal part of the tongue
d) Taste sensation from anterior 2/3rd of the tongue
e) Taste sensation from posterior 1/3rd of the tongue


Q40) Enlargement of which of the following tonsils is termed as adenoids?

a) Lingual tonsil
b) Palatine tonsil
c) Pharyngeal tonsil
d) Tubal tonsil
e) All of the above

Part of which cranial nerve also arises from the spinal cord?

a) Abducent
b) Accessory
c) Facial
d) Occulomotor
e) Vagus

OSPE # 2:



Q1) Identify the structure marked by arrow:

a) Inferior belly of omohyoid
b) Sternocleidomastoid
c) Sternohyoid
d) Superior belly of omohyoid
e) Trapezius

Q2) Posterior triangle of the neck is bounded inferiorly by:

a) First rib
b) Lateral one third of clavicle
c) Manubrium
d) Medial one third of clavicle
e) Middle one third of clavicle


Q3) Roof of posterior triangle is formed by which layer of deep cervical fascia?

a) Buccopharyngeal fascia
b) Carotid sheath
c) Investing layer
d) Pretracheal layer
e) Prevertebral layer

Q4) Posterior boundary of the posterior triangle is formed by:

a) Inferior belly of omohyoid
b) Sternocleidomastoid
c) Sternohyoid
d) Superior belly of omohyoid
e) Trapezius

OSPE # 1:



Q1) Identify the structure marked by arrow:

a) Abducent nerve
b) Facial nerve
c) Glossopharyngeal nerve
d) Trigeminal nerve
e) Trochlear nerve

Q2) Damage to which branch of facial nerve may lead to hyperacusis?

a) Chorda tympani
b) Greater petrosal nerve
c) Nerve to stapedius
d) Posterior auricular nerve
e) Zygomatic nerve

Q3) Which of the following cranial nerves do not carry parasympathetic fibers?

a) Facial
b) Glossopharyngeal
c) Oculomotor
d) Trigeminal
e) Vagus

Q4) Which of the following cranial nerves arises from midbrain?

a) Facial
b) Glossopharyngeal
c) Oculomotor
d) Trigeminal
e) Vagus

Q24) Prime-mover for the depression of mandible is:

a) Lateral pterygoid
b) Masseter
c) Medial pterygoid
d) Mylohyoid
e) Temporalis

Q25) Which of the following is not a branch of mandibular part of maxillary artery?

a) Accessory meningeal artery
b) Anterior tympanic artery
c) Deep auricular artery
d) Greater palatine artery
e) Middle meningeal artery

Q26) Which of the following statements regarding mandibular nerve and its branches is incorrect?

a) Its inferior alveolar branch passes through mandibular foramen
b) It exits the cranial cavity through foramen spinosum
c) It is a mixed nerve
d) Its branches from anterior trunk supply muscles of mastication
e) Its main trunk splits into a posterior and an anterior division

Q27) Regarding parotid gland, which of the following statements is incorrect?

a) Covering capsule is made up of investing layer of deep cervical fascia
b) External carotid artery is the main arterial supply
c) Facial nerve divides into its terminal branches within the substance of the gland
d) Parasympathetic nerve fibers reach the gland via auriculotemporal nerve
e) Parotid duct opens in the oral cavity at the level of upper second premolar tooth

Q28) Terminal branches of facial nerve which arise within the substance of parotid gland do not include:

a) Buccal
b) Cervical
c) Marginal mandibular
d) Posterior auricular
e) Zygomatic

Q29) Openings of oval and round windows in the tympanic cavity are located in the:

a) Carotid wall
b) Jugular wall
c) Labyrinthine wall
d) Membranous wall
e) Tegmental wall

Q24) Prime-mover for the depression of mandible is:

a) Lateral pterygoid
b) Masseter
c) Medial pterygoid
d) Mylohyoid
e) Temporalis

Q25) Which of the following is not a branch of mandibular part of maxillary artery?

a) Accessory meningeal artery
b) Anterior tympanic artery
c) Deep auricular artery
d) Greater palatine artery
e) Middle meningeal artery

Q26) Which of the following statements regarding mandibular nerve and its branches is incorrect?

a) Its inferior alveolar branch passes through mandibular foramen
b) It exits the cranial cavity through foramen spinosum
c) It is a mixed nerve
d) Its branches from anterior trunk supply muscles of mastication
e) Its main trunk splits into a posterior and an anterior division

Q27) Regarding parotid gland, which of the following statements is incorrect?

a) Covering capsule is made up of investing layer of deep cervical fascia
b) External carotid artery is the main arterial supply
c) Facial nerve divides into its terminal branches within the substance of the gland
d) Parasympathetic nerve fibers reach the gland via auriculotemporal nerve
e) Parotid duct opens in the oral cavity at the level of upper second premolar tooth

Q28) Terminal branches of facial nerve which arise within the substance of parotid gland do not include:

a) Buccal
b) Cervical
c) Marginal mandibular
d) Posterior auricular
e) Zygomatic

Q29) Openings of oval and round windows in the tympanic cavity are located in the:

a) Carotid wall
b) Jugular wall
c) Labyrinthine wall
d) Membranous wall
e) Tegmental wall

Q6) Which of the following muscles of face dilates the lacrimal sac?

a) Corrugator supercilli
b) Levator palpebrae superioris
c) Nasalis
d) Orbicularis oculi
e) Procerus

Q7) Regarding venous drainage of face, mark the statement which is true?

a) Common facial vein is formed by the union of anterior division of retromandibular vein & fa vein
b) Facial vein drains into external jugular vein
c) Facial vein has no direct connection with pterygoid venous plexus
d) Pterygoid venous plexus drains into superficial temporal vein.
e) Retromandibular vein is formed by the union of supraorbital & supratrochlear veins

Q8) Regarding salivary glands, choose the incorrect statement:

a) Facial artery enters face looping around sublingual gland
b) Sensory nerve supply to both submandibular and sublingual glands is via lingual nerve
c) Sublingual gland lies above mylohyoid line of mandible
d) Submandibular gland is indented by mylohyoid muscle
e) Submandibular gland is supplied by facial artery

Q9) Posterior triangle of the neck is divided into occipital and subclavian triangle by:

a) Inferior belly of omohyoid
b) Sternohyoid
c) Sternothyroid
d) Superior belly of omohyoid
e) Thyrohyoid

Q10) 'Ligament of Berry' is formed by which layer of deep cervical fascia?

a) Carotid sheath
b) Investing layer
c) Pharyngobasilar fascia
d) Pretracheal layer
e) Prevertebral layer

Q11) Contents of carotid sheath do not include:

a) Common carotid artery
b) External carotid artery
c) Internal carotid artery
d) Internal jugular vein
e) Vagus nerve

Q18) Which of the following muscles of larynx is an abductor of vocal cords?

a) Aryepiglotticus
b) Cricothyroid
c) Lateral cricoarytenoid
d) Posterior cricoarytenoid
e) Thyroepiglotticus

Q19) Of the following muscles of larynx, which is supplied by external laryngeal nerve?

a) Aryepiglotticus
b) Cricothyroid
c) Lateral cricoarytenoid
d) Posterior cricoarytenoid
e) Thyroepiglotticus

Q20) Which of the following extraocular muscles is supplied by trochlear nerve?

a) Inferior oblique
b) Inferior rectus
c) Lateral rectus
d) Superior oblique
e) Superior rectus

Q21) Branches of external carotid artery do not include:

a) Ascending pharyngeal artery
b) Facial artery
c) Lingual artery
d) Occipital artery
e) Ophthalmic artery

Q22) Tributaries of internal jugular vein do not include:

a) Inferior thyroid vein
b) Lingual vein
c) Middle thyroid vein
d) Pharyngeal vein
e) Superior thyroid vein

Q23) Which masticatory muscle retracts the protruded mandible?

a) Lateral pterygoid
b) Masseter
c) Medial pterygoid
d) Mylohyoid
e) Temporalis

DR. ISHRAT –UL –EBAD KHAN INSTITUTE OF ORAL HEALTH SCIENECES
DOW UNIVERSITY OF HEALTH SCIENCES
DEPARMENT OF ANATOMY
HEAD & NECK - CLASS TEST

Name:_____
Roll no:_____

Max Marks: 50
Min Marks: 25

Date: 13-11-2021

---

emporal bone do not include:

- eater wing
- Mastoid process
- c) Petrous part
- d) Styloid process
- e) Tympanic plate

Q2) Structures passing through foramen ovale include:

- a) Frontal nerve
- b) Lacrimal nerve
- c) Mandibular nerve
- d) Maxillary nerve
- e) Optic nerve

Q3) Regarding attachments of mandible, which of the following statement is incorrect?

- a) Anterior belly of digastric originates from digastric fossa
- b) Genioglossus muscle arises from upper genial tubercle
- c) Lateral pterygoid muscle is inserted into the apex of coronoid process
- d) Mentalis muscle originates from incisive fossa
- e) Sphenomandibular ligament is attached to lingula

Q4) Which muscle of pharynx arises from mandible at the posterior end of mylohyoid line?

- a) Inferior constrictor
- b) Middle constrictor
- c) Palatopharyngeus
- d) Stylopharyngeus
- e) Superior constrictor

Q5) Regarding buccinators muscle, mark the statement which is false:

- a) It acts as a sphincter of oral fissure
- b) It is a whistling muscle
- c) It is pierced by parotid duct
- d) It is supplied by mandibular nerve
- e) It originates from maxilla, mandible and pterygomandibular raphe