When tumor occur in porta hepatis which structure is pressed?
Middle choncha is a part of
Separate bone
Ethmoide bone
Perpendicular plate of ethmoid
Ethmoid bulla
1.Extra embryonic coelom is also called as
2.Splanchnic mesoderm covers
3.Critical period for fetus
4.Prechordal plate
5.Gestation and embryonic age
6.Allontois
7.Formation of which feature in sixth week
8.Caudal part of primitive streak
9.Anterior and posterior half
10.Diartherois i.e synovial joint
11.Spinal cord ends at
12.Filum terminal
13.Unpaired venous sinus
14.Largest commisural fiber
15.H&E fixation, tissue is preserved by
16.Lysosomes
17.Characteristic feature of skeletal muscle
18.eg of Hyaline cartilage- costal cartilagr
19.Endoderm forms
20.true abt Hassel's corpuscles
21.diff b/w Thick and thin skin
22.Which cell is not present in skin
23.Modified long bone is
25.Hyaline cartilage is present - articular of clavicle
26.True statement : ball nd socket=biaxial, saddle joint=biaxial, Pivot joint =multiple axial
27.Resistance vessle
28.Aorta - muscular artery
29.nuclei not present in posterior horn of spinal cord- vesicular efferent nuclei
30.Inferior horn of lateral ventricle lie in
31.Largest lymphatic vessels
32.Ground substance not present in cartlage- calcium phosphate
33.Motor unit of muscle
34.After puberty.... epiphyseal plate of cartilage
35.True abt sympathetic nerve fiber- long post ganglionic nd short preganglionic fiber
36.Not component of mandible- maxillary nerve
37.Superior collicle
38.Inferior collicle
39.Which nerve is present Adjacent to internal carotid in Carnevous sinuses
40.Parasympathetic nuclei does not pass frm which of the cranial nerve (kch aisa tha)
41.Which bone is present in muscle tendons.
42.Sinusoidal capillary is present in
43.Simple squamous epithelium- lung alveoli
44.Which statement is false :G1 is a cell division stage, DNA replication occur ya does not occur in interphase.
45.What structure supports skeletal mucle below the skin. Fascia
46.Primary motor area

44.Which statement is false :G1 is a cell division stage, DNA replication occur ya does not occur in interphase.
45.What structure supports skeletal mucle below the skin. Fascia
46.Primary motor area
47.Basal ganglia
48.which movement index finger cannot show
49.Vertebrae is eg of
50.channel passing through mid brain

1)Tongue ki nerve supply bhi tha na
2)Lacrimal apparatus ka kn part nhi hota
3)Posterior triangle ko kon divide krta hai.
4)Ek tha k konsa deep nucleus nhi hota cerebral hemisphere m.5).
Nucleus associated with two point discrimination..
6)Pigmented nucleus of mid brain = substantia nigra
7)Eye development ka tha k retina konse part se bnta hai pars something tha
8)Spleen liver or pancreas ki histo b pochi thi shyd
9) Nerve supply of parotid gland
10)Pancreas ka histological section is similar to which gland
That is sublingual gland
11).Pharynx ki nerve $upply
12)Pharyngeal tonsils konse hoty hyn
13) Contents of posterior triangle
14)What causes adenoids in young adolescents b tha
15)Sth like which lymphoid organ can you see from nose.
16) Which structure divides anterior triangle? ?
17)When embryo folded forward so what part near to it??
18)Artery of lower limb? That is anterior cerebral artery 19)hippocampus location?? (for memory)
20)Lateral wall of eye??
21)Parotid duct open ???
22) Tendon connective tissue??
23).A boy had an accident sonething (flat bone.)
24) Fungi or filiform papilla epithelium
25)Basophilia of cells is due to.
Rough ER.
26)Lacraml fluid is not the part of lacramal apparatus
27)
Mid brain connects fore brain to hind brain
28)Tongue paralysis.
The hypoglossal nerve is the twelfth cranial nerve, and innervates all extrinsic and intrinsic muscles of the tongue, except for the palatoglossus.
29)What carries info to cerebral hemisphere
30)What teeth are present at birth
31)Reproductive cells are produced from what layer in the embryo
32). Contents of post triangle
33) Histo of spleen
34) pharynx connect to base of skull throughout which
35) Which statement is correct about ureter ans is blood supply by direct branch of abdominal aorta
36) Arrangement bone cartilage then bone is primary cartilagenous joint
37)Location of portal triad is at periphery
38)Amount of ER is about 1\3rd of total cell

Aeroplane mode 33% 5:30 pm

Shagufta
What happened if ameloblast is not present. ..
How ameloblast effect dent in formation

1.Extra embryonic coelom is also called as
2.Splanchnic mesoderm covers
3.Critical period for fetus
4.Prechordal plate
5.Gestation and embryonic age
6.Allontois
7.Formation of which feature in sixth week
8.Caudal part of primitive streak
9.Anterior and posterior half
10.Diartherois i.e synovial joint
11.Spinal cord ends at
12.Filum terminal
13.Unpaired venous sinus
14.Largest commisural fiber
15.H&E fixation, tissue is preserved by

Aa GIF

Write a message, @name...

Aeroplane mode 33% 5:31 pm

Carnevous sinuses
40.Parasympathetic nuclei does not pass frm which of the cranial nerve (kch aisa tha)
41.Which bone is present in muscle tendons.
42.Sinusoidal capillary is present in
43.Simple squamous epithelium-lung alveoli
44.Which statement is false :G1 is a cell division stage, DNA replication occur ya does not occur in interphase.
45.What structure supports skeletal mucle below the skin.
Fascia
46.Primary motor area
47.Basal ganglia
48.which movement index finger cannot show
49.Vertebrae is eg of
50.channel passing through mid brain

Aa GIF
Write a message, @name...

Aeroplane mode 33% 5:31 pm

16.Lysosomes
17.Characteristic feature of skeletal muscle
18.eg of Hyaline cartilage- costal cartilagr
19.Endoderm forms
20.true abt Hassel's corpuscles
21.diff b/w Thick and thin skin
22.Which cell is not present in skin
23.Modified long bone is
25.Hyaline cartilage is present - articular of clavicle
26.True statement : ball nd socket=biaxial, saddle joint=biaxial, Pivot joint =multiple axial
27.Resistance vessle
28.Aorta - muscular artery
29.nuclei not present in posterior horn of spinal cord- vesicular efferent nuclei
30.Inferior horn of lateral ventricle lie in

Aa GIF Write a message, @name...

Forwarded
Q-Cellular respiration occur in?
1:29 PM ✓

Forwarded
Q- fuction of smooth endoplasmic reticulum is?
1:29 PM ✓

Forwarded
Q-laminin and fibronectin are?
1:29 PM ✓

Forwarded
Q- prospenity of h20 is?
1:29 PM ✓

Forwarded
Q- defects in beta chains of hb cause?
ans- beta thalessamia
1:29 PM ✓

Caudal to primitive streak there is circular area.
1:29 PM ✓

Fibrous sheets of band would most likely cover the body un the skin and invest the muscle
1:29 PM ✓

Forwarded

Inferior border or lateral ventricle extends into which lobe

1:29 PM ✓

Forwarded

Q 38 Abnormal hunger which part of hypothalamus

1:29 PM ✓

Respiratory airway

1:29 PM ✓

Slowest rythm in which part of heart

1:29 PM ✓

Filum terminale function.

1:29 PM ✓

Which is not the characteristic of 1st rib?

1:29 PM ✓

Ridges on the ventricles of heart which give it a spongy appearance.

1:29 PM ✓

Hyaline cartilage is present in

1:29

Knee menisci or pubis symphysis?

1:29 PM ✓

Following nerve doesnt confain parasympathetic fibres 1:32 PM ✓

Extra embryonic coelom forms: Chorionsac? 1:32 PM ✓

Forwarded
Antibodies are produced by: plasma cell 😎 1:32 PM ✓

Forwarded
Inferior border or lateral ventricle extends into which lobe 1:32 PM ✓

Forwarded
Dentine development 1:32 PM ✓

Forwarded
Somites develop form 1:32 PM ✓

Forwarded
From* 1:32 PM ✓

Forwarded
Neural crest 1:32 PM ✓

Forwarded
Q 38 Abnormal hunger wl part of hypothalamus 1:32 PM ✓

Knee menisci or pubis symphysis?

1:29 PM ✓

Forwarded

Q.33. The superior colliculi is the center for the ?

1:32 PM ✓

Forein body in trachea goes to:

1:32 PM ✓

Diarthrosis joint

1:32 PM ✓

Forwarded

Longest modified bones

1:32 PM ✓

Forwarded

Bone*

1:32 PM ✓

Not a branch of right coronary artery.

1:32 PM ✓

Lysosome produce by.

1:32 PM ✓

Extra embryonic splanchnic mesoderm covers

1:32

Following nerve doesnt confa parasympathetic fibres

1:32 PM ✓

Fibrous sheets of band would most likely cover the body under the skin and invest the muscle

1:29 PM ✓

Sinusoidal cappilaries are seen in

1:29 PM ✓

Forwarded

Basal ganglia does not ?????

1:29 PM ✓

Forwarded

Which is the largest commissure

1:29 PM ✓

Forwarded

Simple cuboidal epithelium is present in

1:29 PM ✓

Which bone develop in muscle tendin

1:29 PM ✓

Urachus develops in adult in: Medial ligament (something)

1:29

Vessel supply lung with oxy blood

1:29 PM ✓

Vessel supply lung with oxy blood

1:29 PM ✓

Descending tract resp for maintaining balance

1:29 PM ✓

Hassal's corpuscles 1:29 PM ✓

Forwarded

Q.33. The superior colliculi is the center for the ?

1:29 PM ✓

Forwarded

Antibodies are produced by:

plasma cell 😎

1:29 PM ✓

Forwarded

Fate of notochord 1:29 PM ✓

Forwarded

Spinal cord terminated at

1:29 PM ✓

Forwarded

Terminates* 1:29

Forwarded

Inferior border or lateral ventricle extends into which lobe

1:29 PM ✓

Iska lumbar elongation hai ya Elongation of Dura?

1:32 PM ✓

Which is not the characteristic of 1st rib?

1:32 PM ✓

Ridges on the ventricles of heart which give it a spongy appearance.

1:32 PM ✓

Wo question kia tha jiskay option me "20-30mm cilia" tha

1:32 PM ✓

Which is not the part of spermatogenesis.

1:32 PM ✓

Hyaline cartilage is present in

1:32 PM ✓

Knee menisci or pubis symphysis?

1:32 PM ✓

Remnent of notocord= nucleus pulposus

1:32 PM ✓

Whole notochord= Vertebra

1:32 PM ✓

Forwarded

Q 38 Abnormal hunger which part of hypothalamus 1:32 PM ✓

Respiratory airway 1:32 PM ✓

Slowest rythm in which part of heart 1:32 PM ✓

Filum terminale function. 1:32 PM ✓

Iska lumbar elongation hai ya Elongation of Dura? 1:32 PM ✓

Which is not the characteristic of 1st rib? 1:32 PM ✓

Ridges on the ventricles of heart which give it a spongy appearance. 1:32 PM ✓

Wo question kia tha jiskay option me "20-30mm cilia" tha 1:32 PM ✓

Which is not the part of spermatogenesis. 1:32 PM ✓

●●○○○ Ufone 10:58 AM 80%
Back AnatomyFirst prof 2016

4-zonula fasicula-
5-adrenal gland-
6-metencephalon forms-cerebellum
7-epiblast doesnt form-trophoblast
8-epiblast doesnt form-trophoblast
9-mid brain connects fore brain with-hind brain
10-superio concha formed by-labyrinth of ethimoid
11-nucleus of medullae which gets stain-
13-Propreioception by which nucleus-
14-What structures cant be seen in light microscope-(controversial question two option seem to be correct endoplasmic reticulum and golgi bodies)
15-post ganglionic symphathatic fibers
viscera except
16- Which one is not a simple squamous epithelium-
17-epithilia are classified on the basis of -shape of cells
18- Tumor in porta heptica constrict-
19-incorrect statement for oviduct-(some type of epethilial cells)
20-lower limb and anal region of cerebrum is supplied by which artery-
21-tendon in a bone is called-sesmoid bone
22-bone in locomotory-long bone
23-bone of skull-flat/pneumatic
24-tendon is form by-skeletal tissue
25-characteristic of skeletal muscle-
26-which of the following is true statement about skrletal muscle-endomysium cover single muscle fiber
27-primary cartilagimous joint example-joint between epiphysis and diaphysis
28-secondary cartilaginous joint example-intervertebraldisc/pubic
29-spleen has-
31-consider as simple living being-cell
32-basophilic histologocal section due to-nucleus
33-lateral wall of orbit formed by-zygomatic and sphenoid
34-not characteristic of natal teeth-erupt at birth

When tumor occur in porta hepatis which structure is pressed?
Middle choncha is a part of
Separate bone
Ethmoide bone
Perpendicular plate of ethmoid
Ethmoid bulla
1.Extra embryonic coelom is also called as
2.Splanchnic mesoderm covers
3.Critical period for fetus
4.Prechordal plate
5.Gestation and embryonic age
6.Allontois
7.Formation of which feature in sixth week
8.Caudal part of primitive streak
9.Anterior and posterior half
10.Diartherois i.e synovial joint
11.Spinal cord ends at
12.Filum terminal
13.Unpaired venous sinus
14.Largest commisural fiber
15.H&E fixation, tissue is preserved by
16.Lysosomes
17.Characteristic feature of skeletal muscle
18.eg of Hyaline cartilage- costal cartilagr
19.Endoderm forms
20.true abt Hassel's corpuscles
21.diff b/w Thick and thin skin
22.Which cell is not present in skin
23.Modified long bone is
25.Hyaline cartilage is present - articular of clavicle
26.True statement : ball nd socket=biaxial, saddle joint=biaxial, Pivot joint =multiple axial
27.Resistance vessle
28.Aorta - muscular artery
29.nuclei not present in posterior horn of spinal cord- vesicular efferent nuclei
30.Inferior horn of lateral ventricle lie in
31.Largest lymphatic vessels
32.Ground substance not present in cartlage- calcium phosphate
33.Motor unit of muscle
34.After puberty.... epiphyseal plate of cartilage
35.True abt sympathetic nerve fiber- long post ganglionic nd short preganglionic fiber
36.Not component of mandible- maxillary nerve
37.Superior collicle
38.Inferior collicle
39.Which nerve is present Adjacent to internal carotid in Carnevous sinuses
40.Parasympathetic nuclei does not pass frm which of the cranial nerve (kch aisa tha)
41.Which bone is present in muscle tendons.
42.Sinusoidal capillary is present in
43.Simple squamous epithelium- lung alveoli
44.Which statement is false :G1 is a cell division stage, DNA replication occur ya does not occur in interphase.
45.What structure supports skeletal mucle below the skin. Fascia
46.Primary motor area

EMBRYO
Gametogenesis
General embryo ; first 1-3 very important (4th bhi kar lena)
Baki weeks table se kar lena
System embryo:
Head n neck very important sari cheezien uski..like tongue and everything
Phir cvs and cns
Baki endocrine mein thyroid gland
HISTOLOGY
Epithelium
Connective tissue
Cartilage
Muscle
Bone & blood
Circulatory
System itne nahi ate..but respiratory dekh lena..like respiratory lining mein jo cells hote hain unke basic functions
Liver ko histo
Spleen

6 UNREAD MESSAGES

Mustaqeem
Forwarded
Glands(salivary wagaira 00:56

Mustaqeem
Forwarded
Poch derivatives + respiratiory system ki development bhi dekh lena 00:56

Mustaqeem
Forwarded
Capillary types 00:56

Mustaqeem
Forwarded
No thorax and abdomen 00:57

Mustaqeem
Forwarded
Ziada se ziada liver ya stomach kar lena 00:57

Mustaqeem
Forwarded
Bus apna head and neck pakka kar lo 00:57

Mustaqeem
Forwarded
Uper uper se brain stem kar lo 00:58

Mustaqeem
Forwarded
thyroid gland histo nasal meatus 1st week of fetus muscle of abdomen kidney and liver function acrosomal function muscle of mastication baki same as above 00:58

Mustaqeem
Forwarded
Diff b/w cardiac and skeletal
Histo of parotid
Epithelium of Proximal tubule
Identify ineternal acoustic meatus
Its contents
Lanrynthine artery is branch of?
Hoe CSF formed
What is the pattern of its flow
How vertebral artery enter the brainstem area
Development of palate nasal cavities
1st pharyngeal arches derivatives
Name 3 locations where mesoderm does not intervene b/w the ecto and endoderm

YESTERDAY

ıll bladded 11:30 AM

Brain stem 11:30 AM

Meninges covering + blood supply 11:30 AM

Cranial nerves sites 11:31 AM

Csf quantity 11:31 AM

1st week , 2nd , 3rd week 11:32 AM

Gastrulation , neurulation 11:32 AM

Ectopic pregnancy 11:32 AM

Pharyngeal arches 11:32 AM

Ectoderm , mesoderm derivatives 11:32 AM

Endoderm derivatives 11:32 AM

ALL PHARYNGEAL POUCHES , GROOVES , DERIVATIVES 11:33 AM

Mandible 11:34 AM

Temporomandibular joint 11:34 AM

ORIGIN AND INSERTION OF MUSCLES 11:35 AM

How is cervical vertebrae different from thoracic vertebrae 11:35 AM

Suprahyoid muscles 11:36 AM

Type a message

YESTERDAY

How is cervical ifferent from thoracic vertebr 11:35 AM

Suprahyoid muscles 11:36 AM

Infra hyoid 11:36 AM

Neck triangles 11:36 AM

Carotid region 11:36 AM

Nerve supply of submandibular gland 11:36 AM

Parotid gland 11:36 AM

Nerve to pterugoid canal 11:37 AM

Pterygoid* 11:37 AM

Facial nerve 11:37 AM

Trigeminal nerve 11:37 AM

Ossification 11:38 AM

You deleted this message 11:38 AM

Haversian canal 11:38 AM

Diads triads in muscles 11:39 AM

Heart lungs ,abdomen parts nerve artey vein of each part , 11:55 AM

Origin 8nsertion nerve of muscle 11:55 AM

Type a message

YESTERDAY

Portal vein 11:29 AM

Hypertension portal 11:29 AM

Kidney 11:29 AM

Division of abdomen 11:29 AM

Sites of structures in abdomen 11:29 AM

Bladder 11:29 AM

Nuclei of diencephalon 11:30 AM

Anti bladder 11:30 AM

Full bladded 11:30 AM

Brain stem 11:30 AM

Meninges covering + blood supply 11:30 AM

Cranial nerves sites 11:31 AM

Csf quantity 11:31 AM

1st week , 2nd , 3rd week 11:32 AM

Gastrulation , neurulation 11:32 AM

Ectopic pregnancy 11:32 AM

Pharyngeal arches 11:32 AM

Ectoderm , mesoderm derivatives 11:32 AM

Type a message

-Cerebr cortex sensation rcv from
-Anas n lower limb artery
-Hippocampal gyrus near to
-Which structure is not seen in light microscope cell membrane nucleus
-Papillary light reflex which nerves
-nucleus propius fuction
-tectospinal
-midbrain connects forbrain to
-trigeminal ganglion in which fossa
-anterior surface of medulla is
-Ghrh release from
-post gangloic sympathic fibers present in which organs
-liver biopsy which intercostal
-lacrimal apparatus donot have
-palatine tonsil
-basophlia organ
-the cells of alar plate give rise to dorsal or posterior horn of gray matter
-the cells of basal plate give rise to ventral or anterior horn of gray matter
-hind brain secondary vesicles are
.metecephalon (future pons and cerebellum)
.myelencephalon (future medulla oblongata)
-sesamoid bones found embedded in tendons or joint capsules
-secondary cartliage joint example

Mustaqeem

Forwarded

Dekho bhai mid saggital section of the brain zaroor parhna 00:58

1 UNREAD MESSAGE

Mustaqeem

Forwarded

Muscle of mastication
Function of SCM
Facial artery branc
Pharynx muscle
Neurolation
Teratogen
Tongue development
Implantation
NCC derivative
Brain cross section
Liver
Kidney
Brain stem
ANS
parotid gland histo
Throid gland histo
Pancreas structure
Oral and resp. Tract epithelium 00:58

Its contents
Lanrynthine artery is branch of?
Hoe CSF formed
What is the pattern of its flow
How vertebral artery enter the brainstem area
Development of palate nasal cavities
1st pharyngeal arches derivatives
Name 3 locations where mesoderm does not intervene b/w the ecto and endoderm
Muscles of larynx
Facial arteries
Branches of internal and external carotid
Name the layers of cervical facia

00:58

Mustaqeem

Forwarded

Muscle of mastication
Func of levator palpebral sup,SCM,nerve supply of pharynx,paired cartilage of larynx,liver,areas of cerebral hemisphere,male genital organs,teratogens,cardiac and skeletal muscles,apenurosis,neurilation

00:58

Forwarded

Capillary types 00:56

Mustaqeem
Forwarded
No thorax and abdomen 00:57

Mustaqeem
Forwarded
Ziada se ziada liver ya stomach kar lena 00:57

Mustaqeem
Forwarded
Bus apna head and neck pakka kar lo 00:57

Mustaqeem
Forwarded
For ospe stomach ki blood supply and right atrium 00:57

Mustaqeem
Forwarded
Papilla dekho 00:57

Mustaqeem
Forwarded
Especially the muscles of the palate and tongue 00:57

Aqsa Mumtaz Didc

-Cranial nerver bht ache se krni hain
-Embryo main development and derivatives
-Muscles of mastication dr. Khalida ka favourite hai
-Bone and joints
-Epithilium
-Spinal cord
And jo jo dr saima ne bataya tha wo sb

1:25 PM

Thanks 00:54

Mustaqeem
Forwarded
Cervical facia 00:55

Mustaqeem
Forwarded
Facial veins 00:55

Mustaqeem
Forwarded
Layers of the scalp 00:55

Mustaqeem
Forwarded
Development of thyroid 00:55

Mustaqeem
Forwarded
3 week of development 00:55

Mustaqeem
Forwarded
Pharyngeal arch derivatives 00:56

9 UNREAD MESSAGES

Mustaqeem

Liver ka histo
Spleen
Skin ki basic layers..
GENERAL ANATOMY BD
intro
Skeleton
Joints
In sab ki types with examples very important
Skin ki layers
NEURO
Mein spinal cord ki anatomy
All cranial nerves--bohat depth mein nahi..like uska pathway kafi deep hai...but wo kis portion se nikal rahi hain ..ye important hai
Basic functions and innervations
GROSS ANATOMY
Brain ki blood supply
Face ke muscles
Triangles of neck
Tongue ki innervation
Trachea
Tmj
Vertebrae and ribs ka structure

thyroid gland histo nasal meatus 1st week of fetus muscle of abdomen kidney and liver function acrosomal function muscle of mastication baki same as above

00:58

Mustaqeem

Forwarded

Diff b/w cardiac and skeletal
Histo of parotid
Epithelium of Proximal tubule
Identify ineternal acoustic meatus
Its contents
Lanrynthine artery is branch of?
Hoe CSF formed
What is the pattern of its flow
How vertebral artery enter the brainstem area
Development of palate nasal cavities
1st pharyngeal arches derivatives
Name 3 locations where mesoderm does not intervene b/w the ecto and endoderm
Muscles of larynx
Facial arteries
Branches of internal and external carotid
Name the layers of cervical facia

00:58



Dr Javeria 9:48 PM

Pass wala tha

REPLY MARK AS READ

Ryda Bawany

Common facial vien is formed by

6:44 PM

Ryda Bawany

+92 335 2832951

Hainnn???

Han tha ye.. Thick skin me konsi laye hoti hai.. Lucidum 6:44 PM

Rahima Didc

Brodmann area..? Ye wala bhi tha😭

6:44 PM

Rahima Didc

Ryda Bawany


Han tha ye.. Thick skin me konsi laye hoti hai.. Lucidum


Spinosum. 6:44 PM


Rahima Didc

Thickest layer of epidermis

Type a message


9:48 PM
1
6:39 PM
Ryda Bawany
Which nerve doesnt have parasympathetic fibers
-facial
-vagus
-glossophatangeal
-trigeminal
6:39 PM
Rahima Didc
Thickest layer of epidermis?
6:39 PM
+92 333 1317399
~Yusra Baig
Danger area of Scalp
6:40 PM
Leptomenengis
6:40 PM
Rahima Didc
Steriocilia are found in?
6:41 PM
+92 335 2832951
~Kashan Siddiqui
Parasympathetic fibers of 9th CN pass through which foramen?
6:41 PM
Laiba Uni
Type a message


9:48 PM
1
Vertebral Artey???
6:31 PM
Zuha Uni
Primary ossification centers present in long bones at what time
6:32 PM
+92 331 2858164
~Amna Zaidi
what dilates lacrimal sac
6:33 PM
Laiba Uni
Which muscle is not derived from the 4th pharyngeal arch
Superior constrictor
Inferior constrictor
Tensor veli palitini
Levator veli palitini
6:36 PM
+92 335 2832951
~Kashan Siddiqui
Abductor of vocal cord???
6:39 PM
Rahima Didc
pituicytes are cells found in the?
6:39 PM
Ryda Bawany
Which nerve doesnt have
Type a message


9:48 PM
1
Rahima Didc
Pancreatic bud does not form?
6:24 PM
+92 332 2185888
~Bisma
Which of these are not the tributaries of coronary sinus
6:25 PM
+92 335 2832951
~Kashan Siddiqui
Which branch of 7 CN is present in Infra temporal fossa?
6:27 PM
+92 333 1317399
~Yusra Baig
Which venous sinus is not linked with tentorium cerebelli?
6:29 PM
Rahima Didc
Fetus begins to react to Pupillary reflex at which week?
6:31 PM
+92 335 2832951
~Kashan Siddiqui
Which is not the branch from Vertebral Artey???
6:31 PM
Zuha Uni
Type a message

shyd 6:20 PM

+92 332 2185888 ~Bisma
Payers patches are found in 6:20 PM

Rahima Didc
Muscle of palate is supplied by vagus except?
tensor veli palatani. 6:21 PM

+92 332 2185888 ~Bisma
Which muscles are innervated by mandibular nerve
1. Levator veli
2. Styloglossus
3.Cricothyroid
4.palatoglosus
3. Tensor tympani 6:22 PM

Which structure drains into inferior meats 6:23 PM

Maxillary sinus drains into 6:23 PM

Rahima Didc
Pancreatic bud does not form? 6:24 PM

Syndrome
5) hiatus for diaphragm at the level of T10
6) wrong statement about anatomical position
6:15 PM

+92 331 2858164 ~Amna Zaidi
Which of the following has haploid number of chromosomes
~primary spematocytes
~secondary spermatocytes
~Type a spermatogonia
~Type b spermatogonia
6:16 PM

+92 347 2656446 ~Soha
Bone embedded within a tendon or a muscle
-sesmoid bone
-pneumatic bone
6:18 PM

Rahima Didc
Contents of infra temporal fossa does not include
6:19 PM

Content of carotid sheath. Ye bhi tha shyd
6:20 PM

Ureter 5:28 PM ✓

Protraction of tongue is achived by which muscle
Genglossus
Hyoglossus
Stylogoss
Intrinsic muscle 5:29 PM ✓

Rahima Didc

Hassall's corpuscles are characteristic feature of...
A. Thymic medulla
B. Thymic cortex 6:12 PM

Posterior part of temporalis muscle does? 6:14 PM

Zuha Uni

Bones of the face are derived from 6:15 PM

+92 334 3912095 ~Vankatesh

1)Ectopic pregnancy found in
2) retina layer formed by
3) incorrect about fertilization
4) best statement about Turner

None Priority All

2- regarding connective tissue which is correct
a. Supporting structure of bone and lymphoid tissue
b. Collagen type 3 is present in bone
c. Reticular fibres characteristically Stained with silver
d. Elastic fibres are thicker than collagen
e. Elastic fibres can be easily degraded by proteases

5:27 PM

52- which of the muscles of tongue are not innervated by hypoglosus nerve
a.hyoglossus
b. genuglossus
c.palatoglossus
d.intrinsic muscles of tongue
e.muscle uvula

5:27 PM

Simple cubiodal epithelium present in
Ovary

Type a message