Prepared by: PROF. DR. FARRUKH MUSTAFA
HEAD OF THE DEPARTMENT OF ANATOMY (DIKIOHS-DUHS)

BCQs

GENERAL ANATOMY

Q1) Choose the false statement regarding sesamoid bone.

Options:

a) Patella is largest one.
b) They are covered by periosteum.
c) Found under tendons.
d) They minimize the friction.
e) Maintain local circulation.

Key: B

Q2) Length wise growth of long bones occurs by.

Options:

a) Diaphysis.
b) Epiphysis.
c) Epiphysis plate of cartilage.

HMH

Options:

a) Diaphysis.
b) Epiphysis.
c) Epiphysis plate of cartilage. → growth of bone
d) Metaphysis.
e) Number of nutrient foramen.

Key: c

Q3) Choose the best example regarding pneumatic bone.

Options:

a) Mandible.
b) Nasal.
c) lacrimal.
d) Inferior nasal concha.
e) Maxilla.

Key: e

Q4) Regarding ossification of bones choose odd statement:

Options:

a) Primary ossification center is usually one in number.
b) Primary ossification center appear before birth.
c) Secondary ossification center appear in diaphysis.
d) Secondary ossification centers are multiple.

RWH

Words: 2,201

Key: c

Q5) Select incorrect statement regarding architecture of skeletal muscles.

Options:

a) Sartorius is strap like muscles.
b) Oblique fibers are more power full.
c) Biceps is fusiform in shape.
d) Temporalis is example of triangular muscle.
e) Parallel fibers have less range of movement.

Key: e

Q6) choose odd statement regarding cardiac muscles.

Options:

a) Multi nucleated.
b) Fibers branched.
c) Intercalated disc.
d) Involuntary.
e) Innervated by Autonomic nervous system.

Key: a

HMH

Key: c

Q5) Select incorrect statement regarding architecture of skeletal muscles.

Options:

a) Sartorius is strap like muscles.
b) Oblique fibers are more power full.
c) Biceps is fusiform in shape.
d) Temporalis is example of triangular muscle.
e) Parallel fibers have less range of movement.

Key: e

Q6) choose odd statement regarding cardiac muscles.

Options:

a) Multi nucleated.
b) Fibers branched.
c) Intercalated disc.
d) Involuntary.
e) Innervated by Autonomic nervous system.

Key: a

Q7) choose correct statement regarding skeletal muscles.

Options:

a) Fixed end of muscle is called insertion.

Q6) choose odd statement regarding cardiac muscles.

Options:

a) Multi nucleated.
b) Fibers branched.
c) Intercalated disc.
d) Involuntary.
e) Innervated by Autonomic nervous system.

Key: a

Q7) choose correct statement regarding skeletal muscles.

Options:

a) Fixed end of muscle is called insertion.
b) Origin is movable end of muscle.
c) Fleshy part of muscle is called tendon.
d) Flattened end of muscle is called aponeurosis.
e) Origin is always proximal to insertion.

Key: d

Q8) Tooth and its socket is example of which joint.

Options:

HMH

Q8) Tooth and its socket is example of which joint.

Options:

a) Suture.
b) Symphysis.
c) Syndesmosis.
d) Gomphosis.
e) Synchondrosis.

Key: d

Q9) Regarding secondary cartilagenous joint choose the incorrect statement.

Options:

a) Also called symphysis.
b) Bones are united by disc of fibro cartilage.
c) Found in median plane of body.
d) Manubrio stemal joint is one of its example.
e) Articular surface is cover by elastic cartilage.

Key: e

HMH

Q10) Choose the type of synovial joint in which articular surface is reciprocally concavo-convex

Options:

a) Hinge joint
b) Pivot joint.
c) Saddle joint
d) Ball and socket joint.
e) Plane joint

Key: c

EMBRYOLOGY

Q11) Choose incorrect statement regarding neural crest cell derivatives:

Options:

a) Adrenal cortex

b) Pivot joint.
c) Saddle joint
d) Ball and socket joint.
e) Plane joint
Key: c

EMBRYOLOGY

Q11) Choose incorrect statement regarding neural crest cell derivatives:
Options:
a) Adrenal cortex
b) Melanocytes
c) Odontoblasts
d) Dorsal root ganglia.
e) Bones of face
Key: a

Q12) Fetal portion of placenta is formed by:
Options:
a) Chorion frondosum

HMH

e) Plane joint
Key: c

EMBRYOLOGY

Q11) Choose incorrect statement regarding neural crest cell derivatives:
Options:
a) Adrenal cortex → mesoderm
b) Melanocytes
c) Odontoblasts
d) Dorsal root ganglia
e) Bones of face
Key: a

Q12) Fetal portion of placenta is formed by:
Options:
a) Chorion frondosum
b) Chorion leave
c) Decidua Basalis
d) Decidua capsularis
e) Decidua pentalis
Key: a

Q13) During 14th week which maternal antibodies are transported from mother t
Options:
a) IgA
b) IgE
c) IgM
d) IgD
e) IgG
Key: e

Q14) Primary ossification center appear in long bones and skull by:
Options:

HMH

DIKJOPBS MIDTERM PAPER, COPY FOR EXAMDEPT. (1) - Microsoft Word
Page Layout References Mailings Review View
Font Paragraph AaBbCcI ¶ Normal AaBbCcDc ¶ No Spaci...

Key: a

Q13) During 14th week which maternal antibodies are transported from mother to fetu

Options:

a) IgA
b) IgE
c) IgM
d) IgD
e) IgG

Key: e

Q14) Primary ossification center appear in long bones and skull by:

Options:

a) 3rd week
b) 12th week
c) 16th week
d) 26th week
e) 38th week

Key: b

HMH

Key: b

Q15) Regarding fetal period choose the true statement:

Options:

a) Includes 7th week till birth
b) Age is estimated by somites number
c) Standing height is indicated as crown rump length
d) Weight of fetus increases during initial period
e) Slowdown in growth of head is most striking change

Key: e

Q16) Choose the wrong statement regarding endodermal derivatives:

Options:

a) Foregut
b) Midgut
c) Rectum
d) Oral cavity
e) Epithelial lining of respiratory tract

Key: d


e) Slowdown in growth of head is most striking change
Key: e

Q16) Choose the wrong statement regarding endodermal derivatives:
Options:
a) Foregut
b) Midgut
c) Rectum
d) Oral cavity.
e) Epithelial lining of respiratory tract
Key: d

Q17) Organ which develops from intermediate mesoderm:
Options:
a) Liver
b) Spleen.
c) Kidney
d) Gall bladder
e) Urinary bladder
Key: c

Q18) Choose incorrect statement regarding somites:
Options:
a) Blocks of paraxial mesoderm
b) Forms the axial skeleton
c) First pair of somites appear at 20th day of development
d) Scleratome give rise to muscles of back
e) Age is estimated during embryonic period
Key: d

Q19) Site of fertilization is:
Options:
a) Ampulla of uterine tube



e) Slowdown in growth of head is most striking change

Key: e

Q16) Choose the wrong statement regarding endodermal derivatives:

Options:

a) Foregut
b) Midgut
c) Rectum
d) Oral cavity.
e) Epithelial lining of respiratory tract

Key: d

Q17) Organ which develops from intermediate mesoderm:

Options:

a) Liver
b) Spleen.
c) Kidney
d) Gall bladder
e) Urinary bladder

Key: c

Q18) Choose incorrect statement regarding somites:

Options:

a) Blocks of paraxial mesoderm
b) Forms the axial skeleton
c) First pair of somites appear at 20th day of development
d) Scleratome give rise to muscles of back
e) Age is estimated during embryonic period

Key: d

Q19) Site of fertilization is:

Options:

a) Ampulla of uterine tube

Q18) Choose incorrect statement regarding somites:

Options:

a) Blocks of paraxial mesoderm
b) Forms the axial skeleton
c) First pair of somites appear at 20th day of development
d) Scleratome give nse to muscles of back
e) Age is estimated during embryonic period

Key: d

→ Axial Skeleton

Q19) Site of fertilization is:

Options:

a) Ampulla of uterine tube
b) Isthimus of uterine tube
c) Uterus
d) Cervix
e) Ovary

Key: a

HMH

Q20) False statement regarding events of 2nd week of development is:

Options:

a) Formation of primary villi
b) Establishment of uteroplacental circulation
c) Formation of extraembryonic mesoderm
d) Bilaminar germ disc is formed
e) Implantation begins

Key: e

Q21) Layer of multinucleated zone without distinct cell boundaries:

Options:

a) Cytotrophoblast
b) Epiblast
c) Hypoblast
d) Syncytiotrophoblast
e) Amnioblast

Key: d

Q22) Finger-like cellular columns with syncytial covering in trophoblast is known as:

Options:

a) Free terminal villi
b) Secondary villi
c) Anchoring villi
d) Primary villi
e) Tertiary villi

Key: d

Q23) Dentin producing cells, odontoblasts develop fr

HMH

b) Secondary villi
c) Anchoring villi
d) Primary villi
e) Tertiary villi
Key: d

Q23) Dentin producing cells, odontoblasts develop from?

Options:

a) Endoderm
b) Paraxial mesoderm
c) Intermediate mesoderm
d) Neural crest cells
e) Ectoderm

Key: d

Q24) Choose the False statement regarding derivatives of ectoderm germ layer:

Options:

a) Hair
b) Enamel of tooth
c) Dermis of skin
d) Sweat gland
e) Nail

Key: c

HMH

Paragraph

Q25) Cardiac muscles develop from:

Options:

a) Somatic layer of lateral plate mesoderm
b) Intra embryonic mesoderm
c) Endoderm
d) Neural crest cells
e) Splanchnic mesoderm

Key: e

Q26) Select the odd statement regarding events of 3rd week of development:

Options:

a) Gastrulation
b) Formation of notochord
c) Primary villi are formed
d) Secondary villi are formed
e) Allantois appear

Key: c

Q27) Fate of notochord:

Options:

a) Spinal cord
b) Vertebral column
c) Vertebral arch only
d) Intervertebral disc
e) Nucleus pulposus

Key: e

Q28) Remnant of Primitive streak in sacrococcygeal regio

Options:

a) Sacrococcygeal Teratoma
b) Diastematomelia

AIMH

b) Vertebral column
c) Vertebral arch only
d) Intervertebral disc
e) Nucleus pulposus → Notochordal remnant
Key: e

Q28) Remnant of Primitive streak in sacrococcygeal region:
Options:
a) Sacrococcygeal Teratoma
b) Sirengiomelia
c) Situs inversus
d) Holoprosencephaly
e) Spina bifida → neural tube defect
Key: a

Q29) Maternal portion of placenta is formed by:
Options:
a) Chorion frondosum — F
b) Decidua peritalis
c) Decidua Basalis
d) Chorion leave
e) Decidua capsulans
Key: c

HMH

Q30) Choose the false statement regarding spermatogenesis:

Options:

a) Duration is 74 days
b) Spermatozoa is haploid cell
c) Type-B spermatogonia give rise to primary spermatocyte
d) Spermatid are diploid cells
e) Begins at puberty

Key: d

Q31) Regarding structure of graffian follicle choose the incorrect answer:

Options:

a) Cumulus oophorus
b) Antrum
c) Zona pellucida degenrates
d) Secondary oocyte
e) Theca interna and externa

Key: c

Q32) Choose correct answer regarding oogenesis:

Options:

a) Primary oocyte remain active until puberty
b) Graffian follicle is formed in preantral stage
c) Zona pellucida is formed by granulosa cells only
d) [illegible]story layer

HMH

Q30) Choose the false statement regarding spermatogenesis:

Options:

a) Duration is 74 days
b) Spermatozoa is haploid cell
c) Type-B spermatogonia give rise to primary spermatocyte
d) Spermatid are diploid cells
e) Begins at puberty

Key: d

Q31) Regarding structure of graffian follide choose the incorrect answer:

Options:

a) Cumulus oophorus
b) Antrum
c) Zona pellucida degenrates
d) Secondary oocyte
e) Theca intema and extema

Key: c

Q32) Choose correct answer regarding oogenesis:

Options:

a) Primary oocyte remain active until puberty
b) Graffian follicle is formed in preantral stage
c) Zona pellucida is formed by granulosa cells only
d) Theca extema is secretory layer
e) Oocyte maturation inhibitor secreted by follicular cells

Key: e

HMH

NEUROANATOMY

GENERAL HISTOLOGY

Q48) The structural unit of DNA and histones is called:

a. Barr body
b. Nucleoside
c. Nucleotide
d. Nucleosome
e. Ribosome

Key: d

Q49) In a centrosome, each centriole is made up of 9 subunits comprisi

a. Intermediate filaments
b. Microfilaments
c. Microtubules
d. Neurofilaments

HMH

c. Nucleotide
d. Nucleosome
e. Ribosome

Key: d

Q49) In a centrosome, each centriole is made up of 9 subunits comprising of:

a. Intermediate filaments
b. Microfilaments
c. Microtubules
d. Neurofilaments
e. Tonofibrils

Key: c

HMH

c. Nucleotide
d. Nucleosome
e. Ribosome

Key: d

Q49) In a centrosome, each centriole is made up of 9 subunits comprising of:

a. Intermediate filaments
b. Microfilaments
c. Microtubules
d. Neurofilaments
e. Tonofibrils

Key: c

Q50) The basal surface of an epithelial cell is attached to the underlying basemer membrane by a junction called:

a. Gap junction
b. Hemidesmosome
c. Macula adherens
d. Zonula adherens
e. Zonula occludens

Key: b

HMH

Q51) The internal skeleton of a microvillus is made up of:

a. Actin filaments
b. Desmin filaments

d. Neurofilaments
e. Tonofibrils

Key: c

Q50) The basal surface of an epithelial cell is attached to the underlying membrane by a junction called:

a. Gap junction
b. Hemidesmosome
c. Macula adherens
d. Zonula adherens
e. Zonula occludens

Key: b

Q51) The internal skeleton of a microvillus is made up of:

a. Actin filaments
b. Desmin filaments
c. Microtubules
d. Myosin filaments
e. Tonofibrils

Key: a

HMH

e. Tonofibrils

Key: c

Q50) The basal surface of an epithelial cell is attached to the underlying basement membrane by a junction called:

a. Gap junction
b. Hemidesmosome
c. Macula adherens
d. Zonula adherens
e. Zonula occludens

Key: b

Q51) The internal skeleton of a microvillus is made up of:

a. Actin filaments
b. Desmin filaments
c. Microtubules
d. Myosin filaments
e. Tonofibrils

Key: a

Q52) Simple cuboidal epithelium is found in:

a. Conjunctiva
b. Epidermis

FMH

e. Tonofibrils

Key: a

Q52) Simple cuboidal epithelium is found in:

a. Conjunctiva
b. Epidermis
c. Esophagus
d. Gall bladder

HMH

e. Thyroid follicle

Key: e

Q53) A researcher observes H&E stained tissue se

light microscope. The lining epithelium mos

e. Thyroid follicle

Key: e

Q53) A researcher observes H&E stained tissue section of gall bladder under the light microscope. The lining epithelium most likely to be seen is:

a. Pseudostratified columnar
b. Simple cuboidal
c. Simple columnar
d. Simple squamous
e. Transitional

Key: c

Q54) Regarding connective tissue cells and their functions, choose the correct pair:

a. Adipocyte——————————Production of heparin
b. Fibroblast——————————Phagocytosis
c. Macrophage——————————Synthesis of extracellular fibers
d. Mast cell——————————Storage of fat

a. Pseudostratified columnar
b. Simple cuboidal
c. Simple columnar
d. Simple squamous
e. Transitional

Key: c

Q54) Regarding connective tissue cells and their functions, choose the correct pair:

a. Adipocyte——————————Production of heparin
b. Fibroblast——————————Phagocytosis
c. Macrophage——————————Synthesis of extracellular fibers
d. Mast cell——————————Storage of fat
e. Plasma cell——————————Production of antibody

Key: e

HMH

Q55) Apocrine mode of secretion is found in:

a. Ceruminous glands of ear
b. Intestinal glands
c. Lacrimal glands
d. Mammary glands
e. Sebaceous glands

Key: a

Q55) Apocrine mode of secretion is found in:

a. Ceruminous glands of ear
b. Intestinal glands
c. Lacrimal glands
d. Mammary glands
e. Sebaceous glands

Key: a


Q56) Perichondrium is an example of:

a. Adipose tissue
b. Dense irregular connective tissue
c. Dense regular connective tissue
d. Loose connective tissue

HMH

e. Reticular connective tissue

Key: b



Q56) Perichondrium is an example of:

a. Adipose tissue
b. Dense irregular connective tissue
c. Dense regular connective tissue → tendon
d. Loose connective tissue

e. Reticular connective tissue

Key: b

Q57) Regarding cartilage, choose the statement that is not correct:

a. Fibrocartilage has no distinct perichondrium
b. Elastic cartilage is found in the intervertebral discs of vertebral colum
c. Type-II collagen is predominant in elastic and hyaline cartiage
d. Chondrocytes are seen in the form of rows between collagen fiber bundles in fibrocartilage
e. Hyaline cartilage is found in fetal skeleton

Key: b

e. Reticular connective tissue
Key: b

Q57) Regarding cartilage, choose the statement that is not correct:

a. Fibrocartilage has no distinct perichondrium
b. Elastic cartilage is found in the intervertebral discs of vertebral column
c. Type-II collagen is predominant in elastic and hyaline cartiage
d. Chondrocytes are seen in the form of rows between collagen fiber bundles in fibrocartilage
e. Hyaline cartilage is found in fetal skeleton
Key: b

Q58) Regarding compact bone, choose the correct statement from the following:

a. Periostium covers the bone matrix internally i.e. around marrow cavity
b. Sharpey's fibers bind the bone matrix to periosteum
c. Volkman canal is present in the center of osteon
d. Osteocytes lie in the Howship's lacunae
e. [illegible]llae are present just beneath the periosteum

Key: b

Q58) Regarding compact bone, choose the correct statement from the following:

a. Periostium covers the bone matrix internally i.e. around marrow cavity
b. Sharpey's fibers bind the bone matrix to periosteum
c. Volkman canal is present in the center of osteon
d. Osteocytes lie in the Howship's lacunae
e. Interstitial lamellae are present just beneath the periosteum

Key: b

Q59) Serology report of a 40 years old man reveals raised levels of parathyroid hormone. Which of the following bone cells is likely to be activated:

a. Fibroblast
b. Osteoblast
c. Osteoclast
d. Osteocyte
e. Osteoprogenitor cell

Key: b

HMH

Q60) Regarding skeletal muscle, choose the statement that is false:

[illegible] the segment between two successive z-discs
[illegible] I-bands are light

e. Osteoprogenitor cell

Key: b

Q60) Regarding skeletal muscle, choose the statement that is false:

a. Sarcomere is the segment between two successive z-discs
b. A-bands are dark and I-bands are light
c. Muscle fibers are multinucleated
d. Intercalated discs are present

e. Muscle fibers are longitudinal and cylindrical

Key: d

Q61) Choose a histological feature that is common to both cardiac and skeletal muscle from the following:

a. Intercalated discs
b. Cross striations
c. Diads
d. Branched muscle fibers

e. Muscle fibers are longitudinal and cylindrical

Key: d

Q61) Choose a histological feature that is common to both cardiac and skeletal muscle from the following:

a. Intercalated discs
b. Cross striations
c. Diads
d. Branched muscle fibers
e. Each muscle fiber has single central nucleus

Key: b

Q62) Fanestrated capillaries are found in:

a. Liver
b. Spleen

c. Diads
d. Branched muscle fibers
e. Each muscle fiber has single central nucleus

Key: b

Q62) Fanestrated capillaries are found in:

a. Liver
b. Spleen
c. Kidney
d. Skeletal muscle
e. Brain

Key: c

Q63) Prominent internal elastic lamina is present in:

a. Arteriole
b. Capillary
c. Elastic artery
d. Metarteriole
e. Muscular artery

Key: e

Q64) Keratohyaline granules are the characteristic feature of which layer

b. Capillary
c. Elastic artery
d. Metarteriole
e. Muscular artery

Key: e

Q64) Keratohyaline granules are the characteristic feature of which layer of epidermis?

a. Stratum basale
b. Startum corneum
c. Stratum granulosum
d. Stratum lucidum
e. Stratum spinosum

Key: c

HMH

epidermis?

a. Stratum basale
b. Startum corneum
c. Stratum granulosum

d. Stratum lucidum
e. Stratum spinosum

Key: c

Q65) Uterine glands are an example of:

a. Simple acinar glands
b. Simple branched acinar glands
c. Simple branched tubular glands
d. Simple coiled tubular glands
e. Simple tubular glands

Key: c

HMH

Options:

a) Simple cuboidal epithelium
b) Simple columnar epithelium
c) Stratified cuboidal epithelium
d) Stratified columnar epithelium
e) Stratified squamous non-keratinized epithelium

Key: d

Date:	19-10-19	Venue:	Q-Bank
Writers Name:	Dr. Maria Khan		Employe
Designation:	Assistant professor	Institution:	DUH
Reference of book	Junqueira's Basic	Chapter:	4

Zuhs

Q75) Transitional epithelial cells lining the urinary bladder are held together by:

Options:

a) Fascia adherens
b) Macula adherens
c) Nexus junctions
d) Zonula adherens
e) Zonulae occludens

Key: e

HMH

DR FARRUKH MUSTAFA MCQs FOR ANNUAL BOARD (2) - Microsoft Word

File Home Insert Page Layout References Mailings Review View Pens

Paste Clipboard Font Paragraph Styles

Q76) Stereocilia are found in:

Options:

a) Fallopian tube
b) Internal ear, epididymis, vas deferens
c) Large & small intestine
d) Trachea & bronchi
e) Proximal convoluted tubule of kidney

HMH

Topic / Chapter / Theme: General Histology

Sub Topic / Subtheme: Connective tissue

Objective: To define different types of connective tissue cells & fibers

Question Stem (Scenario not > 100 words).

Q77) Regarding connective tissue fibers, choose the correct statement:

HMH

Options:

a) Collagen fibers form supportive stroma of bone marrow & other lymphoid organs

b) Collagen type-lll is found in fetal membranes

c) Elastic fibers are easily digestible by proteases

d) Elastic fibers are thicker than type-1 collagen

e) Reticular fibers are characteristically stained with Silver

Key: e

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM. (1) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Pens

Times New Rom 14

Paste | Clipboard | Font | Paragraph | Styles

AaBbCcI ¶ Normal | AaBbCcI ¶ No Spaci... | AaBbC Heading 1 | AaBbC Heading

Q78) Choose the correct statement regarding histology of fibrocartilage:

HMH

Options:

a) Chondrocytes are arranged in the form of rows

b) Contains type-II collagen

c) Extracellular matrix is homogenous & glassy

d) Found in trachea

e) Perichondrium is usually present

Options:

a) Chondrocytes are arranged in the form of rows
b) Contains type-ll collagen
c) Extracellular matrix is homogenous & glassy
d) Found in trachea
e) Perichondrium is usually present

Key: a

HMH

Question Stem (Scenario not > 100 words).

Q80) A-bands of skeletal muscle fiber:

Options:

a) Contain thick filaments only
b) Contain thin filaments only
c) Contain both thick & thin filaments
d) Bisected by Z-disc

AMH

Q74) Conjunctiva of the eyelid is lined by:

Options:

a) Simple cuboidal epithelium
b) Simple columnar epithelium
c) Stratified cuboidal epithelium
d) Stratified columnar epithelium
e) Stratified squamous non-keratinized epithelium

HMH


Q73) Cell organelle responsible for sequestration and release of calcium as a rapid response to a stimulus in skeletal muscle is:

HMH

Options:

a) Endoplasmic reticulum
b) Golgi apparatus
c) Lysosome
d) Mitochondrion
e) Ribosome

Key: a


DR FARRUKH MUSTAFA MCQs FOR ANNUAL EXAM (2) - Microsoft Word
File
Home
Insert
Page Layout
References
Mailings
Review
View
Pens
Times New Rom
14
Paste
Clipboard
Font
Paragraph
Styles
Q71) Which of the following layers of epidermis is the characteristic feature of 'thick skin'?
Options:
a) Stratum basale
b) Stratum corneum
c) Stratum granulosum
d) Stratum lucidum
e) Stratum spinosum
HMH
Page: 71 of 108
Words: 15,215
Search the web and Windows

Question Stem (Scenario not > 100 words).

Q70) Which of the following cells of skin belong to mononuclear phagocyte system?

Options:

a) Kertinocytes
b) Langerhan cells
c) Melanocytes
d) Merkel cells
e) Squames

HMH

Sub Topic / Subtheme: Oral cavity (tongue)

Objective:

Question Stem (Scenario not > 100 words).

Q67) Which of the muscles of tongue is not innervated by hypoglossal nerve?

Options:

a) Genioglossus. → Protrudes of tongue.
b) Styloglossus.
c) Palatoglossus. → SA
d) Hyoglossus.
e) Intrinsic muscles of tongue.

Key: (C)

HMH

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-D
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA		