General Anatomy: SET 1

1. A vertical plane passing through the center of the body, dividing it symmetrically into identical right and left halves, is defined as the:
a. Coronal plane
b. Horizontal plane
c. Transverse plane
d. Paramedian plane
e. Median (midsagittal) plane
2. Any vertical plane running parallel to the median plane that divides the body into unequal right and left portions is classified as a:
a. Transverse plane
b. Frontal plane
c. Horizontal plane
d. Sagittal (paramedian) plane
e. Axial plane
3. A vertical plane oriented at a right angle to the median plane, dividing the human body into anterior (front) and posterior (back) parts, is the:
a. Sagittal plane
b. Horizontal plane
c. Transverse plane
d. Coronal (frontal) plane
e. Paramedian plane
4. The plane that runs horizontally at a right angle to both the median and coronal planes, dividing the body into superior and inferior segments, is the:
a. Frontal plane
b. Sagittal plane
c. Paramedian plane
d. Coronal plane
e. Transverse (horizontal/axial) plane
5. Movement of a body part away from the median plane in a coronal axis, such as raising the upper limb laterally away from the torso, is called:
a. Flexion
b. Extension
c. Adduction
d. Abduction
e. Rotation
6. Movement that brings a body part closer to the median plane or locks a limb toward the midline axis of the body is formally defined as:
a. Abduction
b. Flexion
c. Extension
d. Circumduction
e. Adduction
7. Flexion and extension are fundamental anatomical movements. These specific movements take place within which anatomical plane?
a. Coronal plane

b. Transverse plane
c. Horizontal plane
d. Sagittal plane
e. Oblique plane

8. Abduction and adduction of the limbs at the shoulder or hip joints take place entirely within which anatomical plane?

a. Sagittal plane
b. Transverse plane
c. Median plane
d. Horizontal plane
e. Coronal plane

9. Rotation of a limb around its longitudinal axis can be medial or lateral. Rotational movements take place within which anatomical plane?

a. Coronal plane
b. Sagittal plane
c. Median plane
d. Transverse (horizontal) plane
e. Frontal plane

10. A complex, circular movement that combines flexion, extension, abduction, and adduction in a sequential succession is termed:

a. Medial rotation
b. Supination
c. Pronation
d. Circumduction
e. Eversion

11. When the forearm is rotated so that the palm of the hand faces anteriorly (in the anatomical position), this specific movement is:

a. Pronation
b. Eversion
c. Inversion
d. Extension
e. Supination

12. The movement that rotates the forearm internally, causing the palm of the hand to face posteriorly, is defined as:

a. Supination
b. Inversion
c. Eversion
d. Pronation
e. Flexion

13. Inversion and eversion are specialized foot movements. Turning the sole of the foot inward toward the median plane is called:

a. Eversion
b. Inversion
c. Dorsiflexion
d. Plantarflexion
e. Pronation

14. Turning the sole of the foot outward away from the median plane is classified as:

a. Inversion

b. Eversion
c. Dorsiflexion
d. Plantarflexion
e. Supination

15. Bones that develop within the substance of a tendon to reduce friction and resist mechanical pressure, such as the patella, are classified as:

a. Pneumatic bones
b. Irregular bones
c. Flat bones
d. Short bones
e. Sesamoid bones

16. Bones that contain large, air-filled mucosal cavities within their structures to lighten the skull, such as the maxilla, are classified as:

a. Sesamoid bones
b. Short bones
c. Flat bones
d. Irregular bones
e. Pneumatic bones

17. The structural classification of joints includes fibrous, cartilaginous, and synovial types. A joint formed by a tooth root fitting into its alveolar socket is a:

a. Suture
b. Syndesmosis
c. Gomphosis
d. Synchondrosis
e. Symphysis

18. Cartilaginous joints are divided into primary and secondary types. A secondary cartilaginous joint (symphysis), which is always permanent and situated in the midline, is represented by the:

a. Epiphyseal plate of a growing long bone
b. First sternocostal joint
c. Pubic symphysis / Intervertebral discs
d. Cranial sutures
e. Gomphosis

19. Synovial joints are highly mobile. Which structural type of synovial joint allows for pure rotational movement around a single vertical axis, such as the atlantoaxial joint?

a. Hinge joint
b. Condylar joint
c. Saddle joint
d. Pivot joint
e. Ball-and-socket joint

20. A hinge joint allows for movement around a single transverse axis, permitting only flexion and extension. A classic example of a hinge joint is the:

a. Shoulder joint
b. Hip joint
c. Elbow joint
d. Proximal radioulnar joint
e. Wrist joint

21. The shoulder and hip joints permit free, multiaxial movements across all planes and axes. These joints belong to which synovial category?
a. Hinge joint
b. Pivot joint
c. Plane joint
d. Ball-and-socket (spheroid) joint
e. Condylar joint
22. Joints that possess reciprocally concavo-convex articulating surfaces, resembling a rider sitting on a saddle, such as the first carpometacarpal joint of the thumb, are:
a. Hinge joints
b. Saddle (sellar) joints
c. Pivot joints
d. Ball-and-socket joints
e. Ellipsoid joints
23. Muscles can be classified by their microscopic features. Muscles that are involuntary, non-striated, and found forming the muscular coats of hollow visceral organs are:
a. Skeletal muscles
b. Smooth muscles
c. Cardiac muscles
d. Branchial muscles
e. Somatic striated muscles
24. The specialized muscle tissue that forms the walls of the heart, exhibiting striations and intercalated discs while operating completely involuntarily, is:
a. Smooth muscle
b. Skeletal muscle
c. Cardiac muscle
d. Myoepithelial tissue
e. Branchiomotor muscle
25. Blood vessels that carry oxygenated blood away from the heart to the peripheral tissues, possessing thick muscular walls and no valves, are:
a. Veins
b. Capillaries
c. Sinusoids
d. Lymphatics
e. Arteries
26. Arteries that do not form functional connections (anastomoses) with neighboring vessels, meaning their sudden occlusion results in immediate tissue necrosis (infarction), are:
a. Anastomotic arteries
b. Collateral arteries
c. Anatomical end arteries
d. Deep somatic arteries
e. Sinusoidal trunks
27. Blood vessels that return deoxygenated blood back to the heart from the capillaries, possessing thin walls, low internal pressure, and internal valves to prevent backflow, are:
a. Arteries

b. Veins
c. Arterioles
d. Metarterioles
e. Sinusoids

28. Microscopic vascular networks where exchange of gases, nutrients, and metabolic waste products takes place between the blood and tissue cells are:

a. Capillaries
b. Large veins
c. Muscular arteries
d. Elastic arteries
e. Arteriovenous shunts

29. A specialized circulatory pathway where venous blood collected from one capillary network passes through a large trunk vein to enter a second capillary bed before reaching the heart is a:

a. Systemic circulation
b. Pulmonary circulation
c. Fetal circulation
d. Portal circulation
e. Lymphatic circulation

30. The peripheral nervous system consists of nerves and ganglia. A localized collection of nerve cell bodies situated outside the boundaries of the central nervous system is formally termed a:

a. Nucleus
b. Tract
c. Fasciculus
d. Ganglion
e. Lemniscus

Answer Key Table

Q 1-8	Q 9-16	Q 17-24	Q 25-30

e	**d**	**c**	**c**
d	**b**	**b**	**b**
d	**b**	**b**	**d**
e	**b**	**c**	**b**
d	**e**	**b**	**b**
e	**e**	**c**	**a**
d	**c**	**c**	
e	**b**	**d**	