6- Tendon connective tissue -?

7- Fungi or filiform papilla:

8- Basophilia of cells is due to Rough ER

9- Mid brain connect fore brain to hind brain.

10- Tongue paralysis.
The hypoglorsal nerve is the 12th cranial nerve and innervates all extrinsic and intrinsic muscle except for palatoglossus.

11- which lymphoid organ can you see from nose?

25) Which of the following is true statement about : Skeletal muscle : ~~endomysium covers single muscle fiber~~.

26) Primary cartilaginous joint example : ~~joint b/w epiphysis & diaphysis~~.

27) Secondary cartilaginous joint example : ~~intervertebral disc / pubic symphysis~~.

28) Spleen has : ~~white pulp surrounded by red pulp & trabecule~~.

29) Consider as simple living being : cell.

30) Basophilic histological section due to : nucleus.

31) Lateral wall of orbit formed by : zygomatic and sphenoid.

) Not characteristics of natal teeth : erupt at birth

) Palatine tonsil : enlarged lymphatic tissue.

Strapezeus muscle :

lacrimal apparatus doesn't include :

19- Reproductive cells are produced from what layer in the embryo.

20. one was about "Axial artery".

21- Histo of spleen.

22. Vigina is important is relation to what?

23. Pharynx connet to base of skull through which.

23. Regarding Lysosomes which statement is wrong.

23. liver and kidney Histo.

24. Which statement is correct about ureter?
ans - blood supply by direct branch of abdominal aorta.

23- in an osteon which is not present condrocytes
24- keratinized squamous epithelium in epidermis
25- Fetal age is cannot be estimated in disemester and trisemester by: bigestational sac
26- Chondroblast secret cartilage matrix
27- In 3rd week, the cell which form all 3 germ layer are; epiblast
28- The longitudional fissure contain corpus callosum in depth
29- The primary motor area is called pre central gyrus
30- The junction of epiphysis and diaphysis is epiphysial plate
31- The spurt of puberty in which proliferation and hypertophy form epiphysial plate
32- which cell maintain bone matrix; osteoblast
33- The diaphysis is covered by periosteum
34- which is not the part of hypothalamus Habenuclar commissure
35- Soft membraneous gap b/w crainal bones in neonatal is fontalloes
36- extraembryonic somatic mesoderm and tropoblast form Chorionic sac which include aminotic sac
37- muscle fiber is protected by; endomysium
38- Tendon is regular dense connective Tissue
39- Somites are formed by paraxial mesoderm
40- Outer cell mass are called tropoblast
41- Regarding white mater what is true: largest commisure fiber is corpus callosum.

2. component for bone formation
3. In max canine, mesial to mesial lingual form
24. Oral epithelium to enamel connected by
25. Incorrect about
26. Tight junction permeability depend upon
27. which junction allow leak movement
28. Diagnose of dental disorder require all except
29. Basal and prickle cell layer keratinized epithelium comprise
30. Endochondral ossification not present in
31. Congenital disorder occur in mostly which stage
32. which phase is fetal stage in prenatal development
33. Surface of teeth facing toward adjoining teeth in same dental arch proximal teeth
34. Osteoclast are multinucleated.
35. In oral mucosa which cell are not present through out. Osteocyte / osteoblast
36. In addition to support, protection, locomotion bone also do storage of Ca^{+}
37. Alkaline phosphate function is cleavage pyrophosphate
38. Osteoblast laying new bone form in to out are called
39. Somites are formed by paraxial mesoderm
40. Type of collagen in bone, cementum, dentin Type I
41. components of junction claudin
42. which layer not present in mucoperiosteum Sub mucosa

31. Metabolic acidosis all except: decrease absorption of HCO_3^-

32. How do we determine the PH colour change

33. Enzyme work in optimum temp. range. (35-40°)

34. Fat Soluble vitamin is Vit A, D, E, K

35. lock and key theory is each substrate for specific enzyme

36. 1 Each Hb can ~~combine~~ carry ~~with~~ 4 molecule of oxygen.

37. Breakdown of ~~Hb~~ O_2 in Hb make Sigmoidal curve (oxygen dirassociation curve)

38. Dipeptide has 2 amino acid and 1 ~~peptide~~ peptide linkage

39. Most significant buffers at physiological PH. HCO_3^-/H_2CO_3

40. PH of Blood 7.35 - 7.45

41. Simplest amino acid glycine

42. Enzyme work by lowering Activation energy

43 Sickle cell anaemia is point mutation in specific chain

44. Mother has mal nurished child of protein deficiency, source of complete protein. cereals and grain

45. Porphyria in which tooth enamel become redish brown is Erthropoetic porphyria.

46. Heridtary porporphyria is cupropoetic, Acute porphoryia tarda,

47.

18.

Anatomy :-

1. Fibrocartilage is present in intervertebral disc
2. Hyaline cartilage is not present in external ear (pinna)
3. What is true about skin epidermis is avascular
4. Thick skin is present in palm and sole
5. Bone matrix is produce by osteoblast
6. Epithelium in Blood vessel is simple squamous epithelium
7. What occur in 3rd week of development primary angiotensin center, head length, eyelid fuse, tongue & nail present, eyes arterial, neurulation
8. Placenta doesn't secret (hCG) pregnancy hormone
9. Maternal part of placenta is decidua basalis
10. What doesn't happen during 9-12 week of development. ventricular septal defect present
11. Which artery is not involved in blood supply of brain external carotid artery
12. Which one is not the part of brain stem cerebellum
13. Planning of motor activity is controlled by cerebral cortex
14. Skeletal muscle are recognized by multicellular nuclei
15. Cardiac muscle main feature is intercalated disc
16. neural crest cell give rise to meninges and adrenal medula
17. Primary visual cortex broca's area: broca's area 17
18. Fibroblast secret elastin
19. Structure which cannot pass through foramen magnum spinal arteries
20. Cerebellum contain all nuclei accept : arcuate nuclei
21. What is ~~not~~ present in center of haversian canal blood vessel
22. Fracture in shaft of growing bone affect in diaphysis

Optic nerve is composed of ganglion cell

17. Fat digestion in GIT by pancreatic lipase enzyme or bile salt
18. dopamine is secreted by Substania nigra and caudate nucleus
19. Parkinson's disease due to affect in basal nuclei pathway
20. In smooth muscle, dense bodies attached to actin
21. The functional contractile system in skeletal muscle myofibril filament
22. The nerve form post ganglion/otic ganglion to parotid gland is: glossopharyngeal nerve
23. Anaemia caused by toxic chemical is Aplastic Anaemia
24. In rigor mortis, skeletal muscle don't relax due to depletion of ATP
25. Intentional tumour occur in cerebellum disorder
26. Fast inhibitory neurotransmitter is GABA
27. Fast myelinated fiber A_δ fiber
28. Haemoglobin consisti of 4 Heme and 4 polypeptide chain
29. RBC's mature in blood stream
30. Taste bud are not present in filiform papillae
31. Taste receptor cell are Type II and Type III
32. Ca^{+2} production/storage in T-tubule
33. Face plate of ~~st~~ Stape against oval membrane
34. intrinsic factor produced by parietal cell
35. Non-contractile protein in skeletal muscle. titin
36. Pain pathway to ~~Skeletal mu~~ cerebral cortex Spinothalamic pathway
37. mitral cell for detection of Olfactory cell

(13) Which is not a tongue muscle
(14) Which is not supplied by pharyngeal plexus = stylopharyngeus
(15) palate boundries & attachemets
(16) Which is not a pneumatic bone = Mandible
(17) Most common site of ectopic pregnancy = uterine tube
(18) pharyngotympanic tube is in which part of ear?
(19) spinal nerve = mixed nerve
(20) structure that enters foramen magnum but leaves from another foramen = accessory nerve (maybe)
(21) Arch of muscle of facial expression = 2nd arch
(22) Tip of nose is supplied by = Trigemminal $\underline{V_2}$

ANATOMY

1- Extra embryonic coelom is also called as amniotic cavity
2- Splanchic mesoderm covers extra-embryonic coelom
3- Critical period for fetus 4-8 week
4- Gestation & embryonic stage age can be estimated by last menstrual flow
5- Allantois is diverticulum from the caudal wall of yolk sac
6- Prechordal plate form ____
7- Caudal part of Primitive streak form cloacal membrane
8- formation of ____ take place in 6th week.
9- Anterior & posterior half ____
10- Diarthrosis e.g is synovial joint
11- Spinal cord ends at L2 or L3
12- Filum terminale is extension of pia mater
13- Unpaired venous sinus is straight sinus
14- Largest commissural fibres is corpus callosum.
15- H & E fixation tissue is preserved by dip in paraffin wax
16- Lysosomes contain ~~acidic~~ hydrolytic enzyme
17- Characteristic feature of skeletal muscle is the presence of nuclei at periphery
18- Example of hyaline cartilage is costal cartilage
19- True about Hassel's ~~cartilage~~ capsule thymic co
20- Endoderm form secretory cells of Parathyroid gland
21- Difference b/w thick skin and thin is the presence of stratum lucidum.
22- Which cell is not present in skin ____
23- Modified long bone is clavicle

24- Hyaline cartilage is present in articular of thyroid
25. True statement is a) ball & socket = biaxial
b) saddle = biaxial c) Pivot = multiple axial
26. Resistance vessel is arteriole
27 - Aorta is muscular artery
28. Vesicular efferent nuclei not present in posterior horn of spinal cord
29. Inferior horn of lateral ventricle lie in temporal bone
30. largest lymphatic vessels thoracic duct
31. Ground substance not present in cartilage & calcium phosphate
32. Motor unit of muscle motor neuron innervate muscle fibre
33. After puberty epiphyseal plate of cartilage
34. True about sympathetic nerve fibre that long postganglionic & short preganglionic
35. Maxillary nerve is not the component of mandible
36. Superior colliculi is due vision
37. Inferior colliculi is due hearing.
38 Which nerve is present adjacent to internal carotid within cavernous sinus Abducent.
39. Parasympathetic nuclei does not pass from which cranial nerve _____
40. Bone present in muscle tendon pneumatic bone
41. Simple squamous epithelium present in alveoli of lung
42. Sinusoidal capillary present in liver & spleen

35. Not a component of mandible = maxillary nerve.
36. Superior colliele.
37. Inferior colliele.
38. Which nerve is present adjacent to internal carotid in cavernous sinuses =
39. Parasympathetic nuclei does not pass from which of the cranial nerve
40. Which bone is present in muscle tendons =
41. Sinusoidal capillary is present in =
42. Simple squanous epithelium = lung alveoli
43. Which statement is false = G1 is a cell division stage, DNA replication occurs / does not occur in interphase.
44. Which structure supports skeletal muscle below the skin.

ANATOMY!

(MIDTERM 2016)

1. Extra embryonic coelom in also called as =
2. Splanchnic mesoderm covers =
3. Critical period for fetus =
4. Prochordal plate =
5. Gestation & embryonic age =
6. Allontois =
7. Formation of which feature is in 6th week =
8. Caudal part of of primitive streak =
9. Anterior & posterior half =
10. Diartherois i.e synovial joint =
11. Spinal cord ends at =
12. Filum terminale
13. Unpaired venous sinus
14. Largest commisural fiber.
15. H & E fixation, tissue is presered by.
16. Lysosomes
17. Characteristic feature of skeletal muscle =
18. Hyaline cartilage eg = costal cartilage.
19. Endoderm forms
20. True about Hassel's cartilage.
21. diff. b/w thick & thin skin
22. Which cells is not present in skin.
23. Modified long bone =
24. Hyaline cartilage is present = articular of clavicle.
25. True statement = ball & socket = biaxial, saddle joint biaxial, Pivot joint = multiple axial.
26. Resistance vessel =
27. Aorta = muscular artery
28. nuclei not present in posterior horn of S.C = vesicular efferent nuclei
29. Inferior horn of lateral ventricle lie in =
30. Largest lymphatic vessel =
31. Ground substance not present in cartilage = Calcium phosphate
32. Motor unit of muscle =
33. After puberty, epiphyseal plate of cartilage =
34. True about ~~symphat~~ sympathetic nerve fiber = Long post ganglionic & short pre " fiber.

Date:

Date:

29. Which is not a characteristic of 1st rib?
30. Which is not the part of spermatogenesis?
31. Ridges on the ventricles of heart give it a spongy appearance.
32.

Date:

Anatomy
Mid Term 2018

1. Which vessel has resistance function
2. Sinusoidal capillaries are seen in
3. Caudal to primitive streak There is a circular area.
4. What / Which is absent in cartilagous matrix
5. Basal ganglia does not
6. Simple cuboidal epithelium is present in
7. Which bone ~~are~~ develop in muscle tendon
8. Urachus develops in adult in:
9. Which vessel supply lung with oxygenated blood.
10. Descending track responsible for maintaining balance.
11. The Superior colliculi is The center of.
12. Foreign body in trachea goes to:
13. Longest modified bone.
14. Which is not a branch of coronary artery.
15. Lysosome produced by
16. Extra ~~ebr~~ embryonic ~~splanchn~~ splanchnic mesoderm covers.
17. Following nerves doesn't contain parasympathetic fibres: III, X, VIII ?
18. Extra embryonic coelom forms.
19. Which is the largest commissure?
20. Antibodies are produced by
21. Fate of notochord.
22. Spinal cord terminates at:
23. Inferior border or lateral ~~border~~ ventricle extends into which lobe: Temporal
24. Somites develop from:
25. during development: Neural crest.
26. Abnormal hunger, responsible by which part of hypothalamus?
27. Slowest rhythm in which part of heart
28. Function of filum terminale

WhatsApp 05:15 65%
drive.google.com
IMG-20170112-WA0038.jpg

23. Which muscles divide anterior triangle from posterior triangle: (Head & neck).

24. Cervical nerves branches are a component of anterior triangle or posterior? (Head & neck).


25. Recurrent Laryngeal nerve related questions. (Head & neck)

Boundary of ear related question. (Head & neck)

27. Axial skeleton and appendicular skeleton related question. (Baby B. D)

28. Wrist is an example of which joint. (Baby B. D).

WhatsApp 05:15 65%
drive.google.com
IMG-20170112-WA0037.jpg




(embryo)
9. (Each) Parent contribute haploid no of chromosomes at the time of fertilization.
(head & neck)
9. Anterior $\frac{2}{3}$ of Tongue is supplied by. _____
(head & neck).
10. Posterior $\frac{1}{3}$ of Tongue is supplied by _____
(head & neck)
11. Largest sinus → Maxillary Sinus.
(head & neck)
12. Superior concha is derived/made from (related question from concha-ms)
(head & neck).
15. Lateral aspect of eye is made from which bone.
(head & neck).
14. Tensor Tympani function.
Contraction pulls handle of malleus, medially, Tensing Tympanic membrane.

WhatsApp 05:14 65%
drive.google.com

ANATOMY BCQ'S

1) One set of chromosome : sex chromosome
2) One set of chromosome : sex chromosome
3) Gastric gland : tubular gland
4) Zonula fasciculata : adrenal cortex
5) adrenal gland : _____
6) Metencephalon form : cerebellum
7) Epiblast doesn't form : trophoblast
8) Mid brain connects fore brain with : hind brain
9) Supero concha formed by : labyrinth of ethmoid
10) Nucleus of medulla which gets stain : tractus solitary.
11) Pupillary muscle supplied by which nerve : 3 and 4.
12) Propreioception by which nucleus : nucleus dorsalis.
13) which structures can't seen in light micros Endoplasmic reticulum & golgi bodies.

WhatsApp 05:14 66%
drive.google.com
Bcqs
IMG-20 ... 07.jpg
IMG-20 ... 08.jpg



75) Bones are covered by a membraneous layer except on cartilage this layer is called: periosteum.

76) Regarding submandibular triangle: submandibular gland nearly fills the triangle.


77) Regarding pancrease which statement is true: centre acinar piece is characteristics of pancreas.

During splenic biopsy needle is inserted through which part: 10 rib (in maxillary line)

x——x

IMG-20 ... 11.jpg
IMG-20 ... 12.jpg

WhatsApp 05:14 66%
drive.google.com



14) Post ganglionic sympathetic fibers supply all following visceral except _____

15) Which one is not a simple squamous epith... : _____

16) Epithelia are classified on the basis of: Shape of cells.

17) Tumor in porta hepatica constrict: gall bl...

18) Incorrect statement of * adduct:

19) Lower limb & anal region of cerebrum is supplied by which artery: medial circumflex femoral artery.

20) Tendon in a bone is called: sesmoid bone

21) Bone in locomotory: long bone.


22) Bone of skull: flat / Pneumatic.

) Tendon is form by: skeletal tissue.

) Characteristic of skeletal muscle: nucleus at periphery.

drive.google.com

WhatsApp 05:13 66%
drive.google.com



57) Incorrect statement about pancreas:

58) Supranasal region incorrect statement:

59) Immunity cell in skin: Langerhan cell

60) Histology of liver:

61) Regarding parotid gland: facial nerve embedded within it.


62) Mackel's diverticulum: Vitelline duct anomaly

63) cephlo: caudal fold of embryo causes cranial part to rest over foregut.

which part related to cervix is important from surgecal POV:

Signal sent to cerebral cortex by:
-substantia nigra to basal ganglia

WhatsApp 05:13 68%
drive.google.com
Bcqs



25) Which of the following is true statement about : Skeletal muscle : endomysium cover single muscle fiber.

26) Primary cartilaginous joint example : joint b/w epiphysis & diaphysis.

27) Secondary cartilaginous joint example : intervertebral disc / pubic symphysis.

28) Spleen has : white pulp surrounded by red pulp & trabacule.

29) Consider as simple living being : cell.

30) Basophilic histological section due to : nucleus

31) Lateral wall of orbit formed by : zygomatic and sphenoid.

) Nat characteristics of natal teeth : erupt at birth

Palatine tonsil : enlarged lymphatic tissue.

Strapezeus muscle :

lacrimal apparatus doesn't include :

WhatsApp 05:13 66%
drive.google.com
Bcqs

47) Which of the following doesn't take part in fetal part of placenta:

48) Epigastric triangle doesn't include:

49) Muscular triangle include which of the following: superior belly of omohyoid.

50) Oocyte at ovulation is called: secondary oocyte.

51) Inappropiate axial skeleton compoinent is: humerus.

52) Cranium nerve supply by: facial nerve.

53) GnRH is released due to signal of:

54) Which is incorrect about lysosome; Tay-sach disease is neurodegenerative diease.

55) Primodial germ cell form by: at week

56) Hippocampus gyrus is related to: dentate gyrus.

WhatsApp 05:12 68%
drive.google.com

36) adenoids : lymphatic tissue enlarge in nose & throat.

37) Basic unit of kidney is: nephron.

38) Tongue base attached to which bone: hyoid bone.

39) Hyoid bone suspended by: ligament of styloid process.

40) which muscle divide anterior triangle into four parts: Omohyoid.

41) which muscle is used for lowering the mandible: lateral pterygoid.

42) anterior gray horn formed from: basalar plate.

43) Formation of gametes called: gametogenesis.

44) Gametogenesis called: gametogenesis.

45) Fetus & embryo covered by which membranes covering: amnion.

) Tectospinal tract join spinal cord with: C

WhatsApp 05:11 69%
drive.google.com

47) Spaces b/w plates of hepatocytes are occupied by sinusoidal capillaries called hepatic sinusoids.
48) Stylopharyngeus is only longitudinal muscle of pharynx supplied by glossopharyngeal nerve
49) Adenoid when enlarged is in the midline of nasopharynx
50) Bone's artery = nutrient artery
51) A ball hits the head of boy, his brain was not damage due to flat bone.
52) Largest sinus = maxillary sinus
53) Ant 2/3rd of tongue is supplied by
54) Cranial nerve involved in movement of eye
55) Tensor tympani function
56) Boundary of eye (lateral aspect)
57) Parotid duct opens at maxillary 2nd molar
58) Bell's palsy = facial muscles
59) contents of anterior & posterior triangle especially (cervical ki branches konse triangle mein hote hain)
60) Triangle of neck is divided by ___ components
61) Shaft is composed of periosteum, cortex and medullary cavity.
62) Trigeminal ganglion
63) Medulla anterior side = pyramids/peduncles
64) Oogenesis related by
65) Contents passing through suprasternal space

WhatsApp 05:11 69%
drive.google.com

39) Elongated shaft = diaphysis
40) Perception = dorsal column
41) Articular cartilage = pericardium
42) Liver is covered by thin connective tissue capsule called:
a) Reumann's capsule b) Growler's capsule
c) Glisson's capsule d) None of above
43) Parenchyma of liver consist of masses of epithelial cells called
a) Kupffer cells b) hepatocytes
c) Comeocytes d) All of above
44) Portal triad consist of
a) portal vein b) hepatic artery
c) bile duct d) All of above
45) Under electron microscope, cytoplasm of hepatocyte is seen containing
a) usual cell organelles b) Nuclei very large
c) abundant microbodies of lysosomes d) both a & c
46) In H & E stained sections examined under light microscope, cytoplasm of hepatocytes generally stain acidophilic because
a) mitochondria & smooth Endoplasmic reticulum
b) Golgi complex & mitochondria
c) Lysosomes & peroxisomes
d) Rough Endoplasmic reticulum & mitochondria

27). Inferior colliculus — Auditory
28) Not involved in pterygopalatine fossa: Mandibular N.
29) Not in temporal fossa: Maxillary N.
30) Filliform — No taste buds.
31) CVS. first system.
32) Nucleolus → Cannot be seen from light Micros.
33) Spleen - Splenic pulp.
34) Liver ← Sinusoids
35) Below epiphysis → spongy bone.
36) drooping of eyelids → Levator p.s.
37) Palpaberal constrictor → "
38) Bell's palsy.
39) Nasal septum : Vomer & ethmoid.
40) 4th week.
41) 6th week.
42) Condyloid process → TmJ.
43). Scalp ⇒ Occipetofrontalis.
44) Not part of Ant Δ ⇒ supraclavicular
45) Superior part of Mantle forman have: Genio glossus
46). post 3rd of tongue = Hypobracheal emierence.
47). From which arch Ca^+ regulatory gland = Dorsal part of 4th pouch
48). After 9 stage cell ⇒ Compaction.
49) On Medulla ⇒ Nephron loop.
50) Tear production when 1 P.M is extracted.
51) PALS ⇒ (White Pulp).

① Simple Squamous example
② Cuboidal (simple)
③ Urea epithelium (classify) transitional epithelium
④ pseudostratified (classify)
⑤ Coronal plane.

⑥ Embryo
① Cleavage → phases of ~~the~~ mitotic divisions
② Heart atria → sinus venosus.
Surface smooth of rough
③ Ectopic pregnancy → fallopian tube?

Head & Neck

⑦ Max artery third part Branches? Jugular foramen pass?
⑧ SCALP layers.
⑨ facial artery → terminal branch.
⑩ Muscle of Nose
Adrenal gland., Ant & Post Pituitary.
Neuro Ascending
① Sp. cord Ant, Spinothalamic tract ipsilateral
② Cerebellum layers: My Personal Garden (cell) controlled detail
③ Diencephalon → cavity 3rd ventricle.
④ Insula Lobes.

Abdomen

① Adrenal Gland → functions
② Stomach. → Suprarenal Glan
Kidney
Adrenal medulla → N.C. dinder
Adrenal cortex → N.C.
B.P control
Aldosteron secrete.

③ tongue → muscle cut section of tongue

④ Thorax diagram. ⑫ Brain → cerebrum

⑤ Brain → cut section. ventricles cut section.
↳ parts, Medulla oblangata, pons.

⑥ Eye – muscle ↳ ligaments. supply → movements.
⑦ Ear – tympanic memb – cut section
↳ seprate middle ear & out ear. ↳ Nerve supply

⑧ Larynx & pharynx.
⑨ Heart diagram → Right Border
⑩ Exloden Neural tube diagram dates.
⑪ Sagittal section of Head & Neck
↳ palatine tonsil Neck (mostly).
⑫ Skin. → histological diagram.
⑬ Rectum Diagram. Structure cut section.
⑭ Triangles of Neck

→ Types of Joint. Defination
Cartilaginous Joint ↳ Primary Secondary types.

function
period.

(15) Carotid triangle.

(16) Thyroid histology → Diagram → follicles
cells
&
parafollicular
thyroglobulin

Anatomy 8.

Choclea location
Cervical plexus = ventral rami or dorsal rami
eye lens made by = ectoderm
Enamel " = neural crest
Muscular triangle has = thyroid gland
Legarea of brain is supplied by
Define motor unit
Face is formed by = maxillary process of mandibular process + nasal septum.

Nucleus of cerebellum
Parasympathetic ganglion = otic ganglion
Pterion is damaged, then which artery is more likely to be damaged = middle meningeal
Tongue protrusion = hypoglossus muscle

Parotid duct opens = opp to 2nd max molar
question related to adrenal gland layers
which is not event of 1st week =
complete implantation
stylomandibular ligamet is a thickening
of
hypoglossal nerve of C_1 supplies =
geniohyoid or thyrohyoid maybe
Something related to phrenic nerve
Anterior triangle post boundry =
sternocleidomastoid
What divides ant. triangle into
sub-divisions = omohyoid digastric
Wrong regarding carotid sheath
which is not a suprahyoid muscle
Right border of heart = Right
atrium
Scalp blood supply =

(13) Which is not a tongue muscle
(14) Which is not supplied by pharyngeal plexus = stylopharyngeus
(15) palate boundries & attachments
(16) Which is not a pneumatic bone = Mandible
(17) Most common site of ectopic pregnancy = uterine tube
(18) pharyngotympanic tube is in which part of ear?
(19) spinal nerve = mixed nerve
(20) structure that enters foramen magnum but leaves from another foramen = accessory nerve (maybe)
(21) Arch of muscles of facial expression = 2nd arch
(22) Tip of nose is supplied by = Trigeminal $\underline{V_2}$

(embryo)

5. (Each) Parent contribute haploid no of chromosomes at the time of fertilization

(head & neck)

9. Anterior $\frac{2}{3}$ of Tongue is supplied by: _____

(head & neck)

10. Posterior $\frac{1}{3}$ of Tongue is supplied by: _____

(head & neck)

11. Largest sinus → Maxillary sinus.

(head & neck)

12. Superior concha is derived/made from (related question from concha-nose)

(head & neck)

13. Lateral aspect of eye is made from which bone.

(head & neck)

14. Tensor Tympanii function.
Contraction pulls handle of malleus, medially, Tensing Tympanic membrane.

12- Question yad nahi option yen tha.
It ~~we~~ is found in 0.5% of population.

13- When embryo folded forward so what part near to it?

14- Artery of lower limb? anterior cerebral artery.

15- hippocampus Location? (for memory).

16- Lateral wall of eye?

17- what carries information to cerebral cortex?

18- what teeth are present at birth?

- Final N.C.Qs -

1. Tongue nerve supply

2 - Lacrimal apparatus part question was.
'which of the following is not the part of lacrimal apparatus'
Lacrimal fluid is not the part of lacrimal apparatus

3. Deep nucleus of cerebral hemisphere.
'which of the following is not the deep nucleus of cerebral hemisphere'.

4. Nucleus associated with two point discrimination

5 - Retina of eye is formed in which part
'Development of eye'.
ans 9 pairs ____

(ANATOMY) (PRE-PROFF) (2018)

1- The morula
a) Contains cells called blastomeres
b) Has three distinctive cell types.
c) At birth is 5000 gm on an average
d) Is similar to gastrula

2- Event occuring in the third week of development is
a) Appearance of amniotic cavity.
b) Laying down of extra embryonic mesoderm.
c) The development of blastocoele.
d) Formation of tetiary villi.

3- Klinfelter's syndrome is the defects of:
a) Autosomes
b) Lysosomes
c) Sex chromosomes
d) Monosomes

4- Which of following is called the dangerous layer of scalp.
a) Galeaaponeurotica
b) Loose areolar tissue
c) Pericranium
d) Skin

5- Circumpennate fibres found in
a) Deltoid
b) Rectus abdominis
c) Brachialis
d) Tibialis Anterior.

6/-/18

6- Spinal nerve
a) It is a part of A.N.S
b) Contain post synaptic automatic fiber in
c) Receive sensory innervations in its interior roots
d) Supplying the visceral fibers to the thoraco abdomen

7- A patient came in emergency room, on examination he
area is affected which artery is susceptible.
a) Anterior cerebellar artery.
b) Middle cerebellar artery
c) Post cerebellar artery.
d) Post Cerebral Artery

8- Within carotid sheath.
a) Internal jugular vein is medial to artery.
b) Vagus nerve is between artery and vein.
c) Ansa cervicalis is present in post wall.
d) Internal carotid artery is outside the sheath.

9- Spinal nerve.
a) Anterior root contain automatic fibers.
b) Posterior ramus form plexus.
c) Ramities in vertebral canal.
d) Root exit through invertebral foramen.

10- Which one of the following is a normal content of umbilical cord at full term.
a) Meckles diverticulum
b) Whaitan's jelly
c) Two umblical veins
d) Loops of intestine.

11- The following structures are involved in formation of cleft lip
a) The fronto-nasal prominence.
b) Maxillary prominence
c) Lateral nasal prominence.
d) Medial nasal prominence.

12- Lymphatic from the lower lip and chin drain into which of the following lymph node?
a) Post auricular
b) Pre auricular
c) Submandibular
d) Submental.

13- Sudden onset of stabbing pain on the left side of face in the infra orbital region, cheek and upper lip areas can occur due to increase stimulation of left:
a) Facial nerve
b) Mandibular nerve
c) Maxillary nerve
d) Ophthalmic nerve

14- Mental spine give attachment to
a) Genohyoid
b) Mylohyoid
c) Omohyoid
d) Stylohyoid.

15- Following thyroidectomy hoarseness of voice may occur, the condition is caused by injury to the
a) External laryngeal nerve
b) Internal laryngeal nerve
c) Recurrent laryngeal nerve
d) Superior laryngeal nerve

OPTIONS:

a) Stylomastoid foramen
b) Mandibular foramen
c) Mental foramen
d) Foramen ovale
e) Foramen spinosum
f) Optic canal
g) Internal acoustic meatus
h) Jugular foramen
i) Caotid canal
j) Hypoglossal canal.

Select the structure which exit through the skull from above mentioned foramen.

1- Facial nerve (a)
2- Maxillary nerve Foramen Rotundum
3- Mandibular nerve (d)
4- Glossopharyngeal nerve (h)
5- Hypoglossal nerve (j)

OPTIONS:-

a) Head fold
b) Nucleus pulposus
c) Hydatidform mole
d) Epiglottis
e) Branchial Cyst
f) Philtrum
g) Teratoma
h) Upper incisor teeth
i) Phocomella
j) Palatine tonsil

Choose the correct option and write it against each stem.

1- The structure derived from the intermaxillary segment of the embryonic face (f)
2- Primitive streak fails to degenerate in fetal life (g)
(b) 3- A normal remnant of an embryonic structure found in adult body
4- Are found along the anterior border of the sternocleidomastoid muscle (j)
5- The hypobranchial eminence contributes to the formation of (d)

16- Anterior cerebellar peduncles carries the following fibers
a) Olivospino bellar
b) Doso spino cerebellar
c) Ventro spino cerebellar
d) Arcuate fibers.

17- Adenoid is the enlargement of:
a) Cerebellar tonsil
b) Lingual tonsil
c) Palatine tonsil
d) Phayngeal tonsil.

18- Regarding the parts of growing bone:
a) Epiphyseal cartilage fuse with the diaphysis.
b) Diaphysis is one on each side.
c) Metaphysis grows away from diaphysis.
d) Epiphysis represent the primary ossification center.

19- All the nucler in brain stem are parasympathetic except
a) Superior salivatory
b) Dorsal vagal
c) Edinger Westphal
d) Tractus solitarius.

20- Which cells are responsible for the stability and integrity of bone:
a) Osteo blasts
b) Osteoclasts
c) Osteo cytes
d) Osteoprogenitor cells.

following t...

21- Which of the following frontanelle is closed in the last?
a) Anterior frontanelle
b) Posterior frontanelle
c) Lateral frontanelle
d) Sphenoidal frontanelle.

22- Structure passes through internal acoustic meatus is:
a) Internal jugular vein.
b) Facial nerve
c) Infra hetiosal
d) Internal carotid artery

23- Red pulp of spleen contains:
a) Venous sinusoids
b) Central artery
c) Germinal center lymphoid follicle
d) Hassel's corpuscles.

24- Epithelium adipose
a) Is highly vascularized.
b) Is incapable of regeneration.
c) Rests on basement membrane
d) Has abundant intercellular space

25- The components of definitive chorion are:
a) Extraembryonic somatic mesoderm, cytotrophoblast and syncytiotrophoblast
b) Extraembryonic mesoderm and epiblast.
c) Extra embryonic visceral mesoderm.
d) Intraembryonic mesoderm, syncytiotrophoblast and cytotrophoblast.

26- A 43 year old man has onset of difficulty with speaking. Examination by ENT surgeon reveals problem in elevating the hyoid bone and floor of the mouth. Muscle damaged is:
a) Mylohyoid
b) Omohyoid
c) Sterno thyroid
d) Thyro hyoid

27- The example of the end arteries is:
a) Celiac artery
b) Central artery of the retina.
c) Coronary artery.
d) Posterior cerebral artery.

28- Pseudostratified epithelium:
a) More than two layers of cells lying over basement membrane
b) Cuboidal shaped cells are present.
c) Found in trachea.
d) Do not contain goblet cells.

29- A principle difference b/w spongy and compact bone is:
a) Comparition of amorphous and ground substance.
b) Amount of collagen in matrix.
c) Presence and absence of osseous lamellae.
d) Ratio of bone matrix to tissue matrix.

30- The posterior division of retromandibular vein join with posterior auricular vein to form:
a) Angular vein
b) Common facial vein
c) External jugular vein
d) Facial vein

36- A great power of contraction of a muscle is due to the
a) Bipennate fiber
b) Fusiform fibers
c) Multipennate fibers
d) Staph like fibers.

37- A young singer after the local music theater visit to physician and complain of vocal difficulties, On examination she is unable to abduct her vocal cord during quite breathing. Which of the following muscle is most likely paralyzed.
a) Cricoarytenoid
b) Posterior cricoarytenoid
c) Thyroarytenoid.
d) Voralis

38- Regarding anatomical body position
a) Eyes look upward.
b) Lower limb fixed.
c) Palm directed backward
d) Toes pointing foward.

39- Internal arcuate fibers decussate in the medulla to form the
a) Medial lemniscus
b) Medial longitudinal fasciculus
c) Lateral longitudinal fasciculus
d) Spinal lemniscus

40- Ligamentum flavum of vertebral column is b/w adjacent vertebral
a) Body
b) Lamina
c) Spine
d) Transverse process.

COPY

46- Regarding thymus:
a) Epithelial reticular cells form "Hassal's Corpuscle"
b) Lymphoid follicle are marked in the cortex
c) Lobules are completely separated from each other
d) Medulla contains "Cords of Billroth"

47- Which of the following is the cervical branch of facial artery?
a) Lateral nasal artery.
b) Superior labial artery.
c) Tonsilar artery.
d) Transverse facial artery.

48- In a cervical vertebra, the:
a) Body possess costal facets.
b) Identified by foramina transversaria.
c) Spinous process is blunt
d) Vertical arch shows maxillary process.

49- Injury on post triangle may damage which of the following structure
a) Cranial part of accessory nerve
b) Spinal part of accessory nerve
c) Branches of brachial plexus.
d) Branches of cervical plexus.

50- Regarding the development of eye?
a) Optic vesicle are out pouching from rhombencephalon
b) Inner and outer layer of optic cup are firmly adherent to each other.
c) Coloboma develops due to complete fusion of choroid tissue
d) The anterior one fifth of inner layer is regarded as pars ceca retina.

31- Aponeurosis
a) Encloses a muscle tendon
b) Forms inter muscular septa
c) Is cord like in appearance
d) Provides attachment fo muscle fibers.

32- An elastic artery has:
a) Collagen fibers in tunica adventitia.
b) Inner endothelium in tunica intima.
c) Smooth muscle fibers in tunica media.
d) Internal elastic membrane in tunica intima.

33- Cilia are found in the epithelium of:
a) Gall bladder
b) Stomach
c) Uterine tube
d) Alveoli of lung.

34- A tooth development sequentially has last stage as:
a) Cap stage
b) Enamel sac
c) Dental root
d) Eruption

35- A muscle with twisted arrangement of fibers is:
a) Clavicular part of pectoralis major.
b) ~~Latissimus dorsi~~ Latissimus Dorsi
c) Serratus anterior
d) Trapezius

41- Regarding the skull
a) Anion is situated behind external occipital protuberance.
b) Nasion is situated at the tip of nose
c) Obelion is situated b/w two parietal foramen.
d) Pterion is situated behind the posterior part of zygomatic arch.

42. Following are the branches of internal carotid artery except
a) Anterior cerebral artery.
b) opthalmic artery
c) Posterior communicating artery
d) Posterior cerebral artery

43- Which of the following cells are not found in epidermis of skin:
a) Keratinocyte
b) Langerhan's cell.
c) Adipocyte
d) Melanocyte.
e) Merkel's Cells.

44- The sensory decussation is formed by
a) Decussation of corticospinal
b) Decussation of internal arcuate fibers
c) Decussation of superior cerebellar peduncle
d) Decussation of rubrospinal tract

45- A vertical plane at right angle to median plane is:
a) Coronal plane
b) Frontal plane
c) Horizontal plane
d) Sagittal plane

51. Middle meningeal artery is a branch of.
a) 1st part of maxillary artery.
b) 2nd part of maxillary artery
c) 3rd part of maxillary artery.
d) External carotid artery

52- A patient came in O.P.D. with the complain of difficulty in elevating the lower jaw, on examination physician reveals the loss of innervations of following muscles.
a) Anterior belly of digastrics.
b) Lateral pterygoid
c) Medial pterygoid
d) Mylohyoid

53. Fetal membranes are as under Except:
a) Amnion
b) Allantois
c) Germ disc
d) Chorion

54- The fetal part of placenta is.
a) The wall of yolk sac
b) Notochordal process.
c) Chorionic leave
d) Chorionic frondosum

55- Opening of parotid duct lies.
a) Lower molar tooth
b) Lower pre molar tooth
c) Upper molar tooth
d) Upper pre molar tooth.

56- A patient came to you with dry eyes due to decreased lacrimal gland secretion. This may be due to damage of the following ganglion.
a) Ciliary ganglion
b) Otic ganglion
c) Pterygopalatine ganglion
d) Submandibular ganglion

57- Temporomandibular joint is.
a) Is deficient of its capsule anteriorly.
b) Present b/w temporal and mandibular bone
c) Supplied by buccal branch of facial nerve
d) Supported by temporomandibular ligament medially.

58- Examination of patient indicate that he was a medially directed strabismus (squint). This could be due to damage to the.
a) Abducent nerve
b) Occulomotor nerve
c) Opthalmic nerve
d) Trochlear nerve

60- Smooth muscle.
a) Has a distinct sarcomere
b) Passes diads
c) Passes triads
d) Caveolae store release calcium ions.

61- The fascia forming the floor of posterior triangle of neck is.
a) Investing layer of deep cervical fascia.
b) None of above
c) Pretracheal fascia
d) Prevertebral of deep cervical fascia

62- Regarding the nuclei of cerebellum, the most medial nucleus is:
a) Dentate
b) Emboli form
c) Fastigial
d) Globose

63- Muscles of mastication is supplied by:
a) 1st part of maxillary artery.
b) 2nd part of maxillary artery
c) 3rd part of maxillary artery.
d) Facial artery.

64- The white rami communicants:
a) Are demyelinated fiber.
b) Distributed to thoracic viscera
c) Are post synaptic to sympathetic chain.
d) Courses in anterior root of spinal nerve.

65- Regarding the part of growing bone.
a) Diaphysis grows away from the bone ends.
b) Epiphyseal cartilage represents the secondary ossification center
c) Epiphysis usually one in each other.
d) Metaphysis is the growing part.

66- Event occuring in the third week of development is:
a) Appearance of amniotic cavity.
b) Lying down of extra embryonic mesoderm.
c) The development of blastocoele
d) Formation of tertiary villi.

70- Morula is composed of
a) Blastomeres
b)
c)
d)

71- Synergists are
a) Special fixators
b)
c)
d)

72- Inferior orbital fissure is present between.
a) between Maxilla & greater wing of sphenoid
b)
c)
d)

73- Skeletal muscle has
a) Branched fibre
b) Spindle shaped fiber
c)
d) unbranched, multinucleated, striated

66- Coronal plane
a) Divides the body into right and left halves
b) Parallel to sagital plane
c) Crosses the body from front and back.
d) Right angle to sagital plane

67- Which one of the following is a normal content of umblical cord at full term.
a) Meckels diverticulum
b) Wharton's jelly
c) Two umblical veins
d) Loops of intestine

68- A 21 year old female to the observation at 16 weeks prenatal care. The observation finds increased amniotic fluid and orders alpha fetoprotein HCG levels. One week later they called patient back to tell her that the alpha fetoprotein level is increased. The most probable fetal diagnosis is:
a)
b) Neural Tube defect.
c)
d)

69- Klinfelter's syndrome is the defect of.
a) Autosomes
b) Lusosomes
c) Sex chromosomes
d) Monosomes

EMQ's

LEAD I:

(a) 45X (d) Angelman syndrome (g) Barr bodies
(b) 47XXX (e) Prader-Willi syndrome (h) Kline-felter syndrome
(c) 47XXY (f) gonadal dysgenesis (i) Cri-du-chat syndrome.

(1) Down syndrome chromosomal analysis shows?
(2) 80% cells contain barr bodies which are a feature of?
(3) The micro deletion on paternal chromosome results in?
(4) Cat like cry is observed as a feature in?
(5) Turner syndrome karyotype is?

LEAD II:

(a) Formation of neural tube (f) Intra embryonic coelom
(b) week 6 (g) Ectoderm
(c) Formation of primitive streak (h) Mesoderm
(d) week 7 (i) Adrenal Medulla
(e) Extra embryonic coelom (j) Gonads.

(6) The first indication of gastrulation in embryo is?
(7) The developing embryo has a distinct human appearance by the end of?
(8) The lateral mesoderm is divided into 2 distinct layers by the formation of the?
(9) A male new born has a hemangioma on the left fronto-temporal region of his scalp & face. The cells forming the hemangioma are derived from which cell layer? which structure is derived from the same embryonic primordium as the dorsal root ganglia?

Pelvic Splanhnic nerve → Parasympathetic fibr

• Pneumatic bone → mastoid

White rami → Pre ganglionic
Ant root of spinal nerve

Grey rami → Post ganglionic
↳ supply sweat Gs. Post root

Cruciate muscle → pectoralis major

Tributary of internal jugular
↓
Retromandibular

Descending tracts:

Corticospinal
Ant
Lat

Reticulospinal
Pontine
Medullary

Tectospinal

1. Rubrospinal

2. Vestibulospi

Olivospinal

(neuro)

15- Artery which goes to limb.
a posterior cerebellar artery
b anterior cerebellar artery etc.

(head & neck)

16- Parotid duct opening - maxillary 2nd Molar.

(head & neck).

17- Parotid duct is supplied by _____

(head & neck).

18- Bell's plassy - facial muscle.

19- Pubic symphysis - secondary cartilage.
(Baby B.D)

(head & neck)

20- Cranial nerve ~~relate~~ involved in movement of eye - _____

(thorax).

21- Right & Left Lung segments & Lobe.

(head & neck).

22- Content of anterior & posterior triangle.

(embryo).

8. Each Parent contribute haploid no of chromosomes at the time of fertilization

(head & neck).

9. Anterior $\frac{2}{3}$ of Tongue is supplied by: _____

(head & neck).

10. Posterior $\frac{1}{3}$ of Tongue is supplied by: _____

(head & neck).

11. Largest sinus → Maxillary sinus.

(head & neck).

12. superior concha is derived/made from (related question from concha-nose)

(head & neck).

13. Lateral aspect of eye is made from which bone.

(head & neck).

14. Tensor Tympani function.
Contraction pulls handle of malleus, medially, Tensing Tympanic membrane.

(Head & neck)

1- ADENOIDS, when enlarged is in the midline of nasopharynx.

(Head & neck)

2- Stylopharyngeus is the only Longitudinal muscle of Pharynx supplied by Glossopharyngeal nerve.

(Neuro)

3- Midbrain coloured nucleus. substansia nolgra

(Baby B.D)

4. A man faced a accident. His brain was not damage. Which bone give support to brain? Flat bone

(Baby B.D).

5- Bone's Artery - nutrient artery.

(Baby B.D)

6- Biaxial Joint Example.

(Head & neck)

7- If Tongue is paralized which nerve get infected? Hypoglossal

(embryo)

29- Ampulla is the widest part and site of fertilization

(embryo)

30- Basal Layer of endometrium is not sloughed off during menstruation.

(embryo)

31- Graffian follicle secrete osteogenic harmones.

(head & neck)

32- Muscle of mastication are derived from _____ arch.

(head & neck.

33. First branchial arch is supplied by _____

(head & neck).

34- Second branchial arch is supplied by _____

final Anatomy 2019

1) Hassal corpussal found in
2) non peristium bone found in tendon is
3) A band contains
4) Hiatus in Diaphram at the level of T_{10}
5) Nose piece microscope has how many objective lens
6) The nerve of (CN VII) that passes from infra temporal fossa
7) Bones of face made from
8) Wrong about fertilisation
9) wrong about skeletal muscle
10) Structure not present in Carotid triangle / sheath
11) remenant of notochord
12) which ~~structure~~ vein is not a tributary to coronary sinus
13) Haploid number of ~~cells~~ Chromosomes are present in
14) Wrong about spermiogenesis
15) wrong about Turner's syndrome
16) Not a content of Middle mediastinum
17) Left horn of ~~uterus~~ Sinus venosus forms
18) structure not formed from ureteric bud
19) structure not passing from parotid gland
20) Nucleus related to pupillary reflex
21) Posterior triangle found by dividing from which
22) which event not takes place during ovulation
23) Maternal portion of placenta
24) Anterior part of retromandibular vein + facial vein makes
25) during implantation what stage of menstrual cycle
26) Which is the structures which makes the retina of eye

27)
28)
29)
30)
31)
32)
33)
34)
35)
36
37
38
3
4
4
4
4
44
45
46
47
48
49
50)
51)
52)
53)

27) cerebellum is formed from which embryonic structure
28) Histology of tooth
29) epithelium of simple cuboidal present in
30) Histology of salivary gland
31) Histology of Pancreas
32) Histology of liver
33) Continous capplary present in
34) junction present in urinary bladder
35) layer of is present in thick skin & not in thin
36) Parasympathetic fibres of CN IX pass from which foramen
37) which nerve does not have parasympathetic fibres
38) Stereocilia Present in
39) Abductor of vocal cord
40) Muscle not derived from 4th pharyngeal arch
41) muscle which dilates lacrimal sac
42) Primary ossification in long bones at which IU week
43) not a branch of vertebral artery
44) fetus begins to react to pupillary reflex at which week
45) Muscle innervated by mandibular nerve
46) Muscle of palate supplied by vagus except
47) Peyers patch found in
48) Ectopic pregancy found in
49) Wrong statement about anatomical position
50) posterior part of temporalis does
51) Protraction of tongue by
52) Muscles of tongue not innervated by hypoglossal
53) Sinus not related to tentorium cerebelli