15. Corrective tissue of tendon

16. Which of these forms the lateral wall of eye.

17 Basoptisha of cells is due to? (Rough ER ut not sure)

18 What connects forebrain to hindbrain.

19. Hypoglossal nerve innervates all tongue muscles except (palatoglossus)

20. What carries information to the cerebral cortex?

21 A question related to axial artery.

22. Reproductive cells are produced from which layer in the embryo?

23. Which of the following is ~~~~ compressed of porta hepatis is pressed

24 Which of these is important in relation to vagina

25 Pharynx is connected to the base of the skull through

26. Which statement is wrong regarding lysosomes

27 Which statement is correct regarding ureter?
Ans blood supply by direct branch of abdominal aorta

Anatomy Date:

1 General nerve supply of the tongue (Trigeminal)

2 Which of these is not a part of lacrimal apparatus?

3. What divides the posterior triangle into 2 parts?

4 Pigment part of mid brain

5 Which nerve supplies the parotid gland

6 Which nucleus is responsible for pain & temp (substantia gelatinosa)

7 Nerve supply of pharynx

8 Contents of posterior triangle

9 Swelling of which tonsils cause adenoids in young ppl (pharyngeal)

10 Histological section of pancreas is similar to which gland?

11 Arterial supply of Lower limb

12 location of hippocampus

13. Where does the parotid duct open (above max 1st molar / Stenk)

14. Which epithelium is found in foliform & fungiform papilla.

Date:

28. A question regarding primary & secondary ossification centre.

29. Arrangement of bone → cartilage → bone is (primary cartilaginous joint)

30. Location of portal triad is (at the periphery of acinus)

31. Which of these is wrong about medial fracture

32. Which bones act as levers? (long bones)

33. From where does the sensory portion of retina develop (Pars optica retinae)

34. Thyroglossal cyst related question

35. A question related to liver biopsy

36. What does morphogenesis mean

37. Which of these is not developed from epiblast (trophoblast)

38. What is true regarding stapedius muscle

39. Individual set of chromosomes from male & female form the zygote. Each set of missed chromosome is (haploid)

(11) Primary cartilagenous joint
a) Joint b/w epiphysis & diaphysis.

(12) Axon hillock Not present
a Lymphocyte
b ~~Neutrophil~~
c Nissl granule
d Cellular.

(13) Second cartilagenous joint
a) Symphysis pubis

(14) The Skeletal Muscles :
a) Multinucleated.

(15) One Mothin Chromosome And One Fathin chromosome
Zygote.

(27) Correct regarding arteries in Vatem.

a) Axillary example of medium size artery.

(28) Main Sensory Nerve.
a) Trigeminal Nerve

(29) Regarding Anterior Rel. of Medulla oblongata -
a) Inferior cerebellar peduncle.

(30) Muscular Triangle formed by
a) Hyoid Muscle.

(31) Midbrain connect forebrain to
a) brain Stem
b)
c)
d) Hind brain.

Midbrain is portion of the brainstem that connect the hindbrain & the forebrain.

Question

- Mean Composition of Enamel & Dentine
- Non Collagenous Protein in Enamel extend
- Types in Bone & Cementum
- Function of Alkaline Phosphatase
-

M R M R

S

(21) Thyroglossal Duct - Cystic cyst

don't mention

(22) location or Situated in Thyroglossal duct.

correct Answer

Inferior to the body of hyoid bone.

(23) Stapedius Innervation.

2) Facial Nerve-

(24) Increase basophil Nucleus & Ribosomes

(25) Ipsilateral paralysis :- hypoglossal

(26) ~~Brocas~~ Incorrect content of Suprasternal space :-

2) Supra Clavicular Space.

6
Q. Incorrect Parotid gland:-
2) enters oral cavity through a small orifice opposite 2nd Mandibular Molar.

7 Ligands.
Q: Parotid gland :-
2) Parasympathetic component CNIX

8 incorrect-
Q: Lateral wall of eye :-
2) Lacrimal & Sphenoid Bone.

9 Q: Lateral wall have Frontal _____
a Maxilla
b Zygomatic
c Mandible

(10) Secondary Cartilaginous growth:
2) epiphysis.

(32) connect One :
⇒ endomysium covers individual Muscle fiber.

(33) lever bone for locomotion ?
① long bone
② flat "
③ irregular bone
④ Vertebrea & base of skull.

(34) Simplest :
① organisms
② organell
③ tissue
④ organ
⑤ cell

(35) Tendon :-
(a) dense regular
(b) dense irregular

(36) eye Movement
(a) II & III
(b) III & IV

GA Kahen milty tak
Embryo wey kehna gaye
Histō dino ko bhula
Neuro raha hain.
Head wok apny waaley
Neck se phir gaya hain
Thoracic Cavity mei apni waaley
Abdomen. nibha raha hain
Gland Teri yaadon mei dil nahi
hai aj kal

1 Epithelium ⇒ Shape Mugh ko ye
2 Light Microscopi. and Mehnat
a Cell Num ⇒ nana ha hain pal.
b Mitochondria
c Nucleus
d Rough E.R

3 Q. Pigmented Nucleus ⇒ Red Nucleus

4 Q Spechospinal tract ⇒ Superior colliculus.

5 Q: Lateral pterygoid Muscle:
a) Asist Side to Side movement
ob medial pterygoid Muscle.


(16) Lower limb Supply:
⇒ Anterior cerebral artery.

(17) Incorrect lacrimal apparatus:
(a) lacrimal fluid
(b) lacrimal duct
(c) lacrimal gland
(d) " canaliculi
(e) Naso lacrimal duct

(18) Adnoid tonsil:
⇒ palatine tonsil

check
(19) Regarding palatine tonsil

Palatoglossal Arch:
(20) Q: Regarding papillae:
(20a) Filiform least in Number
(b) Filiform Numerous in Number



Superior colliculi are centers for visual reflexes.

Inferior colliculi are lower auditory centers

The substantia nigra is a large motor nucleus situated b/w the tegmentum and crus cerebri and is found throughout the midbrain. The nucleus is composed of medium-size multipolar neurons that possess inclusion granules of melanin pigment

The red nucleus is a rounded mass of gray matter situated b/w cerebral aqueduct and substantia nigra.

The cerebellum is situated in the posterior cranial fossa and is covered superiorly by tentorium cerebelli

WESTERN UNION | yes!

Spinal cord terminates inferiorly in the Lumbar region

Nucleus dorsalis (Clarke's column)

When same bundles connecting antero posteriorly → Association fibres

- Painful and thermal sensation ascend in lateral Spinothalamic tract
- light touch and Pressure → Ant. Spinothalamic tract
- Discriminative touch, vibratory sensation ↓ Posterior white columns.

Parasympathetic outflow → Craniosacral
Sympathetic " → Thoracolumbar

WESTERN UNION | yes!

Circle of Willus :-

i) Ant. Communicating Artery
ii) " Cerebral "
iii) Int. Carotid Artery
iv) Post. Communicating Artery
v) Post. Cerebral Artery

WESTERN UNION | yes!

Each spinal nerve is connected to the spinal cord by two roots: The ant. root and post. root.

i) Anterior root → efferent fibres. (Motor fibres)

ii) Posterior root → afferent fibres (sensory fibres)

OSPE

The presynaptic termind contains many small presynaptic vesicles that contain The molecules of The neurotransmitter. The vesicles fuse with the presynaptic membrane and discharge neurotransmitter into synaptic cleft by process of exocytosis

CSF surrounds The spinal cord in subarachnoid space.

WESTERN UNION | yes!

Hamdam Paper Products (Pvt.)

The cerebellum is somewhat ovoid. It consist of two cerebellar hemispheres joined by a narrow median vermis.

The cerebellum is divided into three main lobes: anterior lobe, middle lobe, flocculonodular lobe

The corona radiata converges on the basal nuclei and passes blw them as the internal capsule

The lens shaped nucleus on the lateral side of internal capsule is called Lentiform nucleus.

There are 31 pairs of spinal nerves (8 Cervical, 12 Thoracic, 5 lumbar, 5 sacral, 1 coccygeal) - Note that there are 8 cervical nerves and only 7 cervical vertebrae and 1 cervical nerve and 4 coccygeal vertebrae.

WESTERN UNION | yes!

9- Ant 2/3 of Tongue is supplied by.

10- Largest sinus → Maxillary sinus

11- Superior concha is derived/made from.

12- Boundary of ear - (Lateral surface)

13- Boundary of eye (Lateral aspect)

14- Cranial nerve involve in movement of eye.

15- Tensor Tympani functions - Contraction pulls handle of malleus medially, tensing tympanic membrane

Artery which goes to limb.

17- Parotid duct opening - maxillary 2nd molar.

18- Parotid duct is supplied by -

19- Bell's palsy - facial nerve.

20- pubic symphysis → Secondary cartilaginous

21- movement of eyes - cranial nerves.

22- Right and left lungs segments. lobes

23. Triangles of neck → Divided by components.

24- Contents of anterior and posterior triangle.
specially → cervical ki branches konse triangle me hoti.

22) Reproductive cells are produced from which layer in embryo

23) Trachea bifurcates at level of C4.

24) Anterior triangle is divided by sternocleido-mastoid

25) Epiblast don't give rise to trophoblast.

26) Skeletal muscles are multinucleated.

27) Tooth present at the time of birth = natal tooth

28) Which of the following is not present in posterior triangle

30) Which nerve is effected in paralysis of tongue (hypoglossal)

31) Tectospinal tract

32) Pharyngeal tonsils

33) All of following include liver function except
a) Storage of carbohydrates b) detoxification of drugs
c) Maintainance of blood glucose level d) Absorption

34) Ribosomes constitute 1/3rd of dry cell mass

35) Not part of axial = humerus

36) Primary cartilagenous joint = b/w epiphysis & diaphysis

37) Secondary cartilagenous joint = pubic symphysis during fertilization

38) Male & female chromosomes combine to form diploid zygote = haploid chromosomes XX

ANATOMY

1) Nerve supply of tongue
2) Which of the following is not part of lacrimal apparatus?
3) Pigment part of midbrain
4) Which deep nucleus is not present in cerebral hemisphere
5) Triangles of neck
6) Nucleus associated with two point discrimination
7) Histology of spleen, pancreas and liver
8) Retina develop from
9) Nerve supply of parotid gland
10) Histological section of pancreas is similar to which gland
11) Nerve supply of pharynx
12) Contents of posterior triangle
13) Artery of lower limb
14) Hippocampus location
15) Basophilia of cells is due to
16) Pharynx connect to base of the skull through
17) Location of portal triad
18) Amount of endoplasmic reticulum
19) Mickel's diverticulum is present in _____ % population.
20) Example of biaxial joint
21) Lysosomes

39) Elongated shaft = diaphysis

40) Perception = dorsal column

41) Articular cartilage = pericardium

42) Liver is covered by thin connective tissue capsule called:

a) Reumann's capsule b) Growler's capsule

c) Glisson's capsule d) None of above

43) Parenchyma of liver consist of masses of epithelial cells called

a) Kupffer cells b) hepatocytes

c) Corneocytes d) All of above

44) Portal triad consist of

a) portal vein b) hepatic artery

c) bile duct- d) All of above

45) Under election microscope, cytoplasm of hepatocyte is seen containing

a) usual cell organelles b) Nuclei very large

c) abundant microbodies of lysosomes d) both a & c

46) In H & E stained sections examined under light microscope, cytoplasm of hepatocytes generally stain acidophilic because

a) mitochondria & smooth Endoplasmic reticulum

b) Golgi complex & mitochondria

c) Lysosomes & peroxisomes

d) Rough Endoplasmic reticulum & mitochondria

47) Spaces b/w plates of hepatocytes are occupied by sinusoidal capillaries called hepatic sinusoids.
48) Stylopharyngeus is only longitudinal muscle of pharynx supplied by glossopharyngeal nerve
49) Adenoid when enlarged is in the midline of nasopharynx
50) Bone's artery = nutrient artery
51) If ~~bag~~ ball hits the head of boy, his brain was not damage due to flat bone.
52) Largest sinus = maxillary sinus
53) Ant 2/3rd of tongue is supplied by
54) Cranial nerve involved in movement of eye
55) Tensor tympani function
56) Boundary of eye (lateral aspect)
57) Parotid duct opens at maxillary 2nd molar
58) Bell's palsy = facial muscles
59) contents of anterior & posterior triangle especially (cervical ki branches konse triangle mein hoti hain)
60) Triangle of neck is divided by ____ components
61) Shaft is composed of periosteum, cortex and medullary cavity.
62) Trigeminal ganglion
63) Medulla anterior side = pyramids / peduncles
64) Oogenesis related hai
65) Contents passing through suprasternal space

- Final N.C.Qs -

1. Tongue nerve supply

2 - Lacrimal apparatus part question was.
'which of the following is not the part of lacrimal apparatus'
Lacrimal fluid is not the part of lacrimal apparatus

3. Deep nucleus of cerebral hemisphere.
'which of the following is not the deep nucleus of cerebral hemisphere'.

4. Nucleus associated with two point discrimination

5 - Retina of eye is formed in which part
'Development of eye'.
ans 9 pairs ____

19- Reproductive cells are produced from what layer in the embryo.

20. one was about "Axial artery".

21- Histo of spleen.

22. Vigina is important is relation to what?

23. Pharynx connet to base of skull through which.

23. Regarding Lysosomes which statement is wrong.

23. liver and kidney Histo.

24. Which statement is correct about ureter?
ans - blood supply by direct branch of abdominal aorta.

33- Amount of ER is about 1/3rd of total

34- Meckels diverticulum present in 4-6% in population

35- which bone act as liver? Longest

12- Question yad nahi option yen tha.
It ~~we~~ is found in 0.5% of population.

13- When embryo folded forward so what part near to it?

14- Artery of lower limb? anterior cerebral artery.

15- hippocampus Location? (for memory).

16- Lateral wall of eye?

17- what carries information to cerebral cortex?

18- what teeth are present at birth?

Dated: LIVER B.C.D

(1) All of the following includes liver function EXCEPT:
(a) Storage of carbohydrates (b) Detoxification of drugs
(c) Maintenance of blood glucose level (d) Absorption

(2) Liver is covered by a thin connective tissue capsule called:
(a) Cowroom's Capsule (b) Gowler's Capsule
(c) Glisson's Capsule (d) None of the above.

(3) The parenchyma of the liver consists of masses of epithelial cells called:
(a) Kupffer cells (b) Hepatocytes
(c) Chromocytes (d) All of the above.

(4) Portal triad consists of:
(a) portal vein (b) Hepatic artery (c) bile duct
(d) All of the above.

(5) Under electron microscope the cytoplasm of hepatocyte is seen containing:
(a) Usual cell organelles (b) Nuclei very large
(c) abundant microbodies & lysosomes (d) both (a) & (c)

(6) In H & E Stained sections examined under light microscope the cytoplasm of hepatocytes generally stains acidophilic because of the presence of abundant:
(a) mitochondria & Smooth Endoplasmic reticulum
(b) Golgi complex & Mitochondria
(c) Lysosomes & Peroxisomes
(d) Rough Endoplasmic Reticulum & Mitochondria

25- Primary and secondary ossification center.

26- Arrangement: Bone, cartilage, ___ then bone is
ans: Primary Cartilagenus Joint

27- Location of portal triad is at periphery.

28- Nerve supply of parotid gland

29- Pancreas's histogical section is similar to which gland.
ans: sublingual gland

30- Pharynx nerve supply.

31- What are pharyngeal tonsil.

32- What causes adenoids in young adolescents.

36) adenoids: lymphatic tissue enlarge H. nose & throat.

37) Basic unit of kidney is: nephron.

38) Tongue base attached to which bone: hyoid bone.

39) Hyoid bone suspended by: ligament of styloid process.

40) which muscle divide anterior triangle onto four parts: Omohyoid.

41) which muscle is used for lowering the mandible: lateral pterygoid.

42) anterior gray horn formed from: basalar plate.

43) formation of gametes called: gametogensis.

44) Gametogenesis called: gametogenesis.

45) Fetus & embryo covered by which membranes covering: amnion.

) Tectospinal tract join spinal cord with: C

25) Which of the following is true statement about : Skeletal muscle : ~~endomysium covers single muscle fiber~~.

26) Primary cartilaginous joint example : ~~joint b/w epiphysis & diaphysis~~.

27) Secondary cartilaginous joint example : ~~intervertebral disc / pubic symphysis~~.

28) Spleen has : ~~white pulp surrounded by red pulp & trabecule~~.

29) Consider as simple living being : cell.

30) Basophilic histological section due to : nucleus.

31) Lateral wall of orbit formed by : zygomatic and sphenoid.

) Not characteristics of natal teeth : erupt at birth

) Palatine tonsil : enlarged lymphatic tissue.

Strapezeus muscle :

lacrimal apparatus doesn't include :

Dated:

(7) Eosinophilic regions examined under Light microscope represent :

(a) Mitochondria (b) Golgi Complex

(c) Smooth Endoplasmic Reticulum (d) Rough Endoplasmic reticulum

(8) The Spaces b/w the plates of hepatocytes are occupied by dilated capillaries called HEPATIC SINUSOIDS (Answer)

KEY

(1) d
(2) c
(3) b
(4) d
(5) d
(6) a
(7) d

47) which of the following doesn't take part in fetal part of placenta:

48) Diagastric triangle doesn't include:

49) Muscular triangle include which of the following: superior belly of omohyoid.

50) Oocyte at ovulation is called: secondary oocyte.

51) Inappropiate axial skeleton compsinent is: humerus.

52) Cranium nerve supply by: facial nerve.

53) GnRH is released due to signal of:

54) which is innorrect about lysosome; tay-sach diease is neurodegenerative diease.

55) Primodial germ cell form by: at week

6) Hippocampus gyrus is related to: dentate gyrus.

66) About uvula which statement is true:

67) Sensory part of retina: optic disk / blind spot.

68) About papillae which statement is true: fungiform is non-keratinized

69) Trachea:

70) Regarding anterior part of medulla:

71) Gap b/w base of skull & pharynx is occupied by which muscle: pharyngeal constrictor and sinus is sinus of morgagi.

72) mature graffian follicle doesn't have: corona radiata cells.

) Example of uniaxial joint: hinge joint.

Bone formed after birth by secondary
ossification: epiphysis.

57) Innocent statement about pancreas:

58) Supranasal region innocent statement:

59) Immunity cell in skin: Langerhan cell

60) Histology of liver:

61) Regarding parotid gland: facial nerve embedded within it.

62) Meckel's diverticulum: vitelline duct cyst

63) cephls: caudal fold of embryo caus a cranial part to rest over foregut:

which part related to cervix is imp ant from surgecal POV:

Signal sent to cerebral cortex by: substantia nigra to basal ganglia

14) Post ganglionic sympathetic fibers supply all following viscera except: _____

15) which one is not a simple squamous epith... : _____.

16) Epithelia are classified on the basis of: Shape of cells.

17) Tumor in porta hepatica constrict: gallbla...

18) Incorrect statement of ... duct:

19) Lower limb & anal region of cerebrum is supplied by which artery: medial circumflex femoral artery.

20) Tendon in a bone is called: sesmoid bone

21) Bone in locomotory: long bone.

22) Bone of skull: flat / Pneumatic.

...) Tendon is form by: skeletal tissue.

...) Characteristic of skeletal muscle: nucleus at periphery.

5) Wh... abo... sin...

6) Pr...

27)

28)


29

75) Bones are covered by a membraneous layer except on cartilage this layer is called: periosteum.

76) Regarding submandibular triangle: submandibular gland nearly fills the triangle.

) Regarding pancrease which statement is true: central acinar piece is characteristics of pancreas.

During splenic biopsy needle is inserted through which part: 10 rib (in maxillary line)



ANATOMY BCQ'S

1) One set of chromosome : sex chromosome

2) One set of chromosome : sex chromosome

3) Gastric gland : tubular gland.

4) Zonula fasciculata : adrenal cortex.

5) adrenal gland : _____

6) Metencephalon form : cerebellum.

7) Epiblast doesn't form : trophoblast.

8) Mid brain connects fore brain with : hind brain

9) Superio concha formed by : labyrinth of ethmoid

10) Nucleus of medulla which gets stain : tractus solitary.

11) Pupillary muscle supplied by which nerve : 3 and 4.

12) Propreioception by which nucleus : nucleus dorsalis.

13) which structures can't seen in light micros
Endoplasmic reticulum & golgi bodies.

(neuro).

15- Artery which goes to limb.
→ posterior cerebellar artery
→ anterior cerebellar artery etc.

(head & neck)

16- Parotid duct opening -
maxillary 2nd Molar.

(head & neck).

17. Parotid duct is supplied by _____

(head & neck).

18. Bell's plassy - facial muscle.

19- Pubic symphysis - secondary cartilage.
(Baby B.D)

(head & neck)

20- Cranial nerve ~~relate~~ involved in movement of eye- _____

(Thorax).

21- Right & Left Lung segments & Lobe.

(head & neck).

22- Content of anterior & posterior triangle-

(embryo)

5. (Each) Parent contribute haploid no of chromosomes at the time of fertilization

(head & neck)

9. Anterior $\frac{2}{3}$ of Tongue is supplied by: _____

(head & neck)

10. Posterior $\frac{1}{3}$ of Tongue is supplied by: _____

(head & neck)

11. Largest sinus → Maxillary sinus.

(head & neck)

12. Superior concha is derived/made from (related question from concha-nose)

(head & neck)

13. Lateral aspect of eye is made from which bone.

(head & neck)

14. Tensor Tympanii function.
Contraction pulls handle of malleus, medially, Tensing Tympanic membrane.

23. Which muscles divide anterior triangle from posterior triangle. (Head & neck).

24. Cervical nerves branches are a component of anterior triangle or posterior? (Head & neck).

25. Recurrent Laryngeal nerve relat. questions. (Head & neck)

26. Boundary of ear related question. (Head & neck)

27. Axial skeleton and appendicular skeleton related question. (Baby B D)

28. Wrist is an example of which joint. (Baby B. D).

(Head & neck)

1- ADENOIDS, when enlarged is in the midline of nasopharynx.

(Head & neck)

2- Stylopharyngeus is the only Longitudinal muscle of Pharynx supplied by Glossopharyngeal nerve.

(Neuro)

3- Midbrain coloured nucleus - substansia nolgra

(Baby B.D)

4. A man faced a accident. His brain was not damage. Which bone give support to brain? Flat bone

(Baby B.D).

5- Bone's Artery - nutrient artery.

(Baby B.D)

6- Biaxial Joint Example.

(Head & neck)

7- If Tongue is paralized which nerve get infected? Hypoglossal

(embryo)

29- Ampulla is the widest part and site of fertilization

(embryo)

30- Basal Layer of endometrium is not sloughed off during menstruation.

(embryo)

31- Graffian follicle secrete osteogenic harmones.

(head & neck)

32- Muscle of mastication are derived from _____ arch.

(head & neck.

32. First branchial arch is supplied by _____

(head & neck).

33. Second branchial arch is supplied by _____

6- Tendon connective tissue -?

7- Fungi or filiform papilla:

8- Basophilia of cells is due to Rough ER

9- Mid brain connect fore brain to hind brain.

10- Tongue paralysis.
The hypoglorsal nerve is the 12th cranial nerve and innervates all extrinsic and intrinsic muscle except for palatoglossus.

11- which lymphoid organ can you see from nose?

ANATOMY 8.

8. Cholea location
Cervical plexus = ventral rami or dorsal rami
eye lens made by = ectoderm
Enamel " = neural crest
10. Muscular triangle has = thyroid gland
11. Legarea of brain is supplied by
12. Define motor unit
13. Face is formed by = maxillary process of mandibular process + nasal septum.

1. Nucleus of cerebellum
3. Parasympathetic ganglion = otic ganglion
4. Pterion is damaged, then which artery is more likely to be damaged = middle meningeal
12. Tongue protrusion = hypoglossus muscle

Parotid duct opens = opp to 2nd max molar
question related to adjacent gland layers
which is not event of 1st week =
complete implantation
stylomandibular ligamet is a thickening
of
hypoglossal nerve of C_1 supplies =
geniohyoid or thyrohyoid maybe
Something related to phrenic nerve
Anterior triangle post bandy =
sternocleidomastoid
What divides ant. triangle into
sub-divisions = omohyoid digastric
Wrong regarding carotid sheath
which is not a suprahyoid muscle
Right border of heart = Right
atrium
Scalp blood supply =

Anatomy 8.

DDC BATCH 5 MIDS

Choclea location

Cervical plexus = Ventral rami of dorsal rami

eye lens made by = ectoderm

Enamel " = neural crest

Muscular triangle has = thyroidgland

Legarea of brain is supplied by

Digne motor unit

Face is formed by = maxillary process of mandibular process nasal septum.

Nucleus of cerebellum

Parasympathetic ganglion = otic ganglion

Pterion is damaged, then which artery is more likely to be damaged = middle meningeal

Tongue protrusion = hypoglossus muscle

(35) If a small nail is swallowed, where is it most likely to be found
(36) Middle layer of eyeball
(37) Not a part a middle vascular layer of eye = macula
(38) Which ligament divides liver into right & left lobes = falsi
(39) Wrong about scalp = skin has only glands
(40) Which pharyngeal arch supplies mylohyoid?
(41) Sella turcica is not functioning properly, which bone is likely to be damaged = sphenoid (maybe)
(42) Nasopalatine neves pass through = incisive fossa
(43) Common bile duct
(44) Spermiogenesis doesn't include

ANATOMY PAST YEARS QUESTION

BDS FIRST YEAR

(THEORY QUESTIONS)

1. Somites are formed by
2. Outer cell mass is called
3. Endothelium is (type of epithelium)
4. Tendon is
5. Muscle fibre is covered by
6. Extraembryonic mesoderm and tropoblast from chorionic cavity which contains
7. Intramembranous and endochondral are
8. Soft membranous gaps between cranial bones called
9. Not the part of hypothalamus
10. The spurt of puberty, hypertrophy is
11. Junction of epiphysis and diepiphysis
12. Central sulcus
13. In 3rd week, which layer form the cells of all 3 germ layers
14. Longitudinal fissure
15. Chondroblast secrete
16. Fetal age can not be estimated in trimester by ultrasonography
17. Keratinized squamous epithelium is present in
18. Fracture in shaft of growing bone
19. In an osteons, canaliculi contain
20. Structure present in haversian canal
21. Statement true regarding skin
22. Cerebellum contain all nuclei except
23. Structure that pass through framen magnum
24. Regarding white matter
25. Primary visual cortex
26. Neural crest cells give rise to
27. Cardiac muscles are interconnected by
28. Skeletal muscles are recognized by
29. Planning or motor activity is controlled by
30. Not a part of brainstem
31. Artery not involved in the blood supply of brain
32. Events taking place during 9-12th week of development
33. Maternal part of placenta is
34. Placenta does not secrete
35. Major event occurring in 3rd week
36. Epithelium of blood vessels is
37. Bone matrix maintenance is by
38. Thick skin means
39. Hyaline cartilage is not present at
40. Fibrocartilage is present in
41. Movements involved in the circumduction of thumb
42. Compact bone is made up of concentric rings of osteocytes called
43. A line/plane passing through tip of nose, chin, sternum and umbilicus is called
44. Any breach(discontinuity) in a bone is called
45. The two largest lymph collecting ducts are
46. Example of hyaline cartilage
47. Axis of movements permitted at joints
48. Structures related to mandible
49. Body of vertebra is the example of
50. Sinusoidal capillaries are seen in
51. Parallel fibers of skeletal muscles
52. Cells present in skin
53. Aorta is classified as
54. True regarding Results of fertilization
    a) Start of cleavage
    b) Restoration of 2n no. of chromosomes
    c) Disintegration of zona pelucida
    d) Variations of human species
    e) Sex of individual is decided
55. True statement regarding implantation
    a) Occurs in stratum base of endometrium
    b) Completes in 3rd week of development
    c) Implantation occurs in internal os

PREPARED BY HIRA ZUBAIR

Anatomy Date:

1 General nerve supply of the tongue (Trigeminal)

2 Which of these is not a part of lacrimal apparatus?

3. What divides the posterior triangle into 2 parts?

4. Pigment part of mid brain

5. Which nerve supplies the parotid gland

6. Which nucleus is responsible for pain & temp (substantia gelatinosa)

7 Nerve supply of pharynx

8. Contents of posterior triangle

9. Swelling of which tonsil cause adenoids in young ppl (pharyngeal)

10 Histological section of pancreas is similar to which gland?

11 Arterial supply of lower limb

12. location of hippocampus

3. Where does the parotid duct open (above max 1st molar 17mk)

4. Which epithelium is found in foliform & fungiform papilla.

Date:

28. A question regarding primary & secondary ossification centre.

29. Arrangement of bone → cartilage → bone is (primary cartilaginous joint)

30. Location of portal triad is (at the periphery of something)

31. Which of these is wrong about rickets (osteoclasts)

32. Which bones act as levers? (long bones)

33. From where does the optic portion of retina develop (Pars optica retinae)

34. Thyroglossal cyst related question

35. A question related to liver biopsy

36. What does morphogenesis mean

37. Which of these is not developed from epiblast (trophoblast)

38. What is true regarding stapedius muscle

39. Individual set of chromosomes from male & female form the zygote. Each set of missed chromosome is (haploid)

Dated:

31) which is not the characteristics of osteoclasts?

32) where protein is present ? RER

33) ~~In the histology~~ sinusoid capillaries are present in which organ.

34) which structure is common in liver, spleen and bonemarrow.

35) Aorta is classified as

36) from going superficial to deep in rib - costal grooves is VAN.

37) Somites are derived from : paraxial mesoderm.

38) Inter jugular vein is directly connected with : sigmoid sinus.

39)

40)

21:44

Date:

15. Corrective brace of tendon

16. Which of these forms the lateral wall of eye.

17. Basophilia of cells not due to: (Rough ER or not sure)

18. What connects forebrain to hindbrain

19. Hypoglossal nerve innervates all tongue muscles except (palatoglossus)

20. What carries information to the cerebral cortex:

21. A question related to axial artery.

22. Reproductive cells are produced from which layers in the embryo:

23. Which of the following is ~~compressed~~ compressed of porta hepatis is pressed

24. Which of these is important in relation to vagina

25. Pharynx is connected to the base of the skull through:

26. Which statement is wrong regarding lysosomes

27. Which statement is correct regarding ureter?
Ans. blood supply by direct branch of abdominal aorta

(FRIDAY)

Date: 18-08-17.

"DEVELOPMENT OF HEART" (CVS)

- Starts at 3rd week when embryo is no longer to satisfy its nutritional requirements by diffusion alone.
- Lateral to primitive streak, C.P.C are present during 2nd week.
- The C.P.C invaginates through the primitive streak.
- Coel means without lumen.
- C.P.C. reside at splan-mesoderm. They formed ENDOTHELIAL CORD.
- Underlying endo influence splan-mesoderm to produce cardiac muscles.
- The Endothelial cord become ~~en~~ canalized, a lumen is ~~formed~~ developed, Now called ENDOTHELIAL TUBE, surrounded by cardiac myoblast.





Because of rapid growth of somites, embryo folds laterally.

- Due to lateral folding, the two endothelial tubes come closer to each other that they join and surrounded by cardiac myoblast and ~~#~~ forms a single Heart tube.

24- Hyaline cartilage is present in articular of thyroid
25. True statement is a) ball & socket = biaxial
b) saddle = biaxial c) Pivot = multiple axial
26- Resistance vessel is afferiole
27- Aorta is muscular artery
28. Vestibular efferent nuclei not present in posterior horn of spinal cord
29. Inferior horn of lateral ventricle lie in temporal lobe
30. largest lymphatic vessels _____
31- Ground substance not present in cartilage & calcium phosphate
32. Moto unit of muscle motor neuron: innervate muscle fiber
33- After puberty epiphyseal plate of cartilage
34- True about sympathetic nerve fibre that long postganglionic & short preganglionic
35- Maxillary nerve is not the component of mandible
36 Superior colliculi is due vision
37 Inferior colliculi is due hearing.
38 Which nerve is present adjacent to internal carotid with in cavernous sinus _____
39. Parasympathetic nuclei does not pass from which cranial nerve _____
40 Bone present in muscle tendon pneumatic bone
41- Simple squamous epithelium present in alveoli of lungs
42- Sinusoidal capillary present in liver & spleen

43. Which statement is false
a) G_1 phase is cell division stage.
b) DNA replication occurs in interphase
c) DNA replication does not occur in interphase
44. Fascia support skeletal muscle below the skin.
45. Primary motor area is precentral gyrus
46. Structu not present in basal ganglia thymus nuclei
42. Which movement index finger cannot show extension?
48. Vertebrae is eg of irregular bone
49. Channel which passing through midbrain is cerebral aqueduct?

ANATOMY BCQ'S

1) One set of chromosome : sex chromosome

2) One set of chromosome : sex chromosome

3) Gastric gland : tubular gland.

4) Zonula fasciculata : adrenal cortex.

5) adrenal gland : _____

6) Metencephalon form : cerebellum.

7) Epiblast doesn't form : trophoblast.

8) Mid brain connects fore brain with : hind brain

9) Superio concha formed by : labyrinth of ethmoid

10) Nucleus of medulla which gets stain : tractus solitary.

11) Pupillary muscle supplied by which nerve : 3 and 4.

12) Propreioception by which nucleus : nucleus dorsalis.

13) which structures can't seen in light micros
Endoplasmic reticulum & golgi bodies.

-Cerebr cortex sensation rcv from
-Anas n lower limb artery
-Hippocampal gyrus near to
-Which structure is not seen in light microscope cell membrane nucleus
-Papillary light reflex which nerves
-nucleus propius fuction
-tectospinal
-midbrain connects forbrain to
-trigeminal ganglion in which fossa
-anterior surface of medulla is
-Ghrh release from
-post gangloic sympathic fibers present in which organs
-liver biopsy which intercostal
-lacrimal apparatus donot have
-palatine tonsil
-basophlia organ
-the cells of alar plate give rise to dorsal or posterior horn of gray matter
-the cells of basal plate give rise to ventral or anterior horn of gray matter
-hind brain secondary vesicles are
.metecephalon (future pons and cerebellum)
.myelencephalon (future medulla oblongata)
-sesamoid bones found embedded in tendons or joint capsules
-secondary cartliage joint example

GA Kahen milty tak
Embryo wey kehna gaye
Histō dino ko bhula
Neuro raha hain.
Head wok apny waaley
Neck se phir gaya hain
Thoracic Cavity mei apni waaley
Abdomen. nibha raha hain
Gland Teri yaadon mei dil nahi
hai aj kal

1 Epithelium ⇒ Shape Mugh ko ye
2 Light Microscopi. and Mehnat
a Cell Num ⇒ nana ha hain pal.
b Mitochondria
c Nucleus
d Rough E.R

3 Q. Pigmented Nucleus ⇒ Red Nucleus

4 Q Spechospinal tract ⇒ Superior colliculus.


5 Q: Lateral pterygoid Muscle:
a) Asist Side to Side movement
ob medial pterygoid Muscle.

75) Bones are covered by a membraneous layer except on cartilage this layer is called: periosteum.

76) Regarding submandibular triangle: submandibular gland nearly fills the triangle.

) Regarding pancrease which statement is true: central acinar piece is characteristics of pancreas.

During splenic biopsy needle is inserted through which part: 10 rib (in maxillary line)



6
Q. Incorrect Parotid gland:-
2) enters oral cavity through a small orifice opposite 2nd Mandibular Molar.

7 Ligands.
Q: Parotid gland :-
2) Parasympathetic component CNIX

8 incorrect-
Q: Lateral wall of eye :-
2) Lacrimal & Sphenoid Bone.

9 Q: Lateral wall have Frontal _____
a Maxilla
b Zygomatic
c Mandible

(10) Secondary Cartilaginous growth:
2) epiphysis.