(11) Primary cartilagenous joint
a) Joint b/w epiphysis & diaphysis.

(12) Axon hillock Not present
a Lymphocyte
b ~~Neutrophil~~
c Nissl granule
d Cellular.

(13) Second cartilagenous joint
a) Symphysis pubis

(14) The Skeletal Muscles :
a) Multinucleated.

(15) One Mothin Chromosome And One Fathin chromosome
Zygote.

66) About uvula which statement is true:

67) Sensory part of retina: optic disk / blind spot.

68) About papillae which statement is true: fungiform is non-keratinized

69) Trachea:

70) Regarding anterior part of medulla:

71) Gap b/w base of skull & pharynx is occupied by which muscle: pharyngeal constrictor and sinus is sinus of morgagi.

72) mature graffian follicle doesn't have: corona radiata cells.

) Example of uniaxial joint: hinge joint.

Bone formed after birth by secondary
ossification: epiphysis.

47) which of the following doesn't take part in fetal part of placenta:

48) Diagastric triangle doesn't include:

49) Muscular triangle include which of the following: superior belly of omohyoid.

50) Oocyte at ovulation is called: secondary oocyte.

51) Inappropiate axial skeleton compsinent is: humerus.

52) Cranium nerve supply by: facial nerve.

53) GnRH is released due to signal of:

54) which is innorrect about lysosome; tay-sach diease is neurodegenerative diease.

55) Primodial germ cell form by: at week

6) Hippocampus gyrus is related to: dentate gyrus.

(neuro).

15- Artery which goes to limb.
→ posterior cerebellar artery
→ anterior cerebellar artery etc.

(head & neck)

16- Parotid duct opening -
maxillary 2nd Molar.

(head & neck).

17. Parotid duct is supplied by _____

(head & neck).

18. Bell's plassy - facial muscle.

19- Pubic symphysis - secondary cartilage.
(Baby B.D)

(head & neck)

20- Cranial nerve ~~relate~~ involved in movement of eye- _____

(Thorax).

21- Right & Left Lung segments & Lobe.

(head & neck).

22- Content of anterior & posterior triangle-

(embryo)

29- Ampulla is the widest part and site of fertilization

(embryo)

30- Basal Layer of endometrium is not sloughed off during menstruation.

(embryo)

31- Graffian follicle secrete osteogenic harmones.

(head & neck)

32- Muscle of mastication are derived from _____ arch.

(head & neck.

32. First branchial arch is supplied by _____

(head & neck).

33. Second branchial arch is supplied by _____

(32) connect One :
⇒ endomysium covers individual Muscle fiber.

(33) lever bone for locomotion ?
① long bone
② flat "
③ irregular bone
④ Vertebrea & base of skull.

(34) Simplest :
① organisms
② organell
③ tissue
④ organ
⑤ cell

(35) Tendon :-
(a) dense regular
(b) dense irregular

(36) eye Movement
(a) II & III
(b) III & IV

(Head & neck)

1- ADENOIDS, when enlarged is in the midline of nasopharynx.

(Head & neck)

2- Stylopharyngeus is the only Longitudinal muscle of Pharynx supplied by Glossopharyngeal nerve.

(Neuro)

3- Midbrain coloured nucleus - substansia nolgra

(Baby B.D)

4. A man faced a accident. His brain was not damage. Which bone give support to brain? Flat bone

(Baby B.D).

5- Bone's Artery - nutrient artery.

(Baby B.D)

6- Biaxial Joint Example.

(Head & neck)

7- If Tongue is paralized which nerve get infected? Hypoglossal

(21) Thyroglossal Duct - Cystic cyst

don't mention

(22) location or Situated in Thyroglossal duct.

correct Answer

Inferior to the body of hyoid bone.

(23) Stapedius Innervation.

2) Facial Nerve-

(24) Increase basophil Nucleus & Ribosomes

(25) Ipsilateral paralysis :- hypoglossal

(26) ~~Brocas~~ Incorrect content of Suprasternal space :-

2) Supra Clavicular Space.

(27) Correct regarding arteries in Vatem.

a) Axillary example of medium size artery.

(28) Main Sensory Nerve.
a) Trigeminal Nerve

(29) Regarding Anterior Rel. of Medulla oblongata -
a) Inferior cerebellar peduncle.

(30) Muscular Triangle formed by
a) Hyoid Muscle.

(31) Midbrain connect forebrain to
a) brain Stem
b)
c)
d) Hind brain.

Midbrain is portion of the brainstem that connect the hindbrain & the forebrain.

12- Question yad nahi option yen tha.
It ~~we~~ is found in 0.5% of population.

13- When embryo folded forward so what part near to it?

14- Artery of lower limb? anterior cerebral artery.

15- hippocampus Location? (for memory).

16- Lateral wall of eye?

17- what carries information to cerebral cortex?

18- what teeth are present at birth?

25- Primary and secondary ossification center.

26- Arrangement: Bone, cartilage, ___ then bone is
ans: Primary Cartilagenus Joint

27- Location of portal triad is at periphery.

28- Nerve supply of parotid gland

29- Pancreas's histogical section is similar to which gland.
ans: sublingual gland

30- Pharynx nerve supply.

31- What are pharyngeal tonsil.

32- What causes adenoids in young adolescents.

36) adenoids: lymphatic tissue enlarge H. nose & throat.

37) Basic unit of kidney is: nephron.

38) Tongue base attached to which bone: hyoid bone.

39) Hyoid bone suspended by: ligament of styloid process.

40) which muscle divide anterior triangle onto four parts: Omohyoid.

41) which muscle is used for lowering the mandible: lateral pterygoid.

42) anterior gray horn formed from: basalar plate.

43) formation of gametes called: gametogensis.

44) Gametogenesis called: gametogenesis.

45) Fetus & embryo covered by which membranes covering: amnion.

) Tectospinal tract join spinal cord with: C

Dated: LIVER B.C.D

(1) All of the following includes liver function EXCEPT:
(a) Storage of carbohydrates (b) Detoxification of drugs
(c) Maintenance of blood glucose level (d) Absorption

(2) Liver is covered by a thin connective tissue capsule called:
(a) Cowroom's Capsule (b) Gowler's Capsule
(c) Glisson's Capsule (d) None of the above.

(3) The parenchyma of the liver consists of masses of epithelial cells called:
(a) Kupffer cells (b) Hepatocytes
(c) Chromocytes (d) All of the above.

(4) Portal triad consists of:
(a) portal vein (b) Hepatic artery (c) bile duct
(d) All of the above.

(5) Under electron microscope the cytoplasm of hepatocyte is seen containing:
(a) Usual cell organelles (b) Nuclei very large
(c) abundant microbodies & lysosomes (d) both (a) & (c)

(6) In H & E Stained sections examined under light microscope the cytoplasm of hepatocytes generally stains acidophilic because of the presence of abundant:
(a) mitochondria & Smooth Endoplasmic reticulum
(b) Golgi complex & Mitochondria
(c) Lysosomes & Peroxisomes
(d) Rough Endoplasmic Reticulum & Mitochondria