Forwarded

Structure which is not included as content of posterior triangle of neck?
Select one:
a. 3RD part of subclavian artery.
b. Trunks of brachial plexus .
c. Occipital Artery.
d. External jugular vein.
e. Cranial root of accessory Nerve.

9:29 PM

Spinal

Forwarded

Regarding action of temporalis muscle anterior fibers elevate mandible and posterior fibers?
Select one:
a. Depress mandible.
b. Elevate mandible.
c. Retract mandible.
d. Help in chewing.
e. Protrude mandible.

9:29 PM

Forwarded

Continuous capillaries are found in:
Select one:
a. Liver
b. Dental pulp
c. Kidney
d. Lung
e. Spleen

9:29 PM

Forwarded

Right coronary artery choose odd statement?
Select one:
a. Arise from Anterior aortic sinus..
b. Gives infundibular branch to infundibulum.
c. Branch of ascending Aorta.
d. Anterior interventricular artery is its largest branch
e. Supply sinoatrial node.

9:29 PM

THURSDAY

Forwarded

choose the false statement regarding adrenal medulla?
Select one:
Develops embryologically from mesoderm.
b. Secretes epinephrine and norepinephrine.
c. Cells are also called chromaffin cells.
d. Contains anastomosing cords of epitheloid cells.
e. Innervated by preganglionic sympathetic nerve fibers.

9:29 PM

neural crest

Forwarded

Regarding connective tissue fibers, choose the correct statement:
Select one:
a. Reticular fibers are characteristically stained with Silver
b. Elastic fibers are easily digestible by proteases
Collagen type-III is found in fetal membranes
d. Elastic fibers are thicker than type-I collagen
e. Collagen fibers form supportive stroma of bone marrow & other lymphoid organs

9:29 PM

Forwarded

Choose the odd statement regarding Broadmans cortical area responsible for formation of words:
Select one:
a. Present in left dominant hemisphere .
b. Lesion produce motor aphasia.
c. Its broadman number is 44,45.
Called wernicke sensory speech area.
e. Located in lower part of post central gyrus.

9:29 PM

Broca

Forwarded

Regarding histology of parotid gland, which of the following statement is false?
Select one:
a. Main parotid duct is mostly lined by stratified columnar epithelium.
Serous demilunes are present.
c. It contains purely serous acini.
Intercalated ducts are lined by simple columnar epithelium
e. It is a compound tubule-alveolar gland.

9:29 PM

THURSDAY

Forwarded

Select the wrong statement regarding investing layer of l Fascia?
Select one:
a. Forms roof of posterior triangle of neck.
b. Forms false capsule of parotid gland.
c. Splits to enclose sternomastoid and Trapezius.
d. Forms floor of Anterior triangle of neck.
e. Thickens to form Stylomandibular ligament.

9:29 PM

Forwarded

Choose the structure not seen on posterior surface of pons?
Select one:
a. Vestibular area.
b. Sulcus limitans.
c. Facial colliculus .
d. Vagal triangle
e. Medial eminence .

9:29 PM

Forwarded

Choose incorrect statement regarding fibrocartilage?
Select one:
a. Contain numerous white fiber.
b. When damaged do not repair
c. Intervertebral disc is best example.
d. Opaque in appearance.
e. Perichondrium surrounds the entire surface.

9:29 PM

Forwarded

Regarding development of pancreas, which part of it not develops from dorsal bud ?
Select one:
a. Uncinate process .
b. Upper part of head of pancreas.
c. Tail of pancreas.
d. Body of pancreas.
e. Neck of pancreas.

9:29 PM

Forwarded

Emissary veins which can transmit superficial infections to the intracranial dural venous sinuses are present in which layer of the scalp thus making it 'dangerous area'?
Select one:
a. Superficial fascia/connective tissue
b. Pericranium
c. Loose areolar tissue
d. Skin
e. Epicranial aponeurosis

9:29 PM

Forwarded

Select the name of structure lie superficial to submandibular gland in diagastric triangle?
Select one:
a. Facial Artery.
b. Facial Vein.
c. Nerve to Mylohyoid.
d. Hypoglossal Nerve.
e. Mylohyoid muscle.

9:29 PM

Forwarded

Regarding histology of tooth, choose the correct statement:
Select one:
a. Dental pulp is the only part of tooth that is pain-sensitive
b. Dental cuticle covers dentin of tooth
c. Cell bodies of odontoblasts lie in the pulp cavity
d. The apical foramen is present in the chamber of pulp cavity
e. Dentin is formed throughout life by ameloblasts

9:29 PM

Forwarded

Retinal pigment epithelium is embryologically derived from?
Select one:
a. Outer layer of optic cup
b. Pars optica retinae.
c. Pars iridia retinae
d. Pars celiaris retinae
e. Pars ceca retinae

9:29 PM

Forwarded

Choose the false statement regarding substantia gelatinosa group of neurons?
Select one:
a. Nucleus dorsallis lies immediately anterior to it.
b. Concerned with pain and temperature pathway .
c. Send its efferents to contralateral white matter.
d. Present at apex of posterior grey horn.
e. Act as second order neuron of lateral spinothalamic tract.

9:29 PM

Forwarded

Structure with in parotid gland includes all the following except?
Select one:
a. Auriculo temporal nerve.
b. Retromandibular vein.
c. Parotid lymph nodes.
d. Facial nerve.
e. External carotid Artery.

C lag Raha hai

9:29 PM

Forwarded

Select the incorrect statement regarding the derivatives of "Ureteric Bud"?
Select one:
a. Minor calyces.
b. Major calyces.
c. Ureter.
d. Renal corpuscles.
e. Renal pelvis .

9:29 PM

Forwarded

Select the incorrect statement regarding the derivatives of "Ureteric Bud"?
Select one:
a. Minor calyces.
b. Major calyces.
c. Ureter.
d. Renal corpuscles.
e. Renal pelvis .

molecular

Forwarded

Climbing/afferent fibers of cerebellar cortex:
Select one:
a. They originate in the superior olivary nucleus medulla oblongata
b. They branch repeatedly at their termination
c. They terminate in the granular layer of cerebellar cortex
d. They terminate in the Purkinje cell layer of cerebellar cortex
e. They originate in the inferior olivary nucleus of medulla oblongata

9:29 PM

Forwarded

Choose the incorrect statement regarding muscular derivatives of fourth pharyngeal arch?
Select one:
a. Superior constrictor muscle of phyarynx.
b. Crico thyroid.
c. Tensor velli palatini.
d. Levator velli palatini.
e. Inferior constrictor muscles of pharynx.

9:29 PM

Forwarded

28 years old female patient came to emergency department for acute abdomen where she was diagnosed as case of ectopic pregnancy. What is common site of above mentioned condition?
Select one:
a. Uterine cavity proper
b. Pouch of Douglas.
c. Isthmus of uterine tubes.
d. Ampulla of uterine tube.
e. Internal OS

9:29 PM

Forwarded

At which level of transverse section of brain stem show motor and sensory nucleus of trigeminal nerve?
Select one:
a. Cranial level of pons.
b. Level of facial colliculus.
c. Level of medical Leminiscus.
d. Level of olives.
e. Level just inferior to pons.

9:29 PM

Forwarded

Select the wrong statement regarding investing layer of deep cervical Fascia?
Select one:
a. Thickens to form Stylomandibular ligament.
b. Forms floor of Anterior triangle of neck.
c. Forms roof of posterior triangle of neck.
d. Splits to enclose sternomastoid and Trapezius.
e. Forms false capsule of parotid gland.

9:29 PM

Forwarded

Which of the following veins are usually valveless?
Select one:
a. Intercostal
b. Cerebral
c. Azygous
d. Mesenteric
e. Testicular

9:29 PM

Forwarded


The nerve carrying preganglionic parasympathetic fibers to parotid glands passes through which foramen of cranial cavity?
Select one:
a. Jugular foramen.
b. Foramen lacerum.
c. stylomastoid foramen.
d. Foramen rotundum.
e. Foramen magnum.

9:29 PM

Forwarded

choose odd statement regarding gross anatomy of ureter?
Select one:
a. Opens into neck of urinary bladder.
b. Upper part is funnel shaped called renal pelvis.
c. Renal artery supplies its upper one third.
d. Has constriction at pelvi-ureteral junction,
e. Conveys urine from kidney to urinary bladder.

9:29 PM


THURSDAY
Forwarded
Select the name of structure lie superficial to submandibular gland in diagastric triangle?
Select one:
a. Nerve to Mylohyoid.
b. Mylohyoid muscle.
c. Hypoglossal Nerve.
d. Facial Artery.
e. Facial Vein.
9:29 PM
Forwarded
Choose true statement regarding cleavage of zygote?
Select one:
a. Compaction occurs in four cell stage.
b. Meiotic type of division.
c. Inner cells of morula are called trophoblast.
d. Mitotic division.
e. Occurs in uterine cavity.
9:29 PM
Forwarded
Choose the false statement regarding skeletal muscles?
Select one:
a. Voluntary
b. They soon get fatigued.
c. Striped muscles.
d. Fibers are branched.
e. Innervated by somatic Autonomic nerves.
9:29 PM
Forwarded
Which of the following statement mismatches with description regarding left lung?
Select one:
a. Lingula respresent middle lobe.
b. Have two lobes.
c. Contain cardiac notch in its anterior border.
d. Only have oblique fissure.
e. Related to Azygous vein superiorly at its root.
9:29 PM

midline

Forwarded

Choose the incorrect statement regarding fourth ventricles of brain?
Select one:
a. Foramen Megandie is lateral aperture in its roof.
b. Floor is called rhomboid fossa.
c. Communicates with third ventricle through Aqueduct of sylvius.
d. Lateral wall is form by superior and inferior cerebellar puduncle.
e. It is cavity of hind brain.

9:29 PM

Forwarded

Select the name of structure lie superficial to submandibular gland in diagastric triangle?
Select one:
a. Hypoglossal Nerve.
b. Mylohyoid muscle.
c. Nerve to Mylohyoid.
d. Facial Artery.
e. Facial Vein.

Is it hypoglossal nerve?

9:29 PM

Forwarded

Choose the incorrect statement regarding blood vessels of thyroid and parathyroid glands?
Select one:
a. Inferior thyroid vein drain into left brachio cephalic vein.
b. Superior thyroid vein drains into internal jugular vein.
c. Thyroidia ima may arise directy from ascending aorta.
d. Superior thyroid artery is branch of external carotid artery.
e. Para thyroid gland are supply by inferior thyroid artery.

9:29 PM

Forwarded

THURSDAY

Select the odd statement regarding inner most layer of meninges of brain and spinal cord?
Select one:
a. Called lepto meninges along with Arachnoid matter..
b. Take part in formation of choroid plexus.
c. Forms ligamentum denticulatum in spinal cord region.
d. Bridges the sulci of cerebral hemisphere.
e. It is vascular layer.

9:29 PM

Forwarded

Protrusion of tongue is brought about by :
Select one:
a. Palatoglossus.
b. Genioglossus.
c. Intrinsic muscles of tongue.
d. Hyoglossus.
e. Styloglossus.

9:29 PM

Forwarded


Which branch of facial nerve is the content of infratemporal fossa?
Select one:
a. Cervical branch.
b. Nerve to stepedius.
c. Greater petrosal nerve.
d. Chorda tympani nerve.
e. Posterior Auricular nerve.


9:29 PM

Forwarded

Choose the false statement regarding substantia gelatinosa group of neurons?
Select one:
a. Nucleus dorsallis lies immediately anterior to it.
b. Concerned with pain and temperature pathway .
c. Send its efferents to contralateral white matter.
d. Present at apex of posterior grey horn.
e. Act as second order neuron of lateral spinothalamic tract.

9:29 PM


e. Act as second order neuron of lateral spinothalamic t
THURSDAY
9:29 PM
Forwarded
Regarding pancreas :
Select one:
a. It serves purely as an exocrine gland.
b. Contains both serous and mucus acini.
c. Main pancreatic duct opens in first part of duodenum
d. Contains centroacinar cells in the intercalated ducts.
e. It is a compound tubular gland.
9:29 PM
Acinar
Forwarded
Contents of pterygopalatine fossa do not include:
Select one:
a. Maxillary artery
b. Pterygopalatine ganglion
c. Mandibular nerve
d. Posterior superior alveolar nerve
e. Maxillary nerve
9:29 PM
Forwarded
Contents of pterygopalatine fossa do not include:
Select one:
a. Maxillary artery
b. Pterygopalatine ganglion
c. Mandibular nerve
d. Posterior superior alveolar nerve
e. Maxillary nerve
C ya d?
9:29 PM
Forwarded
Which of dural venous sinus is not related to tentorium cerebelli?
Select one:
a. Straight Sinus.
b. Superior petrosal sinus.
c. Inferior saggital sinus.
d. Right Transverse sinus.
e. Left Transverse sinus.
9:29 PM


THURSDAY
Forwarded
Regarding liver, mark the statement that is true:
Select one:
a. Portal lobule is roughly hexagonal in shape
b. Kupffer cells are found within the space of Disse
c. Plates of hepatocytes are separated by fenestrated capillaries
d. Central vein is a content of portal triad
e. Classical hepatic lobule has central vein in its center & portal triad at corners
9:29 PM
Forwarded
Chose the odd statement regarding Spermiogenesis?
Select one:
a. Condensation of Nucleus.
b. Morphological change.
c. Shedding of cytoplasm.
d. Spermatogonia become sperm.
e. Formation of Acrosome.
9:29 PM
Forwarded
Choose the odd statement regarding Broadmans cortical area responsible for formation of words:
Select one:
a. Located in lower part of post central gyrus.
b. Present in left dominant hemisphere .
c. Its broadman number is 44,45.
d. Called wernicke sensory speech area.
e. Lesion produce motor aphasia.
9:29 PM
Forwarded
Choose the false statement regarding substantia gelatinosa group of neurons?
Select one:
a. Nucleus dorsallis lies immediately anterior to it.
b. Concerned with pain and temperature pathway .
c. Present at apex of posterior grey horn.
d. Act as second order neuron of lateral spinothalamic tract.
e. Send its efferents to contralateral white matter.
9:29 PM

Forwarded

Choose the false statement regarding substantia gelatinosa group of neurons?
Select one:
a. Send its efferents to contralateral white matter.
b. Act as second order neuron of lateral spinothalamic tract.
c. Present at apex of posterior grey horn.
d. Concerned with pain and temperature pathway .
e. Nucleus dorsallis lies immediately anterior to it.

9:29 PM

Forwarded

Which of the muscles of tongue is not innervated by hypoglossal nerve?
Select one:
a. Styloglossus.
b. Intrinsic muscles of tongue.
c. Hyoglossus.
d. Genioglossus.
e. Palatoglossus.

9:29 PM

Forwarded

Which of the following statement does not match with features of treacher collins syndrome?
Select one:
a. Epicanthal folds.
b. Mandibular hypoplasia.
c. Lower eyelid coloboma.
d. Downward slanting palpebral fissure.
e. Malar hypoplasia.

9:29 PM

Forwarded

Which of the following statement does not match with features of treacher collins syndrome?
Select one:
a. Epicanthal folds.
b. Mandibular hypoplasia.
c. Lower eyelid coloboma.
d. Downward slanting palpebral fissure.
e. Malar hypoplasia.

9:29 PM

Forwarded

Select the incorrect statement regarding contents of middle mediastinum:
Select one:
a. Vagus nerve.
b. Phrenic nerve.
c. Bifurcation of trachea.
d. Ascending aorta.
e. Lower part of superior vena cava.

9:29 PM

Forwarded

Which of spermatogenic cells contain haploid number of chromosomes in its nucleus?
Select one:
a. Primary spermatocyte.
b. Secondary spermatocyte.
c. Types B spermatoginia.
d. Types A spermatoginia
e. Primordial germ cell

9:29 PM

Forwarded

Right coronary artery choose odd statement?
Select one:
a. Supply sinoatrial node.
b. Anterior interventricular artery is its largest branch
c. Branch of ascending Aorta.
d. Arise from Anterior aortic sinus..
e. Gives infundibular branch to infundibulum.


9:29 PM

coronary sinus

Forwarded

Right coronary artery choose odd statement?
Select one:
a. Supply sinoatrial node.
b. Anterior interventricular artery is its largest branch
c. Branch of ascending Aorta.
d. Arise from Anterior aortic sinus..
e. Gives infundibular branch to infundibulum.

9:29 PM


9:29 PM
Forwarded
A large opening in the diaphragm that occludes thoracic outlet at the level of T10 vertebra transmits which of the following?
Select one:
a. Thoracic duct
b. Aorta
c. Esophagus
d. Inferior vena cava
e. Azygous vein
9:29 PM
Forwarded
Choose the incorrect statement regarding blastocyst?
Select one:
a. Blastocyst implants in uterine wall.
b. Cavity of blastocyst is blastocele.
c. Trophoblast forms its outer layer.
d. Cells are called blastomere.
e. It enters uterine cavity from uterine tube.
9:29 PM
morula enter U.C
Forwarded
Select the odd statement regarding skeletal muscles?
Select one:
a. Aponeurosis is its flattened tendon.
b. Striped Muscles.
c. Fleshy part is called belly.
d. Temporalis is Triangular muscle.
e. Fixed end of Muscle is called insertion.
9:29 PM
origin
Forwarded
Select the odd statement regarding skeletal muscles?
Select one:
a. Aponeurosis is its flattened tendon.
b. Striped Muscles.
c. Fleshy part is called belly.
d. Temporalis is Triangular muscle.
e. Fixed end of Muscle is called insertion.
9:29 PM

e. Fixed end of muscle is called insertion. 9:29 PM

Forwarded

Remanant of left horn of sinus venous is ?
Select one:
a. Left Auricle.
b. Valve of coronary sinus.
c. Oblique vein of left atrium
d. Smooth part of right Atrium.
e. Right auricle. 9:29 PM

Forwarded

White matter of cerebral hemisphere have all true statement except?
Select one:
a. Fornix connect the hippo campal formation of two sides.
b. Associated fibers connect two gyri is same hemisphere.
c. Corpus callosum is largest commissure.
d. Anterior commissure is olfactory in function.
e. Internal capsule is example of Association fibers. 9:29 PM

Forwarded

In below mentioned statements which is incorrect regarding fertilization?
Select one:
a. Occurs in isthmus of uterine tube.
b. Restoration of diploid no of chromosome
c. Capicitation is necessary step in it.
d. Result in formation of zygote
e. Determination of sex. 9:29 PM

Forwarded

Which of the following veins are usually valveless?
Select one:
a. Testicular
b. Azygous
c. Mesenteric
d. Cerebral
e. Intercostal 9:29 PM

THURSDAY

Forwarded

Which of the following statement regarding trachea is incorrect?
Select one:
a. Supplied by inferior thyroid artery.
b. Ends at sternal angle by dividing into right and left principal bronchus.
c. Its lymph drain into pre and para tracheal lymph nodes.
d. Venous blood drain into external jugular vein.
e. Begins as continuation of larynx.

9:29 PM

Forwarded

Choose the false statement regarding substantia gelatinosa group of neurons?
Select one:
a. Send its efferents to contralateral white matter.
b. Act as second order neuron of lateral spinothalamic tract.
c. Present at apex of posterior grey horn.
d. Concerned with pain and temperature pathway .
e. Nucleus dorsallis lies immediately anterior to it.

9:29 PM

Forwarded

Choose the odd statement regarding Broadmans cortical area responsible for formation of words:
Select one:
a. Present in left dominant hemisphere .
b. Located in lower part of post central gyrus.
c. Lesion produce motor aphasia.
d. Called wernicke sensory speech area.
e. Its broadman number is 44,45.

9:29 PM

Forwarded

Bones of Face develop from:
Select one:
a. Prechordal chondrocranium .
b. Chordalchondro cranium.
c. Chondrocranium.
d. Neurocranium
e. Viscerocranium.

9:29 PM

Forwarded

e. Viscerocranium. 9:29 PM

Forwarded

Select the incorrect statement regarding ovulation?
Select one:
a. Rupture of graffian follicle and ovum is release.
b. Occurs at 14TH day of menstrual cycle.
c. Oocycle is in metaphase of second meiotic division
d. There is rise of body temperature.
e. Due to Progesterone surge. 9:29 PM

Forwarded

Which of spermatogenic cells contain haploid number of chromosomes in its nucleus?
Select one:
a. Primary spermatocyte.
b. Secondary spermatocyte.
c. Types A spermatoginia
d. Types B spermatoginia.
e. Primordial germ cell. 9:29 PM


Forwarded


Regarding ear, choose the correct statement:
Select one:
a. External acoustic meatus is supplied by auriculotemporal nerve
b. Oval & round windows are present in the posterior wall of middle ear
c. Membranous labyrinth of internal ear is filled with perilymph
d. Eustachian/auditory tube connects middle ear with the oropharynx
e. Tensor tympani muscle is supplied by facial nerve 9:29 PM


endolymph


Forwarded

Retinal pigment epithelium is embryologically derived from?
Select one:
a. Pars optica retinae.
b. Outer layer of optic cup
c. Pars celiaris retinae
d. Pars iridia retinae
e. Pars ceca retinae 9:29 PM


Forwarded
An ultrasound scan detects a large mass near the Sacrum of a 28 week female fetus ,what might be the origin of such mass :
Select one:
a. Prechordal plate.
b. Primitive node.
c. Hypoblast.
d. Primitive Streak.
e. Epiblast.
9:29 PM
Forwarded
Choose the incorrect answer regarding Down's syndrome?
Select one:
a. Risk increase with maternal ageing.
b. Associated with mental Retardation.
c. Resulting from meiotic disjunction..
d. Cause by trisomy 21.
e. Its structural abnormality.
9:29 PM
Forwarded
Smooth muscle fibers:
Select one:
a. Have well-organized sarcoplasmic reticulum & T-tubule system
b. Contain caveolae for calcium storage
c. Are linked together by intercalated discs
d. Have poor mitotic activity
e. Show striations
9:29 PM
Forwarded
Choose the structure not seen on posterior surface of pons?
Select one:
a. Facial colliculus .
b. Vestibular area.
c. Medial eminence .
d. Sulcus limitans.
e. Vagal triangle
9:29 PM


Forwarded
Regarding venous drainage of face, mark the statement which is true?
Select one:
a. Facial vein drains into external jugular vein
b. Pterygoid venous plexus drains into superficial temporal vein.
c. Retromandibular vein is formed by the union of supraorbital & supratrochlear veins
d. Common facial vein is formed by the union of anterior division of retromandibular vein & facial vein
e. Facial vein has no direct connection with pterygoid venous plexus
9:29 PM
Forwarded
etinal pigment epithelium is embryologically derived from?
Select one:
a. Pars optica retinae.
b. Outer layer of optic cup
c. Pars celiaris retinae
d. Pars iridia retinae
e. Pars ceca retinae
9:29 PM
Forwarded
Structure which is not included as content of posterior triangle of neck?
Select one:
a. Occipital Artery.
b. Cranial root of accessory Nerve.
c. Trunks of brachial plexus .
d. External jugular vein.
e. 3RD part of subclavian artery.
Forwarded
Right coronary artery choose odd statement?
Select one:
a. Supply sinoatrial node.
b. Anterior interventricular artery is its largest branch
c. Branch of ascending Aorta.
d. Arise from Anterior aortic sinus..
e. Gives infundibular branch to infundibulum.
9:29 PM
Murginal is largest


THURSDAY
Forwarded
Hassall corpuscles are found in:
Select one:
a. Splenic cortex
b. Lymph node paracortex
c. Thymic cortex
d. Thymic medulla
e. Splenic medulla
D ya e
9:29 PM
Forwarded
Select the name of structure lie superficial to submandibular gland in diagastric triangle?
Select one:
a. Facial Artery.
b. Facial Vein.
c. Nerve to Mylohyoid.
d. Hypoglossal Nerve.
e. Mylohyoid muscle.
9:29 PM
Forwarded
Choose the incorrect statement regarding blood vessels of thyroid and parathyroid glands?
Select one:
a. Para thyroid gland are supply by inferior thyroid artery.
b. Superior thyroid artery is branch of external carotid artery.
c. Thyroidia ima may arise directy from ascending aorta.
d. Inferior thyroid vein drain into left brachio cephalic vein.
e. Superior thyroid vein drains into internal jugular vein.
9:29 PM
Forwarded
Neural crest cells give rise the which one of following structure in skin.
Select one:
a. Dermis of face.
b. Sebaceous glands.
c. Epidermis of trunk.
d. Hair of scalp.
e. Sweat glands.
9:29 PM



Forwarded

In the transverse section of mid brain, nucleus responsible for concentual pupillary reflex is.?
Select one:
a. Edenger westphal nucleus.
b. Occulomotor nucleus.
c. Pretectal nucleus.
d. Trochear nucleus.
e. Inferior colliculus nucleus.

9:29 PM

Forwarded

Regarding compact bone, mark the incorrect statement:
Select one:
a. Contains type-II collagen
b. Usually found in the diaphysis of long bone
c. Characteristic feature is the presence of Haversian system
d. Also called cortical bone
e. Matrix is organized in the form of lamellae

9:29 PM

Forwarded

Simple cuboidal epithelium lines which part of female reproductive tract?
Select one:
a. Uterus
b. Cervix
c. Ovary
d. Fallopian tube
e. Vagina

9:29 PM

Forwarded

Choose the correct statement regarding histology of fibrocartilage:
Select one:
a. Found in trachea
b. Contains type-II collagen
c. Perichondrium is usually present
d. Chondrocytes are arranged in the form of rows
e. Extracellular matrix is homogenous & glassy

9:29 PM

Forwarded

The bony nodules found embedded In tendons having no periosteum and ossify after birth?choose the correct type of bone according to shape having above features.

Select one:

a. Flat bone.

b. Sasemoid bone..

c. Pneumatic bone

d. Super numerary bone.

e. Irregular bone

9:29 PM

Forwarded

Select the odd statement regarding inner most layer of meninges of brain and spinal cord?

Select one:

a. Called lepto meninges along with Arachnoid matter..

b. It is vascular layer.

c. Bridges the sulci of cerebral hemisphere.

d. Forms ligamentum denticulatum in spinal cord region.

e. Take part in formation of choroid plexus.

9:29 PM

Forwarded

Regarding action of temporalis muscle anterior fibers elevate mandible and posterior fibers?

Select one:

a. Protrude mandible.

b. Depress mandible.

c. Elevate mandible.

d. Retract mandible.

e. Help in chewing.

9:29 PM

Forwarded

Choose the incorrect statement regarding blood vessels of thyroid and parathyroid glands?
Select one:
a. Para thyroid gland are supply by inferior thyroid artery.
b. Superior thyroid artery is branch of external carotid artery.
c. Thyroidia ima may arise directy from ascending aorta.
d. Inferior thyroid vein drain into left brachio cephalic vein.
e. Superior thyroid vein drains into internal jugular vein.

9:30 PM

Forwarded

Right coronary artery choose odd statement?
Select one:
a. Supply sinoatrial node.
b. Anterior interventricular artery is its largest branch
c. Branch of ascending Aorta.
d. Arise from Anterior aortic sinus..
e. Gives infundibular branch to infundibulum.

9:30 PM

Forwarded


White matter of cerebral hemisphere have all true statement except?
Select one:
a. Anterior commissure is olfactory in function.
b. Fornix connect the hippo campal formation of two sides.
c. Associated fibers connect two gyri is same hemisphere.
d. Corpus callosum is largest commissure.
e. Internal capsule is example of Association fibers.
Clear my choice

9:30 PM

Forwarded

Which of the following layers of epidermis is the characteristic feature of 'thick skin'?
Select one:
a. Stratum granulosum
b. Stratum lucidum
c. Stratum corneum
d. Stratum basale
e. Stratum spinosum

9:30 PM


Forwarded
Right coronary artery choose odd statement?
Select one:
a. Supply sinoatrial node.
b. Branch of ascending Aorta.
Arise from Anterior aortic sinus..
d. Gives infundibular branch to infundibulum.
e. Anterior interventricular artery is its largest branch
9:30 PM
ant. coronary sinus
Forwarded
An ultrasound scan detects a large mass near the Sacrum of a 28 week female fetus ,what might be the origin of such mass
9:30 PM
Forwarded
Which of the following cells of skin belong to mononuclear phagocyte system?
Select one:
a. Squames
Langerhan cells
c. Kertinocytes
d. Merkel cells
e. Melanocytes
9:30 PM
Forwarded
choose the false statement regarding adrenal medulla?
Select one:
Develops embryologically from mesoderm.
b. Secretes epinephrine and norepinephrine.
c. Cells are also called chromaffin cells.
d. Contains anastomosing cords of epitheloid cells.
e. Innervated by preganglionic sympathetic nerve fibers.
9:30 PM

Forwarded

The bony nodules found embedded In tendons having no periosteum and ossify after birth?choose the correct type of bone according to shape having above features.
Select one:
a. Flat bone.
b. Sasemoid bone..
c. Pneumatic bone
d. Super numerary bone.
e. Irregular bone

9:30 PM

Forwarded

Regarding connective tissue fibers, choose the correct statement:
Select one:
a. Elastic fibers are easily digestible by proteases
b. Collagen fibers form supportive stroma of bone marrow & other lymphoid organs
c. Collagen type-III is found in fetal membranes
d. Elastic fibers are thicker than type-I collagen
e. Reticular fibers are characteristically stained with Silver

9:30 PM

Forwarded

Neural crest cells give rise the which one of following structure in skin.
Select one:
a. Dermis of face.
b. Sebaceous glands.
c. Epidermis of trunk.
d. Hair of scalp.
e. Sweat glands.

9:30 PM

Forwarded

choose the false statement regarding adrenal medulla?
Select one:
a. Develops embryologically from mesoderm.
b. Secretes epinephrine and norepinephrine.
c. Cells are also called chromaffin cells.
d. Contains anastomosing cords of epitheloid cells.
e. Innervated by preganglionic sympathetic nerve fibers.

9:30 PM

Forwarded

Regarding connective tissue fibers, choose the correct statement:
Select one:
a. Reticular fibers are characteristically stained with Silver
b. Elastic fibers are easily digestible by proteases
c. Collagen type-III is found in fetal membranes
d. Elastic fibers are thicker than type-I collagen
e. Collagen fibers form supportive stroma of bone marrow & other lymphoid organs

9:30 PM

Forwarded

Regarding histology of parotid gland, which of the following statement is false?
Select one:
a. Main parotid duct is mostly lined by stratified columnar epithelium.
b. Serous demilunes are present.
c. It contains purely serous acini.
d. Intercalated ducts are lined by simple columnar epithelium
e. It is a compound tubule-alveolar gland.

9:30 PM

Forwarded

White matter of cerebral hemisphere have all true statement except?
Select one:
a. Fornix connect the hippo campal formation of two sides.
b. Associated fibers connect two gyri is same hemisphere.
c. Corpus callosum is largest commissure.
d. Anterior commissure is olfactory in function.
e. Internal capsule is example of Association fibers.

9:30 PM

Forwarded

Select the wrong statement regarding investing layer of deep cervical Fascia?
Select one:
a. Forms roof of posterior triangle of neck.
b. Forms false capsule of parotid gland.
c. Splits to enclose sternomastoid and Trapezius.
d. Forms floor of Anterior triangle of neck.
e. Thickens to form Stylomandibular ligament.

9:30 PM

Forwarded

Which of the following statement regarding trachea is incorrect?
Select one:
a. Supplied by inferior thyroid artery.
b. Ends at sternal angle by dividing into right and left principal bronchus.
c. Its lymph drain into pre and para tracheal lymph nodes.
d. Venous blood drain into external jugular vein.
e. Begins as continuation of larynx.

9:30 PM

into brachiocephalic

Forwarded

Choose incorrect statement regarding fibrocartilage?
Select one:
a. Contain numerous white fiber.
b. When damaged do not repair
c. Intervertebral disc is best example.
d. Opaque in appearance.
e. Perichondrium surrounds the entire surface.

9:30 PM

Forwarded

Bones of Face develop from:
Select one:
a. Prechordal chondrocranium .
b. Chordalchondro cranium.
c. Chondrocranium.
d. Neurocranium
e. Viscerocranium.

9:30 PM

Forwarded

Emissary veins which can transmit superficial infections to the intracranial dural venous sinuses are present in which layer of the scalp thus making it 'dangerous area'?
Select one:
a. Superficial fascia/connective tissue
b. Pericranium
c. Loose areolar tissue
d. Skin
e. Epicranial aponeurosis

9:30 PM

e. Epicranial aponeurosis

9:30 PM

Forwarded

Select the incorrect statement regarding ovulation?
Select one:
a. Rupture of graffian follicle and ovum is release.
b. Occurs at 14TH day of menstrual cycle.
c. Oocycle is in metaphase of second meiotic division
d. There is rise of body temperature.
e. Due to Progesterone surge.

9:30 PM

Forwarded

Choose the correct statement regarding histology of fibrocartilage:
Select one:
a. Found in trachea
b. Contains type-II collagen
c. Perichondrium is usually present
d. Chondrocytes are arranged in the form of rows
e. Extracellular matrix is homogenous & glassy

9:30 PM