23

OSPE 37



1)identify the marked structure

1. mandibular nerve
2. greater petrosal nerve
3. vestibulocochlear nerve
4. facial nerve
5. nervusintermedius

4

2) its sensory ganglion is called

a) trigeminal ganglion
b) geniculate ganglion
c)superiorsalivatory
d)spiral ganglion
e) vestibular ganglion

b

3)the taste fibres to anterior part of tongue is conveyed via the following branch of marked structure

a) greaterpetrosal nerve
b) lesserpetrosal nerve
c) lingual nerve
d) buccal nerve
e) chorda tympani nerve

D

4) the lesion of marked structure is characterized by all but:

a) loss of blinking reflexes
b) ptosis
c) decreased taste
d) loss of nasolabial fold
e) hypersensitivity to noise on the affected side.

C


5) right supranuclear lesion is characterized by paralysis of

a) right half of face
b)left half of face
c)left lower half of face
d)left upper half of face
e)left upper half and right lower half

b

1

OSPE 33



1. **Identify structure "B"**
   a. Nucleus
   b. Myelin sheath
   ● Node of ranvier
   d. Schwann cell
   e. Dentrite

2. **What is not the function of "C":**
   a. The conduction of nervous impulses along dentrites
   b. nerve development and regeneration.
   c. Trophic support for neurons.
   d. Production of the nerve extracellular matrix.
   ● Presentation of antigens to t-lymphocytes


3. **Identify structure "F"**
   a. Nucleus
   b. Myelin sheath
   c. Node of ranvier
   d. Schwann cell
   ● Dentrite

1. **What is not the function of "B":**
   ● The saltatatory conduction of nervous impulses along axons
   b. nerve development and regeneration.
   c. Trophic support for neurons.
   d. Production of the nerve extracellular matrix.
   e. Presentation of antigens to t-lymphocytes

2. **Guillianbarre syndrome involves which structure:**
   a. A
   b. B
   ● C
   d. D
   e. E

1dR/view

OSPE 15



Q1. The marked structure "A" lies in front of

a. 2nd, 3rd and 4th tracheal rings
b. 4th, 5th and 6th tracheal rings
c. 3rd, 4th and 5th tracheal rings
d. 2nd, 3rd and 4th tracheal rings
e. 1st, 2nd, and 3rd tracheal rings

Q2. Artery "B" is the branch of:

a. External carotid artery
b. Internal carotid artery
c. 1st part of subclavian artery
d. 2nd part of subclavian artery
e. 3rd part of subclavian artery

Q3. In thyroidectomies, the structure "B" is ligated:

a. Near the pole
b. Away from the pole
c. It is not ligated
d. Near its origin from external carotid artery
e. Away from its origin from external carotid artery


Q4. Which of the following structure is not a medial relation?

a. Cricothyroid muscle
b. Inferior constrictor muscle
c. External laryngeal nerve
d. Recurrent laryngeal nerve
e. Internal laryngeal nerve

Q5. Structure A is supplied by:

a. Superior cervical ganglion only
b. Middle cervical ganglion only
c. Inferior cervical ganglion only
d. Superior and middle ganglion
e. Middle and inferior cervical ganglion

OSPE 18



86. **Identify the structure labeled A**

a) Hypothalamus.
b) Thalamus
c) Epithalamus
d) Subthalamus
e) Tuber cinereum

87. **The anterior part of the structure labeled B is known as**

a) Neurohyopphysis
b) Median eminence
c) Adenohypophysis.
d) Tuber cinereum
e) Infundibulum

88. **The structure labeled E separates which two structures?**

a) Hypothalamus and epithalamus
b) Thalamus and epithalamus
c) Thalamus and lamina terminalis
d) Thalamus and hypothalamus.
e) Hypothalamus and mammillary bodies

89. **The structure labeled D is a part of**

a) Telencephalon
b) Diencephalon.
c) Mesencephalon
d) Metencephalon
e) Myelencephalon.

90. **The structure labeled C contains the following**


a) CN IV
b) CN V
c) CN VI
d) CN II.
e) CN III

SPOT:4

OSPE 31

1. Which one of the following is branch of subclavian artery
   a. A
   b. C
   c. E
   d. B
   e. D

E



2. Which artery mainly supplies the medial surface of cerebral hemisphere
   a. D
   b. E
   c. B
   d. C
   e. A

C

3. The artery that runs in basilar groove of pons
   a. A
   b. D
   c. B
   d. C
   e. E

A

4. The artery that supplies orbital structures
   a. A
   b. B
   c. C
   d. D
   e. E

C

5. Which one of the above join the internal carotid & vertebral artery
   a. E
   b. D
   c. C
   d. B
   e. A

B

Search

pUbbY1dR/view

SPOT 1

OSPE 17



Q1. The structure marked by bold arrow is :

a. Superior turbinate
b. Middle turbinate
c. Inferior turbinate
d. Spheno - ethmoidal recess
e. Middle meatus

A

Q2. The bone which takes paid in the formation of this structure is

a. Ethmoid maxilla
b. Maxilla
c. Palatine
d. Inferior concha
e. Sphenoid

A

Q3. The space beneath this structure contains opening of the

a. Anterior ethmoidal sinus
b. Maxillary sinus
c. Frontal sinus
d. Nasolacrimal duct
e. Spheroidal sinus

E

Q4. Which structure does not open in the middle meatus

a. Posterior ethmoidal sinus
b. Anterior ethmoidal sinus
c. Middle ethmoidal sinus
d. Maxillary sinus
e. Frontal sinus

A

Q5. The opening in the posterolated wall of the nasopharynx just behind the marked structure connects nasopharynx with

a. Frontal sinus
b. Posterior sinus
c. Maxillary sinus
d. Middle ear
e. Oropharynx

D

Search


SPOT: 2

OSPE 20

Q1) What is structure shown in the figure labeled as "A"?

a. Fundus.
b. Uterine tube.
c. Myometrium.
d. Endometrium.
e. Fimbriae.

B



Q2) What is the most common site for fertilization?

a. A.
b. B.
c. C.
d. D.
e. E.

A

Q3) What is the function of the structure shown in the diagram labeled as "B"?

a. The passage way for fetus during child birth.
b. Implantation of ovum.
c. To accept a fertilized ovum.
d. The passage way for menstrual blood.
e. To produce egg cells or follicles.

E

Q4) What is the layer called which is labeled in the diagram as "C"?

a. Perimetrium.
b. Myometrium.
c. Endometrial.
d. Meso-ovarium.
e. Mesosalpinx.

B


Q5) Mucosal layer of the structure labeled as "D" is made up of?

a. Simple cuboidal epithelium.
b. Stratified squamous epithelium.
c. Stratified cuboidal epithelium.
d. Pseudostratified columnar epithelium.
e. Simple squamous epithelium.

Search

25

OSPE 2



Identify the structure

A

a. Muscle tissue
b. Cartilage
c. Connective tissues
d. Bone
e. Nervous tissue

7) **What is the connective tissue covering of a muscle fascicle?**

E

a. Sarcolemma
b. Endomysium
c. Epimysium
d. Sarcoplasm
e. Perimysium

8 **Actin is:**

D

a. Myofilament
b. Myosin
c. Muscle fibers
d. Myofibrils
e. Myocardium

9) **Which of the following is composed of smooth muscle?**

E

a. Upper esophagus
b. Heart
c. Tongue
d. Biceps muscle
e. Walls of the visceral organs


10 **The one that bisects the dark band in muscle is:**

E

a. A band
b. I band
c. Z line
d. H band
e. M line

20

OSPE 26



1. **Initial thyroid precursor is**
   a. F
   b. A
   c. G
   d. D
   e. E

2. **Median thyroid diverticulum on mesoderm arises from**
   a. A & B
   b. B & C
   c. F &F
   d. B
   e. D

3. **Inferior parathyroids develop from**
   a. C
   b. D
   c. A & B
   d. B & C
   e. A & D


4. **Superior parathyroids develop from**
   a. C & D
   b. B & C
   c. A
   d. D
   e. B

5. **In the above picture "E" is**
   a. 2nd pharyngeal pouch
   b. Thyroglossal duct
   c. Median thyroid diverticulum
   d. 3rd brachial arch
   e. Foramen cecum

C D A A

30

OSPE 16



In the above diagram, which is labeled as 1?

a) Septum transversum.
b) Buccopharyngeal membrane
c) Vitelline tube.
d) Yolk sac.
e) Allantoic diverticulum.

In the above diagram, which is labeled as 2?

a) Vitelline tube.
b) Yolk sac.
c) Allantoic diverticulum.
d) Cloacal membrane.
e) Septum transversum

In the above diagram, which is labeled as 4?

a) Vitelline tube.
b) Yolk sac.
c) Allantoic diverticulum
d) Septum transversum.
e) Cloacal membrane.

In the above diagram, which is labeled as 3?


a) Vitelline tube.
b) Yolk sac
c) Allantoic diverticulum.
d) Cloacal membrane.
e) Septum transversum

Foregut endoderm gives rise to?

a) Smooth muscles.
b) Blood vessels.
c) Gastric glands
d) Connective tissue.
e) Autonomic nervous plexuses

27

OSPE 6



26. **Identify the anatomical plane marked as A:**
   a. Transverse plane
   b. Parasagittal plane
   c. Coronal plane
   d. Oblique plane
   e. Mid-sagittal plane

b

27. **Which of the following movements occur in the anatomical plane marked as A:**
   a) Flexion and extension
   b) Abduction and Adduction
   c) Rotation
   d) Opposition
   e) Circumduction

a

28. **Identify the anatomical plane marked as B:**
   a. Transverse plane
   b. Sagittal plane
   c. Coronal plane
   d. Oblique plane
   e. Mid-sagittal plane

c

29. **Regarding movements taking place in plane B, choose the true statement:**
   a. Adduction/abduction is the only movement that takes place in the plane B.
   b. Flexion /extension also take place in plane B.
   c. Lateral flexion doesnot takeplace in the plane B.
   d. Adduction is movement of the limb away from the median plane.
   e. Abduction is movement of the limb toward the median plane.

d

30. **A person who is standing in the anatomical position:**
   a) Face laterally.
   b) Palms are pronated.
   c) Is standing on his toes.
   d) Has the ankles several inches apart.
   e) Has upper limbs by sides of the trunk.

e

31

OSPE 5

Q1 Identify the structure marked by A?

a. Artery
b. Vein
c. Lymphatic
d. Capillaries
e. Nerve

a



Q2 Regarding identified structure the following is incorrect:

a. There are elastic
b. There are muscular
c. Common carotid artery is of muscular type
d. They are resistant
e. Smallest arteries of muscular type are called arterioles

a

Q3 Regarding histological features of the identified structure:

a. Tunica intima and media are present only
b. Intima is the thickest of all coats
c. Adventitia is occasionally present
d. Media is the strongest of all coats
e. Media is limited externally by external elastic lamina

Q4 Regarding blood supply of the identified structure:

a. Tunica adventitia is supplied directly by diffusion from luminal blood
b. Vasavasorum form the capillary network in adventitia
c. Vasavasorum are responsible for supplying the intima
d. Tunica media is supplied by the nutrient vessels
e. Lymphatics are only present in intima along with vasavasorum

a


Q5 Regarding the difference between arteries and veins:

a. The lumen of artery is bigger
b. Valves are not present in arteries
c. Veins are mostly thick walled
d. Arteries along with veins form the neurovascular bundle
e. In arteries tunica media is poorly developed whereas in veins it is well developed

b

18

OSPE 13



61: The specimen develops from:

a. 1st pharyngeal arch
b. 2nd pharyngeal arch
c. 3rd pharyngeal arch
d. 4th pharyngeal arch
e. 6th pharyngeal arch

62 Followingstructure attachedis essentially in common with respect to origin as above:

a. Buccinator
b. Levatorangularis
c. Sphenomandiblar ligament
d. Stylomandibular ligament
e. Masseter

63 The following feature may be an acquired feature of mandible:

a. Alveolar border
b. Mental foramen
c. Mandibular notch
d. Condyloid process
e. Angle of mandible

64 Following nerve is most likely to be damaged in case of fracture of body of mandible:


a. Lingual nerve
b. Nerve to masseter
c. Inferior alveolar nerve
d. Auriculotemporal nerve
e. Nerve to medial perytygoid

65 Following characteristics in mandible implies old age in mandible:

1. Resorbed alveolar border
2. Pronounced muscle markings
3. Less obtuse angle of mandible
4. Mental foramen in middle of body of mandible
5. Condyloid and coronoid processes at same level

SPOT: 3

OSPE 11



66 ***Identify the structure marked by A.***

a. Sternocleidomastoid
b. Omohyoid superior belly
c. Digastric anterior belly
d. Digastric posterior belly
e. Omohyoid inferior belly

67 ***Name the triangle bounded by the structure marked A:***

a. Mental
b. Carotid
c. Muscular
d. Subclavian
e. Submandibular

68 ***The structure A is also closely related to following muscle:***

a. omohoid
b. Stylohoid
c. Strenohyoid
d. Sternothyroid
e. Sternocleidomastoid

69 ***Name the motor nerve supply of the structure marked B***


a. Cervical plexus
b. Ventral rami C2 - 3
c. Accessory nerve
d. Axillary nerve
e. Hypoglossal nerve

70 ***Following muscle has in common with structure marked B:***

a. Mylohoid
b. Trapezius
c. Anterior Diagastric
d. Posterior Diagastric
e. Levator Scapulae

20

OSPE 26



1. **Initial thyroid precursor is**
   a. F
   b. A
   c. G
   d. D
   e. E

2. **Median thyroid diverticulum on mesoderm arises from**
   a. A & B
   b. B & C
   c. F &F
   d. B
   e. D

3. **Inferior parathyroids develop from**
   a. C
   b. D
   c. A & B
   d. B & C
   e. A & D

4. **Superior parathyroids develop from**
   a. C & D
   b. B & C
   c. A
   d. D
   e. B

5. **In the above picture "E" is**
   a. 2nd pharyngeal pouch
   b. Thyroglossal duct
   c. Median thyroid diverticulum
   d. 3rd brachial arch
   e. Foramen cecum

C D A A

SPOT : 1

OSPE 34

1. Through which foramen passes *mandibular nerve*

a. A
b. B
c. C
d. D
e. E

B



2. Inferior part of which one of the above is covered by *fibrocartilaginous plate*

a. C
b. A
c. B
d. E
e. D

3. Inferior surface of petrous temporal bone is pierced by


a. D
b. E
c. B
d. A
e. C

4. Internal carotid artery, coursing within

a. A
b. B
c. C
d. D
e. E

5. Which one of the following posteriorly bounded by apex of petrous temporal bone

a. E
b. D
c. C
d. B
e. A



Lumhs exam portal

Questions:

Q:1.	Identify structure marked by black arrow "A"?
Q:2.	Failure of closure of structure marked by black arrow "A" results in?
Q:3.	Identify the structure marked by blue arrow "B"?
Q:4.	Closure of the structure marked by blue arrow "B" occurs on which day of development?

Search

19-WA0040.jpg - Go ×
OAVGnjJMt0pB/view

OSPE 30

1) Identify the image.

a) Cardiac muscle
b) Compact bone
c) Skeletal muscle
d) Elastic cartilage
e) Fibrocartilage

b



2) First point of identification.

a) Muscle fibers are cylindrical, striated and multinucleated
b) Chondrocytes are arranged in small rows
c) Chondrocytes are arranged in isogenous group within the lacunae
d) Osteocytes with their lacunae &canaliculi are present between the lamellae
e) Elongated branching striated muscle fibers with intercalate discs are seen

d

3) Second point of identification.

a. Peripherally located nuclei
b. B) Its matrix is acidophilic
c. Intercellular substance is hazy due to the large number of elastic fibers.
d. Concentric lamellae surrounding the Haversian canal, forming "Osteon".
e. Each cell has central single large oval nucleus, binucleated cells are present

d

4) Which one is a hyaline cartilage?

a. Glenoid labrum
b. Epiglottis
c. Costal cartilage
d. Intervertebral disc
e. Auricle of the external ear (pinna)

a

5) Regarding the cell organelles

a. Rough endoplasmic reticulum exists in the form of tubules.
b. Centrioles form the basal bodies of the cilia.
c. Golgi apparatus synthesizes the ribosomes.
d. Ribosomes are composed of DNA.
e. Outer layer of nuclear membrane shows continuity with smooth endoplasmic reticulum.


b

Search

W-b/view

36

OSPE 35



Q1. What is the structure "A" shown in the above diagram?

a. Ribosome
b. Golgi apparatus
c. Mitochondria
d. Vacuole
e. Lysosome

c

Q2. Name the structure shown in diagram as "B"?

a. Mitochondria
b. Vacuole
c. Ribosome
d. Golgi bodies
e. Centrosome

b

Q13. Name the structure shown in the diagram as "€"?

a. Ribosome
b. Golgi apparatus
c. Mitochondria
d. Vacuole
e. Nucleus

e

Q14. Name the structure shown in the diagram as "D"?

a. Ribosome
b. Golgi apparatus
c. Mitochondria
d. Vacuole
e. Lysosome

e

Q15. What is the function of the organelle named as "A"?

a. Packaging and secretion of proteins
b. Destroy particles taken in by endocytosis and phagocytosis
c. to produce ATP (i.e., phosphorylation of ADP) through respiration
d. Remove and destroy worn out organelles
e. Removal of bone matrix to release Ca+2

c

Search

SPOT - 1

OSPE 3



1. **Identify the tissues shown in microphotographs**
   a. Elastic cartilage
   b. Compact bone
   c. Fibro cartilage
   d. Hyaline cartilage
   e. Spongy bone

2. **First point for identification of this tissue is**
   a. Outer surface of tissue is not covered by a membrane. fibers are identified in ground substance
   b. Outer surface of tissue is not covered by a membrane. fibers do not identified in the ground substance which appears as transparent
   c. Outer surface of tissue is covered by a membrane. fibers do not identified in the ground substance which appears as transparent
   d. Outer surface of tissue is covered by a membrane. fibers are more abundant running parallel to each other
   e. Outer surface of tissue is not covered by a membrane. fibers are more abundant running parallel to each other

3. **Second point for identification of this tissue is**
   a. Cells are elongated, scanty and parallel to the long axis of fibers and filled lacunae
   b. Cells are numerous, arranged in isogenous groups and occupied lacunae
   c. Cells are numerous, arranged in isogenous groups and thin branching fibers running in different directions
   d. Cells scattered with in ground substance, embedded within fibers
   e. Cells are numerous, arranged in isogenous groups and there is no demarcation between isogenous group and ground Substance

4. **Ground Substance in this tissue contains collagen fibers of**
   a. Type I
   b. Type II
   c. Type III
   d. Type IV
   e. Type V

5. **Mature cells which occupied lacunae are derived from**
   a. **Fibroblast**
   b. Osteoblast
   c. Osteoclasts
   d. Osteocytes
   e. Chondroblast



QUESTIONS:

Q.No: 1. Identify the structures marked as 2 & 5.

Q: No; 2. Write down the nerve supply of tongue.

Q: No: 3. Name the suprahyoid muscles and their nerve supply.

Q: No: 4. Write down the nuclei of trigeminal nerve.


Q: No:5. Name the muscles enclosed in investing layer of deep fascia

QUESTIONS:

Search

SPOT: 2

OSPE 20



Q1) What is structure shown in the figure labeled as "A"?

a. Fundus.
b. Uterine tube.
c. Myometrium.
d. Endometrium.
e. Fimbriae.

B

Q2) What is the most common site for fertilization?

a. A.
b. B.
c. C.
d. D.
e. E.

A

Q3) What is the function of the structure shown in the diagram labeled as "B"?

a. The passage way for fetus during child birth.
b. Implantation of ovum.
c. To accept a fertilized ovum.
d. The passage way for menstrual blood.
e. To produce egg cells or follicles.

E

Q4) What is the layer called which is labeled in the diagram as "C"?

a. Perimetrium.
b. Myometrium.
c. Endometrial.
d. Meso-ovarium.
e. Mesosalpinx.

C

Q5) Mucosal layer of the structure labeled as "D" is made up of?

a. Simple cuboidal epithelium.
b. Stratified squamous epithelium.
c. Stratified cuboidal epithelium.
d. Pseudostratified columnar epithelium.
e. Simple squamous epithelium.


A

Search

dR/view

3,4

OSPE 3



Q1. Regardingthe structure marked A, choose the appropriate statement.

a) Bean-shaped organs.
b) Located along lymphatic vessels.
c) Scattered throughout the body.
d) Cut-section shows outer cortex and inner medulla
e) Afferent vessels are absent.

Q2. The cortex of structure A, consists of:

a) Lymphoid nodules
b) Venous sinuses
c) Cords of billroth
d) Periarterial lymphatic sheath
e) Hassal's corpuscles

Q3. Identify the ducts marked as B:

a. Cisterna chyli and thoracic duct
b. Thoracic duct and right lymphatic duct
c. Left subclavian trunk and right lymphatic duct
d. Left jugular trunk and right subclavian trunk
e. Right and left lymphatic vessels

Q4. Choose the correct function of structure marked as C:


a. Filters blood, removes microorganisms and other foreign substances
b. Helps in T-cell maturation
c. Helps in B-cell maturation
d. It is not a graveyard of RBC's
e. Does not filter blood

Q5.... Regarding structure marked as C, which statement is wrong:

a) The white pulp contains T cells and B cells.
b) B cells are concentrated in lymphoid nodules.
c) Its capsule has a mesothelial coating.
d) Its sinuses are continuous capillaries.
e) T cells are concentrated in PALS (periarteriolar lymphatic sheath).

26

OSCE 6



11. **Identify the layer of skin marked as A?**
a) Stratum Corneum
b) Stratum Lucidum
c) Stratum Spinosum
d) Stratum Granulosum
e) Stratum Germinativum

12. **Mark the true statement about the layer marked as A.**
a) Like all other layers of skin it is avascular tissue
b) Merkel cells present in this layer are closely associated with unmyelin nerves
c) Langerhan cells are also found in this layer
d) Melanocytes are absent from this layer
e) Attached to basement membrane through gap junctions

13. **Mark the layer labelled as E?**
a) Stratum Corneum
b) Stratum Lucidum
c) Stratum Spinosum
d) Stratum Granulosum
e) Stratum Germinativum

14. **Mark the false statement about the layer marked as E.**
a) Found between stratum granulosum and stratum basale
b) Also referred to as the "spinosal" or "prickle-cell" layer
c) Appearance is due to desmosomal connections of adjacent cells
d) Composed of polyhedral keratinocytes, they have large pale staining nuclei as they are active in synthesising fibrillar proteins, known as cytokeratin
e) Rich in melanocytes

15. **Which of the following layers is visible only in thick skin?**
a) Stratum Corneum
b) Stratum Lucidum
c) Stratum Spinosum
d) Stratum Granulosum
e) Stratum Germinativum