1- A pathological swelling in the neck which moves upward with swallowing is related to?
   A- Sublingual gland
   B- Thyroid gland
   C- Parotid gland
   D- Parathyroid gland

2- The most important characteristic feature of tongue is?
   A- Stratified squamous epithlium
   B- Skeletal muscle
   C- Serous and mucous gland
   D- Mucosal papillae

3- A 23 years old male came to OPD with swelling is parotid region, He has contracted mumps five weeks back but swelling did not resolve, He was suffering from much pain in parotid region, which increased while chewing, which of the following nerve most likely to mediate the pain?
   A- Hypoglossal;
   B- Glossopharyngeal
   C- Anterior superior alveolar
   D- Greater auricular

4- Which of the following gland has halocrine mode of secretion?
   A- Pancreas
   B- Sebaceous gland
   C- Parotid gland
   D- Sweat gland

5- The postganglionic secret motor fibers to parotid gland are carried in which of the following nerves?
   A- Great auricular nerve
   B- Lesser petrosal nerve
   C- Jacobson`s nerve
   D- Auriculotemporal nerve

6- A neonate presents to the pediatric OPD with median cleft of upper lip, This anatomy result from the incomplete fusion of which of the following structures?
   A- One medial and one lateral nasal swellings
   B- Tow lateral nasal swellings
   C- Tow medial nasal swellings
   D- One lateral nasal and one maxillary swellings

Scanned by CamScanner

7- Thyroid gland develops in which of the following week?

A- Fifth week
B- Sixth week
C- Third week
D- Fourth week

8- A 5 years old child came to OPD with painless swelling in neck located in midline close to hyoid bone, This swelling is probably due to which of the following anomaly?

A- Thyroglossa cyst
B- Cervical cyst
C- Ultimobranchial body
D- Ectopic thymus

9- The special afferent nucleus which is common for facial, glossopharyngeal and vagus nerves is?

A- Nucleus ambiguous
B- Dorsal vagus nucleus
C- Nucleus solitaries
D- Main sensory nucleus of trigeminal

10- A 27 years old woman with a goiter comes to the hospital for surgical treatment, The surgeon must ligate the superior laryngeal artery befor surgicaly resecting the goiter, so care must be taken to avoid injury to?

A- External Laryngeal nerve
B- Internal laryngeal nerve
C- Hypoglossal nerve
D- Superior laryngeal nerve

11- The layers of scalp in which infections tend to localize and spread through is?

A- Loose areolar layer
B- Pericranium
C- Fibro fatty connective layer
D- Aponeurotic layer

Scanned by CamScanner

12- A student was observing a section of pituitary gland under light microscope, He noticed highly vascularized region of the gland with cells in the form of anastomosing cord, some having acidophilic cytoplasm, Which of the following region of pituitary is was he observing?

A- PARS tuberalis
B- PARS nervosa
C- PARS intermedia
D- PARS distalis

13- Which of the following cells produces antibodies?

A- Fibroblast
B- Mast cells
C- Histiocytes
D- Plasma cell

14- Barr body is a feature of?

A- Neutrophils
B- Eosinophils
C- Monocytes
D- Basophils

15- A new born neonate was examined by the pediatrician and he was found to have very short lingual frenulum, Which of the following conditions can be related to the clinical scenario?

A- Microglossia
B- Ankyloglossia
C- Macroglossia
D- Glossoschissis

16- The orbital and palpebral part of the lacrimal gland are separated by the?

A- Nasalis
B- Levator palpebrae superioris
C- Corrugator supercili
D- Orbicularis oculi

17- A chain smoker present in clinic with a whitish, painful ulcer on his hard palate, Which nerve is carrying the sensory supply from this ulcer?

A- Nasopalatine and anterior superior alveolar nerve
B- Greater palatine and lesseer palatine nerve
C- Mandibular and maxillary nerves
D- Inferior orbital and nasopalatine nerves

Scanned by CamScanner

18- Diencephalon froms the central core of the brain, Which of the following statement is correct in relation to diencephalon?

A- Superior walls is formed by lateral ventricle
B- It extends posteriorly to the 4th ventricle
C- Its superior surface is bounded by internal capsule
D- Its cavity is called the 3rd ventricle

19- An adolescent boy suffers from severe acne, He subsequently develops cavernous sinus thrombosis, The route of entry of infection from face to the cavernous sinus was most likely through?

A- Parietal emissary vein
B- Mastoid emissary vein
C- Transverse facial vein
D- Facial vein

20- Concerning the facial artery, the correct statement is?

A- It lies at the posterior border of masseter muscle
B- It is a branch of the internal carotid artery
C- It courses along inferior margin of parotid duct
D- It lies in front of the facial vein

21- Inferior horn of lateral ventricle lies within which of the following lobes of cerebral hemisphere?

A- Occipital lobe
B- Temporal lope
C- Parietal lobe
D- Frontal lobe

22- The diploid cell of spermatogenic is?

A- Spermatid
B- Spermatogonia
C- Spermatozoa
D- Secondary spermatocytes

Scanned by CamScanner

23- The sub-mandibular glands are of the following variety?
- A- Compound tubule-acinar
- B- Compound tubular
- C- Simple branched acinar
- D- Compound acinar

24- Which of the following nerves would be most vulnerable to injury during a lymphnode biopsy in the posterior of the neck?
- A- Axillary
- B- Accessory
- C- Lateral pectoral
- D- Upper subscapular

25- Which artery supplies the the head of the femur?
- A- Endosteal artery
- B- Periosteal artery
- C- Epiphyseal artery
- D- Nutrient artery

26- Sensory supply of the pulp of the lower jaw teeth is by the branches of?
- A- Mandibular nerve
- B- Facial nerve
- C- Maxillary nerve
- D- Glossopharyngeal nerve

27- In an old man with loss of teeth, the muscle that helps the most in taking food is?
- A- Orbicularis oris
- B- Platysma
- C- Buccinators
- D- Masseter

28- A 45 year old woman is suffering from numbness over the tip of her nose, The nerve most likely affected would be?
- A- Mandibular
- B- Ophthalmic division of trigeminal
- C- Facial
- D- Maxillary

Scanned by CamScanner

29- Which part of ethmoid bone is involved in the formation of nasal septum?

A- Cribriform plate
B- Perpendicular plate
C- Crista galli
D- Inferior nasal concha

30- Following thyroidectomy hoarseness of voice may occur, The condition is caused by injury to which of the following nerves?

A- External laryngeal nerve
B- Recurrent laryngeal nerve
C- Superior laryngeal nerve
D- Internal laryngeal nerve

31- Diencephalon is caudal to?

A- Myelencephalon
B- Mesencephalon
C- Telencephalon
D- Metencephalon

32- The chorda tympani nerve carries?

A- General sensation for the anterior two thirds of the tongue
B- Taste fibers for the posterior third of the tongue
C- Taste fibers for the anterior two thirds of the tongue
D- Sympathetic fibers to the submandibular gland

33- Which structure will be spared from damage in case of carotid triangle injury?

A- Cords of brachial plexus
B- Common carotid artery
C- Vagus nerve
D- Internal jugular vein

34- Identification of neuron in H & E stained section is quiet easy because?

A- They all are of pyramidal in shape
B- Their nuclei have an owl eye appearance
C- They are supporting cells of brain
D- Their cytoplasm stain black

Scanned by CamScanner

35- Which pharyngeal arch contributes in the development of hyoid bone?

A- First pharyngeal arch
B- Third pharyngeal arch
C- Fourth pharyngeal arch
D- Fifth pharyngeal arch

36- A 38 year male patient complained of weakness of upper right arm with unable to elevate it along with weakness of facial muscle of right side, which of the following artery is most likely to be occluded supplying the cerebral cortex?

A- Anterior cerebral artery
B- Posterior cerebral artery
C- Posterior communicating artery
D- Middle cerebral artery

37- Embryologically, parotid gland develops from which of the following structure of the growing embryo?

A- Ectoderm
B- Neural crest cells
C- Mesoderm
D- Endoderm

38- The intrinsic extrinsic muscles of the tongue are derived from?

A- First pharyngeal arch
B- Second pharyngeal arch
C- Occipital somites
D- Cervical somites

39- Bending of the head forward is which type of movement?

A- Addmuction
B- Flexion
C- Abduction
D- Extension

40- Terminal branch of external carotid artery is?

A- Ascending pharyngeal
B- Linguial
C- Maxillary
D- Superior thyroid

Scanned by CamScanner

41- Epiblast cells which invaginate down from the area of primitive streak and primitive node give rise to one of the following adult structure?

A- Cerebral cortex
B- Adrenal medulla
C- Kidney
D- Epidermis on face

42- A 60 year old male had heart attack that caused problem in his impulse conduction system, the function of which is to spread the message to contract throughout the heart, Which of the following junction present in cardiac muscle fiber helps in this conduction?

A- Gap junction
B- Adhesive junction
C- Tight junction
D- Desmosome

43- The superior sagittal sinus is present in which of the following structure?

A- Falxcereebelli
B- Tentorium cerebelli
C- Diaphragm asellae
D- Falxcerebri

44- Venous angle is formed by?

A- External jugular and subclavian veins
B- Internal jugular and subclavian veins
C- Right and left subclavian veins
D- Internal and external jugular veins

45- A patient present in emergency Room with complaint of weakness in right side of body, His facial examination was unremarkable, Diagnosis of stroke was made, On further investigation, It was found that he was unable to speak but when asked particular questions, he can give answer in writing, Which functional area is most likely to be involved in this case?

A- Auditory area
B- Broca area
C- Wernicke area
D- Somesthetic area

46- Terminal branch of external carotid artery is?

A- Ascending pharyngeal
B- Linguial
C- Maxillary
D- Superior thyroid

Scanned by CamScanner

47- A surgeon is doing surgery of submandibular gland in submandibular triangle which of the following nerves is likely to be damaged during surgery?

A- Faial
B- Glossopharyngeal
C- Hypoglossal
D- Vagus

48- Philtrum of the upper lip is developed from which of the following embryonic structure?

A- Mandibular prominences
B- Medial nasal prominences
C- Lateral nasal prominences
D- Maxillary prominences

49- Which of the following is located in the infra-temporal fossa?

A- Ciliary ganflion
B- Otic ganglion
C- Gasserrian ganglion
D- Sub-mandibular ganglion

50- Sensory loss of temporal region along with the loss of general he sensation over the parotid gland would be caused by interruption of?

A- Chorda tympani nerve
B- Greater auricular nerve
C- Auriculo temporal nerve → secretomotor of parotid gland

51- Which of the following is most appropriate regarding chondrocytes?

A- Found in lacunae
B- Polyhedeal in shape
C- Involved in phagocytes
D- Derived from monocytes

52- During the development of face, the osseous union of the halves of the mandible fuse, is an example of?

A- Secondary cartilaginous joint
B- Symphysis
C- Primary cartilaginous joint
D- Syndesmosis

Scanned by CamScanner

53- A 1st year BDS student was observing the slide of oral cavity, He found a single layer of tall columnar cells on the inner aspect of dentin, The cells most likely are?

A- Cementoytes
B- Odontoblast
C- Cementoblast
D- Odenotocytes

54- Gap in the floor of nose in the most anterior part may be due to malformation of which of the following embryonic structure?

A- Maxillary prominence
B- Mandibular prominence
C- Intermaxillary segment
D- Nasal pits

55- Which of the following is an example of long bone?

A- Vertebrae
B- Hip bone
C- Humerus
D- Scapula

56- In a patient demonstrating lack of sensation in mucosa of rhe oropharynx, one would expect to find a lesion of the?

A- Descending hypoglossi
B- Glossopharyngeal nerve
C- Ascending hypoglossi
D- Vagus nerve

57- Which of the following component of lymphatic system produces lymphocytes and plasma cells and which fibers the lymph?

A- Lymph nodes
B- Lymph
C- Lymphatic capillaries
D- Lymphatic vessels

58- The normal site of implantation is?

A- Ovary
B- Fallopian tube
C- Cervix
D- Uterus

Scanned by CamScanner

59- A 26 years old male presented in OPD with complain of inflammatory swelling over body of his tongue, The ENT specialist will palpate first his?

A- Jugulo-omohoid node
B- Submandibular lymph nodes
C- Sublingual lymph nodes
D- Jugulodigastric lymph node

60- Which of the following ligament of temporomandibular joint runs backward from the margin of the articular tubercle to the neck of the mandible?

A- Temporomandibular ligament
B- Stylomandibular ligament
C- Sphenomandibular ligament
D- Lateral ligament

(Lateral TML)

61- A first year student is observing a bone which is having a shaft and two expanded ends, Which type of bone the student is observing?

A- Long bone
B- Flat bone
C- Short bone
D- Pneumatic bone

62- The endomysium is a connective tissue investment, which surrounds?

A- Individual muscle fibers
B- Small bundles of muscle cells
C- Whole muscle
D- Muscle fascicles

63- A man suffering from neuro-muscular disease is unable to speak, He was unable to open his jaw due to paralysis of which the following muscle?

A- Masseter
B- Buccinators
C- Lateral pterygoid
D- Medial pterygoid

64- Which of the following is the function of Eustachian tube?

A- voice production
B- hearing
C- equalizer
D- vision

Scanned by CamScanner

65- A young child was presented to pedriatician, On examination his nasal cavity was chronically dry because of lack of glandular secretion, Possible etiology may be lesion of which of the following strcture?

A- Lesser petrosal nerve
B- Superior cervical ganflion
C- Deep petrosal nerve
D- Greater petrosal nerve

66- X-Ray of a patient with a history of fall has shown a mid-shaft fracture, what is this part of the bone called?

A- Periosteum
B- Metaphysis
C- Epiphysis
D- Diaphysis

67- Which branch of mandibular nerve is most susceptible to injury while anaesthetizing during molar tooth extraction?

A- Auriculotemporal
B- Buccal
C- Inferior alveolar
D- Lingual

68- The ligament which holds dens of the axis vertebra is?

A- Transverse ligament
B- Anterior longitudinal ligament
C- Apical ligament
D- Ligamentum flavum

69- The allantois atrophiels, and is seen in postnatal life as a fibrous band?

A- Connecting stalk
B- Umbilical cord
C- Viltello-intestinal duct
D- The urachus

70- Which type of cartilage from the epiphyseal growth plate?

A- Elastic cartilage
B- Articular cartilage
C- Fibro cartilage
D- Hyaline cartilage

Scanned by CamScanner

Answer Keys

1. B
2. A
3. B
4. B
5. D
6. C
7. B
8. A
9. C
10. B
11. A
12.
13. D
14. A
15. B
16. B
17. B
18. D
19. C
20. D
21. B
22. B
23. A
24. B
25. C
26. A
27.
28. B
29. B
30. B
31. C
32. C
33. A
34. A
35. B
36.
37. D
38. C
39. B
40. C
41. A
42.
43. D
44. B
45. B
46. C
47. A
48. B
49. B
50. B
51. A
52. B
53. B
54. A
55. C
56.
57. A
58. D
59. C
60.
61. A
62. A
63. C
64. C
65. C
66. D
67. D
68. B
69.
70. D
71.

Al Habib

Scanned by CamScanner