Anatomy

Q. 1. In which one of the following structures are elastic Cartilages found?

A. Articular cartilage
B. Intervertebral disc
C. Pinna
D. Trachea

Q. 2. Which of the following bone is classified as pneumatic bone?

A. Maxillary
B. Clavicle
C. Parietal
D. humerus

Q. 3. The anatomical position is characterized by which of the following?

A. Body lying down
B. Eyes looking upward
C. Palms facing anteriorly
D. Thumbs pointing medially

Q. 4. Which of the following defines the Paradoxical movement?

A. Rotation at shoulder
B. Fisting of fingers
C. Under the influence of the gravity
D. Away from midline

Q. 5. Bones that surround the spinal cord are classified as which of the following type?

A. Flat
B. Irregular
C. Sesamoid
D. Short

Q. 6. A man was fallen with his arm outstretched resulting in fracture of greater tubercle of humerus which is an epiphysis in this fractured bone

A. Abberent epiphysis
B. Atavistic epiphysis
C. Pressure epiphysis
D. Traction epiphysis

Q. 7. In which one of the following bones is red bone marrow

found in old age?

A. Femur.
B. Tibia.
C. Sternum.
D. Radius.

Q. 8. Which of the following is the true example of pivot synovial joint

A. Pubic symphysis
B. Median atlanto-axial joint
C. Inferior tibio-fibular joint
D. Xiphisternal joint

Q. 9. Which of the following is classified as ellipsoid joint?

A. Ankle joint
B. Shoulder joint
C. Superior radio ulnar joint
D. Wrist joint

Q. 10. Which of the following is an example of the end arteries?

A. Celiac artery
B. Central artery of retina
C. Coronary artery
D. Posterior cerebral artery

Q. 11. Which of the following plane is at right angle to the median plane and divides the body into anterior and posterior halves?

A. Coronal
B. Oblique
C. Sagittal
D. Transverse

Q. 12. Which of the following is the location of Fibro-cartilage?

A. auditory meatus
B. epiglottis
C. Inter-vertebral disc
D. pinna

Q. 13. Which of the following bones ossify in membrane?

A. Humerus
B. Parietal
C. Ribs
D. Talus

Q. 14. Which of the following is an example of bipennate muscles?
A. Deltoid
B. Extensor digitorum longus
C. Rectus femoris
D. Temporalis

Q. 15. How is tibialis anterior muscle classified according to its architecture?
A. Unipenate
B. Circumpennate
C. Multipenante
D. Bipennate

Q. 16. When does pairing of homologous chromosome in meiosis occur?
A. Diplotene.
B. Leptotene.
C. Pachytene.
D. Zygotene.

Q. 17. Where is stratified squamous "Non-Keratinized" epithelium found?
A. Scalp.
B. Skin.
C. Stomach
D. Vagina. ANS

Q. 18. Which of the following is an example of purely serous glands?
A. Parotid ANS
B. Sublingual
C. Submandibular
D. Sweet gland

Q. 19. Which of the following is the best example of the stratified squamous keratinized epithelium?
A. Epidermis
B. Esophagus
C. Oral cavity ANS
D. Trachea

Q. 20. In which of the following organs/ structures is transitional epithelium found?
A. Gallbladder

B. Urinary bladder ANS
C. Uterus
D. Vagina

Q. 21. A biopsy specimen suspected of cancer shows signet ring cells. This appearance is a characteristic feature of which of the following cells?
A. Fat cells
B. Fibroblasts
C. Histiocytes
D. Mast cell

Q. 22. Which of the following cell types are found along capillaries and resemble to fibroblasts?
A. Macrophage
B. Mast cell
C. Pericyte
D. Plasma cell

Q. 23. Which of the following fiber types is most commonly associated with the formation of a fine supportive network in the soft tissues of the body?
A. Elastic fibers
B. Reticular fibers
C. Type- I Collagen
D. Type- II Collagen

Q. 24. Where are dense regular connective tissue present?
A. Basement membrane.
B. Capsules of organs.
C. Skin.
D. Tendons.

Q. 25. Which of the following cell types is responsible for anaphylactic shock?
A. Eosinophils
B. Fibroblasts
C. Macrophages
D. Mast cells

Q. 26. Which organelle contains detoxifying enzymes?

A. Centrioles
B. Microfilaments
C. Peroxisome
D. Ribosomes

Q. 27. Which of the following Collagen fiber type is located in basement membranes?
A. Type- I
B. Type- II
C. Type- III
D. Type- IV

Q. 28. Where pseudo stratified ciliated epithelium is found?
A. Endometrium of uterus
B. Epidermis
C. Lung alveoli
D. Trachea

Q. 29. A cell- cell communication is possible at which specialized cell junction

A. Gap junctions
B. Macula adherens
C. Zonula adherens
D. Zonula occludens

Q. 30. Reticular fibers can easily be distinguished by which of the following staining?
A. Acidophilic staining
B. Gentian violet staining
C. H & E staining
D. Silver staining

Q. 31. During ovulation, the secondary oocyte resides at what specific stage of meiosis?
A. Metaphase of meiosis II
B. Prophase of meiosis I
C. Prophase of meiosis II
D. Metaphase of meiosis I

Q. 32. Implantation of the conceptus at which of the following sites of female reproductive system is most likely to result in excessive, perhaps fatal, vaginal bleeding immediately prior to delivery?

A. Fallopian tube
B. Fundus of uterus
C. In ovary
D. Low uterine wall near cervix

Q. 33. Hydatidiform mole is an abnormality of which of the following structure?
A. Corona radiata.
B. Embryoblast.
C. Endometrial glands
D. Trophoblast.

Q. 34. What is the cavity which is formed within the two layers of extra-embryonic mesoderm during 2nd week of development called?
A. Amniotic cavity.
A. Chorionic cavity.
B. Primary yolk sac.
B. Secondary yolk sac.

Q. 35. In later part of pregnancy, into which structure is the connecting stalk transformed into?
A. Allantois.
B. Placenta.
C. Umblical cord.
D. Villi.

Q. 36. Which of the following structures must degenerate for blastocyst implantation to occur?
A. Cytotrophoblast
B. Functional layer of the endometrium
C. Syncytiotrophoblast
D. Zona pellucida

Q. 37. Which of the following is the first indication of gastrulation in the embryo?
A. Extra embryonic mesoderm
B. Neural tube
C. Notochord
D. Primitive streak

Q. 38. Which one of the following is a neural crest cell derivative?
A. Enamel of teeth

B. Parotid gland
C. Sympathetic chain
D. Thymus

Q. 39. A 32- year old pregnant lady diagnosed to have a condition of polyhydramnios, which of the following is the main cause of this condition?
A. Agenesis of the kidneys.
B. Esophageal atresia
C. Hydatidiform mole
D. Hypoplasia of lungs

Q. 40. A woman with 47 chromosomes due to three copies of chromosome 21 is characterized by which of the following abnormality?
A. Down's syndrome.
B. Super femaleness
C. Triploidy
D. Turner's syndrome

Q. 41. Cri-du-chat syndrome in humans is caused by which of the following conditions?
A. Fertilization of an XX egg by a normal Y-bearing sperm
B. Loss of half of the short arm of chromosome 5
C. Loss of half of the long arm of chromosome 5
D. Trisomy of 21st chromosome

Q. 42. The notochord serves an important function in embryogenesis, as it induces the ectoderm above it to differentiate into neuroectoderm and thereby form the neural plate, which will eventually develop the CNS. In the adult, what structure will the notochord become?
A. Annulus fibrosis
B. Aqueduct of Sylvius
C. Central canal of spinal cord
D. Nucleus pulposus

Q. 43. A person with the sex chromosomes XXY suffers from which of the following abnormalities?
A. Down's syndrome
B. Gyn-andromorphism
C. Klinefelter's syndrome

D. Turner's syndrome. XO

Q.44. In which of these compartments is Na^+ concentration the lowest?

- Interstitial fluid
- Intracellular fluid ✓
- Lymph
- Plasma

Q.45. Osmolarity in body fluid compartments is approximately:

- 200 mOsm
- 250 mOsm
- 300 mOsm ✓
- 350 mOsm

Q46. Which of the following can cause an increase in ECF osmolarity?

- Dehydration
- Hemorrhage
- Renal failure
- Water intoxication

Q47. In a normal adult male, volume of plasma is:

- 0.5 L
- 3 L
- 10 L
- 14 L

Q48.Which of the following processes involve the combining of message from one signaling molecule with that of another to

enhance or inhibit a cellular effect

- Signal amplification
- Signal integration
- Signal reception
- Signal transduction

Q49. In error, a patient is infused with large volumes of a solution that causes lysis of his red blood cells (RBCs), the solution was most likely

- Isotonic NaCl
- Isotonic mannitol
- Hypertonic mannitol
- Hypotonic urea

Q50. An example of co-transport is

- Na^+-K^+ pump
- Ca^{++} pump
- Na^+- H^+ pump
- Na^+ glucose transport

Q51. Which of the following statements about facilitated diffusion is true?

- It is a form of active transport
- It requires carrier protein
- Rate of transport is proportionate to the concentration gradient
- Requires creatine phosphate

Q52. The type of intercellular connection through which the

molecules move easily is

- Desmosomes
- Gap junction
- Tight junction
- Ion channels

Q53. Clathrin coated pits are associated with

- Exocytosis
- Phagocytosis
- Pinocytosis
- Receptor mediated endocytosis

Q54. Reabsorption of useful molecules or ions in kidneys occur through

- Active Transport
- Diffusion
- Differential osmosis
- Exocytosis

Q55. The pH at which a molecule exists as a zwitter ion or dipolar ion and carries no net charge.

A.Ampholytes

B.Isoelctric pH

C.Acidic pH

D.Alkaline pH

Q56 : All amino acids except one possess optical isomers due to the presence of asymmetric carbon atom.

A. Glysine

B. Serene

C. Metheonine

D. Phenylalanine

Q57 . The compound that consist of ribose linked by an N-glycosidic bond to N-9 of adenine is:

A. A purine nucleotide

B. A pyrimidine nucleotide

C. Adenosine

D. AMP

Q58 . Which of the following amino acid is not found in the proteins

A. Citrulline

B. Arginine

C. Methionine

D. Glycine

Q 59. Which cellular organelle is called "suicide bags" ?

- Ribosomes
- Lysosomes
- Nucleolus
- Golgi's bodies

Q 60: Enzymes catalyzing electron transport are present mainly in the

(A) Ribosomal membrane

(B) Golgi complex membrane

(C) Lysosomal membrane

(D) mitochondrial membrane

Q61: Which of the following Phospholipids act as a lung surfactant?

(A) Phosphatidyl ethanolamine

(B) Phosphatidyl inositol

(C) Phosphatidyl choline

(D) Phosphatidyl serine

Q62: Which of the following organ is rich in Gangliosides (glycosphingolipids)?

(A) Liver

(B) Brain

(C) Kidney

(D) Muscle

Q63. Which one of following describes a Peptide bond?

a) Covalent bond

b) Ionic bond

c) Metallic bond

d) Hydrogen bond

Q64; Free fatty acids are transported in the blood

A. Combined with albumin

B. Combined with fatty acid binding protein

C. Combined with b -lipoprotein

D. In unbound free salts

Q65. The prostaglandins are synthesized from

A. Arachidonic acid

B. Oleic acid

C. Linoleic acid

D. Linolenic acid

Q66. The general mechanism of an enzyme is?

A) It acts by increasing the activation energy

B) It acts by reducing the activation energy

C) It acts by decreasing the pH

D) It acts by increasing the pH

Q67 .In uncompetitive inhibition inhibitor binds only to

A: enzyme

B.substrate

C.ES-complex

D.Active site

Q68:The nitrogen bases are linked by triple hydrogen bonds are:

A. G and T

B. A and T

C. G and C

D. T and C

Q69 .What is the most effective intracellular inorganic buffer?

A. Bicarbonate

B. Phosphate

C. Hemoglobin