GRAND TEST ON
DENTAL ANATOMY &
MORPHOLOGICAL CHARACTERISTICS

INSTRUCTIONS FOR GRAND TEST

There are 48 slides carrying equal marks.

Each slide will be of one minute duration.


Please write your name and roll number on the first page.

Write clearly the question number of the slide with the appropriate answer.
No slide shall be repeated.

No communication is allowed during the test.


1. The tooth tissue depicted by the red arrow is :


a. Cementum
b. Dentin
c. Enamel
d. Pulp
e. perikymata



The space depicted by the red triangle is :


a. Gingival embrasure
b. Interdental or interproximal space
c. Periodontal membrane space
d. Either “a” or “b”
e. Either “b” or “c”






3. The Universal Number for this tooth is :

a. 4
b. 5
c. 12
d. 13
e. 28




4. The Universal Number for this tooth is :

a.4
b.5
c.12
d.13
e.28



5. The space between these two teeth is termed a(n) :

a. Gingival embrasure
b. Interdental space
c. Lingual embrasure
d. Occlusal embrasure
e. Either “a” or “b”



6. This tooth succeeds which primary tooth?


a. #A

b. #B

c. #K

d. #L

e. #S



7. This tooth succeeds which primary tooth?

a. # A

b. # B

c. # S

d. # T

e. none of the above

8. Which of the following surfaces *will not* be found on this tooth?


a. axial

b. proximal


c. incisal

d. mesial

e. lingual



9. The red arrows are pointing to:



a. Cusps
b. Tubercles
c. Ridges
d. Cingula
e. Negative anatomy

#3-Mx R 1st Molar

10. This is the _____ surface of Tooth #3.


a. mesial

b. facial

c. distal

d. lingual

e. occlusal



#3-Mx R 1st Molar

11. The structures depicted by the red lines are termed:


a. marginal ridges

b. cervical ridges

c. oblique ridges


d. triangular ridges

e. transverse ridges



#3-Mx R 1st Molar


12. The structures depicted by the colored lines below are termed:



#3-Mx R 1st Molar

a. Marginal ridges
b. Transverse ridges
c. Occlusal ridges
d. Oblique ridges
e. Cuspal ridges


13. The structure depicted by the union of the two red lines below is termed a(n):



#3-Mx R 1st Molar

a. Marginal ridge
b. Transverse ridge
c. Occlusal ridge
d. Oblique ridge
e. Cuspal ridge


14. The structure depicted by the union of the two red lines below is termed a(n):



#3-Mx R 1st Molar

a. Marginal ridge
b. Transverse ridge
c. Occlusal ridge
d. Oblique ridge
e. Cuspal ridge


15. The structures depicted by the red lines below are termed:



#3-Mx R 1st Molar


a. Marginal ridges
b. Transverse ridges
c. Occlusal ridges
d. Oblique ridges
e. Cuspal ridges

16. The structures depicted by the red lines below are termed:




a. Cervical ridges
b. Lingual ridges
c. Incisal ridges
d. Marginal ridges
e. Cuspal ridges

17. The structure depicted by the red line below is termed a(n):




a. Cervical ridge
b. Lingual ridge
c. Incisal ridge
d. Marginal ridge
e. Cuspal ridge

18. The structure depicted by the red line below is termed a(n):




a. Cervical ridge
b. Lingual ridge
c. Labial ridge
d. Marginal ridge
e. Incisal ridge

19. The structure depicted by the red line below is termed a(n):




a. Cervical ridge
b. Lingual ridge
c. Labial ridge
d. Marginal ridge
e. Incisal ridge

20. The structures depicted by the red lines below are termed:




a. Cervical ridges
b. Lingual ridges
c. Occlusal ridges
d. Marginal ridges
e. Triangular ridges

21. The height of contour on the facial surface of teeth is termed the:




a. Cervical ridge
b. Axial ridge
c. Facial ridge
d. Marginal ridge
e. It is not named

22. The height of contour on the lingual surface of posterior teeth is termed the:



a. Cervical ridge
b. Lingual ridge
c. Axial ridge
d. Marginal ridge
e. It is not named

23. The bulk of the cervical ⅓ on the lingual surface of an anterior tooth is termed a:



a. Tubercle
b. Lingual lobe
c. Lingual cusp
d. Cingulum
e. It is not named

24. The negative anatomy circumscribed below in red is termed a:


a. lingual fossa

b. lingual sulcus

c. triangular fossa

d. central fossa

e. developmental depression



25. The negative anatomy depicted below is termed a(n):


a. occlusal fossa

b. occlusal sulcus

c. mandibular fossa

d. central fossa

e. developmental depression



26. The two areas of negative anatomy depicted below are termed:


a. occlusal fossae

b. occlusal sulci

c. mandibular fossae

d. cuspal fossae

e. triangular fossae



27. The negative anatomy depicted between the ridges and cusps below are termed:


a. fossae

b. sulci

c. developmental depressions

d. supplemental grooves

e. developmental furrows



#30: Mn R 1st Molar

28. The negative anatomy depicted by the red lines below are termed:


a. developmental grooves

b. sulci

c. developmental

d. supplemental

e. developmental furrows



#30: Mn R
1st Molar

29. The negative anatomy depicted by the red lines below are termed:


a. developmental grooves

b. sulci

c. developmental depressions

d. supplemental grooves

e. occlusal furrows



#30: Mn R 1st Molar

30. The negative anatomy depicted by the colored areas below are termed:


a. developmental grooves

b. sulci


c. developmental depressions

d. fossae

e. linear recesses




31. The two surfaces depicted by the red lines below meet to form the _____:



a. MIF point angle
b. MIL point angle
c. MI line angle
d. MF line angle
e. MIL line angle

32. The two surfaces depicted by the red lines below meet to form the _____:



#30: Mn R 1st Molar

a. MOF point angle
b. MOL point angle
c. OL line angle
d. MF line angle
e. ML line angle

33. The best term to identify the shaded area depicted below is the:


a. Occlusal table

b. Occlusal fossa

c. Occlusal surface

d. Mandibular fossa

e. Central fossa



34. Of the tooth surfaces listed, the one that is located closest to the midline is the:


a. mesial surface of #20

b. distal surface of #21

c. mesial surface of #3

d. mesial surface of #27

e. distal surface of #15



35. When viewing a permanent incisor from the incisal aspect, portions of all of the following structures are visible, *except:*


a. Marginal ridge

b. Lingual fossa

c. Cervical line

d. Incisal edge

e. Cingulum



36. The anatomical structure depicted by the red arrow is correctly termed the:


a. Cervical ridge

b. Imbrication line

c. Cervical line


d. Perikymata

e. Facial groove




37. The anatomical structure depicted by the red arrow is correctly termed the:

a. facial ridge
b. cervical ridge
c. marginal ridge
d. incisal ridge
e. lingual ridge




38. All of the following structures can be found on this surface of the illustrated tooth *except*:

a. facial ridge
b. cervical ridge
c. marginal ridge
d. lingual fossae
e. cingulum




39. The Universal number for the tooth depicted by the red arrow below is:

a. # 1
b. # 3
c. # 4
d. # A
e. # B



40. These structures are often seen on newly erupted permanent incisors. They are:

a. perikymata
b. cingula
c. tubercles
d. mamelons
e. incisal nodes




41. The Universal number of the tooth lost in this traumatic accident is:

a. # 6
b. # 8
c. # 9
d. # 10
e. # 11




42. Pictured below is a stone model of Tooth #14. The structure depicted by the red arrow is termed the:

a. ML cusp
b. DL cusp
c. lingual ridge
d. lingual tubercle
e. 5th cusp of Carabelli




43. The Universal number for the tooth depicted by the red arrow below is:

a. # A
b. # B
c. # I
d. # J
e. # 4




44. The Universal number for the tooth depicted by the red arrow below is:

a. # K
b. # L
c. # S
d. # T
e. # 19




45. The tooth identification system depicted by the chart below is known as the:

a. FDI (International)
b. Universal
c. Palmer
d. Quadrant
e. Zsigmondy



46. Which of the following teeth is not a succedaneous permanent tooth?

a. A
b. B
c. C
d. D
e. E



47. Dissimilarities between the primary and permanent dentitions are readily observed because the:

a. primary teeth do not have second molars

b. permanent teeth do not have canines

c. primary teeth do not have premolars

d. permanent teeth do not have incisors

e. primary teeth do not have as many anterior teeth as the permanent dentition does

48. Which of the following are **CORRECT** features in the primary dentition, when generically comparing them to permanent teeth:

a. darker color
b. proportionately smaller pulp cavities
c. flatter contours in the facial cervical third
d. shorter root lengths vs. their respective crown lengths
e. thinner and more consistent depth of enamel

The End