Chapter 1: The In Vivo Appearance of the Oral Cavity (Berkovitz 5th Ed)

MCQs for practice BDS—

Chapter 1: The In Vivo Appearance of the Oral Cavity

1. **According to Berkovitz, the "mucogingival junction" represents a sharp transition between which two types of epithelia?**
   A. Orthokeratinized and Parakeratinized epithelium
   B. Simple squamous and Stratified squamous epithelium
   C. The junction of the hard and soft palate
   D. Keratinized attached gingiva and non-keratinized alveolar mucosa
   E. The specialized mucosa of the tongue and the floor of the mouth
2. **The "vermilion zone" of the lip is unique because it lacks certain structures found in skin. Which of the following is typically absent in this zone according to the text?**
   A. Capillary loops
   B. Nerve endings
   C. Stratified squamous epithelium
   D. Connective tissue papillae
   E. Sweat glands and hair follicles
3. **In the midline of the hard palate, a longitudinal ridge is present known as the "palatine raphe." At its anterior limit, it terminates in which structure?**
   A. Palatine rugae
   B. Fovea palatinae
   C. Vibrating line
   D. Uvula
   E. Incisive papilla
4. **Berkovitz describes "Fordyce spots" as a common variation in the oral mucosa. These are actually:**
   A. Ectopic sweat glands
   B. Minor salivary gland ducts
   C. Ectopic sebaceous glands
   D. Small lymph nodes
   E. Areas of hyperkeratosis
5. **The "stippled" appearance of the attached gingiva is a characteristic clinical feature. According to the text, this stippling is most likely due to:**
   A. The presence of minor salivary glands
   B. Connective tissue ridges/papillae pulling on the epithelium
   C. High capillary density
   D. Accumulation of keratin
   E. Chronic inflammation
6. **Regarding the tongue, the "sulcus terminalis" is a V-shaped groove. Which specific papillae are arranged in a row immediately anterior to this groove?**
   A. Circumvallate papillae
   B. Filiform papillae
   C. Fungiform papillae
   D. Foliate papillae
   E. Conical papillae
7. **The "Foliate papillae" are found as vertical folds on the posterior lateral borders of the tongue. What is a specific detail Berkovitz mentions about them in humans?**
   A. They are often rudimentary or poorly developed
   B. They are the most numerous papillae
   C. They contain no taste buds

D. They are keratinized on their superior surface
E. They are only present in infants

8. **Where is the "fovea palatinae" located in the oral cavity?**
   A. On the incisive papilla
   B. In the sublingual fold
   C. On the lateral border of the tongue
   D. On either side of the midline near the junction of the hard and soft palate
   E. Near the parotid papilla
9. **The "Parotid Papilla" marks the opening of Stensen's duct. Where is it specifically located?**
   A. Opposite the maxillary first premolar
   B. Opposite the mandibular second molar
   C. Opposite the maxillary second molar
   D. In the floor of the mouth
   E. On the soft palate
10. **Berkovitz notes that the "alveolar mucosa" appears darker red than the "attached gingiva." What is the primary histological reason for this?**
    A. It is more keratinized
    B. It has a thicker epithelium
    C. It has a thinner, non-keratinized epithelium with a rich underlying vascular supply
    D. It contains more melanocytes
    E. It has more collagen fibers
11. **The "Sublingual Fold" (plica sublingualis) in the floor of the mouth is formed by the presence of which underlying structure?**
    A. The submandibular gland duct
    B. The sublingual salivary gland
    C. The lingual nerve
    D. The lingual artery
    E. The mylohyoid muscle
12. **The "Free Gingival Groove" is a shallow clinical depression. What does it traditionally represent the level of?**
    A. The mucogingival junction
    B. The cemento-enamel junction (CEJ)
    C. The alveolar crest
    D. The epithelial attachment
    E. The base of the gingival sulcus
13. **Which papillae on the tongue are characterized by being hair-like, keratinized, and lacking taste buds?**
    A. Fungiform
    B. Circumvallate
    C. Filiform
    D. Foliate
    E. Vallate
14. **In the "Hard Palate," the area between the palatine raphe and the gingiva contains fatty or glandular tissue. This tissue acts as a:**
    A. Protective barrier for nerves
    B. Source of stem cells
    C. Lubricant for the tongue
    D. Barrier against thermal shock
    E. Resilient "cushion" or submucosa
15. **The "Sublingual Papilla" (or caruncle) is a small prominence located on either side of the lingual frenum. Which duct opens here?**
    A. Stensen's duct
    B. Ducts of Rivinus
    C. Minor salivary ducts

D. Lacrimal duct
E. Wharton’s duct

16. **A student observes a "white line" (linea alba) on the buccal mucosa at the level of the occlusal plane. Based on Chapter 1, this is most likely an example of:**
    A. A fungal infection
    B. Frictional keratosis from tooth contact
    C. Ectopic sebaceous glands
    D. Normal non-keratinized mucosa
    E. Dehydration of the mucosa
17. **Why does the "Hard Palate" appear pale pink compared to the "Soft Palate," which appears deeper red/orange?**
    A. The hard palate has no blood vessels
    B. The hard palate is more heavily keratinized with a dense collagenous lamina propria
    C. The soft palate is covered in bone
    D. The soft palate has more keratin
    E. The hard palate contains more minor salivary glands
18. **During a clinical exam, you notice the "Incisive Papilla" is swollen. Which specific nerve's exit point is located directly deep to this structure?**
    A. Greater palatine nerve
    B. Lesser palatine nerve
    C. Long sphenopalatine nerve
    D. Nasopalatine nerve
    E. Maxillary nerve
19. **If the "Lingual Frenum" is attached too far anteriorly toward the tip of the tongue, it results in "Ankyloglossia." According to the clinical descriptions in Chapter 1, which function is most likely impaired?**
    A. Tongue protrusion and speech
    B. Taste sensation
    C. Salivary flow from thelingual gland
    D. Mastication of soft foods
    E. Sensation of the posterior 1/3 of the tongue
20. **Berkovitz mentions the "Vibrating Line" in the context of the palate. This is a clinical landmark that marks the transition between:**
    A. The movable and immovable parts of the soft palate
    B. The hard palate and the soft palate
    C. The attached gingiva and alveolar mucosa
    D. The oral cavity and the oropharynx
    E. The medial and lateral palatine processes

Answer Key

Question	Answer	Question	Answer
1	D	11	B

2	E	12	E
3	E	13	C
4	C	14	E
5	B	15	E
6	A	16	B
7	A	17	B
8	D	18	D
9	C	19	A
10	C	20	A