Ans: D

17: Enamel knot appears in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage
E) Appositional stage

Ans: C

18: Enamel knot disappears in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage
E) Appositional stage

Ans: D

19: The cells of the Inner Enamel Epithelium become tall and columnar in Bell stage of tooth development and are known as?
A) Preodontoblasts
B) Odontoblasts
C) Preameloblasts
D) Ameloblasts

Ans: D

23: Appositional Stage of Tooth development starts at which week in utero?
A) 2 weeks
B) 4 weeks
C) 11 weeks
D) 14 weeks
E) 16 weeks

Ans: D

24: In which stage of tooth development odontoblasts secrete dentin matrix first?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage
E) Appositional stage

Ans: E

25: Root formation begins in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage

Ans: C

14: Thick, coarse bundles of collagen fibers in the periphery of the pulp associated with dentin matrix formation are?
A) Elastic fibres
B) Korff's fibers
C) Reticular fibers
D) Both A and B
E) None of the above

Ans: B

15: Bell stage of Tooth development starts at which week in utero?
A) 2 weeks
B) 4 weeks
C) 6 weeks
D) 9 weeks
E) 11 weeks

Ans: E

16: Morphodifferentiation and histodifferentiation in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage

5: Underlying ectomesenchymal cells induce the overlying ectoderm (oral epithelium) to proliferate, forming a localized thickening at the site of each tooth called?

A) Enamel organ
B) Dental follicle
C) Dental papilla
D) Dental Lamina
E) None of the above

Ans: D

6: Bud stage of Tooth development starts at which week in utero?

A) 2 weeks
B) 4 weeks
C) 6 weeks
D) 5 weeks
E) 8 weeks

Ans: E

7: The round shape of each tooth bud is created in which stage of tooth development?

A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage

20: The cells of the dental papilla closest to the IEE become tall and columnar in Bell stage of tooth development and are known as?
A) Preodontoblasts
B) Odontoblasts
C) Preameloblasts
D) Ameloblasts
E) None of the above

Ans: A

21: Remnants of Dental lamina are known as?
A) Preodontoblasts
B) Odontoblasts
C) Epithelial rests of Malassez
D) Hertwig's epithelial root sheath
E) epithelial rests of Serres

Ans: E

22: Dentinogenesis imperfecta, amelogenesis imperfecta, and macrodontia / microdontia occurs when there is defect in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage



Muhammad Sarfraz Ahmad ▸ FCPS prep. (batch 2005-10)
Jun 4, 2015 at 11:31am •

#DocSarfrazNotes
For All especially Dental speciality
MCQS of EMBRYO with Answers

initiation of Tooth development starts at which week in utero?
A) 2 weeks
B) 4 weeks
C) 6 weeks
D) 5 weeks
E) 7 weeks

Ans: C

2: Which one of the following structures determines the type of tooth to be formed?
A) Ectoderm
B) Mesoderm
C) Ectomesenchyme
D) Endoderm
E) Mesenchyme

Ans: C

26: The dental papilla begins to form pulp tissue in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage
E) Appositional stage

Ans: E

27: The dental follicle begins to form cementum, alveolar bone, and PDL in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage
E) Appositional stage

Ans: E

28: Enamel dysplasia, concrescence, and enamel pearls occur when there is defect in whch stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage

8: Cap stage of Tooth development starts at which week in utero?
A) 2 weeks
B) 4 weeks
C) 6 weeks
D) 8 weeks
E) 9 weeks

Ans: E

9: The enamel organ begins to form in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage
E) Appositional stage

Ans: C

10: Cells of the stellate reticulum become densely packed near the IEE and are known as the?
A) Enamel Pearls
B) Enamel Knot
C) Enamel Organ
D) Dental Lamina
E) Dental Follicle

31: Mineralization stage of tooth development takes how much time to complete?
A) 6 Months
B) 1 Year
C) 2 Years
D) 3 Years
E) 4 Years

Ans: C

32: Remnants of Hertwig's epithelial root sheath (HERS) are known as?
A) Preodontoblasts
B) Odontoblasts
C) Epithelial rests of Malassez
D) Epithelial diaphragm
E) Epithelial rests of Serres

Ans: C

33: Source of the epithelium of odontogenic cysts is?
A) Preodontoblasts
B) Odontoblasts
C) Epithelial rests of Malassez
D) Epithelial diaphragm
E) Epithelial rests of Serres

Ans: C

11: Which of the following is composed of condensed ectomesenchymal cells located within the concavity of the enamel organ?
A) Enamel Pearls
B) Enamel Knot
C) Enamel Organ
D) Dental Papilla
E) Dental Follicle

Ans: D

12: Which of the following is the capsule like encasing of mesenchyme surrounding the enamel organ?
A) Enamel Pearls
B) Enamel Knot
C) Enamel Organ
D) Dental Lamina
E) Dental Follicle

Ans: E

13: Dens-in-dente, gemination, fusion, and tubercles occurs when there is defect in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage

E) 7 weeks

Ans: C

2: Which one of the following structures determines the type of tooth to be formed?
A) Ectoderm
B) Mesoderm
C) Ectomesenchyme
D) Endoderm
E) Mesenchyme

Ans: C

3: The tooth germ is composed of?
A) Enamel organ
B) Dental follicle
C) Dental papilla
D) Ectoderm
E) A, B and C

Ans: E

4: Anodontia or supernumerary teeth occurs when there is defect in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage

20: The cells of the dental papilla closest to the IEE become tall and columnar in Bell stage of tooth development and are known as?
A) Preodontoblasts
B) Odontoblasts
C) Preameloblasts
D) Ameloblasts
E) None of the above

Ans: A

21: Remnants of Dental lamina are known as?
A) Preodontoblasts
B) Odontoblasts
C) Epithelial rests of Malassez
D) Hertwig's epithelial root sheath
E) epithelial rests of Serres

Ans: E

22: Dentinogenesis imperfecta, amelogenesis imperfecta, and macrodontia / microdontia occurs when there is defect in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage

Ans: C

14: Thick, coarse bundles of collagen fibers in the periphery of the pulp associated with dentin matrix formation are?
A) Elastic fibres
B) Korff's fibers
C) Reticular fibers
D) Both A and B
E) None of the above

Ans: B

15: Bell stage of Tooth development starts at which week in utero?
A) 2 weeks
B) 4 weeks
C) 6 weeks
D) 9 weeks
E) 11 weeks

Ans: E

16: Morphodifferentiation and histodifferentiation in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage

Ans: D

17: Enamel knot appears in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage
E) Appositional stage

Ans: C

18: Enamel knot disappears in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage
E) Appositional stage

Ans: D

19: The cells of the Inner Enamel Epithelium become tall and columnar in Bell stage of tooth development and are known as?
A) Preodontoblasts
B) Odontoblasts
C) Preameloblasts
D) Ameloblasts

Ans: D

23: Appositional Stage of Tooth development starts at which week in utero?
A) 2 weeks
B) 4 weeks
C) 11 weeks
D) 14 weeks
E) 16 weeks

Ans: D

24: In which stage of tooth development odontoblasts secrete dentin matrix first?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage
E) Appositional stage

Ans: E

25: Root formation begins in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage

A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage
E) Appositional stage

Ans: E

29: Which one is the right chronological order of tooth tissue formation?
A) Enamel → Dentine → Root → Pulp → Periodontium
B) Dentine → Enamel → Root → Pulp → Periodontium
C) Enamel → Dentine → Pulp → Root → Periodontium
D) Dentine → Enamel → Pulp → Root → Periodontium
E) Enamel → Dentine → Root → Periodontium → Pulp

Ans: A

30: Mineralization stage of tooth development starts at which week in utero?
A) 2 Months
B) 4-6 Months
C) 11 Months
D) 14 Months

26: The dental papilla begins to form pulp tissue in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage
E) Appositional stage

Ans: E

27: The dental follicle begins to form cementum, alveolar bone, and PDL in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage
E) Appositional stage

Ans: E

28: Enamel dysplasia, concrescence, and enamel pearls occur when there is defect in whch stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage

31: Mineralization stage of tooth development takes how much time to complete?
A) 6 Months
B) 1 Year
C) 2 Years
D) 3 Years
E) 4 Years

Ans: C

32: Remnants of Hertwig's epithelial root sheath (HERS) are known as?
A) Preodontoblasts
B) Odontoblasts
C) Epithelial rests of Malassez
D) Epithelial diaphragm
E) Epithelial rests of Serres

Ans: C

33: Source of the epithelium of odontogenic cysts is?
A) Preodontoblasts
B) Odontoblasts
C) Epithelial rests of Malassez
D) Epithelial diaphragm
E) Epithelial rests of Serres

Ans: C

5: Underlying ectomesenchymal cells induce the overlying ectoderm (oral epithelium) to proliferate, forming a localized thickening at the site of each tooth called?

A) Enamel organ
B) Dental follicle
C) Dental papilla
D) Dental Lamina
E) None of the above

Ans: D

6: Bud stage of Tooth development starts at which week in utero?

A) 2 weeks
B) 4 weeks
C) 6 weeks
D) 5 weeks
E) 8 weeks

Ans: E

7: The round shape of each tooth bud is created in which stage of tooth development?

A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage

11: Which of the following is composed of condensed ectomesenchymal cells located within the concavity of the enamel organ?
A) Enamel Pearls
B) Enamel Knot
C) Enamel Organ
D) Dental Papilla
E) Dental Follicle

Ans: D

12: Which of the following is the capsule like encasing of mesenchyme surrounding the enamel organ?
A) Enamel Pearls
B) Enamel Knot
C) Enamel Organ
D) Dental Lamina
E) Dental Follicle

Ans: E

13: Dens-in-dente, gemination, fusion, and tubercles occurs when there is defect in which stage of tooth development?
A) Initiation
B) Bud stage
C) Cap stage
D) Bell stage

27% 9:55 pm

7- The stratum intermedium:

a- Induces dentin formation.

b- Is separated from the stellate reticulum by a basal lamina.

c- Develops in cap stage.

d- Is important for enamel maturation.

8- The dental organ

a- Develops from cells in the dental follicle.

b- Is a completely connective tissue structure.

c- Is a completely epithelial structure.

d- Is highly vascular, as ameloblasts require an enriched environment.

9- The enamel cord

a- Is an extension of the dental lamina.

b-Is an extension of the outer dental epithelium.

27% 10:00 pm
dentaldominion.blogspot.com/20 2

particularly marked by the full differentiation of stellate reticulum.

d- The dental papilla and the dental sac develop in the cap stage.

89- The dental sac gives rise to:

a- Cementoblasts and periodontal ligament.

b- Periodontal ligament and dental pulp.

c- Dental pulp and attachment epithelium.

d- Odontoblasts and Cementoblasts.

27% 9:55 pm

13- All of the following is a function of dental sac except:

a- Nutrition of enamel organ.
b- Formation of cementum.
c- Formation of periodontal ligament.
d- Formation of supporting alveolar bone.

14- The lateral dental lamina gives rise to:

a- Deciduous teeth .
b- Permanent successors.
c- Permanent molars.
d- Vestibular lamina.

15- The stratum intermedium:

a- Lies between outer enamel epithelium & stellate reticulum.
b- Is a transient structure

51- Concerning the stellate reticulum one of the following statements is wrong:

a- Occupies the central portion of the dental organ.

b- Lies between outer and inner dental epithelia.

c- Synthesizes and secretes glucoseaminoglycans.

d- Becomes polyhedral in shape.

52- The dental sac is:

a- The condensation of the ectomesenchymal cells surrounding the dental organ.

b- The condensation of the ectomesenchymal cells surrounding the dental papilla.

c- The condensation of the ectomesenchymal cells surrounding the dental organ and dental papilla.

d- None of the above.

56- The epithelial root sheath of Hertwig can't be seen as a continuous layer in the developing root because:

a- The rapid epithelial sheath proliferation.

b- The dentin formation.

c- The rapid epithelial sheath destruction after dentin formation.

d- All of the above.

57- Epithelial rests of Malassez are:

a- Epithelial strands and may undergo degeneration only.

b- Epithelial remnants of the epithelial root sheath of Hertwig only.

c- Network or isolated islands in the P.L. only,

d- All of the above.

58- If Hertwig's epithelial root sheath does not disintegrate:

a- No cementum will be formed on the radicular

9- The enamel cord

a- Is an extension of the dental lamina.

b-Is an extension of the outer dental epithelium.

c- Is an extension of successional dental lamina

d-Extends from the stratum intermedium to the stellate reticulum.

10-Dental follicle cells

a- Differentiate into the ameloblast layer.

b- Differentiate into the odontoblast layer.

c- Are found within the dental organ.

d- Migrate to dentin surface of the root and differentiate into the cementoblast.

11- All of the following is the functions

32- Regulatory genes play a significant role in tooth development, they:
a- Control the tooth position.
b- Control the tooth number.
c- Determine the tooth shape.
d- a & b.

33- Initiation of dental lamina is induced by:
a- Neural crest cell.
b- Endoderm.
c- Ectoderm.
d- Mesoderm.

34- Primordium for the permanent dentition appears as an extension of dental lamina into the ectomesenchyme:
a- Lingual to the developing primary tooth germ.
b- Labial to the developing primary tooth germ.

78- The dental lamina:

a- Breaks at the cap stage.
b- Has no branching.
c- Has no remnants.
d- Develops from the oral epithelium.

79- Advanced bell stage of tooth development refers to:

a- Histodifferentiation , morphodifferentiation.
b- Initiation & Proliferation.
c- Mesenchymal condensation.
d- Apposition of dental tissues.

80- The epithelial component of the tooth germ is known as:

a- Dental lamina.
b- Dental papilla.
c- Enamel organ.
d- Dental follicle.

81- Which of the following is not part of the tooth germ?

a- Dental papilla.