
Station No. 9



17. Identify marked spot A:
    a) Root trunk
    b) Root bifurcation
    c) Base of roots
    d) Cervical 1/3rd of root

18. Marked spot has length about:
    a. 3-4 mm
    b. 2-3 mm
    c. 4mm
    d. 1-3 mm


Station No 24



47 Identify the slide :
a) Gingival tissues
b) Epithelium
c) Connective tissue
d) Biological width

48 Identified structure contains:
a) Epithelium
b) Connective tissue
c) Epithelium + connective tissue
d) Gingival sulcus


Station No 03



05: Pulp present in the crown portion is known as:
a) Radicular Pulp
b) Apical pulp
c) Coronal pulp
d) Accessory pulp
e) Non vital pulp

06 Structure of pulp extending into cusps is known as:
a) Pulp horns
b) Pulp chamber
c) Pulp canal
d) Polyp
e) Pulp tissue

Station No. 17




13. Identify the aspect:

a. Mesial aspect of max.2nd premolar
b. Distal aspect of max.2nd premolar
c. Mesial aspect of max.1st premolar
d. Distal aspect of max. 1st premolar

14 Identify marked spot by arrow

a) Distal developmental depression
b) Longitudinal depression
c) Bifurcation area
d) Mesial developmental depression


Station No. 02



03. Identify marked spot:
- a) Transverse ridge
- b) Mesial oblique ridge
- c) Oblique ridge
- d) Distal oblique ridge

04 Marked spot run from:
- a) Distobucca to distal cusp
- b) Mesiobucall cusp to distolingual cusp
- c) Distobucall cusp to distolingual cusp.
- d) Distobuccal to mesiolingual cusp

Station No 01



Q1 Identify the spot A.

a. pulp horn
b. Crown of tooth
c. Pulp chamber
d. Occlusal pulp

Q2 Wherethis structure located

a. Radicular pulp
b. Pulp chamber
c. Coronal pulp
d. Pulp cavity
e. Crown of tooth

Station No 29




57 Identify the tooth surface

a. Lingual aspect of Mandibular 1st molar
b. Mesial aspect of Mandibular 2nd molar
c. Distal aspect of Mandibular 1st molar
d. Distal aspect of Mandibular 2nd molar

58 Identify the marked structure

a. Lingual developmental groove
b. Mesial developmental groove
c. Buccall developmental groove
d. Distal developmental groove

Station No.17



33. Gingival Epithelium has
    a) Two types of epithelium
    b) Four types of epithelium
    c) Three types of epithelium
    d) Only one type
34. Junctionalepithelium Consists of:
    a) non-keratinized stratified.sqepi
    b) Stratified.squamous epithelium.
    c) keratinized stratified.sqepi
    d) Marginal epithelium


Station no: 22



43. The marked structure A is?
   a. Pharyngeal Grooves
   b. Pharyngeal arches and grooves
   c. Pharyngeal arches
   d. Pharyngeal arches and pouches

44. MANDIBLE,MAXILLA, MECKEL'S CARTILAGE are derived from?
   a. First pharyngeal arch
   b. First pharyngeal groove
   c. First pharyngeal pouch
   d. All of the above

Station no. 18



35. Above marked structure A is ?

a. Nasal Septum
b. Tongue
c. Palatal Shelf
d. Maxillary Processes

36. Formation of secondary palate commences in ?

a. Between 5-6 weeks of gestation
b. Between 6-7 weeks of gestation
c. Between 7-8 weeks of gestation
d. Between 8-9 weeks of gestation

Station No. 4

Q1. Identify the spot A.
a. pulp horn
b. Crown of tooth
c. Pulp chamber
d. Occlusal pulp

Q2. Where this structure located
a. Radicular pulp
b. Pulp chamber
c. Coronal pulp
d. Pulp cavity
e. Crown of tooth

Station No 39



57 Identify the tooth surface
a. Lingual aspect of Mandibular 1st molar
b. Mesial aspect of Mandibular 2nd molar
c. Distal aspect of Mandibular 1st molar
d. Distal aspect of Mandibular 2nd molar

58 Identify the marked structure
a. Lingual developmental groove
b. Mesial developmental groove
c. Buccall developmental groove
d. Distal developmental groove

Station No. 01

03. Identify marked spot:
a) Transverse ridge
b) Mesial oblique ridge
c) Oblique ridge
d) Distal oblique ridge

04 Marked spot run from:
a) Distobucca to distal cusp
b) Mesiobucall cusp to distolingual cusp
c) Distobucall cusp to distolingual cusp
d) Distobuccal to mesiolingual cusp.

Station No 15




49. Identify the labeled structure B ?

A. Circumvillate papillae
B. Fordyce's spots
C. Parotid gland
D. Taste bud

50. main function of striated excretory duct is?

A. Modification of primary saliva
B. Modification of secondary saliva
C. Regulation of flow of saliva
D. Inclusion of minerals and modification of saliva


Station No 28



55 Identify the spot A.
a) Striae of Retzius
b) Enamel spindle
c) Enamel tuft
d) Hunter-shreger bands

56 In longitudenal ground section spot A appear as
a) Increamental lines
b) Light and dark bands
c) Dark bands
d) cross-striations


Station No. 9



17. Identify marked spot A:
a) Root trunk
b) Root bifurcation
c) Base of roots
d) Cervical 1/3rd of root

18. Marked spot has length about:
a. 3-4 mm
b. 2-3 mm
c. 4mm
d. 1-3 mm

Station no. 12



Copyright © 2003, Elsevier Science (USA). All rights reserved.


23. Identify the spot

a) Mamelons
b) Lobes
c) Incisal edge
d) Incisal ridge
e) Marginal ridge

24. This structure commonly found on:

a) Max.C.I
b) Max.L.I
c) Man.C.I
d) Man. L.I
e) In all eight Incisors


Station No 16



31). Identify the spot
a) Dentinogenesis
b) Amelogenesis
c) Formative stage of ameloblasts
d) Maturative stage of ameloblasts

32. Amelogenesis occur during :
a) Formative
b) Maturative
c) Morphogenic stage
d) Both A& B


Station No.10



19. Identify the spot
a) Maturation of dentin
b) interglobular dentin.
c) korffs fibers
d) collagen fibers

20. Identify A
a) Matrix vesiclre
b) Crystal lodgement
c) Beginning of Crystalization
d) Rupture of matrix vesicle &begin of mineralization


Station No.17



33. Gingival Epithelium has
a) Two types of epithelium
b) Four types of epithelium
c) Three types of epithelium
d) Only one type

34. Junctionalepithelium Consists of:
a) non-keratinized stratified.sqepi
b) Stratified.squamous epithelium.
c) keratinized stratified.sqepi
d) Marginal epithelium

Station No 11




21. Following muscles help to close the mandible?

A. Inferior head of lateral ptyergoid, anterior belly of digastric and mylohyoid.
B. Masseter, medial pterygoid, anterior part of temporalis, upper head of lateral pterygoid.
C. Posterior part of temporalis and lateral pterygoid
D. Masseter, medial pterygoid and lower head of lateral ptyergoid

22. Identify the marked structure A?

A. Superior head of masseter muscle
B. Deep head of masseter muscle
C. Medial pterygoid muscle
D. Inferior head of lateral ptyergoid muscle.

Station No 13



25. Identify the spot A.

a) Hunter-shreger bands
b) Diazones
c) Parazones
d) Increamental lines

26. In longitudenal ground section upper identified strucrue appear as:

a) dark bands
b) Light bands.
c) Dark and light alternating bands
d) Wavey lines

Station no. 14



27 Marked structure A is ?

a. Lingual swelling
b. Tuberculumimpar
c. Hypobranchial eminence
d. Epiglottis

28. Specimenshows ?

a. Development of primary palate at 4th week
b. Development of secondary palate at 4th week
c. Development of Tongue at 4th week
d. Completion of development of tongue at 4rth week

Date:

1st

2nd

MAX






MAND





DALMATIAN

Station No. 15




29: Identify the tooth:

a) Mandibular canine
b) Maxillary 2nd premolar
c) Mandibular 2nd premolar
d) Maxillary 1st premolar
e) Mandibular 1st premolar

30 The occlusal surface of mandibular first premolar is roughly:

a) Circular
b) Triangular
c) Diamond shaped
d) Spoon shaped
e) Elevated



$_{x}M_1 = {}_{N}M_1 = {}_{N}\underline{I}_1 = 6\text{-}7$ years

$_{x}\underline{I}_1 = {}_{N}I_2 = 7\text{-}8$ years

$_{x}\underline{I}_2 = 8\text{-}9$ years

$_{N}C = 9\text{-}10$ years

$_{x}P_1 = 10\text{-}11$ years

$_{x}P_2 = {}_{N}P_1 = 10\text{-}12$

$_{N}P_2 = {}_{x}C = 11\text{-}12$

$_{N}M_2$ 11-13

$_{x}M_2$ 12-13

$_{x,N}M_3$ 17-21

612453 78 x
612354 78 N

Calcification

M_1 → At Birth

$I_1, \underline{I}_1, {}_{N}I_1$ → 3-4 Months

$C_N \cdot C_x$ 4-5 Months

$\underline{I}_{2x}$ → 10-12 Months

P_{1x} → 1 1/2 - 1 3/4

P_{1M} → P 1/4 2


P_{2x} → 2 - 2 1/4

P_{2M} → 2 1/4 - 2 1/2

M_2, m_2 → 2 1/2 - 3


$M_3 \bar{x} M_3$ → 8 9 10

$M_3 N$ → 8 - 10



I.I C.I

Primary Teeth Eruption.



N	C.I	8	Months
X	C.I	10	"
X	L.I	11	"
N	L.I	13	"
N	M	16	
X	M	16	"
X	C	19	
N	C	20	
N	M.	27	
X	M	29	


EDBCA → Maxillary
PQSRT → Mandibular.
N = Mandibular
X = Maxillary.

Calcification in weeks

IMICM

I	14
M	15 - 15½
I	16
C	17
M	19, 18

CROWN (Months)



Root (Years) IMC

C.I, C.I } 1.5

L.I, L.I } (N) 1.5 → (X) 2

1st M, M } 2.5


2nd M, M } 3

C, C } 3. ¼



I.I C.I

Primary Teeth Eruption.



N	C.I	8	Months
X	C.I	10	"
X	L.I	11	"
N	L.I	13	"
N	M	16	
X	M	16	"
X	C	19	
N	C	20	
N	M.	27	
X	M	29	


EDBCA → Maxillary
PQSRT → Mandibular.
N = Mandibular
X = Maxillary.

Calcification in weeks

IMICM

I	14
M	15 - 15½
I	16
C	17
M	19, 18

CROWN (Months)



Root (Years) IMC


C.I, C.I } 1.5

L.I, L.I } (N) 1.5 → (X) 2

1st M, M } 2.5

2nd M, M } 3

C, C } 3. ¼



$_{x}M_1 = {}_{N}M_1 = {}_{N}\underline{I}_1 = 6\text{-}7$ years

$_{x}\underline{I}_1 = {}_{N}I_2 = 7\text{-}8$ years

$_{x}\underline{I}_2 = 8\text{-}9$ years

$_{N}C = 9\text{-}10$ years

$_{x}P_1 = 10\text{-}11$ years

$_{x}P_2 = {}_{N}P_1 = 10\text{-}12$

$_{N}P_2 = {}_{x}C = 11\text{-}12$

$_{N}M_2$ 11-13

$_{x}M_2$ 12-13

$_{x,N}M_3$ 17-21

612453 78 x
612354 78 N

Calcification

M_1 → At Birth

$I_1, \underline{I}_1, {}_{N}I_1$ → 3-4 Months

$C_N \cdot C_x$ 4-5 Months

$\underline{I}_{2x}$ → 10-12 Months

P_{1x} → 1 1/2 - 1 3/4

P_{1M} → P 1/4 2

P_{2x} → 2 - 2 1/4

P_{2M} → 2 1/4 - 2 1/2

M_2, m_2 → 2 1/2 - 3

$M_3 \bar{x} M_3$ → 8 9 10

$M_3 N$ → 8 - 10

