Primary dentition questions

Dental Anatomy II (October 6 University)



Scan to open on Studocu

Studocu is not sponsored or endorsed by any college or university
Downloaded by Syed Amaan Warsi (wsyedamaan@gmail.com)

MCQ Ch4

Deciduous teeth

Dr: 3mmar

Downloaded by Syed Amaan Warsi (wsyedamaan@gmail.com)

Chapter 4 : (Deciduous teeth)

1- the total number of deciduous teeth is 20 as they have no premolar so their dental formula equal 10

a- true b- false

2- which of the following statements is true about the color of deciduous teeth relative to the color of permanent teeth

a- they are whiter (lighter) in color b- mor opaque
c- less transparent d- all of the above

3- deciduous teeth……..than permanent teeth due they are ……..

a- darker – less mineralized b- lighter – more mineralized
c- lighter – less mineralized d- darker – less mineralized

4- primary teeth are wide mesiodistal relative to…….

a- their root length b- cervicoincisal length
c- permanent teeth d- all of the above

5- which of the following teeth has mesiodistal dimension greater than crown high

a- primary maxillary central incisor (upper A)
b- primary maxillary first molar (upper D)
c- both (a , b)
d- non of the above.

6- the crowns of deciduous teeth are…….. relative to their root length

a- long b- equal
c- short d- either of the above

7- all of the following is true about deciduous teeth except……..

a- enamel is less mineralized and more permeable
b- enamel easily worn downs
c- crown is smaller than that of permanent teeth
d- teeth are less constricted at cervix .

8- deciduous teeth are more sucepitible to pulp exposure because of their enamel and dentine are thin and their pulp is large relative to those of permanent .

a- true b- false

9- which of the following is true about primary molars

a- rarely have buccal developmental grooves however just depression between cusps
b- mesial and distal outline are bulge rather than gradual taper
c- has marked cervical constriction to form bulbous or onion shape of the crown
d- all of the above.

10- which of the following is true about the predecessors

a- wider occlusal table than permanent
b- Enamel and dentine are relatively thicker than permanent
c- Pulp cavity relatively larger than permanent.
d- less prominent cervical ridge.

Downloaded by Syed Amaan Warsi (wsyedamaan@gmail.com)

11- all of the following is not present in deciduous anterior teeth except

a- perikymata (imbrication lines)
b- narrow root mesiodistal
c- mamelons
d- developmental groove

12- which of the following is correct about primary upper central incisor

a- crown is long relative to root length
c- outlines is less convex than that of permanent
c- mesiodistal width is greater than cervicoincisal high
d- all of the above

13- teeth that have no lingual inclination and poisoned In the jaw vertically are

a- primary lower incisors
c- primary canines
c- primary upper incisors
d- non of the above

14- all the following teeth have a tubercle except

a- mesiolingual cusp of permanent maxillary first molar
b- mesiolingual cusp of primary maxillary second molar
c- mesiolingual cusp of primary mandibular second molar
d- lingual surface of upper canine .

15- lingual tubercle present in

a- primary maxillary lateral incisor (upper B)
b- primary maxillary canine (upper C)
c- primary mandibular lateral incisor (lower B)
d- primary mandibular canine (lower C)

16- the cusp tip of the maxillary primary canine is offset to the distal like which permanent tooth ?

a- maxillary canine
c- maxillary first premolar
b- mandibular canine
d- mandibular first premolar

17- all of the following statements is correct about primary molars except

a- has narrow and shallow occlusal table
b- lack of buccal and lingual developmental grooves and lack of root trunk
c- their crown is long cervicoocclusal and wide mesiodistal.
d- their roots are thin and appear long and flared

18- a primary molars lack an identifiable……..

a- dentionenamel junction
b- root trunk
c- cervical line
d- cervical ridge

19- in the primary molars; the cervical ridge would stand out prominence on which molar and which surface

a- all molars - distobuccal
b- first molar – mesiofacial (mesio-buccal)
c- second molar - distofacial
d- non of the above

20- which of the following is true about the roots of primary molars

a- thin and slender and appear long
c- diverge to provide space for permanent sucessor
b- easily fractured during the extraction
d- all of the above

Downloaded by Syed Amaan Warsi (wsyedamaan@gmail.com)

21- the roots of primary mandibular second molar are flared (diverge) to allow space for the developing tooth bud of which permanent mandibular teeth ??

a- first molar c- second molar
b- first bicuspid d- second tricuspid

22- the third mandibular primary tooth to be erupt in the oral cavity is

a- maxillary primary central incisor c- mandibular deciduous canine
b- maxillary primary canine d- mandibular first primary molar

23- mandibular primary canine erupt before mandibular first primary molar

a- true b- false

24- maxillary primary canine erupt before.....

a- maxillary first primary molar c- maxillary second primary molar
b- mandibular second primary molar d- both (b & c)

25- what is the predecessor of mandibular three cusp type premolar (Y-shape tricuspid)

a- has no predecessor c- mandibular second permanent molar
b- mandibular first primary molar d- mandibular second primary molar

26- primate space is present mesial to primary upper canine and distal to primary lower canine

a- true b- false

27- primate space found between

a- maxillary lateral and canine of permanent dentition
b- maxillary lateral and canine of primary dentition
c- relief the crowding
d- both (b & c)

28- which is true about leeway space

a- its larger in maxilla than mandible
b- found during the eruption of permanent first and second molar
c- larger in mandible than maxilla
d- non of the above

29- all primary teeth resemble a permanent tooth except one doesn't resemble a permanent tooth

a- maxillary first molar c- maxillary second molar
b- mandibular first molar d- mandibular second molar

30- all of the following primary molars teeth resemble the permanent except

a- maxillary first molar c- maxillary second molar
b- mandibular first molar d- mandibular second molar

31- which of the following primary molars teeth doesn't resemble any other teeth in either permanent and deciduous dentition.

a- maxillary first molar c- maxillary second molar
b- mandibular first molar d- mandibular second molar

Downloaded by Syed Amaan Warsi (wsyedamaan@gmail.com)

32- the tooth that resemble the permanent mandibular first molar is.....and the tooth that resemble the permanent maxillary first molar is..... respectively

a- primary mandibular 2nd molar & primary maxillary 2nd molar
b- primary maxillary 2nd molar & primary mandibular 2nd molar
c- primary mandibular 1st molar & primary maxillary 1st molar
d- primary maxillary 1st molar & primary mandibular 1st molar

33- the maxillary primary first molar is like a premolars due to the following except

a- has two prominent mesial cusps
b- mesial cusps form a transverse ridge
c- distal cusps is greatly diminished.
d- has a two roots like upper 1st premolar

34- the outline of primary mandibular first molar that is convex and overhang the cervical line is.....

a- mesial c- distal b- occlusal d- non of the above

35- the cervical line of both primary first molars are convex toward the root with depth of curvature give the crown appearance to being offset toward

a- mesial c- distal b- cervical d- non of the above

36- the cervical line offset toward the mesial in

a- upper D c- lower D b- upper E d- both (a & b)

37- the high of contour of lingual surface of deciduous molars is present at.....

a- cervical third
b- middle third.
c- junction between cervical and middle third
d- junction between occlusal and middle third

38- from proximal surfaces; the mesiolingual cusp of maxillary first primary molar is ..... than mesiobuccal cusp while in the mandibular primary first molar the mesiolingual cusp is.....than mesiobuccal cusp

a- longer - shorter
b- longer - longer
c- shorter - longer
d- shorter - shorter

39- from occlusal aspect the geometric outline of maxillary primary first molar is ..... While that of mandibular primary molar is .....

a- rhomboid - pentagonal
b- rectangular - rectangular
c- pentagonal - rhomboid
d- both (c & d)

40- in the primary <u>mandibular</u> molars; the largest cusp is..... While the smallest cusp is.....

a- mesiolingual cusp & distolingual cusp
b- mesiobuccal cusp & distolingual cusp
c- mesiolingual cusp and distobuccal cusp
d- mesiobuccal cusp & distobuccal cusp

41- in the primary <u>maxillary</u> molars; the largest cusp is..... While the smallest cusp is.....

a- mesiolingual cusp & distolingual cusp
b- mesiobuccal cusp & distolingual cusp
c- mesiolingual cusp and distobuccal cusp
d- mesiobuccal cusp & distobuccal cusp

42- which of the following deciduous molars has both transverse and oblique ridge

a- maxillary first molar
b- mandibular first molar
c- maxillary second molar
d- mandibular second molar

Downloaded by Syed Amaan Warsi (wsyedamaan@gmail.com)

43- tooth that has a prominent transverse ridge with no oblique ridge on their occlusal surface

a- primary maxillary 1st molar b- primary maxillary 2nd molar
c- primary mandibular 1st molar d- primary mandibular 2nd molar

44- tooth which has a prominent transverse ridges on their occlusal surface include

a- primary maxillary 1st molar b- primary maxillary 2nd molar
c- primary mandibular 1st molar d- primary mandibular 2nd molar

45- transverse ridges in <u>mandibular</u> first primary molar found between

a- lingual cusp ridge of distobuccal cusp & buccal cusp ridge of distolingual cusp
b- lingual cusp ridge of mesiobuccal cusp & buccal cusp ridge of mesiolingual cusp
c- lingual cusp ridge of distobuccal cusp & buccal cusp ridge of mesiolingual cusp
d- non of the above

46- transverse ridges in <u>maxillary</u> first primary molar found between

a- lingual cusp ridge of distobuccal cusp & buccal cusp ridge of distolingual cusp
b- lingual cusp ridge of mesiobuccal cusp & buccal cusp ridge of mesiolingual cusp
c- lingual cusp ridge of distobuccal cusp & buccal cusp ridge of mesiolingual cusp
d- non of the above.

47- oblique ridges in maxillary first primary molar found between

a- lingual cusp ridge of distobuccal cusp & buccal cusp ridge of distolingual cusp
b- lingual cusp ridge of mesiobuccal cusp & buccal cusp ridge of mesiolingual cusp
c- lingual cusp ridge of distobuccal cusp & buccal cusp ridge of mesiolingual cusp
d- non of the above

48- the central pit (or fossa) of primary mandibular first molar is

a- located at the center b- shifted mesially
c- shifted distally d- either of the above

49- which of the following pit is not present on the occlusal surface of primary <u>mandibular</u> first molar

a- mesial b- central c- distal d- non of the above

50- which of the following pit is not present on the occlusal surface of primary <u>maxillary</u> first molar

a- mesial b- central c- distal d- non of the above

51- the buccal cusps of maxillary and mandibular primary second molars are equal .

a- true like permanent first molar b- true unlike permanent first molar
c- false like permanent first molar d- false unlike permanent first molar

52- cusp of Carabelli occurs with sufficient frequency to be considered normal in which of the following

a- primary maxillary first molar b- primary maxillary second molar
c- primary mandibular first molar d- primary mandibular second molar

53- is it's a dental situation in which rootless teeth present in oral cavity of newborn

a- prenatal teeth b- neonatal teeth
c- pre-deciduous teeth d- all of the above

Downloaded by Syed Amaan Warsi (wsyedamaan@gmail.com)

54- When viewed occlusally, a primary mandibular second molar closely resembles which of the following mandibular teeth

a- permanent second molar b- permanent first molar
c- second premolar d- primary first molar

55- the largest mesiodistal diameter in primary dentition is

a- mandibular first molar b- mandibular second molar
c- maxillary first molar d- maxillary second molar

56- which of the following has the maximum faciolingual diameter of the crown

a- deciduous maxillary 2nd molar b- deciduous mandibular 2nd molar
c- deciduous mandibular 1st molar d- non of the above

57- The primary teeth that present the most outstanding morpholgic deviations from permanent teeth are :

a- central inciosr b- mandibular 1st molar
c- canine d- non of the above

58- In the majority of situations, that first deciduous tooth to erupt is the:

a- mandibular central incisors b- maxillary central incisors
c- maxillary second molar d- mandibular first molar

59- With respect to their permanent successors the sum of the mesidodistal diameters of the first and second decidous molar is generally

a- less b- greater c- the same d- not related

60- Which among the following is NOT a common finding of the decidous dentition?

a- tight contacts and absence of spacing b- shallow overjet and overbite
c- flush terminal plane d- ovoid arch form

Dr: 3mmar

Downloaded by Syed Amaan Warsi (wsyedamaan@gmail.com)

1	a	31	b	61			
2	d	32	a	62			
3	c	33	d	63			
4	b	34	c	64			
5	c	35	a	65			
6	c	36	d				
7	d	37	c				
8	a	38	a				
9	d	39	d				
10	c	40	b				
11	b	41	a				
12	c	42	a				
13	a	43	c				
14	c	44	c				
15	b	45	b				
16	c	46	b				
17	c	47	c				
18	b	48	c				
19	b	49	c				
20	d	50	d				
21	d	51	b				
22	d	52	b				
23	b	53	d				
24	d	54	b				
25	d	55	a				
26	a	56	a				
27	d	57	b				
28	c	58	a				
29	b	59	b				
30	b	60	a				

Downloaded by Syed Amaan Warsi (wsyedamaan@gmail.com)