Answer keys at the end , this set is divided into sections
MCQ SET —--Wheelers chp 1 and chp 2—----------by HMH

A) Dental Anatomy: Landmark & Surface Definitions

1. **The "Anatomical Crown" is strictly defined as:**
   A. The portion of the tooth visible above the gingival margin.
   B. The portion of the tooth coronal to the epithelial attachment.
   C. The portion of the tooth used for mastication.
   D. The portion of the tooth covered by enamel.
   E. The entire tooth structure including the root.
2. **The "Anatomical Root" is identified as:**
   A. The portion of the tooth embedded in the alveolar bone.
   B. The portion of the tooth apical to the gingival sulcus.
   C. The portion of the tooth consisting of dentine and pulp.
   D. The portion of the tooth apical to the cervical line.
   E. The portion of the tooth covered by cementum.
3. **A "Cusp" is defined as:**
   A. A linear elevation on the enamel surface.
   B. A small extra formation of enamel on the crown.
   C. An elevation or mound on the crown portion of a tooth making up a divisional part of the occlusal surface.
   D. The primary center of calcification.
   E. A rounded prominence on the lingual surface of anterior teeth.
4. **A "Tubercle" is distinguished from a cusp by being:**
   A. A larger, more functional elevation.
   B. A smaller elevation on some portion of the crown produced by an extra formation of enamel.
   C. Always located on the incisal ridge.
   D. Composed entirely of dentine.
   E. The junction of two developmental grooves.
5. **A "Cingulum" is the anatomical landmark described as:**
   A. The lingual lobe of an anterior tooth.
   B. The buccal cervical ridge of a molar.
   C. The junction of the mesial and distal marginal ridges.
   D. A depression on the lingual surface of incisors.
   E. The point where the enamel meets the cementum.
6. **A "Ridge" is broadly defined as:**
   A. Any linear elevation on the surface of a tooth.
   B. A pinpoint depression on the occlusal surface.
   C. A concavity on the lingual surface.
   D. The rounded border of the enamel.
   E. The division between the crown and root.
7. **"Marginal Ridges" are those rounded borders of the enamel that form the:**
   A. Incisal edges of anterior teeth.
   B. Cusp tips of posterior teeth.
   C. Labial surface of maxillary canines.
   D. Mesial and distal margins of the occlusal surfaces of posterior teeth and the lingual surfaces of anterior teeth.
   E. Cervical line of all teeth.
8. **A "Triangular Ridge" is defined as the ridge that descends from the tips of the cusps of molars and premolars toward the:**
   A. Cervical line.
   B. Central part of the occlusal surface.

C. Buccal and lingual grooves.
D. Marginal ridges.
E. Apex of the root.


9. **A "Transverse Ridge" is formed by the union of:**
   A. Two marginal ridges.
   B. Two triangular ridges crossing the occlusal surface transversally.
   C. A cusp ridge and a marginal ridge.
   D. Two mamelons.
   E. The oblique ridge and the central fossa.
10. **The "Oblique Ridge" is a landmark specifically formed by the union of the triangular ridge of the distobuccal cusp and the:**
    A. Mesiobuccal triangular ridge.
    B. Distolingual triangular ridge.
    C. Lingual ridge of the mesiolingual cusp.
    D. Mesial marginal ridge.
    E. Distal ridge of the mesiolingual cusp.
11. **A "Sulcus" is defined as:**
    A. A pinpoint hole at the junction of grooves.
    B. A rounded depression or concavity.
    C. A branched, supplemental line.
    D. A notable long depression or valley in the surface of a tooth between ridges and cusps.
    E. The space between the gingiva and the tooth.
12. **A "Developmental Groove" is the landmark identified as:**
    A. A linear elevation of enamel.
    B. A pinpoint depression in a fossa.
    C. A groove that does not mark a junction of primary parts.
    D. The junction of the enamel and cementum.
    E. A shallow groove or line between the primary parts of the crown or root.
13. **A "Supplemental Groove" differs from a developmental groove because it is:**
    A. A deep, primary division.
    B. Always located on the lingual surface.
    C. A less distinct, shallow linear depression, supplemental to a developmental groove.
    D. The primary center of calcification.
    E. Responsible for the formation of mamelons.
14. **A "Pit" is anatomically described as:**
    A. A linear concavity.
    B. A convex elevation of enamel.
    C. A large, angular depression.
    D. A small extra cusp.
    E. A small pinpoint depression located at the junction of developmental grooves or at terminals of those grooves.
15. **A "Lobe" is defined as:**
    A. A supplemental groove.
    B. A secondary center of calcification.
    C. The junction of three surfaces.
    D. One of the primary sections of formation in the development of the crown.
    E. The tip of a root.
16. **"Mamelons" are defined as:**
    A. Any one of the three rounded protuberances found on the incisal ridges of newly erupted incisor teeth.
    B. Small tubercles on the occlusal surface of molars.
    C. Elevations on the lingual surface of canines.

D. Remnants of the dental lamina.
E. Grooves separating the developmental lobes.

17. **A "Fossa" is defined as:**
    A. A linear elevation of enamel.
    B. A pinpoint depression.
    C. A valley between two cusps.
    D. An irregular, branched groove.
    E. An irregular, rounded, or angular depression or concavity on the surface of a tooth.
18. **The "Lingual Fossa" is specifically located on the:**
    A. Occlusal surface of molars.
    B. Lingual surface of incisors.
    C. Buccal surface of premolars.
    D. Mesial surface of canines.
    E. Distal surface of the first molar.
19. **The "Central Fossa" is a landmark found on the occlusal surface of molars formed by the:**
    A. Junction of the marginal ridges.
    B. Union of the buccal and lingual triangular ridges.
    C. Convergence of ridges terminating at a central point in the bottom of the depression.
    D. Separation of the mesial and distal lobes.
    E. Presence of the Cusp of Carabelli.
20. **A "Line Angle" is the junction of:**
    A. Three surfaces.
    B. Two developmental grooves.
    C. The crown and the root.
    D. Two surfaces along a line.
    E. A cusp and a ridge.
21. **A "Point Angle" is the junction of:**
    A. Two surfaces.
    B. Three surfaces at a point.
    C. A groove and a pit.
    D. The cervical line and the long axis.
    E. Two cusp ridges.
22. **The "Incisal Ridge" is defined as the:**
    A. Rounded eminence on the lingual surface.
    B. Center of calcification for an incisor.
    C. Entire portion of the tooth that forms the incisal boundary.
    D. Line marking the junction of lobes.
    E. Pointed tip of a canine.
23. **The "Cervical Line" is the anatomical landmark marking the:**
    A. Junction of the enamel of the crown and the cementum of the root.
    B. Level of the gingival attachment.
    C. Highest point of the alveolar bone.
    D. Division between primary and secondary dentine.
    E. Termination of the pulp canal.
24. **The "Proximal Surfaces" of a tooth are those surfaces:**
    A. Facing the tongue or palate.
    B. Facing the cheeks or lips.
    C. Facing toward adjoining teeth in the same dental arch.
    D. Used for biting and grinding.
    E. Located at the apex of the root.
25. **The "Contact Area" is defined as the:**
    A. Area where the tooth meets the gingiva.

B. Area of the mesial or distal surface of a tooth that touches its neighbor in the arch.
C. Junction of the buccal and lingual surfaces.
D. Point where the upper and lower teeth meet during occlusion.
E. Widest part of the clinical crown.

Q. In the image below, identify the tooth labeled as a permanent molar bud developing beneath the deciduous molars. Using the Universal System for the deciduous teeth shown, which letters would be used for the mandibular left primary molars?



A. K and L
B. L and M
C. L and M
D. S and T ✅
E. I and J

Q. Refer to the image below. This radiograph of a mixed dentition shows the permanent mandibular first molar fully formed and the second molar crown developing. Based on the eruption of the first molar and the status of the permanent premolar buds, what is the most likely dental age?



A. 3 years B. 4 years ✅ C. 9 years D. 6 years E. 12 years

B) *Dental Anatomy: Numbering Systems & Clinical Chronology*

26. **A 9-year-old patient presents with a cavitated lesion on the permanent mandibular right first molar. In the Universal Numbering System, this tooth is designated as:**
    A. Tooth #19
    B. Tooth #30
    C. Tooth #31
    D. Tooth #3
    E. Tooth #14
27. **During a clinical examination of a 4-year-old child, the clinician identifies the deciduous maxillary left canine. Using the FDI system, how is this tooth recorded?**
    A. 23
    B. 53
    C. 62
    D. 73
    E. 63
28. **An orthodontic chart uses the Palmer Notation symbol $5\rfloor$. Which tooth does this represent?**
    A. Permanent Maxillary Left Second Premolar
    B. Permanent Maxillary Left Second Molar
    C. Permanent Mandibular Right Second Premolar
    D. Permanent Maxillary Right Second Molar
    E. Permanent Maxillary Left Second Premolar
29. **A 7-year-old child requires an extraction of the deciduous mandibular right second molar. In the Universal System, this tooth is labeled:**
    A. Tooth #S
    B. Tooth #K
    C. Tooth #T
    D. Tooth #L
    E. Tooth #R
30. **According to the FDI notation, the first digit "8" in a two-digit code (e.g., 84) indicates which quadrant?**
    A. Deciduous Mandibular Right
    B. Deciduous Mandibular Left
    C. Deciduous Maxillary Left
    D. Deciduous Maxillary Right
    E. Permanent Mandibular Right
31. **The permanent maxillary first premolar typically erupts to replace which primary tooth?**
    A. Deciduous Maxillary Canine
    B. Deciduous Maxillary Second Molar
    C. Deciduous Maxillary First Molar
    D. Deciduous Maxillary Lateral Incisor
    E. Deciduous Maxillary Central Incisor
32. **In the Palmer System, the symbol $C\rceil$ refers to:**
    A. Deciduous Maxillary Right Canine
    B. Deciduous Maxillary Left Lateral Incisor
    C. Deciduous Maxillary Left Canine
    D. Deciduous Mandibular Left Canine
    E. Deciduous Maxillary Right Lateral Incisor
33. **A clinician notes the eruption of the permanent mandibular lateral incisor in a 10-year-old. In the FDI system, this tooth is identified as:**
    A. 31

B. 41
C. 43
D. 32
E. 22

34. **The "Six-Year Molars" are the first permanent teeth to erupt without replacing primary predecessors. In the Universal System, the maxillary pair is numbered:**
A. #2 and #15
B. #1 and #16
C. #14 and #19
D. #3 and #14
E. #3 and #30
35. **A 5-year-old patient has a complete primary dentition. In the Universal System, the teeth in the mandibular left quadrant are lettered:**
A. A through E
B. F through J
C. P through T
D. K through O
E. K through T
36. **A 12-year-old patient presents for a check-up. The clinician notes that the "12-year molars" are emerging. Using the FDI system, which numbers designate these teeth?**
A. 16, 26, 36, 46
B. 18, 28, 38, 48
C. 17, 27, 37, 47
D. 15, 25, 35, 45
E. 11, 21, 31, 41
37. **In the Universal Numbering System, which tooth is located directly distal to Tooth #20?**
A. Tooth #21
B. Tooth #29
C. Tooth #19
D. Tooth #18
E. Tooth #22
38. **The FDI notation "52" refers to the:**
A. Deciduous Maxillary Right Central Incisor
B. Deciduous Maxillary Left Lateral Incisor
C. Deciduous Mandibular Right Lateral Incisor
D. Deciduous Maxillary Right Lateral Incisor
E. Permanent Maxillary Right Lateral Incisor
39. **Which permanent tooth erupts into the space previously occupied by deciduous tooth #M?**
A. Permanent Mandibular Left Canine
B. Permanent Mandibular Left First Premolar
C. Permanent Mandibular Left First Molar
D. Permanent Mandibular Left Second Premolar
E. Permanent Mandibular Left Second Molar
40. **A permanent tooth is labeled $\overline{3|}$ in Palmer notation. This corresponds to the:**
A. Permanent Mandibular Right Canine
|B. Permanent Mandibular Left Canine
C. Permanent Maxillary Right Canine
D. Permanent Mandibular Left Lateral Incisor
E. Permanent Maxillary Left Canine
41. **An examination of a 7-year-old shows the permanent mandibular first molars fully erupted and the permanent mandibular central incisors emerging. Which**

FDI teeth are being described?
A. 16, 26 and 11, 21
B. 74, 84 and 71, 81
C. 36, 46 and 31, 41
D. 37, 47 and 32, 42
E. 36, 46 and 32, 42

42. **In the Universal System, the permanent maxillary right second premolar is numbered:**
A. #5
B. #13
C. #4
D. #12
E. #20

43. **The FDI code "71" designates the:**
A. Deciduous Mandibular Left Central Incisor
B. Deciduous Maxillary Left Central Incisor
C. Deciduous Mandibular Right Central Incisor
D. Deciduous Mandibular Left Central Incisor
E. Permanent Mandibular Left Central Incisor

44. **A clinician identifies a tooth as "Upper Left E" in the Palmer system. In the Universal system, this is:**
A. #A
B. #J
C. #K
D. #T
E. #E

45. **Which tooth is typically the last deciduous tooth to be exfoliated, usually between ages 10 and 12?**
A. Deciduous Maxillary Second Molar
B. Deciduous Mandibular Second Molar
C. Deciduous Maxillary Canine
D. Deciduous Mandibular First Molar
E. Deciduous Maxillary First Molar

46. **In a 14-year-old patient who has all permanent teeth erupted except for the third molars, how many teeth are visible in each quadrant?**
A. 6
B. 8
C. 7
D. 5
E. 32

47. **In FDI notation, the permanent maxillary left third molar is designated as:**
A. 18
B. 38
C. 28
D. 48
E. 16

48. **In the Universal System, the deciduous teeth in the mandibular left quadrant are lettered K through O. Which letter represents the primary mandibular left central incisor?**
A. K
B. L
C. M
D. O
E. P

49. **In the FDI system, the permanent mandibular right canine is numbered:**
    A. 33
    B. 43
    C. 23
    D. 13
    E. 44
50. **A 7-year-old patient lost deciduous tooth #S due to trauma. Which permanent tooth's eruption path might be affected, and what is its FDI number?**
    A. Permanent Mandibular Right First Premolar (44)
    B. Permanent Mandibular Right Second Premolar (45)
    C. Permanent Mandibular Left First Premolar (34)
    D. Permanent Mandibular Left Second Premolar (35)
    E. Permanent Mandibular Right First Molar (46)

I

1. D	**2.** D	**3.** C	**4.** B	**5.** A
6. A	**7.** D	**8.** B	**9.** B	**10.** E
11. D	**12.** E	**13.** C	**14.** E	**15.** D
16. A	**17.** E	**18.** B	**19.** C	**20.** D
21. B	**22.** C	**23.** A	**24.** A	**25.** C

II

26. B	**27.** E	**28.** D	**29.** C	**30.** A
31. C	**32.** A	**33.** D	**34.** D	**35.** D
36. B	**37.** C	**38.** E	**39.** E	**40.** D
41. C	**42.** C	**43.** B	**44.** C	**45.** B
46. C	**47.** D	**48.** D	**49.** B	**50.** A