DEPARTMENT OF ANATOMY (DUHS)
BDS 1ST YEAR BATCH VII MOCK EXAM 2019

Total Marks: 100
Time: 2 Hours

1. Vertical line which divides the body into a left section and a right section is

a) Coronal plane
b) Sagittal plane
c) Transverse plane
d) Vertical plane
e) Para sagittal plane

2. Circumduction is a combination of:

a) flexion, extension, adduction and abduction
b) Flexion and extention
c) 1Adduction and abduction
d) extension, adduction and abduction
e) flexion, adduction and abduction
f) Transverse plane
g) Horizontal plane
h) Obligue plane

3. The most superficial layer of the skin is:

a) Dermis
b) Epidermis
c) Hypodermis
d) Endodermis
e) Intradermis

4. A pilosebaceous unit of skin is comprised of:

a) hair, hair follicle, arrector pili muscle and sebaceous gland
b) hair and hair follicle
c) Hair follicle and sebaceous gland
d) hair, hair follicle and arrector pili muscle
e) hair follicle, arrector pili muscle and sebaceous gland

5. Carpal bones of wrist are which type of bone:

a) short bones
b) short long bones
c) long bones
d) long short bones
e) Flat bones

6. Intervertebral discs of vertebrae are composed of:

a) hyaline cartilage
b) fibrocartilage
c) elastic cartilage
d) Fibrohyaline cartilage
e) no cartilage

7. Interphalangeal joints are which kind of joints:

a) condylar
b) plane
c) hinge
d) ball and socket
e) pivot

8. During a dissection class of anatomy, students were observing the muscles of limb, on further inspection of the skeletal muscle, they observed that a mem was covering a bundle of muscle fibres, this membrane is called:

a) Endomysium
b) Perimysium
c) Epimysium
d) Superficial fascia
e) Skin

9. What is most appropriate about a motor unit:

a) A site where motor nerve enters a muscle
b) A single motor neuron only
c) A single motor neuron together with the muscle fibres supplied by it
d) Two motor neurons supplying one muscle
e) A group of motor neurons

20. Cell apoptosis (cell death) is carried out by:

a) Peroxisomes
b) Smooth Endoplasmic Reticulum
c) Lysosomes
d) Golgi apparatus
e) Mitochondria

21. A student observing histological section of skin on microscope. Lining epithelium identified will be:

a) Simple cuboidal
b) Simple squamous
c) Stratified squamous keratinized
d) Stratified squamous non-keratinized
e) Simple columnar

22. While studying respiratory epithelium on electron microscope, small hair like processes with rapid to-and-fro oscillatory movement is observed on its surface, these are called:

a) Flagellum
b) Cilia
c) Micro-villi
d) Villi
e) Stero-villi

23. During examination, histological section of active thyroid follicle has been placed. The identified epithelium will be:

a) Stratified squamous
b) Simple cuboidal
c) Simple columnar
d) Transitional
e) Stratified columnar

24. A 20-year old woman presents at the ER with severe abdominal pain on the right side with signs of abdominal bleeding. She indicated that she has been sexually active without contraception and missed her last menstrual period. Based on this information, which of the following disorders must be included as an option in the diagnosis?

a) Ovarian cancer
b) Appendicitis
c) Ectopic pregnancy

49. The only abductor of vocal cord is

a) Posterior crico-arytenoid
b) Laterla crico-aryteniod
c) Cricothyroid
d) Thyroarytenoid
e) None of the above

50. Inferior thyroid artery ligation may cause injury to

a) External laryngeal nerve
b) Vagus nerve
c) Superior laryngeal nerve
d) Recurrent laryngeal nerve
e) Internal laryngeal nerve

51. Following muscle elevate the soft palate during swallowing

a) Levator velipalatini
b) Palato glossus
c) Palato pharyngeus
d) Salpingo pharyngeus
e) Tensor Veli palatini

52. Tensor tympani muscle inserted on

a) Neck of malleus
b) Long process of incus
c) Neck of stapes
d) Handle of malleus
e) Anterior process of malleus

53. Investing layer enclose which of the following structure

a) Thyroid gland
b) Parathyroid gland
c) Infrahyoid muscles
d) Trapezius and SCM
e) Subclavian vessels

The sensory nerves supplying the scalp are all except

a) Supratrochlear nerve
b) Supra orbital nerve
c) Infra orbital nerve
d) Greater occipital nerve
e) Lesser occipital nerve

70. The neck is divided into anterior and posterior triangles using _____ muscle as land mark:

a) Trapezius.
b) Sternohyoid.
c) Scalenus anterior
d) Sternocleidomastoid
e) Anterior belly of digastric

71. Which of the following nerve gives parasympathetic fibres to parotid gland

a) Vagus
b) Facial
c) Trigeminal
d) Glossopharyngeal
e) Accessory nerve

72. Regarding the Thyroid gland, point out the incorrect statement

supplied by thyrocervial trunk

a) Is surrounded by sheath of pretracheal fascia
b) Has isthmus covering 2nd -4th tracheal ring
c) Receives blood from a branch of costocervical trunk
d) Receives blood from external carotid artery
e) Receives blood from aorta

73. Best statement regarding carotid vessels is

a) Common carotid arteries arise from arch of aorta on both sides
b) Internal juglar vein lies on medial side of common carotid artery within carotid sheath
c) External carotid arteries arise at the level of upper border of cricoid cartilage
d) Superior thyroid artery is the first branch of external carotid
e) Internal carotid artery gives two branches before entering the skull

64. Select incorrect statement regarding components of anterior triangle

a) Myohyoid muscle
b) Digastric muscle
c) Sternocleiod mastoid muscle
d) Thyrohyoid muscle
e) Sternohyoid muscle

65. All of the following structures pass through foramen ovale except

a) Lesser petrosal nerve
b) Middle meningeal artery
c) Emissary vein
d) Accessory meningeal artery
e) Mandibular nerve

66. The characteristics feature of second cervical vertebra is

a) Presence of odontoid process
b) Heart shaped body
c) Presence of condyles
d) Trifid spine
e) Massive body

67. The cutaneous nerves to neck carrying fibers of dorsal rami of cervical spinal nerves is

a) Greater auricular nerve
b) Greater occipital nerve
c) Lesser occipital nerve
d) Transverse cervical nerve
e) Supraclavicular nerve

68. Which of the following structure is not supplied by Hypoglossal nerve

a) Genioglossus
b) Hyoglossus
c) Stylo glossus
d) Superfical longitudinal muscle of tongue
e) Palatoglossus → SA

74. Little's area of nose consists of

a) Arterial plexus
b) Venous plexus
c) Nerve plexus
d) Lymphatic plexus
e) Arterio-venous plexus

75. Regarding the blood supply of face

a) Facial artery is the posterior branch of external carotid artery
b) Skin flaps in the plastic surgery of face usually necrose because of profuse blood supply to face
c) Superficial temporal artery is a branch of facial artery
d) Superficial temporal branch is a terminal branch of external carotid artery
e) Sub mental artery is a branch of external carotid artery

76. Regarding the infra temporal fossa

a) It is a space in the skull
b) It is related to carotid sheath
c) Maxillary artery and the temporalis muscles are the only contents
d) Its medial boundary is the pterygoid plate
e) It communicates with the pterygo palatine fossa through pterygo maxillary fissure

77. With swelling of mucous membrane of superior nasal meatus, which of the opening is plugged?

a) Superior Para nasal sinus
b) Anterior ethmoidal sinus
c) Middle ethmoidal sinus
d) Sphenoidal sinus
e) Frontal sinus

78. Foot plate of stapes is placed at

a) Opening of pyramid
b) Oval window (fenestra vestibuli)
c) Round window (fenestra cochlear)
d) Aditus
e) Epitympanic recesses

89. During respiration, Muscle which increases the anteroposterior and transverse diameter of thoraxic cavity is:

a) Diaphragm
b) External intercostal muscles
c) Internal intercostal muscles
d) Inner most intercostal muscles
e) Internal & Innermost intercostal muscles

90. Right border of heart is mainly formed by:

a) Right ventricle
b) Right atrium
c) Left ventricle
d) Left atrium
e) Left auricle

91. Left Anterior descending artery is a branch of:

a) Right coronary artery
b) Left coronary artery
c) Marginal artery
d) Circumflex artery
e) Posterior interventricular artery

92. Which among the following structures is present in posterior mediastenum:

a) Trachea
b) Ascending aorta
c) Descending thoracic aorta
d) Superior vana cava
e) Thymus

93. A little boy while playing engulfed a tiny peanut which got stuck in airway, where will it go:

a) Right bronchus
b) Left bronchus
c) Esophagus
d) Larynx
e) Pharynx

94. Which lobe of lung is inferior to horizontal fissure:

a) Inferior lobe of right lung
b) Middle lobe of right lung
c) Superior lobe of left lung
d) Middle lobe of left lung
e) Inferior lobe of left lung

95. Which of the following structures of Gastrointestinal tract is lined by stratified squamous non-keratinized epithelium:

a) Esophagus
b) Stomach
c) Ascending colon
d) Descending colon
e) Small intestine

96. Which structure is located immediately distal to the jejunum in the gastrointestinal tract:

a) Duodenum
b) Ileum
c) Cecum
d) Ascending colon
e) Transverse colon

97. Where in the abdomen is the liver predominantly located:

a) Epigastrium
b) Left hypochondrium → spleen
c) Right hypochondrium
d) Right flank
e) Subhepatic space

98. Implantation of embryo occurs in which part of female reproductive system:

a) Fundus of uterus
b) Body of uterus
c) Cervix of uterus
d) Isthmus of fallopian tube
e) Ampulla of fallopuan tube → fertilization.

84. In the anterior view of the viscerocranium, which one of the following bones is single?

a) Nasal.
b) Frontal.
c) Lacrimal.
d) Maxillary.
e) Zygomatic.

85. What is the strongest bone among the bones of the face?

a) Nasal.
b) Frontal.
c) Maxillary.
d) Zygomatic.
e) Mandibular.

86. The superior orbital margin is formed by the ____ bone:

a) Frontal.
b) Maxillary.
c) Zygomatic.
d) Ethmoidal.
e) Sphenoidal.

87. What part of the anterior pituitary gland is mainly responsible for hormone secretion?

a) Hypothalamus
b) Pars intermedia
c) Pars tuberalis
d) Pars anterior
e) Pars nervosa

88. Neurovascular bundle in chest wall is located at:

a) Inferior border of ribs
b) uperior border of ribs
c) Anterior to ribs
d) Lower part of intercostal space
e) Middle part of intercostal space

79. The Bell's palsy is characterized by lesion of:

a) Upper part of facial nerve nucleus
b) Lower part of facial nerve nucleus
c) Facial nerve in facial canal above the origin of nerve to stapedius
d) Facial nerve in facial canal above the origin of chorda tympani
e) Facial nerve in facial canal just before it emerges from stylomastoid foramen

80. In the occulomotor nerve lesion, pupil does not react to accommodation due to the damage to:

a) Postganglionic fibers from ciliary ganglion to sphincter pupillae
b) Post ganglionic fibers from ciliary ganglion to ciliary muscles
c) Sympathetic fibers to visceral part of levator palpabrace superiors
d) Motor fibers in superior division supplying superior rectus
e) Motor fibers in inferior division supplying medical rectus

81. Which statement is incorrect about cutaneous innervation of face

a) Forhead ----------ophthalmic nerve
b) Upper lip ---------- Maxillary nerve
c) Tip of nose ---------- ophthalmic nerve
d) Parotid gland ----------mandibular nerve
e) Anterior part of temple --------mandibular nerve

82. Regarding the nerves of orbit all are true except

a) Optic nerve
b) Zygomatic nerve
c) Lacrimal nerve
d) Inferior alveolar nerve
e) Nasociliary

83. Blood supply of trachea in neck is mainly derived from

a) Superior thyroid artery
b) Subclavian artey
c) Inferior thyroid artery
d) Internal carotid artery
e) Common carotid artery

59. Which of the following muscle plays major role in opening the jaw

a) Masseter
b) Medial pterygoid
c) Lateral pterygoid
d) Buccinator
e) Temporalis muscle

60. Select incorrect statement regarding components of anterior triangle

a) Myohyoid muscle
b) Digastric muscle
c) Sternocleiod mastoid muscle
d) Thyrohyoid muscle
e) Sternohyoid muscle

61. Regarding the muscles of face:

a) Embryologically the muscles of facial expression are developed from the mesoderm of the second pharyngeal arch.
b) Muscles of facial expression are supplied by the maxillary nerve.
c) Buccinator is an accessory muscle of mastication so supplied by the mandibular division of trigeminal nerve.
d) Levator palpebrae superioris is supplied by facial nerve.
e) Occipitofrontalis helps in the movement of skin of face.

62. Which one of the following is best statement about scalp

a) Scalp has very poor nerve supply
b) Spread of infection is a common phenomena
c) Epicranial muscles are supplied by mandibular nerve
d) Wounds of the scalp bleed profusely because the vessels do not retract
e) There are abundant emissary veins in frontal region

63. Which part of the frontal bone contributes to the floor of the anterior cranial fossa?

a) Nasal.
b) Squamous.
c) Orbital plate.
d) Maxillary process.
e) Zygomatic process.

54. Regarding the sclaneus anterior muscle, choose the best statement

a) It is attached to second rib
b) It lies posterior to subclavian vein
c) It is supplied by phrenic nerve
d) It lies behind roots of Brachial plexus
e) It runs behind the subclavain artery

55. A muscle which elevates and retracts the mandible is

a) Masseter
b) Temporalis
c) Medial pterygoid
d) Lateral pterygoid
e) Digastric

56. Stylo pharyngeus muscle is supplied by

a) Pharyngeal plexus
b) Accessory nerve
c) Vagus nerve
d) Hypoglossal nerve
e) Glossopharyngeal nerve

57. Cricopharyngeus muscle is part of

a) Upper constrictor
b) Lower constrictor
c) Middle constrictor
d) Salpingo pharyngeous
e) Stylo phyaryngeous

58. The only suprahyoid muscle which is supplied by cervical plexus is

a) Digastric
b) Stylohyoid
c) Mylohyoid
d) Thyroid
e) Geniohyoid

44. The primary visual cortex is located in which lobe?

a) Temporal
b) Occipital
c) Parietal
d) Frontal
e) Insula

45. Injury to the medial lemniscus causes;

a) Pain deficits on the same side
b) Tactile deficits on the opposite side
c) Temperature deficits on the same side
d) Proprioceptive deficits on the same side
e) vibration deficits on the same side

46. The middle 2/3 of crus cerebri contain:

a) corticospinal fibre
b) frontopontine fibers → medial
c) temporopontine fiber → Lateral
d) medial longitudinal fasciculus
e) lateral longitudinal fasciculus

47. A patient presents with vertical diplopia, head tilting and also difficulty in coming downstairs. The likely nerve damaged is:

a) Oculomotor nerve
b) Trochlear nerve
c) Optic nerve
d) Abducent nerve
e) Trigeminal nerve

48. Patient has increased knee jerk due to

a) Corticospinal tract lesion
b) Lmn lesion
c) Spinothalamic lesion
d) Spinal nerve l2
e) None of the above

39. The passage between the third ventricle and lateral ventricle of brain is called the:

a) Foramen of Magendie
b) Aqueduct of sylvius
c) Interventricular foramen(Monro)
d) Foramen Luschka
e) Central canal

40. The part of motor cortex innervating the leg area is supplied by which artery?

a) Anterior cerebral
b) Middle cerebral
c) Posterior cerebral
d) Basilar artery
e) Vertebral artery

41. Which of the following nerve arises from floor of interpeduncular fossa?

a) Optic nerve
b) Trochlear
c) Oculomotor
d) Trigeminal
e) Facial

42. The opening present in the roof of the 4th ventricle is

a) Foramen Monro
b) Foramen Magenda
c) Foramen Lushka
d) Aqueduct of sylvius
e) Central canal

43. The main motor area is located in:

a) Insula
b) Superior frontal gyrus
c) Post central gyrus → sensory
d) Pre central gyrus
e) Superior temporal gyrus

29. Hematopoietic tissue in healthy adults is

a) Spleeen
b) Liver
c) Red bone marrow
d) Kidney
e) Lymph node

30. The first blood cell progenitor in embryo is:

a) Paraxial mesoderm
b) Intermediate mesoderm
c) Lateral mesoderm
d) Extra embryonic mesoderm
e) Angioblast cell

31. The Ultrasound report revealed excessive amount of amniotic fluid in a pregnant woman (Polyhydramnios) What is normal amount of amniotic fluid in full term pregnancy?

a) 50ml → 12th week
b) 400ml
c) 1000ml ✗
d) 2000ml
e) 3000ml

32. A physician told a pregnant woman that she had Oligohydramnios. Following condition can cause oligohydramnios:

Less than 400ml A. fluid

a) Anencephaly
b) Esophageal atresia
c) Maternal diabetes
d) Renal agenesis
e) Spina bifida

33. The placenta membrane (blood-placenta barrier) is formed by from out to inside in sequence:

a) Cytotrophoblast - syncytotrophoblast connective tissue, endothelium.
b) Syncytotrophoblast - cytotrophoblast - endothelium, connective tissue.
c) Syncytotrophoblast, cytotrophoblast, connective tissue, endothelium.
d) Endothelium - connective tissue - cytotrophoblast syncytotrophoblast.
e) Syncytotrophobast, connective tissue, cytotrophoblast, endothelium

c) Normal pregnancy
d) Ectopic tubal pregnancy
e) Toxemia of pregnancy

25. Mesoderm is formed from

a) Hypoblast cells → endo
b) Extraembryonic ectoderm
c) Notochordal cells
d) Epiblast cells(ans)
e) Amnioblasts

26. Which of the following statements regarding the uteroplacental circulation is CORRECT?

a) Lacunae form within the cytotrophoblast
b) Hydrolytic enzymes produced by the trophoblast degrade the endothelium of embryonic capillaries
c) It is established during the second week of development(ans)
d) It is a transient nutrient supply for the blastocyst during implantation
e) It only forms in ectopic implantation

27. Angiogenesis is characterized by formation of :

a) New vascular channel → vasculogenesis
b) New vessels by budding and branching from preexisting vessels.
c) Angioblast cell
d) Mesenchymal cell
e) Mesodermal cell

28. Angioblast cell which aggregate to form blood island derived from:

a) Allantois
b) Umblical vesicle
c) Connecting stalk
d) Amnion
e) Extraembryonic Mesoderm splanchnic

a) An indication of microcephaly
b) Frontal sinuses
c) Epiphyseal plates
d) Cribriform plates
e) Fontanelles

Q8.Endochondral and intramembranous are two mechanisms o

a) Bone remodeling
b) Embryonic skeletal ossification
c) Controlling blood calcium levels
d) Cartilage synthesis
e) Cartilage development

Q9. The Haversian (central) canal in each osteon contains

a) Chondroitin sulfate
b) Hydroxyapatite
c) Osteoblasts
d) Blood vessels
e) Synovial fluid

Q10.Which of the following is an event of 3rd week of

a) Development of Notochord
b) Webbing of digits

c. Cytotrophoblasts
d. Trophoblasts
e. Blastomere

Q19. Maternal site of placenta is formed by

a. Decidua parietalis
b. Decidua basalis → ✓
c. Chorionic frondosum (villous) → fetal
d. Decidua capsularis
e. Chorionic laevae (smooth)

Q20. Hormone NOT synthesized by Placenta is;

a. Glycoprotein hCG.
b. Human chorionic somatomamotrophin.
c. Luteinizing hormone. ✓
d. Human chorionic thyrotropin .
e. Human chorionic corticotrophin.

Q21. Within an osteon we cannot find:

a. Lamellae
b. Haversian canal
c. Canaliculi
d. Chondrocytes ✓
e. Lacunae

structures are at the center of compact bone lame
the bone length:
a) Haversian canals
b) Canaliculi
c) Perforating canals
d) Osteocytes
e) Lacunae

Q6. The cell type that is responsible for maintaining bo

a) Osteoclasts
b) Chondrocytes
c) Osteocytes
d) Fibroblasts
e) Osteoblasts

Q7. Soft connective tissue membranes between th

a) An indication of microcephaly
b) Frontal sinuses
c) Epiphyseal plates
d) Cribriform plates

b. Areolar
c. Dense irregular
d. Yellow elastic
e. Dense regular

Q28. Blood vessels are lined with _____epithelium.

a. Stratified squamous
b. Transitional
c. Simple columnar
d. Simple squamous
e. Stratified cuboidal

MLE

Q29. Keratinized stratified squamous epithelium is found in

a. The oral cavity .
b. The nasal cavity.
c. The epidermis
d. The pharynx
e. The vagina

Q30. Choose the true statement about the Skin.

a. Having thick dermis is called the thick skin.
b. Epidermis is devoid of nerve supply

e. Muscle ,bone and connective tissue of pharyngeal arches origin.

Q16. The following changes do not occur in the period of 9th to 12th
a. Primary ossification centers appear in the skeleton.
b. Liver is major site of erythropoiesis.
c. External genitalia of male and female appear.
d. The skin is covered by vernix caseosa.
e. Urine formation begin and discharge through urethra into amnio

Q17. Fetal age cannot be estimated in second and third trimester
a. Biparietal diameter.
b. Gestational Sac
c. Head circumference.
d. Abdominal circumference.
e. Femur length.

Q18. During the 3rd week of development following cells give
layers
a. Hypoblasts
b. Epiblast
c. Cytotrophoblasts
d. Trophoblasts
e. Blastomere

Q19. Maternal site of placenta is formed by
a. Decidua parietalis

a) Osteoclasts
b) Chondrocytes
c) Osteocytes
d) Fibroblasts
e) Osteoblasts

Q7. Soft connective tissue membranes between the cranial

a) An indication of microcephaly
b) Frontal sinuses
c) Epiphyseal plates
d) Cribriform plates
e) Fontanelles

Q8. Endochondral and intramembranous are two mech

a) Bone remodeling
b) Embryonic skeletal ossification
c) Controlling blood calcium levels
d) Cartilage synthesis

Q22. Histological thick skin is found on:

a. Gluteal region
b. Lip
c. Shoulder
d. Sole of foot
e. Scalp

Q23. Feature specific to cardiac muscle only:

a. Multiple peripheral nuclei
b. Spindle shape fiber
c. Intercalated disc
d. Cross striations
e. Autonomic supply

Q24. Common sites of hyaline cartilage does not include the following

a. Epiphysial plates
b. Nasal septum
c. Pinna of ear → Elastic
d. Sternal ends of ribs
e. Articular surfaces of movable joints

Q25. Each muscle fiber has a sleeve of areolar connective tissue a

a. Deep fascia.

Blastocystcavity separates the blastomeres into two parts, outer cells layer is:

a. Embryoblast
b. Trophoblast.
c. Cytotrophoblast.
d. Syncitioblast.
e. Blastocytes.

Q12.Extra embryonic somatic mesoderm and trophoblast form the Chorionic Sac wh

a. Embryo
b. Amniotic sac
c. Umblicovesical
d. Connecting stalk
e. Decidual cells

Q13.Corpus luteum abundantly produces which of the following hormone

a) Follicle stimulating hormone
b) Luteinizing hormone
c) Progesterone
d) Estrogen
e) Human chorionic gonadotropin hormone

Q14. Somites are derived from;

a. Extra embryonic somatic mesoderm
b. Extra embryonic splanchnic mesoderm.
c. Paraxial mesoderm.

a. Embryoblast
b. Trophoblast.
c. Cytotrophoblast.
d. Syncitioblast.
e. Blastocytes.

Q12.Extra embryonic somatic mesoderm and trophoblast form the Chorionic Sac

a. Embryo
b. Amniotic sac
c. Umblicovesical
d. Connecting stalk
e. Decidual cells

Q13.Corpus luteum abundantly produces which of the following hormone

a) Follicle stimulating hormone
b) Luteinizing hormone
c) Progesterone
d) Estrogen
e) Human chorionic gonadotropin hormone

Q14. Somites are derived from;

a. Extra embryonic somatic mesoderm
b. Extra embryonic splanchnic mesoderm.
c. Paraxial mesoderm.
d. Mesenchymal transformation.
e. Neural crest cells.

Q15. Neural crest cells give rise to:

Sciences

Operations Department

First Year BDS Annual Midterm

Paper:- "General Anatom

Q1. The dense connective tissue covering outer surface of bone dia

a) Perichondrium
b) Periosteum
c) Endosteum
d) Exofibrium
e) Articular cartilage

Q2. These two components in bone are responsible for the hard

a) Osteoclasts& collagen
b) Mineralized salts & osteocytes
c) Mineralized salts & collagen
d) Collagen & elastic fibers
e) Collagen & mesenchyme

Q3. A fracture in the shaft of a long bone would be a break

a) Epiphysis
b) Metaphysis
c) Diaphysis
d) Epiphyseal plate
e) Mesenchyme

Q44. The most vascular layer of meninges is:

a. Meningeal layer of dura matter
b. Pia matter
c. Arachnoid layer of dura matter
d. Endosteleal layers of dura matter
e. Falxcerebri

Q45. Choose false statement regarding blood supply of brain

a. Anterior cerebral Artery
b. Basilar artery
c. Posterior cerebral
d. External carotid artery
e. Internal carotid artery

Q46. In sensory pathways, first order neurons are present i

a. Anterior horn of spinal cord
b. Posterior horn of spinal cord
c. Lateral horn of spinal cord
d. Posterior root ganglia
e. In the thalamus

Q47. Regarding white mater of brain

a. Corona radiate has only the descending fibers
b. Internal capsule lies between the putamen and glob
c. Corpus callosum is the largest commissure of brai
d. Anterior commissure links two occipitals poles v
e. Habenular commissure is part of the hypothalam

e. The globose nucleus

Q41. Choose the true statement regarding the spinal cord:

a. It's the long cylindrical upper part of CNS.
b. It occupies the upper 2/3rd of vertebral canal
c. It gives rise 31 pairs of cranial nerve.
d. Superiorly it is continuous with filumterminale.
e. It ends at upper border of first lumber vertebrae.

Q42. Myelin of the peripheral nerves is produced by:

a) Fibroblast
b) Macrophage
c) Schwann cell
d) Oligodendrocyte
e) Muller cells

43. Which of the following is not a part of the brain-stem

a. Medulla oblongata
b. Pons
c. Midbrain
d. Cerebellum
e. Cerebral peduncles

...luteum abundantly produces which of the following hormone

a) Follicle stimulating hormone
b) Luteinizing hormone
c) Progesterone
d) Estrogen
e) Human chorionic gonadotropin hormone

Q14. Somites are derived from;

a. Extra embryonic somatic mesoderm
b. Extra embryonic splanchnic mesoderm.
c. Paraxial mesoderm.
d. Mesenchymal transformation.
e. Neural crest cells.

Q15. Neural crest cells give rise to;

a. Meninges.
b. Suprarenal medulla.
c. Pigment cell of dermis.
d. Enamel of teeth.
e. Muscle ,bone and connective tissue of pharyngeal arches origin.

Q16. The following changes do not occur in the period of 9th to 12th v

a. Primary ossification centers appear in the skeleton.
b. Liver is major site of erythropoiesis.
c. External genitalia of male and female appear.

c) The outer ear.
d) The costal cartilage of the rib cage
e) Intervertebral discs.

Q34. The junction between the diaphysis and epiphysis in a growing bone is called th

a) Endosteum
b) Articular plate
c) Periosteum
d) Epiphyseal plate
e) Epiphyseal line

Q35. Which of the following part of diencephalon controls endocrine hormonal sy autonomic nervous system

a) Hypothalamus
b) Dorsal thalamus
c) Epithalamus
d) Subthalamus
e) Thalamus

Q36. Which of the following nuclei are associated with the planning of the m

a) Limbic system
b) Cerebral cortex
c) Thalamus
d) Basal nuclei
e) Hypothalamus

Q37. Which of the following is not the part of hypothalamus

a) Tubes cinereum
b) Median eminence
c) Mammillary body
d) Optic chiasma
e) Pineal gland

Q33. Fibrocartilage is found in
a) The joint surfaces
b) The nose.
c) The outer ear.
d) The costal cartilage of the rib cage.
e) Intervertebral discs.

Q34. The junction between the diaphysis and epiphysis in a growing bone is called
a) Endosteum
b) Articular plate
c) Periosteum
d) Epiphyseal plate
e) Epiphyseal line

Q35. Which of the following part of diencephalon controls endocrine hormonal autonomic nervous system
a) Hypothalamus
b) Dorsal thalamus
c) Epithalamus
d) Subthalamus
e) Thalamus

Q36. Which of the following nuclei are associated with the planning of the

d) Epiphyseal plate
e) Epiphyseal line

Q35. Which of the following part of diencephalon controls endocrine hormonal system and autonomic nervous system

a) Hypothalamus
b) Dorsal thalamus
c) Epithalamus
d) Subthalamus
e) Thalamus

Q36. Which of the following nuclei are associated with the planning of the motor activi

a) Limbic system
b) Cerebral cortex
c) Thalamus
d) Basal nuclei
e) Hypothalamus

Q37. Which of the following is not the part of hypothalamus

a) Tubes cinereum
b) Median eminence
c) Mammillary body
d) Optic chiasma
e) Pineal gland

Q38. The following statements concern the longitudinal cerebral fissure:

a. The fissure contains the fold of dura mater, the falxcerebelli.
b. The fissure contais the middle cerebral arteries .
c. The superior sagittal sinus lies below it.
d. In the depths of the fissure, the corpus callosum crosses the midline.
e. The inferior sagittal sinus lies above it.

Q39. The following statements concern the central sulcus:

a. The central sulcus extends onto the medial surface of the cerebral hemisphere
b. The frontal lobe lies posterior to it.

c. The epidermis
d. The pharynx
e. The vagina

Q30. Choose the true statement about the Skin.

a. Having thick dermis is called the thick skin.
b. Epidermis is devoid of nerve supply.
c. Epidermis is devoid of blood supply
d. Shows absence of hair in thin skin.
e. Shows abundance of hair in thick skin.

Q31. The spurt of growth in puberty results from cell proliferation and hypo

a. The epiphysis.
b. The epiphyseal line.
c. The dense bone.
d. The epiphyseal plate
e. The spongy bone.

Q32. Fibroblasts are cells within connective tissue that produce

a. Elastic fibers.
b. Actin fibers.
c. Keratin fibers.
d. Fibrin fiber
e. Thrombin fiber

b. Epiphysial plates
c. Nasal septum
d. Pinna of ear
e. Sternal ends of ribs

Q24. Hyaline cartilage does not include the following:

a. Articular surfaces of movable joints

Q25. Each muscle fiber has a sleeve of areolar connective tissue around

a. Deep fascia.
b. Superficial fascia.
c. Perimysium.
d. Epimysium.
e. Endomysium

Q26. Which one is the peculiar feature of a skeletal muscle fiber

a. It has a single nucleus located centrally
b. It has multiple nuclei which are located periphery of the fiber
c. Its ends are branching
d. It unites with its fellow fiber with the help of intercalated disc
e. Its contraction cannot be controlled voluntarily

Q27. Tendons are composed of _____ connective tissue.

a. Skeletal
b. Areolar
c. Dense irregular
d. Yellow elastic

Q38. The following statements concern the longitudinal cerebral fissure
a. The fissure contains the fold of dura mater, the falxcerebelli.
b. The fissure contais the middle cerebral arteries.
c. The superior sagittal sinus lies below it.
d. In the depths of the fissure, the corpus callosum crosses the midline.
e. The inferior sagittal sinus lies above it.

Q39. The following statements concern the central sulcus:
a. The central sulcus extends onto the medial surface of the cerebral he
b. The frontal lobe lies posterior to it.
c. The parietal lobe lies anterior to it.
d. The central sulcus is continuous inferiorly with the lateral sulcus.
e. The arachnoid mater extends into the central sulcus.

Q40. Structures found within the cerebellum does not include:
a. The festigeal nucleus
b. The dentate nucleus
c. The emboliform nucleus
d. The arcuate nucleus
e. The globose nucleus

Q41. Choose the true statement regarding the spinal cord:
a. It's the long cylindrical upper part of CNS.
b. It occupies the upper 2/3rd of vertebral canal
c. It gives rise 31 pairs of cranial nerve.
d. Superiorly it is continuous with filumterminale

c) Dorsal thalamus
d) Epithalamus
e) Subthalamus
Thalamus

Q36. Which of the following nuclei are associated with the planning of the motor s

a) Limbic system
b) Cerebral cortex
c) Thalamus
d) Basal nuclei
e) Hypothalamus

Q37. Which of the following is not the part of hypothalamus

a) Tubes cinereum
b) Median eminence
c) Mammillary body
d) Optic chiasma
e) Pineal gland

Q38. The following statements concern the longitudinal cerebral fissure

a. The fissure contains the fold of dura mater, the falxcerebelli.
b. The fissure contais the middle cerebral arteries .
c. The superior sagittal sinus lies below it.
d. In the depths of the fissure, the corpus callosum crosses the midline.
e. The inferior sagittal sinus lies above it.

Q39. The following statements concern the central sulcus:

a. The central sulcus extends onto the medial surface of the cerebral h
b. The frontal lobe lies posterior to it.
c. The parietal lobe lies anterior to it.
d. The central sulcus is continuous inferiorly with the lateral sulcu
e. The arachnoid mater extends into the central sulcus.

Q40.Structures found within the cerebellum does not include

a. The festigeal nucleus
b. The dentate nucleus
c. The emboliform nucleus

area is present in:

a. Post central gyrus
b. Pre central gyrus
c. Calcarine sulcus
d. Inferior temporal gyrus
e. Superior parietal lobule

Q49. Broadmans No. of primary visual area is:

a. 45
b. 42
c. 17
d. 9,10,11,12
e. 3,1,2

Q50. The structure that does not pass through t

a. Medulla oblongata
b. Dura mater
c. Vertebral arteries
d. Vertebral veins
e. Spinal arteries

1. Vertical line which divides the body into a left section and a right section is

a) Coronal plane
b) Sagittal plane
c) Transverse plane
d) Vertical plane
e) Para sagittal plane

2. Circumduction is a combination of:

a) flexion, extension, adduction and abduction
b) Flexion and extention
c) 1Adduction and abduction
d) extension, adduction and abduction
e) flexion, adduction and abduction
f) Transverse plane
g) Horizontal plane
h) Obligue plane

3. The most superficial layer of the skin is:

a) Dermis
b) Epidermis
c) Hypodermis
d) Endodermis
e) Intradermis

4. A pilosebaceous unit of skin is comprised of:

a) hair, hair follicle, arrector pili muscle and sebaceous gland
b) hair and hair follicle
c) Hair follicle and sebaceous gland
d) hair, hair follicle and arrector pili muscle
e) hair follicle, arrector pili muscle and sebaceous gland

20. Cell apoptosis (cell death) is carried out by:

a) Peroxisomes
b) Smooth Endoplasmic Reticulum
c) Lysosomes
d) Golgi apparatus
e) Mitochondria

21. A student observing histological section of skin on microscope. Lining epithelium identified will be:

a) Simple cuboidal
b) Simple squamous
c) Stratified squamous keratinized
d) Stratified squamous non-keratinized
e) Simple columnar

22. While studying respiratory epithelium on electron microscope, small hair like processes with rapid to-and-fro oscillatory movement is observed on its surface, these are called:

a) Flagellum
b) Cilia
c) Micro-villi
d) Villi
e) Stereo-villi

23. During examination, histological section of active thyroid follicle has been placed. The identified epithelium will be:

a) Stratified squamous
b) Simple cuboidal
c) Simple columnar
d) Transitional
e) Stratified columnar

24. A 20-year old woman presents at the ER with severe abdominal pain on the right side with signs of abdominal bleeding. She indicated that she has been sexually active without contraception and missed her last menstrual period. Based on this information, which of the following disorders must be included as an option in the diagnosis?

a) Ovarian cancer
b) Appendicitis

54. Regarding the inferior palatine muscle, choose the best statement

a) It is attached to second rib
b) It has relations to inferior vein
c) It is supplied by phrenic nerve
d) It lies between roots of brachial plexus
e) It runs behind the subclavian artery

55. A muscle which elevates and retracts the mandible is

a) Masseter
b) Temporalis
c) Medial pterygoid
d) Lateral pterygoid
e) Digastric

56. Stylo pharyngeus muscle is supplied by

a) Pharyngeal plexus
b) Accessory nerve
c) Vagus nerve
d) Hypoglossal nerve
e) Glossopharyngeal nerve

57. Cricopharyngeus muscle is part of

a) Upper constrictor
b) Lower constrictor
c) Middle constrictor
d) Salpingo pharyngeus
e) Stylo pharyngeus

58. The only suprahyoid muscle which is supplied by cervical plexus is

a) Digastric
b) Stylohyoid
c) Mylohyoid
d) Thyroid
e) Geniohyoid

89. During respiration, Muscle which increases the anteroposterior and transverse diameter of thoraxic cavity is:

a) Diaphragm
b) External intercostal muscles
c) Internal intercostal muscles
d) Inner most intercostal muscles
e) Internal & Innermost intercostal muscles

90. Right border of heart is mainly formed by:

a) Right ventricle
b) Right atrium
c) Left ventricle
d) Left atrium
e) Left auricle

91. Left Anterior descending artery is a branch of:

a) Right coronary artery
b) Left coronary artery
c) Marginal artery
d) Circumflex artery
e) Posterior interventricular artery

92. Which among the following structures is present in posterior mediastenum:

a) Trachea
b) Ascending aorta
c) Descending thoracic aorta
d) Superior vana cava
e) Thymus

93. A little boy while playing engulfed a tiny peanut which got stuck in airway, where will it go:

a) Right bronchus
b) Left bronchus
c) Esophagus
d) Larynx
e) Pharynx

...sertoli cells and leydig cell are present in:

a) Prostate
b) Testes
c) Vas deferens
d) Epididymis
e) Ejaculatory duct

100. Lymphatic drainage of supra-renal gland is carried via:

a) axillary nodes
b) Inguinal nodes
c) lumbar nodes
d) Messenteric nodes
e) Thoracic nodes

94. Which lobe of lung is inferior to horizontal fissure:

a) Inferior lobe of right lung
b) Middle lobe of right lung
c) Superior lobe of left lung
d) Middle lobe of left lung
e) Inferior lobe of left lung

95. Which of the following structures of Gastrointestinal tract is lined by stratified squamous non-keratinized epithelium:

a) Esophagus
b) Stomach
c) Ascending colon
d) Descending colon
e) Small intestine

96. Which structure is located immediately distal to the jejunum in the gastrointestinal tract:

a) Duodenum
b) Ileum
c) Cecum
d) Ascending colon
e) Transverse colon

97. Where in the abdomen is the liver predominantly located:

a) Epigastrium
b) Left hypochondrium
c) Right hypochondrium
d) Right flank
e) Subhepatic space

98. Implantation of embryo occurs in which part of female reproductive system:

a) Fundus of uterus
b) Body of uterus
c) Cervix of uterus
d) Isthmus of fallopian tube
e) Ampulla of fallopuan tube

54. In the anterior view of the viscerocranium, which one of the following bones is single?

a) Na[illegible]
b) [illegible]rontal.
c) Lacrimal.
d) Maxillary.
e) Zygomatic.

85. What is the strongest bone among the bones of the face?

a) Nasal.
b) Frontal.
c) Maxillary.
d) [illegible]matic.
e) Mandibular.

86. The superior orbital margin is formed by the ____ bone:

a) Frontal.
b) Maxillary.
c) Zygomatic.
d) Ethmoidal.
e) Sphenoidal.

87. What part of the anterior pituitary gland is mainly responsible for hormone secretion?

a) Hypothalamus
b) Pars intermedia
c) Pars tuberalis
d) Pars anterior
e) Pars nervosa

88. Neurovascular bundle in chest wall is located at:

a) Inferior border of ribs
b) uperior border of ribs
c) Anterior to ribs
d) Lower part of intercostal space
e) Middle part of intercostal space

84. In the anterior view of the viscerocranium, which one of the following bones is single?

a) Nasal.
b) Frontal.
c) Lacrimal.
d) Maxillary.
e) Zygomatic.

85. What is the strongest bone among the bones of the face?

a) Nasal.
b) Frontal.
c) Maxillary.
d) Zygomatic.
e) Mandibular.

86. The superior orbital margin is formed by the ____ bone:

a) Frontal.
b) Maxillary.
c) Zygomatic.
d) Ethmoidal.
e) Sphenoidal.

87. What part of the anterior pituitary gland is mainly responsible for hormone secretion?

a) Hypothalamus
b) Pars intermedia
c) Pars tuberalis
d) Pars anterior
e) Pars nervosa

88. Neurovascular bundle in chest wall is located at:

a) Inferior border of ribs
b) uperior border of ribs
c) Anterior to ribs
d) Lower part of intercostal space
e) Middle part of intercostal space

79. The Bell's palsy is characterized by lesion of;

a) Upper part of facial nerve nucleus
b) Lower part of facial nerve nucleus
c) Facial nerve in facial canal above the origin of nerve to stapedius
d) Facial nerve in facial canal above the origin of chorda tympani
e) Facial nerve in facial canal just before it emerges from stylomastoid foramen

80. In the occulomotor nerve lesion, pupil does not react to accommodation due to the damage to:

a) Postganglionic fibers from ciliary ganglion to sphincter pupillae
b) Post ganglionic fibers from ciliary ganglion to ciliary muscles
c) Sympathetic fibers to visceral part of levator palpabrace superiors
d) Motor fibers in superior division supplying superior rectus
e) Motor fibers in inferior division supplying medical rectus

81. Which statement is incorrect about cutaneous innervation of face

a) Forhead ----------ophthalmic nerve
b) Upper lip ---------- Maxillary nerve
c) Tip of nose ---------- ophthalmic nerve
d) Parotid gland ----------mandibular nerve
e) Anterior part of temple --------mandibular nerve

82. Regarding the nerves of orbit all are true except

a) Optic nerve
b) Zygomatic nerve
c) Lacrimal nerve
d) Inferior alveolar nerve
e) Nasociliary

83. Blood supply of trachea in neck is mainly derived from

a) Superior thyroid artery
b) Subclavian artey
c) Inferior thyroid artery
d) Internal carotid artery
e) Common carotid artery

74. Little's area of nose consists of

a) Arterial plexus
b) Venous plexus
c) Nerve plexus
d) Lymphatic plexus
e) Arterio venous plexus

75. Regarding the blood supply of face

a) Facial artery is the posterior branch of external carotid artery
b) Skin flaps in the plastic surgery of face usually necrose because of profuse blood supply to face
c) Superficial temporal artery is a branch of facial artery
d) Superficial temporal branch is a terminal branch of external carotid artery
e) Sub mental artery is a branch of external carotid artery

76. Regarding the infra temporal fossa

a) It is a space in the skull
b) It is related to carotid sheath
c) Maxillary artery and the temporalis muscles are the only contents
d) Its medial boundary is the pterygoid plate
e) It communicates with the pterygo palatine fossa through pterygo maxillary fissure

77. With swelling of mucous membrane of superior nasal meatus, which of the opening is plugged?

a) Superior Para nasal sinus
b) Anterior ethmoidal sinus
c) Middle ethmoidal sinus
d) Sphenoidal sinus
e) Frontal sinus

78. Foot plate of stapes is placed at

a) Opening of pyramid
b) Oval window (fenestra vestibuli)
c) Round window (fenestra cochleae)
d) Aditus
e) Epitympanic recesses

70. The sensory nerves supplying the scalp are all except

a) Supratrochlear nerve
b) Supra orbital nerve
c) Infra orbital nerve
d) Greater occipital nerve
e) Lesser occipital nerve

71. The neck is divided into anterior and posterior triangles using _____ muscle as land mark

a) Trapezius
b) Sternohyoid
c) Scalenus anterior
d) Sternocleidomastoid
e) Anterior belly of digastric

72. Which of the following nerve gives parasympathetic fibres to parotid gland

a) Vagus
b) Facial
c) Trigeminal
d) Glossopharyngeal
e) Accessory nerve

73. Regarding the Thyroid gland, point out the incorrect statement

a) Is surrounded by sheath of pretracheal fascia
b) Has isthmus covering 2nd -4th tracheal ring
c) Receives blood from a branch of costocervical trunk
d) Receives blood from external carotid artery
e) Receives blood from aorta

74. Best statement regarding carotid vessels is

a) Common carotid arteries arise from arch of aorta on both sides
b) Internal jugular vein lies on medial side of common carotid artery within carotid sheath
c) External carotid arteries arise at the level of upper border of cricoid cartilage
d) Superior thyroid artery is the first branch of external carotid
e) Internal carotid artery gives two branches before entering the skull

64. Select incorrect statement regarding components of anterior triangle

a) Myohyoid muscle
b) Digastric muscle
c) Sternocleiod mastoid muscle
d) Thyrohyoid muscle
e) Sternohyoid muscle

65. All of the following structures pass through foramen ovale except

a) Lesser petrosal nerve
b) Middle meningeal artery
c) Emissary vein
d) Accessory meningeal artery
e) Mandibular nerve

66. The characteristics feature of second cervical vertebra is

a) Presence of odontoid process
b) Heart shaped body
c) Presence of condyles
d) Trifid spine
e) Massive body

67. The cutaneous nerves to neck carrying fibers of dorsal rami of cervical spinal nerves is

a) Greater auricular nerve
b) Greater occipital nerve
c) Lesser occipital nerve
d) Transverse cervical nerve
e) Supraclavicular nerve

68. Which of the following structure is not supplied by Hypoglossal nerve

a) Genioglossus
b) Hyoglossus
c) Stylo glossus
d) Superfical longitudinal muscle of tongue
e) Palatoglossus

59. Which of the following muscle plays major role in opening the Jaw

a) Masseter
b) Medial pterygoid
c) Lateral pterygoid
d) Buccinator
e) Temporalis muscle

60. Select incorrect statement regarding components of anterior triangle

a) Myohyoid muscle
b) Digastric muscle
c) Sternocleiod mastoid muscle
d) Thyrohyoid muscle
e) Sternohyoid muscle

61. Regarding the muscles of face:

a) Embryologically the muscles of facial expression are developed from the mesoderm of the second pharyngeal arch.
b) Muscles of facial expression are supplied by the maxillary nerve.
c) Buccinator is an accessory muscle of mastication so supplied by the mandibular division of trigeminal nerve.
d) Levator palpebrae superioris is supplied by facial nerve.
e) Occipitofrontalis helps in the movement of skin of face.

62. Which one of the following is best statement about scalp

a) Scalp has very poor nerve supply
b) Spread of infection is a common phenomena
c) Epicranial muscles are supplied by mandibular nerve
d) Wounds of the scalp bleed profusely because the vessels do not retract
e) There are abundant emissary veins in frontal region

63. Which part of the frontal bone contributes to the floor of the anterior cranial fossa?

a) Nasal.
b) Squamous.
c) Orbital plate.
d) Maxillary process.
e) Zygomatic process.

49. The only abductor of vocal cord is

a) Posterior crico-arytenoid
b) Laterla crico-aryteniod
c) Cricothyroid
d) Thyroarytenoid
e) None of the above

50. Inferior thyroid artery ligation may cause injury to

a) External laryngeal nerve
b) Vagus nerve
c) Superior laryngeal nerve
d) Recurrent laryngeal nerve
e) Internal laryngeal nerve

51. Following muscle elevate the soft palate during swallowing

a) Levator velipalatini
b) Palato glossus
c) Palato pharyngeus
d) Salpingo pharyngeus
e) Tensor Veli palatini

52. Tensor tympani muscle inserted on

a) Neck of malleus
b) Long process of incus
c) Neck of stapes
d) Handle of malleus
e) Anterior process of malleus

53. Investing layer enclose which of the following structure

a) Thyroid gland
b) Parathyroid gland
c) Infrahyoid muscles
d) Trapezius
e) Subclavian vessels

34. Regarding chorion following statement is incorrect:

a) Is a fetal membrane
b) Contributes in placenta formation
c) Composed of trophoblast and extraembryonic somatic mesoderm
d) Has villi which remain uniform in size throughout pregnancy
e) Consists of chorionic frundosum and chorionic lavae

35. 'Muscles' and 'excretory' structures arises from;

a) Mesoderm
b) Ectoderm
c) Endoderm
d) Neural crest cell
e) Germ cell

36. Sensory' organs and 'nervous' system arises from the

a) Mesoderm
b) Ectoderm
c) Endoderm
d) Germ cell
e) Neural crest cell

37. Process during which neural tube begins to form is called:

a) Morulation
b) Neurulation
c) Gastrulation
d) Blastulation
e) Fertilization

38. 'Respiratory' tract lining and 'gut' tract lining develops from

a) Ectoderm
b) Mesoderm
c) Endoderm
d) Mesenchyme
e) Neural crest cell

39. the passage between the third ventricle and lateral ventricle of brain is called the:

a) Foramen of Magendie
b) Aqueduct of sylvius
c) Interventricular foramen(Monro)
d) Foramen Luschka
e) Central canal

40. The part of motor cortex innervating the leg area is supplied by which artery?

a) Anterior cerebral
b) Middle cerebral
c) Posterior cerebral
d) Basilar artery
e) Vertebral artery

41. Which of the following nerve arises from floor of interpeduncular fossa?

a) Optic nerve
b) Trochlear
c) Oculomotor
d) Trigeminal
e) Facial

42. The opening present in the roof of the 4th ventricle is

a) Foramen Monro
b) Foramen Magenda
c) Foramen Lushka
d) Aqueduct of sylvius
e) Central canal

43. The main motor area is located in:

a) Insula
b) Superior frontal gyrus
c) Post central gyrus
d) Pre central gyrus
e) Superior temporal gyrus

47. A patient presents with vertical diplopia, head tilting and also difficulty in coming downstairs. The likely nerve damaged is

a) Oculomotor nerve
b) Trochlear nerve
c) Optic nerve
d) Abducent nerve
e) Trigeminal nerve

48. Patient has increased knee jerk due to

a) Corticospinal tract lesion
b) Lmn lesion
c) Spinothalamic lesion
d) Spinal nerve l2
e) None of the above

Hematopoietic tissue in healthy adults is

a) Spleeen
b) Liver
c) Red bone marrow
d) Kidney
e) Lymph node

30. The first blood cell progenitor in embryo is:

a) Paraxial mesoderm
b) Intermediate mesoderm
c) Lateral mesoderm
d) Extra embryonic mesoderm
e) Angioblast cell

31. The Ultrasound report revealed excessive amount of amniotic fluid in a pregnant woman (Polyhydramnios) What is normal amount of amniotic fluid in full term pregnancy?

a) 50ml
b) 400ml
c) 1000ml
d) 2000ml
e) 3000ml

32. A physician told a pregnant woman that she had Oligohydramnios. Following condition can cause oligohydramnios:

a) Anencephaly
b) Esophageal atresia
c) Maternal diabetes
d) Renal agenesis
e) Spina bifida

33. The placenta membrane (blood-placenta barrier) is formed by from out to inside in sequence:

a) Cytotrophoblast - syncytotrophoblast connective tissue, endothelium.
b) Syncytotrophoblast - cytotrophoblast - endothelium, connective tissue.
c) Syncytotrophoblast, cytotrophoblast, connective tissue, endothelium.
d) Endothelium - connective tissue - cytotrophoblast syncytotrophoblast.
e) Syncytotrophobast, connective tissue, cytotrophoblast, endothelium

c) Normal pregnancy
d) Ectopic tubal pregnancy
e) Toxemia of pregnancy

25. Mesoderm is formed from

a) Hypoblast cells
b) Extraembryonic ectoderm
c) Notochordal cells
d) Epiblast cells(ans)
e) Amnioblasts

26. Which of the following statements regarding the uteroplacental circulation is CORRECT?

a) Lacunae form within the cytotrophoblast
b) Hydrolytic enzymes produced by the trophoblast degrade the endothelium of embryonic capillaries
c) It is established during the second week of development(ans)
d) It is a transient nutrient supply for the blastocyst during implantation
e) It only forms in ectopic implantation

27. Angiogenesis is characterized by formation of :

a) New vascular channel
b) New vessels by budding and branching from preexisting vessels.
c) Angioblast cell
d) Mesenchymal cell
e) Mesodermal cell

28. Angioblast cell which aggregate to form blood island derived from:

a) Allantois
b) Umblical vesicle
c) Connecting stalk
d) Amnion
e) Extraembryonic Mesoderm

5. Carpal bones of wrist are which type of bone:

a) short bones
b) short long bones
c) long bones
d) long short bones
e) Flat bones

6. Intervertebral discs of vertebrae are composed of:

a) hyaline cartilage
b) fibrocartilage
c) elastic cartilage
d) Fibrohyaline cartilage
e) no cartilage

7. Interphalangeal joints are which kind of joints:

a) condylar
b) plane
c) hinge
d) ball and socket
e) pivot

8. During a dissection class of anatomy, students were observing the muscles of up
limb, on further inspection of the skeletal muscle, they observed that a membra
was covering a bundle of muscle fibres, this membrane is called:

a) Endomysium
b) Perimysium
c) Epimysium
d) Superficial fascia
e) Skin

9. What is most appropriate about a motor unit:

a) A site where motor nerve enters a muscle
b) A single motor neuron only
c) A single motor neuron together with the muscle fibres supplied by it.
d) Two motor neurons supplying one muscle
e) A group of motor neurons

10. The right lymphatic duct drains which part of the body?

a) Upper left quadrant
b) Lower left quadrant
c) Upper right quadrant
d) Lower right quadrant
e) Left side of the body

Thoracic duct

11. Most commonly used dye for tissue preparation for microscopy is:

a) Methylene blue
b) Hematoxylin and eosin
c) Orange B
d) Acid Fuscin
e) Silver stain

12. Simple columnar epithelium

a) Choroidal plexus of ventricles
b) Ovary
c) Epidermis
d) testis
e) lips

13. Epithelium of ovary is

a) Simple cuboidal
b) Simple columnar
c) Simple squamous
d) stratified cuboidal
e) statified columnar

14. Compact bone contains:

a) Osteocytes in the lacunar space
b) large number of medullary cavities
c) Covered by spongy bone
d) does not have haversion canal system
e) By periostium internally

15. A young patient developed conjunctivitis on exposure to perfume. Which epithelium was infected?

a) Simple columnar epithelium
b) Simple squamous epithelium
c) Stratified squamous non-keratinized
d) Pseudo stratified
e) Stratified columnar epithelium

16. At puberty, most of us face problems of acne which is due to overstimulation of sebaceous glands. How you classify these glands according to mode of secretion?

a) Merocrine secretion
b) Paracrine secretion
c) Autocrine secretion
d) Holocrine secretion
e) Apocrine secretion

17. Transitional epithelium is not found in:

a) Ureter
b) Major calyx
c) Urinary bladder
d) Membranous urethra
e) Proximal part of urethra in males as far as the ejaculatory ducts

18. Most commonly used dye for tissue preparation for microscopy is:

a) Methylene blue
b) Hematoxylin and eosin
c) Orange g
d) Acid Fuscin
e) Silver stain

19. Euchromatin found in the nucleus is:

a) Folded, coiled, or condensed chromatin
b) Straight, uncoiled or extended chromatin
c) Coiling of long strand of nucleosomes
d) Degenerated form of DNA
e) Double coiled genetic material

1. Vertical line which divides the body into a left section and a right section is:

a) Coronal plane
b) Sagittal plane
c) Transverse plane
d) Vertical plane
e) Para sagittal plane

2. Circumduction is a combination of:

a) flexion, extension, adduction and abduction
b) Flexion and extention
c) 1Adduction and abduction
d) extension, adduction and abduction
e) flexion, adduction and abduction
f) Transverse plane
g) Horizontal plane
h) Obligue plane

3. The most superficial layer of the skin is:

a) Dermis
b) Epidermis
c) Hypodermis
d) Endodermis
e) Intradermis

A pilosebaceous unit of skin is comprised of:

a) hair, hair follicle, arrector pili muscle and sebaceous gland
b) hair and hair follicle
c) Hair follicle and sebaceous gland
d) hair, hair follicle and arrector pili muscle
e) hair follicle, arrector pili muscle and sebaceous gland

Q33. Fibrocartilage is found in
a) The joint surfaces
b) The nose.
c) The outer ear.
d) The costal cartilage of the rib cage.
e) Intervertebral discs.

Q34. The junction between the diaphysis and epiphysis in a growing bone is called
a) Endosteum
b) Articular plate
c) Periosteum
d) Epiphyseal plate
e) Epiphyseal line

Q35. Which of the following part of diencephalon controls endocrine hormonal autonomic nervous system
a) Hypothalamus
b) Dorsal thalamus
c) Epithalamus
d) Subthalamus
e) Thalamus

Q36. Which of the following nuclei are associated with the planning of the

Q36. Which of the following is not the part of hypothalamus

a) Tuber cinereum

b) Median eminence

c) Mammillary body

d) Optic chiasma

Anatomy 8.

Choclea location

Cervical plexus = ventral rami or dorsal rami

eye lens made by = ectoderm

Enamel " = neural crest

Muscular triangle has = thyroidgland

Legarea of brain is supplied by

Define motor unit

Face is formed by = maxillary process & mandibular process & nasal septum.

Nucleus of cerebellum

Parasympathetic ganglion = otic ganglion

Ptesion is damaged, then which artery is more likely to be damaged = middle meningeal

Tongue protrusion = hypoglossus muscle

(35) If a small oat is swallowed, where is it most likely to be found
(36) Middle layer of eyeball
(37) Not a part of middle vascular layer of eye = macula
(38) Which ligament divides liver into right & left lobes = falci
(39) Wrong about scalp = skin has only glands
(40) Which pharyngeal arch supplies mylohyoid ?
(41) Cells. tuscica is not functioning properly, which bone is likely to be damaged = sphenoid (maybe)
(42) Nasopalatine nerves pass through = incisive fossa
(43) Common bile duct
(44) Spermiogenesis doesn't include

[illegible]

Q26) Which of the statement concerning thalamus is incorrect

a) Joins to other side by thalamic adhesion
b) Forms anterior boundary of interventricular foramen
c) Seperated from lenitform nucleus by internal capsule
d) Serve as main relay station for all sensory impulse except olfactory
e) Largest part of Diencephlon

Q27) Neurons in the human body can be: (Choose the correct statement)

a) Golgi type one, if its axon is long some time up to or even more than a meter
b) Multipolar if it has many axons and one dendrite
c) Unipolar if it posses only one dendrite
d) Bipolar if it posses two dendrites
e) Golgi type two if it has short dendrons Less than few centimeters

Q28) Unique features in the development of skull is

a) It is mesodermal in origin
b) It is contributed by paraxial mesoderm
c) It encloses a cavity
d) Neural crest cells forms membranous portion
e) It has two layer of bone

Q29) The leptomeninges are derived from the following structure

a) Notochord
b) Neural crest cells
c) Denticulate ligament
d) Endoderm
e) Mesenchyme surrounding spinal cord

Q30) Regarding the nerve supply of extra ocular muscle:

a) Levotor palpeberae superioris is supplied by inferior division of the oculomotor nerve.
b) Superior oblique is supplied by the contra-lateral trochlear nerve.
c) Lateral rectus is supplied by trochlear nerve.
d) Medial rectus is supplied by the ophthalmic nerve.
e) Inferior oblique is supplied by the abducent nerve.

Q31) Following statements regarding the motor speech area of Broca are true except

a) Is connected to the sensory speech area of wernicke
b) Its damage will cause receptive aphasia
c) In most of the individuals it is present in left cerebral hemisphere
d) Is located in the inferior frontal gyrus
e) Is concerned with formation of words by its connections with the primary motor area

Q32) The vertebral artery arises from which of the following

a) 1st part of subclavian artery
b) 2nd part of subclavian artery
c) Thyrocervical trunk
d) 3rd part of subclavian artery
e) Costocervical trunk

Q33) Which statement is incorrect about cutaneous innervation of face

a) Parotid gland ---------mandibular nerve
b) Upper lip ---------- Maxillary nerve
c) Anterior part of temple --------mandibular nerve
d) Tip of nose ---------- ophthalmic nerve
e) Forhead ----------ophthalmic nerve

Q34) In the fourth ventricle

a) Nucleus of accessory nerve lies in its floor
b) Choroid plexus projects from the lateral walls
c) Roof contains one median and two lateral apertures (openings)
d) Lateral boundries are formed by inferior cerbellar peduncles only
e) Floor is formed by posterior surface of midbrain

Q35) Conus medullaris is the

a) Tapers off spinal cord
b) Cervical enlargement of spinal cord
c) Thickening of diameter in spinal cord
d) Lumbar enlargement of spinal cord
e) Enlargement of subarachnoid space

Q36) Mitosis of cells occurs in which layer of developing neural tube

a) Mantle layer
b) Marginal layer
c) Ependymal (neuroepithelial) layer
d) Mantle and marginal layers
e) Ependymal and mantle layers

Q37) Regarding the nasal cavity

a) Para nasal sinuses can not be visualized on the x-rays
b) Olfactory nerves are present in nasal cavity
c) The linning of nasal cavity and vestibule consists of keratinized stratified squamous epithelium .
d) It receives it's blood supply only from facial artery
e) Para nasal sinuses can normally be opaque on the x-rays

Q38) Regarding the congenital anomalies of development of nose , which one of the following statement is incorrect

a) Bifid nose means development of in separate noses
b) Single nostril results when only one nasal placode forms
c) Bifid nose results when medial nasal prominences do not merge completely
d) Nasal bridge is bifid
e) The nostrils are widely separated

32. Taste buds are present in following papillae except
(a) Fungiform
(b) Circumvallate
(c) Filiform
(d) Foliate
(e) Fulliform

33. The posteromedial surface of the parotid gland is related to:
(a) Masseter.
(b) Ramus of mandible.
(c) Temporomandibular joint.
(d) Styloid process.
(e) Branches of the facial nerve

34. Which of the following muscle assists in the elevation of the mandible?
(a) Lateral pterygoid.
(b) Medial pterygoid.
(c) Digastric.
(d) Genohyoid.
(e) Mylohyoid

35. The lateral wall of the infratemporal fossa is formed by:
(a) Lateral pterygoid plate.
(b) Tensor palatine muscle.
(c) Zygomatic arch.
(d) Ramus of mandible.
(e) Carotid sheath

36. A 45 year – old woman is suffering from numbness over the tip of her nose. Which of the following nerve is most likely to be damaged?
(a) Ophthalmic division of the trigeminal nerve
(b) Maxillary division of the trigeminal nerve
(c) Mandibular division of the trigeminal nerve
(d) Auriculotemporal nerve
(e) Auricular nerve

37. After having a tonsillectomy, a 57- year- old man with a long history of chewing tobacco use is unable to detect taste on the posterior one – third of his tongue. Which of the following nerve has most likely injured?
(a) Internal laryngeal nerve
(b) Lingual nerve
(c) Glossopharyngeal nerve
(d) Chorda nerve
(e) Facial nerve

38. **During a gang fight, a 17 – year – old boy is punched, and his nassal septum is broken. Which of the following structure would be damaged?**
(a) Septal cartilage and nasal bone
(b) inferior concha and vomer
(c) Vomer and perpendicular plate of ethmoid
(d) Cribriform plate and frontal bone
(e) Middle concha and vomer

39. **Xerostomia is a major feature of which of the most likely condition given below:**
(a) Down syndrome
(b) Tuberculosis
(c) Sjogren syndrome
(d) Ulcerative colits
(e) Crohn's diseade

40. **Peeriodontal disease can be a component of which of the following condition:**
(a) Dental caries
(b) Pleomorphic adenoma
(c) Gingivitis
(d) Systemic disease
(e) Mucoepidermoid

41. **Which one of the following is the most common antecedent of leukoplakia:**
(a) EBV
(b) HPV
(c) Tabacco
(d) Radiations
(e) Fungi.

42. **Rhodopsin is a light sensitive pigment. It contains protein called as**
(a) Opsin
(b) Keratin
(c) Collagen
(d) Casein
(e) Renin

43. **Aqueous humor is mainly formed by the process of**
(a) active secretion
(b) osmosis
(c) bulk transport
(d) passive diffusion
(e) facilitated diffusion

20. **External acoustic meatus develops from which of the following part of the pharyngeal apparatus?**
(a) 1st pharyngeal arch.
(b) 1st pharyngeal membrane.
(c) 2nd pharyngeal arch.
(d) Tubotympanic recess.
(e) 1st pharyngeal groove.

21. **Which of the following is Primary olfactory center?**
(a) Hippocampus.
(b) Anterior perforating substance.
(c) Periamygloid region.
(d) Olfactory bulb.
(e) Fornix.

22. **Which of the following structure is sensory region of utricle of internal ear?**
(a) Critea ampullaris.
(b) Macula
(c) Organ of corti.
(d) Endolymphatic sac.
(e) Stria vasulosa.

23. **One of the retinal cells function as association neurons. Which of the following are referred to:**
(a) Rod cells
(b) Cone cells
(c) Horizontal cells
(d) Bipolar cells
(e) Ganglion cells

24. **The lacrimal gland belongs to which of the following variety of glands:**
(a) Compound tubuloalveolar
(b) Compound tubular
(c) Compound alveolar
(d) Compound acinar
(e) Compound tubuloacinar

25. **The origin of a muscle is Annulus of Zinn. It loops throug pulley-like structure the trochlea and inserts into the scler the posterotemporal surface of the eyeball causing its depre and intorsion. Which of the following is being referred:**
(a) Inferior oblique
(b) Superior oblique
(c) Inferior rectus
(d) Superior rectus
(e) Lateral rectus

26. **Surface ectoderm produces which of the following parts in the development of eye:**
(a) Lens
(b) Corneal stroma
(c) Sclera
(d) Extraocular muscles
(e) Endothelial lining of blood vessels of eye

27. **An abscess was surgically removed from the middle of the posterior triangle on the right side. During recovery the patient noticed that her shoulder drooped and she could no longer raise her right hand above her head to brush her hair. Which nerve has been cut?**
(a) Accessory (XI)
(b) Ansa cervicalis
(c) Facial (VII)
(d) Hypoglossal (XII)
(e) Suprascapular

28. **Which of the following hyoid muscles is an important landmark in both the anterior and posterior triangles of the neck?**
(a) geniohyoid
(b) mylohyoid
(c) omohyoid
(d) sternohyoid
(e) stylohyoid

29. **The development of thyroid gland is marked by a depression called foramen cecum in the floor of the primitive pharynx. The foramen cecum gives rise to a diverticulum which later elongates and descends anterior to the hyoid bone and thyroid cartilage to assume the adult position.**
What is this diverticulum called?
(a) Hyoglossal duct
(b) Laryngeal diverticulum
(c) Respiratory diverticulum
(d) Thyroglossal duct
(e) Thymus

30. **cricothyroid muscle is supplied by**
(a) recurrent laryngeal nerve
(b) external laryngeal nerve
(c) internal laryngeal nerve
(d) superior laryngeal nerve
(e) medial laryngeal nerve

31. **Nerve of third pharyngeal arch is**
(a) facial
(b) glossopharyngeal
(c) vagus
(d) hypoglossal
(e) trigeminal

15. Broca's area is situated in
A. Superior temporal gyrus
B. Inferior temporal gyrus
C. Superior frontal gyrus
D. Inferior frontal gyrus

16. Fine motor movement is controlled by
A. Cerebellum
B. Basal ganglia
C. Cerebrum
D. None

17. Area of sound perception is located in
A. In the cortex of temporal lobe
B. Frontal lobe
C. Occipital lobe
D. None

18. Which of the following is not the part of brain stem
A. Mid brain
B. Pons
C. Medulla
D. Thalamus

19. Patient presents with intention tremors. The lesion is in
A. Cerebellum
B. Basal ganglia
C. Cerebrum
D. Subthalamic nucleus

20. Regarding diencephalon which statement is true?
A. Forms the medial wall of third ventricle
B. Includes thalamus geniculate body hypothalamus
C. Is apart of mesencephalon
D. None

The End

Share
Edit
Delete

0 KB/s
66%
10:16 pm
MORE

26. **Surface ectoderm produces which of the following parts in the development of eye:**

(a) Lens
(b) Corneal stroma
(c) Sclera
(d) Extraocular muscles
(e) Endothelial lining of blood vessels of eye

27. **An abscess was surgically removed from the middle of the posterior triangle on the right side. During recovery the patient noticed that her shoulder drooped and she could no longer raise her right hand above her head to brush her hair. Which nerve has been cut?**

(a) Accessory (XI)
(b) Ansa cervicalis
(c) Facial (VII)
(d) Hypoglossal (XII)
(e) Suprascapular

28. **Which of the following hyoid muscles is an important landmark in both the anterior and posterior triangles of the neck?**

(a) geniohyoid
(b) mylohyoid
(c) omohyoid
(d) sternohyoid
(e) stylohyoid

29. **The development of thyroid gland is marked by a depression called foramen cecum in the floor of the primitive pharynx. The foramen cecum gives rise to a diverticulum which later elongates and descends anterior to the hyoid bone and thyroid cartilage to assume the adult position. What is this diverticulum called?**

(a) Hyoglossal duct
(b) Laryngeal diverticulum
(c) Respiratory diverticulum
(d) Thyroglossal duct
(e) Thymus

30. **cricothyroid muscle is supplied by**

(a) recurrent laryngeal nerve
(b) external laryngeal nerve
(c) internal laryngeal nerve
(d) superior laryngeal nerve
(e) medial laryngeal nerve

31. **Nerve of third pharyngeal arch is**

(a) facial
(b) glossopharyngeal
(c) vagus
(d) hypoglossal
(e) trigeminal

13. **The mental artery supplying the muscles of face is a branch of:**
(a) External carotid artery.
(b) Internal carotid artery.
(c) Terminal branch of facial artery.
(d) Terminal branch of inferior alveolar artery.
(e) Smaller terminal branch of external carotid artery.

14. **The maxillary sinus drains into:**
(a) Superior nasal meatus.
(b) Inferior nasal meatus.
(c) Middle and inferior nasal meatus
(d) Middle nasal meatus
(e) Superior and middle nasal meatus

15. **The superior oblique muscle attached to the body of sphenoid is innervated by:**
(a) Optic nerve.
(b) Occulomotor nerve
(c) Trigeminal nerve
(d) Trochlear nerve
(e) Facial nerve

16. **Which of the following best describe the facial prominences?**
(a) Paired nasal prominences in the median part .
(b) Paired intermaxillary prominences.
(c) Paired nasal septal prominences.
(d) Paired maxillary prominences.
(e) Paired frontal prominences.

17. **Intermaxillary segment give rise to which of the following structure in the development of face?**
(a) Secondary palate.
(b) Soft palate.
(c) Primary palate.
(d) Lower incisor teeth.
(e) Upper Molar arches .

18. **Olfactory epithelium is derived most likely from which of the following?**
(a) Endoderm.
(b) Mesoderm
(c) Surface ectoderm.
(d) Neuroectoderm.
(e) Neural crest cells.

19. **Secretory part of the parotid gland is derived from?**
(a) Ectoderm.
(b) Endoderm.
(c) Neural crest cell.
(d) Mesoderm.
(e) Neuroectoderm

Q39) The structure of tongue reveal all the following features except
a) The mucous membrane is smooth on its lower surface
b) Filli form papillae epithelium contain taste buds
c) Is a mass of striated muscles
d) Groups of glands are gathered in between muscle fibers
e) Circum vafrate papillae are present near sulcus terminalis

Q40) The corticospinal fibres are absent in the following regions of white matter
a) Lateral white column of the spinal cord
b) Pyramids of medulla oblongata
c) Cerebral peduncle of the midbrain
d) Anterior limb of the internal capsule
e) Corona radiata

Q41) Regarding the skin of face
a) There is no fascia on the face
b) The skin of face has a rich blood supply
c) Boil on the face can be dangerous and lead to cavernous sinus thrombosis
d) Sensory supply of face is from cranial nerves
e) It possesses many glands

Q42) It is untrue to say about middle ear that
a) Oval and round windows are related to its medial bony wall
b) Posteriorly it communicates with mastoid air cells
c) Tympanic cavity is lined by simple squamous cells
d) The auditory tube connect it to pharynx
e) Is an irregular space in interior of temporal bone

Q43) The following paranasal air sinus develops during late fetal life
a) Frontal sinus
b) Posterior ethmoid sinus
c) Maxillary sinus
d) Sphenoid sinus
e) Anterior ethmoid sinus

Q44) The best statement about parotid gland is
a) It is pierced by facial artery
b) Glossopharyngeal nerve supply secretomotor fibers to it
c) Gland is covered only by superficial fascia
d) The duct of the gland opens in the oral cavity at the level of 3rd upper molar tooth
e) It is a mixed type of gland

Q45) In comparison to the amount of blood supplied by the capillaries to the gray matter and white matter:
a) Gray matter receives 70% amount of blood supply to the brain
b) White matter receives more supply than gray matter
c) Both white and gray matter receive equal amount of blood
d) Gray matter receives 40% amount of blood supply to the brain
e) Gray matter receives more supply than white matter

Q46) A player in the hockey ground was struck by a ball on head. After remaining unconscious for a while he regained consciousness, and become unconscious again .A diagnosis of extradural hemorrhage was made. Which of the following blood vessels is most commonly involved:
a) Middle meningeal artery
b) Superior longitudinal sinus
c) Transverse sinus
d) Anterior meningeal artery
e) Internal maxillary artery

Q47) Regarding the infra temporal fossa
a) Its medial boundary is the pterygoid plate
b) It is related to carotid sheath
c) It is a space in the skull
d) Maxillary artery and the temporalis muscles are the only contents
e) It communicates with the pterygo palatine fossa through pterygo maxillary fissure

Q48) Which one of the following is best statement about scalp
a) Spread of infection is a common phenomena
b) Scalp has very poor nerve supply
c) There are abundant emissary veins in frontal region
d) Epicranial muscles are supplied by mandibular nerve
e) Wounds of the scalp bleed profusely because the vessels do not retract

Q49) Ascending pathways leading to consciousness consist of
a) Three neurons
b) Four neurons
c) Five neurons
d) One neuron
e) Two neurons

Q50) The chorda tympani nerve courses through tympanic cavity, lying on its:
a) Roof
b) Anterior wall
c) Floor
d) Medial wall
e) Lateral wall

Q51) Clark's column extends between the following
a) Only the cervical segment
b) Only the thoracic segment
c) 1st thoracic segment to 9th thoracic segment
d) 10th thoracic segment to 1st sacral segment
e) 8th cervical segment to 3rd lumbar segment

...of Health Sciences Karachi

...partment

...inns 2010

Q91) **Select the correct statement regarding neuropores.**
a) Rostral neuropore closed after the closure of caudal neuropore
b) Closed prior to three months of developments
c) Neuropores must be closed prior to one month of development
d) Closed prior to two months of developments
e) Remains opened

Q92) **Occulusion of middle cerebral artery may produce contra lateral homonymous hemianopia because of damage to**
a) Visual cortex (area 17)
b) Optic chiasma
c) Lateral geniculate body
d) Optic radiation
e) Isual association cortex (areas 18 & 19)

Q93) **Which of the following statement is incorrect about lateral Medullary syndrome**
a) Dysphonia and dysphargia
b) Ipsilateral loss of pain sensation of the face
c) Ipsilateral loss of touch
d) Ipsilateral Paralysis of vocal cord
e) Ipsilateral Horners syndrome

Q94) **The following cell lines the ventricles of brain and the central canal of spinal cord:**
a) Tanycytes.
b) Astrocytes.
c) Choroidal epithelial cell.
d) Oligodendrocytes.
e) Ependymocytes.

Q95) **The neural layer of retina is derived from the following**
a) Mesenchyme surroundings the optic cup
b) Optic stalk
c) Outer thinner layer of optic cup
d) Inner thickened layer of optic cup
e) Lens placode

Q96) **Sulcus limitans is the groove which separates the**
a) Alar and roof plate
b) Basal and roof plate
c) Basal and floor plate
d) Alar and floor plate
e) Basal and alar laminae

Q97) **In the development of eye, the structures which develop from optic cup include:**
a) Retina, Iris and ciiary body.
b) All layers of retina and ciliary muscles.
c) Cornea, choroid and retina.
d) Lense, cornea and retina
e) Ciliary muscles, Iris and retina.

Q98) **Select an odd statement regarding spinal nerve**
a) Anterior root contain only motor axon
b) They are formed by union of anterior and posterior nerve root
c) Posterior root ganglion contain unipolar neurons
d) There are 31 pairs
e) Posterior ramus contain one sensory axon

Q99) **Malformations of the auricle is most commonly associated with:**
a) Congenital deafness.
b) Maternal X-irridiation.
c) Defects of the lower jaw.
d) Thalidomide administration.
e) Anomalies of the sex chromosomes.

Q100) **Regarding blood supply of brain, the best statement is**
a) Medial and lateral central striate arteries supply the internal capsule
b) Cortical branches are the common site of thrombosis
c) Anastomosis frequently occur in central arteries
d) Thalamus is supplied by anterior cerebral arteries
e) Circle of willis is formed by two internal carotid and two spinal arteries

★★★★★★★★★★ THE END ★★★★★★★★★★

Q65) Select odd statement regarding lumbar puncture (CSF)
a) Positive Quenkenstedt's sign when pressure rises
b) In Prone position
c) For histopathological examination
d) Vertebral column is well extended
e) Normal pressure is about 60 to 150 mm of water

Q66) Select a wrong statement regarding the structure of external ear
a) Ceruminous glands are found in the submucosa
b) External auditory meatus is lined by stratified squamous epithelium
c) Ceruminous glands are a type of modified sebaceous gland
d) External surface of eardrum is lined with epidermis
e) Pinna is composed of a plate of elastic cartilage

Q67) Select an odd statement regarding the structure of nose:
a) Superior conchae are lined by olfactory mucosa.
b) Smell bodies are more prominent over the inferior conchae.
c) Poor population of goblet cells is present in the mucosa.
d) Vibrissae are present in the skin vestibule.
e) Many simple branched tubulo-alveolar glands are present in the lamina propria of mucosa.

Q68) The important characteristic feature of mossy fibres in the cerebellum is
a) They are terminal fibers of all cerebral afferent tracts
b) They have multiple branches
c) They exert a much more diffuse excitatory effect
d) The deep cerebellar nuclei receive afferent information from them
e) A single mossy fibre may stimulate thousands of Purkinje cells

Q69) All the structures contain fibers of corticospinal tracts except
a) Posterior limb of internal capsule
b) Tegmentum of medulla
c) Pyramids of medulla
d) Crus cerebri of mid brain
e) Lateral white column of spinal cord

Q70) Which of the following structure does not take part in formation of cleft lip
a) Left maxillary Proces
b) Medial nasal proiminences
c) Lateral nasal proiminences
d) Right maxillary process
e) The upper jaw

Q71) Select an odd statement regarding the structure of cerebellum.
a) Unmyelinated axon of a basket cell ascends toward the molecular layer.
b) Mossy fibers originate from the inferior olivary nucleus of the medulla oblongata.
c) Four or more branching dendrites pass outward from the base of the perikaryon of the Purkinje cell.
d) Axons of Golgi type II cells end by making synapses with terminal branches of the mossy fibers.
e) Cytoplasm of a granule cell contains large number of Nissl granules, which are arranged concentrically around the nucleus.

Q72) Pulsation of facial artery can be easily felt at
a) Body of masseter
b) Posterior border of buccinator
c) Anterior border of temporalis
d) Posterior border of masseter
e) Anterior border of masseter

Q73) The pterion is the point
a) Is 1.5 inches above the mid point of zygomatic arch
b) It is marked by an eminence
c) It is ,marked by a depression
d) Where lesser wing of sphenoid bone meets with parietal bone
e) Posterior branch of middle meningeal artery is related to it

Q74) Which of following level of spinal cord involve in parasympathetic out flow
a) S_1 and S_2
b) L_2 and S_1
c) S_3 , S_4 And S_5
d) S_1 , S_2 And S_3
e) S_2, S_3 And S_4

S_2, S_3, S_4

Q75) Which type of cells is not present in the structure of cerebellum?
a) Pyramidal cells
b) Golgi type II cells
c) Basket cells
d) Granule cells
e) Stellate cells

Q76) Select the odd statement regarding structure of larynx
a) Vocal segments are elastic in nature
b) The number of cartilages lie at out side the mucus membrane
c) The upper fold of mucosa constitute false vocal cords
d) The lingual surface of epithelium of epiglottis is stratified squamous epithelium
e) Vocalis muscles are skeletal in nature

Q77) Which of the following nerve gives parasympathetic fibres to parotid gland
a) Facial
b) Glossopharyngeal
c) Trigeminal
d) Vagus
e) Accessory nerve

Q39) Lower limb and anal region in cerebral hemispheres are supplied by:
a) Middle cerebral artery.
b) Posterior communicating branch.
c) Anterior cerebral artery.
d) Anterior communicating branch.
e) Posterior cerebral artery.

Q40) REGARDING FERTILIZATION FOLLOWING STATEMENT IS INCORRECT:
a) it occurs in the ampullary part of uterine tube.
b) disintegration of the zona pelucida begins.
c) secondary oocyte completes its second meiotic division.
d) genetic sex of the baby can be determined.
e) restores the diploid number of chromosomes of species.

Q41) 'Posterior cerebral artery' is a terminal branch of:
a) External carotid artery.
b) Vertebral aretery.
c) Basilar artery.
d) Middle cerebral artey.
e) Internal carotid artery.

Q42) The properties of smooth muscles includes the following:-
a) Cells are larger than striated muscles
b) They have attachment on fascia or tendons
c) The blood supply is more extensive then skeletal muscles
d) They are striated
e) The blood supply is less extensive than skeletal muscles

Q43) INTRAEMBRYONIC MESODERM GIVES DEVELOPMENT TO ALL OF THE FOLLOWING EXCEPT THE:
a) uterus
b) adrenal medulla.
c) adrenal cortex.
d) spleen
e) kidney

Q44) Regarding the group action of muscles:
a) Fixators causes unnecessary movement
b) Synergists produce unwanted movement on proximal joint
c) Agonists muscles are the prime movers
d) A muscles cannot function as agonist or antagonist
e) Antagonist facilitate the action of agonist muscles

Q45) A HISTOLOGIST WAS EXAMINING A TISSUE SLIDE UNDER MICROSCOPE WHERE THE CELLS SHOWED INCREASED BASOPHILIA.THE BASOPHILIA IN THE CELL WAS DUE TO:
a) microtubules
b) mitochondria
c) Golgi complex.
d) nucleus
e) rough endoplasmic reticulum.

Q46) Which of the layers of epidermis comprises keratinized dead cells
a) Papillary layer
b) Stratum spinosum
c) Stratum corneum
d) Stratum basale
e) Stratum granulolsm

Q47) THE SKELETAL MUSCLE FIBRES:
a) posses diads associated with contraction.
b) are multinucleated.
c) are cylindrical and branching.
d) have T-tubules located at Z-disks.
e) have gap junctions.

Q48) A ring shaped section of small intestine could be
a) Coronal Section
b) Coronal section
c) Transverse section
d) Median section
e) Sagittal section

Q49) The dural venous sinuses related to tentorium cerebelli are all except
a) Straight sinus
b) Superior petrosal sinus
c) Inferior petrosal sinus
d) Right transverse sins
e) Left transverse sinus

Q50) Cavenous sinus is situated in
a) Anterior cranial fossa
b) Middle cranial fossa
c) Posterior cranial fossa
d) Inferior cranial fossa
e) Superior cranial fossa

★ ★ ★ ★ ★ ★ ★ ★ ★ ★ THE END ★ ★ ★ ★ ★ ★ ★ ★ ★ ★

Q52) Select a wrong statement regarding the filiform papillae of the tongue
a) Are finger like in shape
b) Are distributed over the entire anterior two third dorsal surface of the tongue
c) Taste buds are located on their dorsal surface
d) Are the most numerous of the lingual papillae
e) Covered by stratified squamous cornified epithelium

Q53) The importance of alar plates in the developing spinal cord is that
a) it is separate from basal plate by sulcus limitans
b) it is present bilaterally
c) it produces a longitudinal bulge
d) its cell bodies form the dorsal gray column of spinal cord
e) its enlargement on both the sides form dorsal median septum

Q54) Which of the following muscle plays major role in opening the Jaw
a) Temporalis muscle
b) Masseter
c) Buccinator
d) Medial pterygoid
e) Lateral pterygoid

Q55) The Passavant's ridge is formed when the posterior wall of pharynx is drawn forward during swallowing, due to the contraction of
a) Palatoglossus
b) Salpingopharyngeus
c) Levator veli palatini
d) Palatopharyngeus
e) Tensor veli palatini

Q56) Regarding the muscle of face:
a) Levator palpebrae superioris is supplied by facial nerve.
b) Muscles of facial expression are supplied by the maxillary nerve.
c) Buccinator is an accessory muscle of mastication so supplied by the mandibular division of trigeminal nerve.
d) Embryologically the muscles of facial expression are developed from the mesoderm of the second pharyngeal arch.
e) Occipitofrontalis helps in the movement of skin of face.

Q57) The most common site for spina bifida occulta is
a) Upper thoracic region
b) Lumbosacral region
c) Cervical region
d) Mid thoracic region
e) Lower thoracic region

Q58) It is true to say about the structure of nasal cavity that
a) The inner surface of nares are devoid of sebaccous and sweat glands
b) Superior concha are covered by respiratory epithelium
c) The chemo receptor of Schnell are located with in inferior corcha
d) The epithelium with in the vestibule remain stratified squamous epithelium
e) Concha has large swell bodies in its mucous membrane

Q59) The important feature of Arnold chiari malformation through advance imaging is
a) Herniation of tonsils of cerebellum in to vertebral canal
b) Spina bifida
c) Blockage of cerebrospinal fluid
d) Internal hydrocephalus
e) Cranio vertebral anomaly

Q60) The vallate papillae in the oral part of tongue are innervated by nerve of third pharyngeal arch because
a) The mucosa of posterior third of tongue is pulled slightly anterior as tongue develops
b) Papillae appear towards the end of 8th week
c) Vallate papillae are the first to appear
d) The merged distal tongue buds form the anterior 2/3rd of tongue
e) The median tongue bud forms no recognizable part of adult tongue

Q61) Which of the following statement is correct about lingual artery
a) It is crossed superficially by hypoglossal nerve
b) It runs through substance of submandibular salivary gland
c) It is a branch of subclavian artery
d) It arises at the level of cricoid cartilage
e) It runs superficial to hyoglossus muscle

Q62) The striking feature of oligodendrocytes is that
a) They may surround nerve cell bodies
b) There are no fiaments in their Cytoplasm
c) They are frequently found in rows
d) They are responsible for formation of myelin sheath in the central nervous system
e) They have small cell bodies

Q63) The cervical spinal nerves lack
a) Connective tissue sheaths
b) Preganglionic sympathetic fibres
c) Motor fibres to smooth muscles
d) Post ganglionic sympathetic fibres
e) Motor fibres to skeletal muscles

Q64) Internal structure of spinal cord shows
a) Anterior Grey horn which contains mainly sensory neurons
b) Lateral Grey horn in thoracic region which contain sympathetic neurons
c) Lateral spinothalamic tracts carrying fibers for the sensation of temperature
d) Spinocerebellar tracts are located in posterior white column
e) Fasciculus cuneatus lies in anterior white column

Paper "Anatomy"

Time Allowed: Two Hours | Max. Marks: 100

Q1) Where are the vestibular nuclei located:
a) Beneath the lateral part of floor of fourth ventricle
b) In the cerebellum
c) In the olive
d) Beneath the medial part of floor of fourth ventricle
e) In the midbrain

Q2) Ostium of sphenoidal sinus opens into
a) Middle meatus
b) Superior meatus
c) Spheno - ethmoidal recess
d) External auditory meatus
e) Inferior meatus

Q3) The dorsal root ganglion contains cells bodies of
a) Dorsal column of spinal cord
b) Anterior spino vestibular tract
c) Anterolateral tract
d) Lateral spino thalamic tract
e) Anterior spino thalamic tract

Q4) The derivatives of alar plate of the neural tube are the
a) Basal ganglia of cerebrum
b) Pre vertebral sympathetic ganglia
c) Para vertebral sympathetic ganglia
d) Trigeminal ganglia
e) Dorsal root ganglia of spinal cord

Q5) The Thalamus forms the following boundary of 3RD ventricle:
a) Lateral
b) Medial
c) Superior
d) Anterior
e) Posterior

Q6) Regarding the tympanic cavity
a) Tensor tympani is the only muscle which is present in the tympanic cavity
b) It is the air containing part of ear
c) A cranial nerve is related to tympanic cavity
d) It contains small bones
e) Auditory tube extends from the anterior wall of tympanic cavity to naso pharynx

Q7) The roots of first cervical spinal nerve corresponds to the
a) level of formen magnum
b) atlas vertebra
c) upper edge of spinal cord
d) junction of medulla and spinal cord
e) lower edge of medulla oblongata

Q8) The following fibre lies immediately beneath the cortex and connect the adjacent gyri:
a) Long association fibres
b) Uncinate fasciculus
c) Inferior longitudinal fasciculus
d) Short association fibres
e) Fronto occipital fasciculus

Q9) During developments of tongue, the copula contributes to
a) Filiform papillae
b) posterior 1/3rd of the tongue
c) Incisive foramen
d) Frenulum of the tongue
e) Anterior 2/3rd of the tongue

Q10) Regarding Retina (point out the odd statement)
a) Nuclei of cones are dispersed near the limiting membrane
b) The anterior part of retina is photo sensitive
c) External plexiform layer is present between layer of rods and cones and bipolar cells
d) Basal region of pigment epithelium rests firmly on Bruch's membrane
e) The rods and cones are polarized by neurons

Q11) Concerning nerve fibers pick out the correct statement:
a) Unmyelinated nerve fibers posses nodes of ranvier.
b) The central nervous system is rich in unmyiliated axons.
c) In adult nervous system single layer of mydin sheath is present.
d) Axons of small diaimeties are usually myelinated.
e) Group of nerve fibres are seldomly present in CNS.

Q12) Atresia of external auditory meatus is always associated with:
a) Absence of the middle ear.
b) Absence of the auricle.
c) None of these.
d) Absence of the inner ear.
e) 8th cranial nerve deafness.

Page 1 of 8

Time Allowed: Two Hours

Max. Marks: 100

Q1) A muscle which elevates and retracts the mandible is
a) Medial pterygoid
b) Masseter
c) Temporalis
d) Digastric
e) Lateral pterygoid

Q2) Unique features in the development of skull is
a) It encloses a cavity
b) It is contributed by paraxial mesoderm
c) Neural crest cells forms membranous portion
d) It is mesodermal in origin
e) It has two layer of bone

Q3) The best statement regarding the microscopic features of cerebellar cortex
a) The afferent fibers terminate in granular layer
b) It consists of six layers of cells
c) In medullary layer cells are compactly arranged
d) The Purkinje layer consists of flask shaped cells with highly developed dendritic tree
e) In granuler layer the cells are dispersed

Q4) The characteristic feature about the pericyte is
a) These cells are developed from ectoderm
b) These cells surround the arterioles
c) They are present in the basement membrane of vessels
d) They are spherical in shape
e) They have a contractile function

Q5) Which one of the following is best statement about scalp
a) Scalp has very poor nerve supply
b) Wounds of the scalp bleed profusely because the vessels do not retract
c) There are abundant emissary veins in frontal region
d) Epicranial muscles are supplied by mandibular nerve
e) Spread of infection is a common phenomena

Q6) Regarding Retina (point out the odd statement)
a) Nuclei of cones are dispersed near the limiting membrane
b) The rods and cones are polarized by neurons
c) Basal region of pigment epithelium rests firmly on Bruch's membrane
d) External plexiform layer is present between layer of rods and cones and bipolar cells
e) The anterior part of retina is photo sensitive

Q7) Mitosis of cells occurs in which layer of developing neural tube
a) Ependymal and mantle layers
b) Mantle layer
c) Ependymal (neuroepithelial) layer
d) Mantle and marginal layers
e) Marginal layer

Q8) Select an odd statement regarding the structures of the oral cavity.
a) Taste buds are located on the dorsal surface of the filiform papillae.
b) In tongue, muscle bundles cross each other running in longitudinal, transverse and vertical directions.
c) Superior surface of soft palate is lined by pseudostratified columnar ciliated epithelium.
d) Von Ebner glands of tongue are serous in nature.
e) There are no sebaceous or sweat glands in the red area of lips.

Q9) The most common site for spina bifida occulta is
a) Lower thoracic region
b) Mid thoracic region
c) Upper thoracic region
d) Lumbosacral region
e) Cervical region

Q10) Select an odd statement regarding the structure of cerebellum.
a) Cytoplasm of a granule cell contains large number of Nissl granules, which are arranged concentrically around the nucleus.
b) Unmyelinated axon of a basket cell ascends toward the molecular layer.
c) Mossy fibers originate from the inferior olivary nucleus of the medulla oblongata.
d) Axons of Golgi type II cells end by making synapses with terminal branches of the mossy fibers.
e) Four or more branching dendrites pass outward from the base of the perikaryon of the Purkinje cell.

Q11) Regarding the congenital anomalies of development of nose , which one of the following statement is incorrect
a) Nasal bridge is bifid
b) Single nostril results when only one nasal placode forms
c) Bifid nose means development of in separate noses
d) The nostrils are widely separated
e) Bifid nose results when medial nasal prominences do not merge completely

Q13) The characteristic feature about the pericyte is
a) They have a contractile function
b) They are present in the basement membrane of vessels
c) These cells surround the arterioles
d) These cells are developed from ectoderm
e) They are spherical in shape

Q14) The anastomosis between external and internal carotid arteries include all of the following except
a) Dorsal nasal artery and facial artery
b) Greater palatine and superior labial artery
c) Anterior ethamoidal artery and facial artery
d) Lateral nasal artery and supratrochlear artery
e) Lacrimal artery and transverse facial artery

Q15) The clinical importance of anterior frontale is
a) It is the site of fusion of parietal bones with frontal bone
b) It bulges in case of raised intracranial pressure
c) Two parietal bone meet one another at this point
d) It is common site of meningeal herniation
e) It is on the scalp

Q16) Spinous process is absent in which of the following vertebra
a) 2nd cervical vertebra
b) 5th cervical vertebra
c) 1st cervical vertebra
d) 3rd cervical vertebra
e) 7th cervical vertebra

Q17) Lateral rectus of eye is supplied by
a) V cranial nerve
b) VI cranial verve
c) III cranial nerve
d) II cranial nerve
e) IV cranial nerve

Q18) Select an incorrect statement regarding the structure of layer of the cerebral cortex
a) Inner band of Baillarger is present in the external pyramidal layer
b) External granular layer contains large number of small pyramidal cells
c) Martinotti cells are present in the multiform and ganglionic layers
d) Horizontal cells are present in molecular layer
e) Outer band of Baillarger is present in the internal granular layer

Q19) Herniation of the intervertebral disc between the fifth and sixth cervical vertebrae will compress the
a) Fourth cervical nerve root
b) Sixth, seventh and eight cervical nerve roots
c) Seventh cervical nerve root
d) Fifth cervical nerve root
e) Sixth cervical nerve root

Q20) Select an odd statement regarding the structures of the oral cavity.
a) Superior surface of soft palate is lined by pseudostratified columnar ciliated epithelium.
b) Taste buds are located on the dorsal surface of the filiform papillae.
c) There are no sebaceous or sweat glands in the red area of lips.
d) Von Ebner glands of tongue are serous in nature.
e) In tongue, muscle bundles cross each other running in longitudinal, transverse and vertical directions.

Q21) Regarding the glial cells
a) Fibrous astrocytes are found in gray matter
b) Microglia are found in 'PNS'
c) Protoplasmic astrocytes form scar tissue in CNS, in case of any damage
d) Ependymal cells are of simple squamous variety
e) Schawn cells form myelin in central nervous system

Q22) Occulomotor nucleus is situated at which of the following level
a) Medulla oblongata
b) Tegumentum pones
c) Superior colliculus
d) Cerebello potine angle
e) Inferior colliculus

Q23) Which of the following tracts does not cross the midline
a) Rubro-spinal tract
b) Pyramidal Tract
c) Dento thalamic tract
d) Spinothalamic tract
e) Dorsal spinocerebellar tract

Q24) Considering the myelination of nerve fiber
a) Unmyelinated nerve fibers are not covered by Schwann cells
b) The nucleus of Schwann cell is present at the node of Ranvier
c) Myelin is formed by the cytoplasm of Schwann cells
d) Myline is stained black in routine histological stains i.e H & E
e) Internode is the distance between two nodes

Q25) Regarding mid brain
a) Origin to 4th cranial nerve in its upper part
b) Cerebral peduncle lies posterior
c) Closely related to free border of falx cerebelli
d) Superior colliculi receive auditory impulses
e) Contains cerebral aqueduct

Time Allowed: One Hour

Q1) REGARDING AMNIOTIC FLUID, ALL OF THE FOLLOWING ARE TRUE EXCEPT THAT IT
a) contains the fetal cells and fetal urine.
b) allows mobility to fetus.
c) protects fetus from external injury
d) helps in parturition
e) amount is 500 ml at full term.

Q2) FOLLOWING STRUCTURE IS FORMED DURING THIRD WEEK OF DEVELOPMENT:
a) trilaminar germ disc.
b) neural tube.
c) genital ridge
d) limb buds
e) branchial arches.

Q3) 'Pterion' is located at
a) Pterygopalatine fossa
b) Occipital region
c) Zygomatic arch
d) Temporal region
e) Digastric fossa

Q4) THE BEST EXAMPLE OF LOOSE CONNECTIVE TISSUE IS THE:
a) dermis.
b) superficial fascia.
c) tendon.
d) aponeurosis.
e) deep fascia.

Q5) IN CASE OF SKELETAL MUSCLES OF THE BODY:
a) sartorius is an example of bipennate muscles.
b) sternohyoid is an example of strap muscles.
c) triceps brachi is a multipennate muscle.
d) range of movement is greater than power in pennate muscles.
e) fibres run parallel to the line of pull in pennate muscles.

Q6) 'Visual area' on cortex is supplied by:
a) Vertebral atery.
b) Basilar artery.
c) Middle cerebral artery.
d) Posterior cerebral artery.
e) Anterior cerebral artery.

Q7) ANATOMICAL POSITION OF THE BODY INCLUDES ALL THE FOLLOWING STATEMENTS EXCEPT THE:
a) feet are held together.
b) person is standing erect.
c) palms are facing towards body (medially).
d) person is looking straight forward.
e) arms are hanging by sides.

Q8) ANTIBODIES ARE SYNTHESIZED AND SECRETED BY:
a) T cytotoxic cells.
b) T memory cells.
c) plasma cells.
d) T helper cells.
e) B memory cells.

Q9) Posterior root ganglia contains cell bodies of;
a) Pre-ganglionic neurons
b) Central motor neurons
c) Peripheral sensory neurons
d) Peripheral motor neurons
e) Central sensory neurons

Q10) The midbrain is a part of:
a) Cerebrum.
b) Diencephalon.
c) Pons.
d) Brain stem.
e) Cerebellum.

Q11) The following skin cells alert the immune system to pathogens
a) Langerhans
b) Melanocytes
c) Keratinocytes
d) Fibroblast
e) Horney cells

Q12) Skeletal muscles:
a) Do not form the main bulk of body
b) Are supplied by somatic nerves
c) Cells have one nuclei
d) Are capable of powerful contraction hence not fatigued easily
e) Form the main bulk of GIT muscles

Q26) A simplest structure considered to be alive are
a) Cells
b) Organs
c) Organelles
d) Tissues
e) Organisms

Q27) THE HYALINE CARTILAGE:
a) is devoid of perichondrium.
b) contains type-I collagen.
c) is present on articular surfaces of synovial joints.
d) is the vascular tissue.
e) is capable of extensive turnover and repair.

Q28) THE MOST IMPORTANT EVENT FOR IMPLANTATION OF THE FETILIZED OVUM IS THE:
a) disintegration of zona pellucida.
b) entry of morula in uterine cavity.
c) formation of decidua
d) formation of blastocyst
e) cleavage

Q29) THE MOST COMMON SITE FOR ABNORMAL IMPLANTATION IS THE:
a) uterine tube.
b) mesentery.
c) lower uterine segment.
d) pouch of Douglas.
e) ovary.

Q30) Mid brain connects the forebrain to:
a) Pons.
b) Hind brain.
c) Spinal cord.
d) Cerebellum.
e) Brain stem.

Q31) Cerebral aqueduct passes through:
a) Medulla oblongatae
b) Cerebrum
c) Pons
d) All along brain stem
e) Mid brain.

Q32) PREGNANCY CAN BE DOCUMENTED IN A FEMALE IN SECOND WEEK OF DEVELOPMENT BY:
a) pelvic X-Ray (radiography).
b) assay of human chorionic gonadotropin in urine.
c) C.T scan.
d) ultrasound
e) assay of serum progesterone in the blood.

Q33) Post ganglionic sympathic fibers innervate the following viscera except
a) Adrenal medulla
b) Lungs
c) Heart
d) Duodenum
e) Stomach

Q34) Cell - bodies of preganglionic sympathetic fibers all present in lateral gray born at the level between:
a) T_1 to L_2
b) S_2 S_3 S_4
c) T_4 to L_5
d) C_1 to C_4
e) S_1 S_2 S_3

Q35) Regarding the type of muscle contraction:
a) Muscle do not change its length during eccentric contraction
b) Muscle decrease in length during eccentric contraction
c) Muscle exerts force with changing the length in isometric contraction
d) Muscle exerts force without changing length in isometric contraction
e) Muscle increase in length in isotonic contraction

Q36) SIMPLE SQUAMOUS EPITHELIUM IS ABSENT IN THE FOLLOWING ORGANS:
a) serous membranes.
b) lung alveoli.
c) blood vessels.
d) loops of Henle of the kidney.
e) distal convoluted tubules of the kidney.

Q37) Which of the following is not an essential part of anatomical position
a) Forearms supine
b) Feet flat on the floor
c) Mouth closed
d) Arms down to the sides
e) Eyes facing forward

Q38) SECONDARY OOCYTE COMPLETES ITS SECOND MEIOTIC DIVISION TO BECOME A MATURE OVUM:
a) at puberty.
b) before ovulation
c) at ovulation.
d) at fertilization.
e) before fertilization.

Second year BDS

List of recommended books:

Pathology and Microbiology:

Basic Pathology.Robbins and Cotran 10th edition.
Volume 1
Levinson latest edition 15th edition

Pharmacology:

Katzung & Trevor's Pharmacology. Examination and Board Review. 12th edition

Dental Materials:

Applied dental materials. McCabe. *10th edition.*

Oral Pathology:

Oral Pathology. Soames and Southam. 4th edition
Oral Pathology. Regezi. 7th edition

25 (E)
24 (C)
21 C
22 (C)
2 (A ~~d both~~)
4 (e)
(3) (A)
23 (C)
43 (B)
44 A
45 A
42 D
47 A
46 D
49 (A)
50 (E)
42 (B)
24 (A)
27 (-d)
28 (B)
29 (D)
30 B
31 B
19 (A)
18 (E)
17 (C)
16 D
15 D
14 D
13 D — Yello page

35 (a)
33 (d)
32 (a)
31 (A)
30 (B) (A)
26 (A)
27 (A)
28 (C)
29 (A)
34 (B)

1 (d) 20 (B)
2 (C) 19 (D)
3 (A) 18 (D)
4 (A) 17 (B)
5 (A) 16 C - Ahas
6 (C) 15 (B)
7 (A) 14 (B)
8 (B) 11 (C)
9 (B) 12 ( ) A, B
10 (B) 13 ( )

48 → scalp - (E)
46 → A → Middle Meningeal
44 → A Parotid gland
47 (A) Infratemporal fossa
43 (C) Paranasal sinus
41 (B) Skin
20 (B)
56 (C) → Muscle of Face.
55 (D)
54 (E)
53 (A)
57 (B)
52 (D)
58 ( )
59 (A)
66 (B)
64 (C)
65 (D)
62 (D)
63 (A) (E) Both correct

91 (B)
92
93 (C)
94 (E)
95 (Ed)
96 (E)
97 (A)
98 (E)
99 (A)
100 (E)

65 B
66 (C)
67
68 D
69 A
70 (D)
71 (D)

72 B
73 C
74 E
75 B
76 (E)
77 (B)
78

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Design | Layout | Peto

Paste | Clipboard | Font | Paragraph | Styles

Objective:

Question Stem (Scenario not > 100 words).

Q42) Choose the incorrect statement regarding muscular derivatives of fourth pharyngeal arch?

Options:

a) Crico thyroid.

b) Inferior constrictor muscles of pharynx.

c) Tensor velli palatini.

d) Superior constrictor muscle of phyarynx.

e) Levator velli palatini.

(C)

14-10-2019 | Venue: | ANATOMY DIKIOHS

Q70) Which of the following cells of skin belong to mononuclear phagocyte system?

Options:

a) Kertinocytes
b) Langerhan cells
c) Melanocytes
d) Merkel cells
e) Squames

Key: b

Date:	19-10-19	Venue:	Q-Bank

Q90) Maxillary sinus drains into:

Options:

a) Ethmoidal bulla of middle meatus
b) Hiatus semilunaris of middle meatus
c) Inferior meatus
d) Spheno-ethmoidal recess
e) Superior meatus

Q97): A large opening in the diaphragm that occludes thoracic outlet at the level of T10 vertebra transmits which of the following?

Options:

a) Aorta
b) Azygous vein
c) Esophagus
d) Inferior vena cava
e) Thoracic duct

Options:

a) Caecum.
b) Colon.
c) Duodenum .
d) Ileum.
e) Jejunum.

Key: d

Date:	19-10-19	Venue:	Q-Bank
Writers Name:	Dr. Maria Khan		Employee ID:
Designation:	Assistant professor	Institution:	DUHS

3) Prominent internal elastic lamina is present in:

a. Arteriole
b. Capillary
c. Elastic artery
d. Metarteriole
e. Muscular artery

Key: e

64) Keratohyaline granules are the characteristic feature of which layer of epidermis?

a. Stratum basale
b. Startum corneum
c. Stratum granulosum
d. Stratum lucidum
e. Stratum spinosum

Nov 2018

M	T	W	T	F	S	S
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30		

October
WEEK 42
Tuesday
منگل
۵ صفر ۱۴۴۰
16

(19) incorrect regarding gastrulation
↳ primitive streak persist throughout life.
(20) Below mention statement, incorrect regarding fertilization.
↳ Isthmus
(21) incorrect regarding blastocyst.
↳ Enter the uterine cavity from uterine tube
(22) correct regarding cleavage of zygote.
↳ Mitotic division.
(23) incorrect regarding trophoblast
↳ Syncitiotrophoblast ✗ uninucleated
(24) fate of notochord.
↳ nucleus pulposes.
(25) ultrasound is do detect large mass
↳ can become of 28 week female fetus
(what might be origin of such mass
↳ primitive streak.
(26) Neural crest cells give rise to skin.
↳ Dermis of face.
(27) Pigment cells present in Epidermis,
↳ retina
Evening
(28) Enamel
↳ Enamel
(29) 12th week. - Primary ossification
(30) Pupillary layer retina - 28 week
(31) Maternal portion - decidua Basalis.
(32) incorrect regarding human placenta
↳ 15 to 20 bulging

October

WEEK 41

13 Saturday

هفته

۲ ستمبر ۱۴۴۰

Oct 2018

M	T	W	T	F	S	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

(7) ~~del~~ Post. triangle of neck further divided into occipital & supraclavicular triangle by
inferior belly of omohyoid.

(8) Wrong statement regarding floor of ant. triangle of neck. It's formed by

(9) odd statement regarding skeletal muscle fixed end of muscle called insertion.

(10) ~~false~~ false statement about skeletal muscle fibres are branched.

(11) When two bones are joined by fibrous tissue called ligament.
Syndesmosis.

(12) Which palm facing upward.
supination.

(13) Incorrect statement about normal anatomical position
palm of hand facing backward.

(14) Bony nodules found imbedded in tendon having no periosteum & ossify after birth.
Sesamoid bone.

(15) Incorrect statement regarding fibrocartilage
perichondrium surround entire surface.

(16) Statement regarding down syndrome ~~chromosomal~~ trisomy 21 numerical

(17) Statement regarding ovulation abnormal
progesterone surge.

(18) events of first week include all except
capacitation.



October
WEEK 41
Friday
جمعة
١ أسبوع ١٤٣٠
121

87) Pass anterior
88) Inferior border of ribs
89) Diaphragm.
90) Right atrium.
91) left coronary artery
92) Descending thoracic aorta
93) Right bronchus.
94) Middle lobe of right lung.
95) Esophagus
96) Ileum.
97) Right hypochondrium
98) Fundus of uterus
99) Testes
100) lumbar nodes

PRE EXAM

1) Cutaneous branch of cervical plexus - false statement
↳ Greater occipital nerve
2) Structure lie superficial to submandibular gland ~~in~~ of deep to digastric muscle - facial vein
3) Structure not including as a content of Post. triangle — cranial root of Accessory nerve.
4) Mucosa of uterus at time of implantation in which of phase of menstrual cycle.
↳ secretory phase.
5) common site of ectopic pregnancy.
↳ Ampulla of uterine tube.
6) odd statement abt spermatogenesis.
↳ Spermatogonia becomes sperm.

October

19 Tuesday
منگل
۲۸ محرم ۱۴۴۰

Oct 2018
M T W T F S S
1 2 3 4 5 6 7
8 9 10 11 12 13 14
15 16 17 18 19 20 21
22 23 24 25 26 27 28
29 30 31

59) lateral pterygoid.
60) Sternocliedo mastoid muscle.
61) Zygomo, the muscle of facial exp ---(A)
62) Wounds of Scalp bleed profusely ---- (D).
63) Orbital plate.
64) Sternocliedo mastoid muscle.
65) Middle meningeal artery.
66) Presence of odontoid process.
67) Transverse Cervical nerve.
68) Palatoglossus.
69) Supra orbital nerve.
70) Sternocliedomastoid.
71) Glossopharyngeal.
72) Receives blood from branch of Costocervical trunk.
(A) 73) Sup. thyroid artery → first branch of ext. C.
74) Arterial plexus.
75) Sup. temporal branch Zenial branch of ext. carotis
76) Communicates with pterygo (E)
~~77)~~ ~~Middle ethmoidal sinus~~ (E)
~~77)~~ ~~Dual window~~ Middle ethmoidal sinus
78) (E) Dual window.
(E) 79) ~~Postganglionic fibres from ciliary~~ (E)
80) " (B)
81) Sup & nasal — ophthalmic nerve
82) Sup. alveolar nerve.
83) Sup. thyroid artery.
84) ~~Nasal~~. Frontal
85) Maxillary
86) Frontal.

87)
88)
89)
90)
91)
92
93
94
95
96
97
98
99
100

(1) C
(2)
(3)
(4)
(5)
(6)

30) Intermediate mesoderm
31) 1000 ml.
32) Renal agnesis.
33) Syncitio, cyto, C-7, endothelium.
34) Has villi which remain uniform in size throughout Pregnancy
35) Mesoderm
36) Ectoderm
37) Neurulation.
38) Endoderm.
39) Interventricular foramen (Monro).
40) Anterior cerebral artery.
41) Occulomotor.
42) Foramen Magenda.
43) Precentral Gyrus ~~Parietal~~ occipital
44) ~~Tactile~~ on opposite side (B)
45) Tactile deficits on opposite side
46) Corticospinal fibers
47) Trochlear nerve.
48) Corticospinal tract lesion.
49) Posterior cirico-arytenoid. >
50) Recurrent laryngeal nerve;
51) Levator veli palatini
52) Handle of malleus.
53) Trapezius
54) lies posterior to subclavian vein
55) Temporalis.
56) Glossopharyngeus
57) - ?
58) - ?

October

WEEK 40

7 Sunday
اتوار
۲۶ محرم ۱۴۴۰

Mock EXAM

Oct 2018

M	T	W	T	F	S	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

Answers

1) Sagittal plane
2) Flexion, extension, adduction, abduction.
3) Epidermis.
4) hair, hair follicle, ameloblast
5) Short bones.
6) Fibrocartilage.
7) Hinge joint
8) Perimysium.
9) Single motor neuron together with muscle.
10) Upper right quadrant.
11) Hematoxylin & eosin.
12) Choroidal plexus of ventricles / ovary.
13) Simple columnar.
14) Osteocytes in lacunae spaces.
15) Stratified columnar epi
16) Holocrine secretion
17) Membranous urethra.
18) Hematoxylin & eosin
19) Straight, uncoiled or extended Chromatin.
20) Lysosomes.
21) Stratified squamous keratinized.
22) Cilia.
23) Simple cuboidal epi.
24) Ectopic tubal pregnancy.
25) Epiblast.
26) 1st during 2nd week.
27) New vessels by budding & branching
28) Umbilical vesicle.
29) Red bone marrow.

epidermis?

a. Stratum basale
b. Startum corneum
c. Stratum granulosum
d. Stratum lucidum
e. Stratum spinosum

Key: c

Q65) Uterine glands are an example of:

a. Simple acinar glands
b. Simple branched acinar glands
c. Simple branched tubular glands
d. Simple coiled tubular glands
e. Simple tubular glands

Key: c

b. Capillary
c. Elastic artery
d. Metarteriole
e. Muscular artery

Key: e

Q64) Keratohyaline granules are the characteristic feature of which layer of epidermis?

a. Stratum basale
b. Startum corneum
c. Stratum granulosum
d. Stratum lucidum
e. Stratum spinosum

Key: c

c. Diads
d. Branched muscle fibers
e. Each muscle fiber has single central nucleus

Key: b

Q62) Fanestrated capillaries are found in:

a. Liver
b. Spleen
c. Kidney
d. Skeletal muscle
e. Brain

Key: c

Q63) Prominent internal elastic lamina is present in:

a. Arteriole
b. Capillary
c. Elastic artery
d. Metarteriole
e. Muscular artery

Key: e

Q64) Keratohyaline granules are the characteristic feature of which layer

e. Muscle fibers are longitudinal and cylindrical

Key: d

Q61) Choose a histological feature that is common to both cardiac and skeletal muscle from the following:

a. Intercalated discs
b. Cross striations
c. Diads
d. Branched muscle fibers
e. Each muscle fiber has single central nucleus

Key: b

Q62) Fanestrated capillaries are found in:

a. Liver
b. Spleen

e. Osteoprogenitor cell

Key: b

Q60) Regarding skeletal muscle, choose the statement that is false:

a. Sarcomere is the segment between two successive z-discs
b. A-bands are dark and I-bands are light
c. Muscle fibers are multinucleated
d. Intercalated discs are present
e. Muscle fibers are longitudinal and cylindrical

Key: d

Q61) Choose a histological feature that is common to both cardiac and skeletal muscle from the following:

a. Intercalated discs
b. Cross striations
c. Diads
d. Branched muscle fibers

Key: b

Q58) Regarding compact bone, choose the correct statement from the following:

a. Periostium covers the bone matrix internally i.e. around marrow cavity
b. Sharpey's fibers bind the bone matrix to periosteum
c. Volkman canal is present in the center of osteon
d. Osteocytes lie in the Howship's lacunae
e. Interstitial lamellae are present just beneath the periosteum

Key: b

Q59) Serology report of a 40 years old man reveals raised levels of parathyroid hormone. Which of the following bone cells is likely to be activated:

a. Fibroblast
b. Osteoblast
c. Osteoclast
d. Osteocyte
e. Osteoprogenitor cell

Key: b

Q60) Regarding skeletal muscle, choose the statement that is false:

[redacted] the segment between two successive z-discs
[redacted] I-bands are light

e. Reticular connective tissue

Key: b

Q57) Regarding cartilage, choose the statement that is not correct:

a. Fibrocartilage has no distinct perichondrium
b. Elastic cartilage is found in the intervertebral discs of vertebral column
c. Type-II collagen is predominant in elastic and hyaline cartiage
d. Chondrocytes are seen in the form of rows between collagen fiber bundles in fibrocartilage
e. Hyaline cartilage is found in fetal skeleton

Key: b

Q58) Regarding compact bone, choose the correct statement from the following:

a. Periostium covers the bone matrix internally i.e. around marrow cavity
b. Sharpey's fibers bind the bone matrix to periosteum
c. Volkman canal is present in the center of osteon
d. Osteocytes lie in the Howship's lacunae
e. [illegible]llae are present just beneath the periosteum

Q56) Perichondrium is an example of:

a. Adipose tissue
b. Dense irregular connective tissue
c. Dense regular connective tissue → tendon and ligament
d. Loose connective tissue
e. Reticular connective tissue

Key: b

Q57) Regarding cartilage, choose the statement that is not correct:

a. Fibrocartilage has no distinct perichondrium
b. Elastic cartilage is found in the intervertebral discs of vertebral colum
c. Type-II collagen is predominant in elastic and hyaline cartiage
d. Chondrocytes are seen in the form of rows between collagen fiber bundles in fibrocartilage
e. Hyaline cartilage is found in fetal skeleton

Key: b

Q55) Apocrine mode of secretion is found in:

a. Ceruminous glands of ear
b. Intestinal glands
c. Lacrimal glands
d. Mammary glands
e. Sebaceous glands

Key: a

Q56) Perichondrium is an example of:

a. Adipose tissue
b. Dense irregular connective tissue
c. Dense regular connective tissue
d. Loose connective tissue
e. Reticular connective tissue

Key: b

a. Pseudostratified columnar
b. Simple cuboidal
c. Simple columnar
d. Simple squamous
e. Transitional

Key: c

Q54) Regarding connective tissue cells and their functions, choose the correct pair:

a. Adipocyte——————————Production of heparin
b. Fibroblast——————————Phagocytosis
c. Macrophage——————————Synthesis of extracellular fibers
d. Mast cell——————————Storage of fat
e. Plasma cell——————————Production of antibody

Key: e

Q55) Apocrine mode of secretion is found in:

a. Ceruminous glands of ear
b. Intestinal glands
c. Lacrimal glands
d. Mammary glands
e. Sebaceous glands

e. Thyroid follicle

Key: e

Q53) A researcher observes H&E stained tissue section of gall bladder under the light microscope. The lining epithelium most likely to be seen is:

a. Pseudostratified columnar
b. Simple cuboidal
c. Simple columnar
d. Simple squamous
e. Transitional

Key: c

Q54) Regarding connective tissue cells and their functions, choose the correct pair:

a. Adipocyte——————————Production of heparin
b. Fibroblast——————————Phagocytosis
c. Macrophage——————————Synthesis of extracellular fibers
d. Mast cell——————————Storage of fat

e. Tonofibrils

Key: a

Q52) Simple cuboidal epithelium is found in:

a. Conjunctiva
b. Epidermis
c. Esophagus
d. Gall bladder

e. Thyroid follicle

Key: e

Q53) A researcher observes H&E stained tissue se
light microscope. The lining epithelium mos

e. Tonofibrils

Key: c

Q50) The basal surface of an epithelial cell is attached to the underlying basement membrane by a junction called:

a. Gap junction
b. Hemidesmosome
c. Macula adherens
d. Zonula adherens
e. Zonula occludens

Key: b

Q51) The internal skeleton of a microvillus is made up of:

a. Actin filaments
b. Desmin filaments
c. Microtubules
d. Myosin filaments
e. Tonofibrils

Key: a

Q52) Simple cuboidal epithelium is found in:

a. Conjunctiva
b. Epidermis

d. Neurofilaments
e. Tonofibrils

Key: c

Q50) The basal surface of an epithelial cell is attached to the underlying membrane by a junction called:

a. Gap junction
b. Hemidesmosome
c. Macula adherens
d. Zonula adherens
e. Zonula occludens

Key: b

Q51) The internal skeleton of a microvillus is made up of:

a. Actin filaments
b. Desmin filaments
c. Microtubules
d. Myosin filaments
e. Tonofibrils

Key: a

c. Nucleotide
d. Nucleosome
e. Ribosome

Key: d

Q49) In a centrosome, each centriole is made up of 9 subunits comprising of:

a. Intermediate filaments
b. Microfilaments
c. Microtubules
d. Neurofilaments
e. Tonofibrils

Key: c

Q50) The basal surface of an epithelial cell is attached to the underlying basemen membrane by a junction called:

a. Gap junction
b. Hemidesmosome
c. Macula adherens
d. Zonula adherens
e. Zonula occludens

Key: b

Q51) The internal skeleton of a microvillus is made up of:

a. Actin filaments
b. Desmin filaments

c. Nucleotide
d. Nucleosome
e. Ribosome

Key: d

Q49) In a centrosome, each centriole is made up of 9 subunits comprising of:

a. Intermediate filaments
b. Microfilaments
c. Microtubules
d. Neurofilaments
e. Tonofibrils

Key: c

GENERAL HISTOLOGY

Q48) The structural unit of DNA and histones is called:

a. Barr body
b. Nucleoside
c. Nucleotide
d. Nucleosome
e. Ribosome

Key: d

Q49) In a centrosome, each centriole is made up of 9 subunits comprisi

a. Intermediate filaments
b. Microfilaments
c. Microtubules
d. Neurofilaments


c. Pontine arteries
d. Posterior cerebral artery
e. Superior cerebellar artery

Key: a

Q47) Which of the following is a branch of vertebral artery?

a. Anterior cerebral artery
b. B. Anterior inferior cerebellar artery
c. Middle cerebral artery
d. Ophthalmic arterys
e. Posterior inferior cerebellar artery

Key: e



e) Meningeal layer of dura matter stops at foramen magnum

Key: d

Q45) Select the incorrect statement regarding dural venous sinus related to tentorum cerebelli

Options:

a) Superior petrosal sinus
b) Right transverse sinus
c) Inferior sagittal sinus
d) Left transverse sinus
e) Straight sinus

Key: c

Q46) Branches of basilar artery do not include:

a. Anterior cerebral artery
b. Labyrinthine artery
c. Pontine arteries
d. Posterior cerebral artery
e. Superior cerebellar artery

Key: a

Q47) Which of the following is a branch of vertebral artery?

a. Anterior cerebral artery
b. B. Anterior inferior cerebellar artery

d) Foramen of Vesalius
e) Foramen Cecum

Key: d

Q44) Choose the true statement regarding meninges of brain and spinal cord

Options:

a) Endosteal layer of dura matter extends uptil second sacral vertebra
b) Pia matter is inner avascular layer
c) Arachanoid matter is outermost layer
d) Ligamentum denticulatum are triangular extensions of pia matter
e) Meningeal layer of dura matter stops at foramen magnum

Key: d

Q45) Select the incorrect statement regarding dural venous sinus related to tentorium cerebelli:

Options:

a) Superior petrosal sinus
b) Right transverse sinus
c) Inferior sagittal sinus
d) Left transverse sinus
e) Straight sinus

Key: c

Q42) Choose false statement regarding the structure seen on transverse section of mid brain passing through inferior colliculus level

Options:

a) Red nucleus
b) Trochlear nucleus
c) Substantia nigra
d) Inferior collicular nucleus
e) Crus cerebri

Key: a

Q43) CSF Of lateral ventricle circulates into 3rd ventricle through which of the following openings:

Options:

a) Cerebral aqueduct of sylvius
b) Foramen of magendie
c) Foramen of lushka
d) Foramen of Monro
e) Foramen Cecum

Key: d

Q44) Choose the true statement regarding meninges of brain and spinal cord

Options:

a) Endosteal layer of dura matter extends uptil second sacral vertebra

Q40) Select the false statement regarding deep intracerebellar nuclei:

Options:

a) Dentate nucleus
b) Globus pallidus nucleus
c) Emboliform nucleus
d) Fastigeal nucleus
e) Globos nucleus

Key: b

Q41) Layers of cerebellar cortex include all except:

Options:

a) Purkinje cell layer
b) Granular layer
c) Molecular layer
d) Pyramidal layer

Key: d

Q42) Choose false statement regarding the structure seen on transverse section of mid passing through inferior colliculus level:

Options:

a) Red nucleus
b) Trochlear nucleus
c) Substantia nigra

b) Glossopharyngeal
c) Abducent
d) Vestibulocochlear
e) Nervus intermedius

Key: b

Q40) Select the false statement regarding deep intracerebellar nuclei

Options:

a) Dentate nucleus
b) Globus pallidus nucleus
c) Emboliform nucleus
d) Fastigeal nucleus
e) Globos nucleus

Key: b

Q41) Layers of cerebellar cortex include all except

Options:

a) Purkinje cell layer
b) Granular layer
c) Molecular layer
d) Pyramidal layer

Options:

a) Abducent nucleus
b) Facial nucleus
c) Cochlear nucleus
d) Dorsal vagal nucleus
e) Superior Salivary nucleus

Key: a

Q39) Choose the wrong statement regarding the nerves emerging in groove between Pons an Medulla:

Options:

a) Facial
b) Glossopharyngeal
c) Abducent
d) Vestibulocochlear
e) Nervus intermedius

Key: b

Key: e

Q38) Facial colliculus, a rounded swelling in floor of 4th ventricle is formed by:

Options:

a) Abducent nucleus
b) Facial nucleus
c) Cochlear nucleus
d) Dorsal vagal nucleus
e) Superior Salivary nucleus

Key: a

Q39) Choose the wrong statement regarding the nerves emerging in groove between Pons a Medulla:

Options:

a) Facial
b) Glossopharyngeal
c) Abducent
d) Vestibulocochlear
e) Nervus intermedius

Key: b

Q35) Choose the incorrect statement regarding structure seen on anterior surface of Medulla Oblongata:

Options:

a) Pyramid
b) Olive
c) Inferior cerebellar peduncle
d) Rootlets of hypoglossal nerve
e) Trochlear nerve

Key: e

Q36) Following cranial nerve nuclei are present in floor of 4th ventricle except:

Options:

a) Hypoglossal nucleus
b) Dorsal vagal nucleus
c) Nucleus Ambiguus
d) Facial Nucleus
e) Vestibular nucleus

Key: c

Q37) Part of the visual reflex nucleus of Midbrain is:

Options:

a) Lateral Geniculate body
b) Medial Geniculate body
c) VPL
d) Inferior colliculus
e) Superior colliculus

Key: e

Q38) Facial colliculus, a rounded swelling in floor of 4th ventricle is formed by:

Options:

a) Abducent nucleus
b) Facial nucleus
c) Cochlear nucleus

Key: b

Q35) Choose the incorrect statement regarding structure seen on anterior surface of Medulla Oblongata:

Options:

a) Pyramid
b) Olive
c) Inferior cerebellar peduncle
d) Rootlets of hypoglossal nerve
e) Trochlear nerve

Key: e

Q36) Following cranial nerve nuclei are present in floor of 4th ventricle except:

Options:

a) Hypoglossal nucleus
b) Dorsal vagal nucleus
c) Nucleus Ambiguus

b) Nucleus gracilis
c) Dorsal root ganglia
d) Ventral posterolateral nucleus of thalamus
e) Nucleus dorsalis

Key: b

Q35) Choose the incorrect statement regarding structure seen on anterior surf
Oblongata:

Options:

a) Pyramid
b) Olive
c) Inferior cerebellar peduncle
d) Rootlets of hypoglossal nerve
e) Trochlear nerve

Key: e

Q36) Following cranial nerve nuclei are present in floor of 4th ventricle except:

Options:

a) Hypoglossal nucleus
b) Dorsal vagal nucleus
c) Nucleus Ambiguus

NEUROANATOMY

Q33) Select the name of Ascending tract of lateral white matter responsible for carrying pain and temperature sensation.

Options:

a) Anterior spinocerebellar tract
b) Posterior spinocerebellar tract
c) Lateral spinothalamic tract
d) Spino tectal tract
e) Spino olivary tract

Key: c

Q34) Second order neuron for fascicular gracilis is:

Options:

a) Substantia gelatinosa group
b) Nucleus gracilis
c) Dorsal root ganglia
d) Ventral posterolateral nucleus of thalamus
e) Nucleus dorsalis

Key: b

Q30) Choose the false statement regarding spermatogenesis:

Options:

a) Duration is 74 days
b) Spermatozoa is haploid cell
c) Type-B spermatogonia give rise to primary spermatocyte
d) Spermatid are diploid cells
e) Begins at puberty

Key: d

Q31) Regarding structure of graffian follicle choose the incorrect answer:

Options:

a) Cumulus oophorus
b) Antrum
c) Zona pellucida degenrates
d) Secondary oocyte
e) Theca interna and externa

Key: c

Q32) Choose correct answer regarding oogenesis:

Options:

a) Primary oocyte remain active until puberty
b) Graffian follicle is formed in preantral stage
c) Zona pellucida is formed by granulosa cells only
d) Theca externa is secretory layer
e) Oocyte maturation inhibitor secreted by follicular cells

Key: e

NEUROANATOMY

Q30) Choose the false statement regarding spermatogenesis:

Options:

a) Duration is 74 days
b) Spermatozoa is haploid cell
c) Type-B spermatogonia give rise to primary spermatocyte
d) Spermatid are diploid cells
e) Begins at puberty

Key: d

Q31) Regarding structure of graffian follicle choose the incorrect answer:

Options:

a) Cumulus oophorus
b) Antrum
c) Zona pellucida degenrates
d) Secondary oocyte
e) Theca interna and externa

Key: c

Q32) Choose correct answer regarding oogenesis:

Options:

a) Primary oocyte remain active until puberty
b) Graffian follicle is formed in preantral stage
c) Zona pellucida is formed by granulosa cells only
d) [illegible] ...ratory layer

b) Vertebral column
c) Vertebral arch only
d) Intervertebral disc
e) Nucleus pulposus → Notochordal ✓ element
Key: e

Q28) Remnant of Primitive streak in sacrococcygeal region:
Options:
a) Sacrococcygeal Teratoma
b) Sirengiomelia
c) Situs inversus
d) Holoprosencephaly
e) Spina bifida → neural tube defect
Key: a

Q29) Maternal portion of placenta is formed by:
Options:
a) Chonon frondosum — F
b) Decidua pentalis
c) Decidua Basalis
d) Chonon leave
e) Decidua capsularis
Key: c

Q25) Cardiac muscles develop from:

Options:

a) Somatic layer of lateral plate mesoderm
b) Intra embryonic mesoderm
c) Endoderm
d) Neural crest cells
e) Splanchnic mesoderm

Key: e

Q26) Select the odd statement regarding events of 3rd week of development:

Options:

a) Gastrulation
b) Formation of notochord
c) Primary villi are formed
d) Secondary villi are formed
e) Allantois appear

Key: c

Q27) Fate of notochord:

Options:

a) Spinal cord
b) Vertebral column
c) Vertebral arch only
d) Intervertebral disc
e) Nucleus pulposus

Key: e

Q28) Remnant of Primitive streak in sacrococcygeal regio

Options:

a) Sacrococcygeal Teratoma

b) Secondary villi
c) Anchoring villi
d) Primary villi
e) Tertiary villi
Key: d

Q23) Dentin producing cells, odontoblasts develop from?
Options:
a) Endoderm
b) Paraxial mesoderm
c) Intermediate mesoderm
d) Neural crest cells
e) Ectoderm
Key: d

Q24) Choose the False statement regarding derivatives of ectoderm germ layer:
Options:
a) Hair
b) Enamel of tooth
c) Dermis of skin
d) Sweat gland
e) Nail
Key: c

Q20) False statement regarding events of 2nd week of development is:

Options:

a) Formation of primary villi
b) Establishment of uteroplacental circulation
c) Formation of extraembryonic mesoderm
d) Bilaminar germ disc is formed
e) Implantation begins

Key: e

Q21) Layer of multinucleated zone without distinct cell boundaries:

Options:

a) Cytotrophoblast
b) Epiblast
c) Hypoblast
d) Syncytiotrophoblast
e) Amnioblast

Key: d

Q22) Finger-like cellular columns with syncytial covering in trophoblast is known as:

Options:

a) Free terminal villi
b) Secondary villi
c) Anchoring villi
d) Primary villi
e) Tertiary villi

Key: d

Q23) Dentin producing cells, odontoblasts develop fr

Q18) Choose incorrect statement regarding somites:

Options:

a) Blocks of paraxial mesoderm
b) Forms the axial skeleton
c) First pair of somites appear at 20th day of development
d) Sclerotome give rise to muscles of back
e) Age is estimated during embryonic period

Key: d

→ Axial Skeleton

Q19) Site of fertilization is:

Options:

a) Ampulla of uterine tube
b) Isthimus of uterine tube
c) Uterus
d) Cervix
e) Ovary

Key: a

e) Slowdown in growth of head is most striking change

Key: e

Q16) Choose the wrong statement regarding endodermal derivatives:

Options:

a) Foregut
b) Midgut
c) Rectum
d) Oral cavity.
e) Epithelial lining of respiratory tract

Key: d

Q17) Organ which develops from intermediate mesoderm:

Options:

a) Liver
b) Spleen.
c) Kidney
d) Gall bladder
e) Urinary bladder

Key: c

Q18) Choose incorrect statement regarding somites:

Options:

a) Blocks of paraxial mesoderm
b) Forms the axial skeleton
c) First pair of somites appear at 20th day of development
d) Scleratome give rise to muscles of back
e) Age is estimated during embryonic period

Key: d

Q19) Site of fertilization is:

Options:

a) Ampulla of uterine tube

Key: b

Q15) Regarding fetal period choose the true statement:

Options:

a) Includes 7th week till birth
b) Age is estimated by somites number
c) Standing height is indicated as crown rump length
d) Weight of fetus increases during initial period
e) Slowdown in growth of head is most striking change

Key: e

Q16) Choose the wrong statement regarding endodermal derivatives:

Options:

a) Foregut
b) Midgut
c) Rectum
d) Oral cavity
e) Epithelial lining of respiratory tract

Key: d

Key: a

Q13) During 14th week which maternal antibodies are transported from mother to fetus

Options:

a) IgA
b) IgE
c) IgM
d) IgD
e) IgG

Key: e

Q14) Primary ossification center appear in long bones and skull by:

Options:

a) 3rd week
b) 12th week
c) 16th week
d) 26th week
e) 38th week

Key: b

e) Plane joint
Key: c

EMBRYOLOGY

Q11) Choose incorrect statement regarding neural crest cell derivatives:
Options:
a) Adrenal cortex → mesoderm
b) Melanocytes
c) Odontoblasts
d) Dorsal root ganglia
e) Bones of face
Key: a

Q12) Fetal portion of placenta is formed by:
Options:
a) Chorion frondosum
b) Chorion leave
c) Decidua Basalis
d) Decidua caspularis
e) Decidua pentalis
Key: a

Q13) During 14th week which maternal antibodies are transported from mother t
Options:
a) IgA
b) IgE
c) IgM
d) IgD
e) IgG
Key: e

Q14) Primary ossification center appear in long bones and skull by:
Options:

Q10) Choose the type of synovial joint in which articular surface is reciprocally concavo

Options:

a) Hinge joint
b) Pivot joint
c) Saddle joint
d) Ball and socket joint
e) Plane joint

Key: c

EMBRYOLOGY

Q11) Choose incorrect statement regarding neural crest cell derivatives:

Options:

a) Adrenal cortex
b) Melanocytes
c) Odontoblasts
d) Dorsal root ganglia
e) Bones of face

Key: a

Q12) Fetal portion of placenta is formed by:

Options:

a) Chorion frondosum
b) Chorion leave
c) Decidua Basalis
d) Decidua capsularis
e) Decidua pertalis

Key: a

maternal antibodies are transported from mother to fet

a) Hinge joint
b) Pivot joint
c) Saddle joint
d) Ball and socket joint
e) Plane joint

Key: c

EMBRYOLOGY

Q11) Choose incorrect statement regarding neural crest cell derivatives

Options:

a) Adrenal cortex
b) Melanocytes
c) Odontoblasts
d) Dorsal root ganglia
e) Bones of face

Key: a

Q12) Fetal portion of placenta is formed by

Options:

a) Chorion frondosum

Q10) Choose the type of synovial joint in which articular surface is reciprocally concavo-convex

Options:

a) Hinge joint
b) Pivot joint
c) Saddle joint
d) Ball and socket joint
e) Plane joint

Key: c

EMBRYOLOGY

Q11) Choose incorrect statement regarding neural crest cell derivatives

Options:

a) Adrenal cortex

Q8) Tooth and its socket is example of which joint.

Options:

a) Suture
b) Symphysis
c) Syndesmosis
d) Gomphosis
e) Synchondrosis

Key: d

Q9) Regarding secondary cartilagenous joint choose the incorrect statement

Options:

a) Also called symphysis
b) Bones are united by disc of fibro cartilage
c) Found in median plane of body
d) Manubrio sternal joint is one of its example
e) Articular surface is cover by elastic cartilage

Key: e

Q6) choose odd statement regarding cardiac muscles.

Options:

a) Multi nucleated.
b) Fibers branched.
c) Intercalated disc.
d) Involuntary.
e) Innervated by Autonomic nervous system.

Key: a

Q7) choose correct statement regarding skeletal muscles.

Options:

a) Fixed end of muscle is called insertion.
b) Origin is movable end of muscle.
c) Fleshy part of muscle is called tendon.
d) Flattened end of muscle is called aponeurosis.
e) Origin is always proximal to insertion.

Key: d

Q8) Tooth and its socket is example of which joint.

Options:

Key: c

Q5) Select incorrect statement regarding architecture of skeletal muscles.

Options:

a) Sartorius is strap like muscles.
b) Oblique fibers are more power full.
c) Biceps is fusiform in shape.
d) Temporalis is example of triangular muscle.
e) Parallel fibers have less range of movement.

Key: e

Q6) choose odd statement regarding cardiac muscles.

Options:

a) Multi nucleated.
b) Fibers branched.
c) Intercalated disc.
d) Involuntary.
e) Innervated by Autonomic nervous system.

Key: a

Q7) choose correct statement regarding skeletal muscles.

Options:

a) End of muscle is called insertion.

Key: c

Q5) Select incorrect statement regarding architecture of skeletal muscles.

Options:

a) Sartorius is strap like muscles.
b) Oblique fibers are more power full.
c) Biceps is fusiform in shape.
d) Temporalis is example of triangular muscle.
e) Parallel fibers have less range of movement.

Key: e

Q6) choose odd statement regarding cardiac muscles.

Options:

a) Multi nucleated.
b) Fibers branched.
c) Intercalated disc.
d) Involuntary.
e) Innervated by Autonomic nervous system.

Key: a

Options:

a) Diaphysis.
b) Epiphysis.
c) Epiphysis plate of cartilage. → growth of bone
d) Metaphysis.
e) Number of nutrient foramen.

Key: c

Q3) Choose the best example regarding pneumatic bone.

Options:

a) Mandible.
b) Nasal.
c) lacrimal.
d) Inferior nasal concha.
e) Maxilla.

Key: e

Q4) Regarding ossification of bones choose odd statement.

Options:

a) Primary ossification center is usually one in numbe
b) Primary ossification center appear before birth.
c) Secondary ossification center appear in diaphys
d) Secondary ossification centers are multiple.

Words: 2,201

Prepared by: PROF. DR. FARRUKH MUSTAFA
HEAD OF THE DEPARTMENT OF ANATOMY (DIKIOHS-DUHS)

BCQs

GENERAL ANATOMY

Q1) Choose the false statement regarding sesamoid bone.

Options:

a) Patella is largest one.
b) They are covered by periosteum.
c) Found under tendons.
d) They minimize the friction.
e) Maintain local circulation.

Key: B

Q2) Length wise growth of long bones occurs by.

Options:

a) Diaphysis.
b) Epiphysis.
c) Epiphysis plate of cartilage.

Pancreas:

Options:

a) Contains both serous and mucus acini.
b) Contains centroacinar cells in the intercalated ducts.
c) It is a compound tubular gland.
d) It serves purely as an exocrine gland.
e) Main pancreatic duct opens in first part of duodenum.

Key: b

Objective:. To describe histology of pancreas.

Question Stem (Scenario not > 100 words).

Q108): Regarding pancreas :

Options:

a) Contains both serous and mucus acini.

b) Contains centroacinar cells in the intercalated ducts.

Question Stem (Scenario not > 100 words).

Q107): Peyer's patches are the characteristic features of :

Options:

a) Caecum.
b) Colon.
c) Duodenum.

d. ileum

Paragraph

Styles

Options:

a) Intercalated ducts are lined by simple columnar epithelium
b) It is a compound tubule-alveolar gland.
c) It contains purely serous acini.
d) Main parotid duct is mostly lined by stratified columnar epithelium.
e) Serous demilunes are present.

Key: e

is false?

Options:

a) Intercalated ducts are lined by simple columnar epithelium
b) It is a compound tubule-alveolar gland.
c) It contains purely serous acini.
d) Main parotid duct is mostly lined by stratified columnar epithelium.
e) Serous demilunes are present.

Specialty / Subject: Anatomy Department Unit: Divisions

Topic / Chapter / Theme: Special Histology

Sub Topic / Subtheme: Histology of salivary glands

Objective:. To describe histology of salivary glands.

Question Stem (Scenario not > 100 words).

Q106): Regarding histology of parotid gland, which of the following statement is false?

Page: 106 of 108 Words: 15,215

Options:

a) Anterior inferior cerebellar artery.
b) Anterior spinal artery.
c) Medullary artery.
d) Posterior inferior cerebellar artery.
e) Posterior spinal artery.

Key: a

Objective: To describe blood supply of brain.

Question Stem (Scenario not > 100 words).

Q105): Which of the following is not a branch of cranial part of vertebral artery?

Options:

a) Anterior inferior cerebellar artery. —Abbas Ilahi
b) Anterior spinal artery.
c) Medullary artery.
d) Posterior inferior cerebellar artery.

Clipboard | Font | Paragraph | Styles

AaBbCcI Normal | AaBbCcI No Spaci... | AaBbC Heading 1

Options:

a) Adventitia.
b) Mucosa.
c) Muscularis.
d) Serosa.
e) Submucosa.

Key: e

Date:	19-10-19	Venue:	Q-Bank
Writers Name:	Dr. Maria Khan		Employee ID
Designation:	Assistant professor	Institution:	DUHS

Q104): Which of the following coats is not present in the wall of gall bladder?

Options:

a) Adventitia.
b) Mucosa.
c) Muscularis.
d) Serosa.
e) Submucosa.

Q103): Contents of pterygopalatine fossa do not include:

Options:

a) Mandibular nerve
b) Maxillary nerve
c) Maxillary artery
d) Posterior superior alveolar nerve
e) Pterygopalatine ganglion

a) Infundibulum
b) Pars distalis
c) Pars intermedia
d) Pars nervosa
e) Pars tuberalis

Key: d

Date:	19-10-19	Venue:	Q-Bank
Writers Name:	Dr. Maria Khan		Employ
Designation:	Assistant professor	Institution:	DU
Reference of book with edition:	Laiq Hussain's Medical Histology, 6th Ed.	Chapter:	16
Level of Questions:		Question can be used:	
Reviewer's Name, Employee's No. &Signature with date:			

Objective:: To describe histology of pituitary gland

Question Stem (Scenario not > 100 words).

Q102): Pituicytes are found in which part of the pituitary gland?

Options:

a) Infundibulum
b) Pars distalis
c) Pars intermedia
d) Pars nervosa

Clipboard | Font | Paragraph | Styles

Normal | No Spaci... | Head

Options:

a) Facial
b) Glossopharyngeal
c) Occulomotor
d) Trigeminal
e) Vagus

Key: d

Page: 101 of 108 | Words: 15,214

Topic / Chapter / Theme: Head & Neck (Gross Anatomy)

Sub Topic / Subtheme: Autonomic nervous system

Objective: To describe & differentiate between parasympathetic & sympathetic nervous system

Question Stem (Scenario not > 100 words).

Q101): Which of the following cranial nerves do not carry parasympathetic fibers?

Options:

a) Epicranial aponeurosis
b) Loose areolar tissue
c) Pericranium
d) Skin
e) Superficial fascia/connective tissue

Key: b

Date:	19-10-19	Venue:	Q-Bank
Writers Name:	Dr. Marla Khan		E
Designation:	Assistant professor		Institution:
Reference of book with edition:	B.D Chaurasia's Human anatomy, vol. 3, 4th Ed.	Chapter:	2
Level of Questions:		Question can be used:	

Topic / Chapter / Theme: Head & Neck (Gross Anatomy)

Sub Topic / Subtheme: Scalp

Objective:. To describe gross anatomy of scalp, its blood & nerve supply

Question Stem (Scenario not > 100 words).

Q100): Emissary veins which can transmit superficial infections to the intracranial dural venous sinuses are present in which layer of the scalp thus making it 'dangerous area'?

Options:

a) Common facial vein is formed by the union of anterior division of retromandibular vein & facial vein
b) Facial vein drains into external jugular vein
c) Facial vein has no direct connection with pterygoid venous plexus
d) Pterygoid venous plexus drains into superficial temporal vein.
e) Retromandibular vein is formed by the union of supraorbital & supratrochlear veins

Key: a

Date:	19-10-19	Venue:	Q-Bank

Objective: To describe venous drainage of face

Question Stem (Scenario not > 100 words).

Q99): Regarding venous drainage of face, mark the statement which is true?

Options:

a) Common facial vein is formed by the union of anterior division of retromandibular vein & facial vein

b) Facial vein drains into external jugular vein

Options:

a) Corrugator supercilii
b) Levator palpebrae superioris
c) Nasalis
d) Orbicularis oculi
e) Procerus

Key: d

Date:	19-10-19	Venue:	Q-Bank	
Writers Name:	Dr. Marla Khan			Employee ID:
Designation:	Assistant professor		Institution:	DUHS
Reference of book with edition:	B.D Chaurasia's Human anatomy, vol. 3, 4th Ed.	Chapter:	2	Page No
Level of Questions:		Question can be used:		
Reviewer's Name, Employee's No. &Signature with date:				

DR FARRUKH MUSTAFA MCQs FOR ANNUAL EXAM (A) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Pens

Paste | Arial | 10 | Font | Paragraph | Styles: ¶ Normal, ¶ No Spaci..., Heading 1, Heading 2

Question Stem (Scenario not > 100 words).

Q98): Which of the following muscles of face dilates the lacrimal sac?

(d) O. oculi

Options:

a) Corrugator supercilii
b) Levator palpebrae superioris
c) Nasalis

Q97): A large opening in the diaphragm that occludes thoracic outlet at the le
of T10 vertebra transmits which of the following?

Options:

a) Aorta
b) Azygous vein
c) Esophagus
d) Inferior vena cava
e) Thoracic duct

Key: c

actions

Question Stem (Scenario not > 100 words).

Q96): Which of the following muscles of soft palate are supplied by mandibular nerve?

E. TENSOR VELI PALATINI

Options:

a) Levator veli palatine
b) Musculus uvulae
c) Palatoglossus
d) Palatopharyngeus

Font | Paragraph | Styles

Options:

a) Cell bodies of odontoblasts lie in the pulp cavity
b) Dental cuticle covers dentin of tooth
c) Dentin is formed throughout life by ameloblasts
d) Dental pulp is the only part of tooth that is pain-sensitive
e) The apical foramen is present in the chamber of pulp cavity

Key: a

Home Insert Page Layout References Mailings Review View Pens

Times New Rom 14 Font Paragraph Styles

AaBbCcI Normal AaBbCcI No Spac... AaBbC Heading 1 AaBbCc Heading 2

Sub Topic / Subtheme: Histology of tooth

Objective:. To describe the histology of tooth

Question Stem (Scenario not > 100 words).

Q95) Regarding histology of tooth, choose the correct statement:

Options:

a) Cell bodies of odontoblasts lie in the pulp cavity

b) Dental cuticle covers dentin of tooth

Page: 95 of 108 | Words: 15,715

Options:

a) Central vein is a content of portal triad
b) Classical hepatic lobule has central vein in its center & portal triad at corners
c) Kupffer cells are found within the space of Disse
d) Plates of hepatocytes are separated by fenestrated capillaries
e) Portal lobule is roughly hexagonal in shape

Key: b

Date:	19-10-19	Venue:	Q-Bank
Writers Name:	Dr. Maria Khan	Employee ID:	5429

Question Stem (Scenario not > 100 words).

Q94) Regarding liver, mark the statement that is true:

Options:

a) Central vein is a content of portal triad

b) Classical hepatic lobule has central vein in its center & portal triad at corn

Q93) Simple cuboidal epithelium lines which part of female reproductive tract?

Options:

a) Cervix
b) Fallopian tube
c) Ovary
d) Uterus
e) Vagina

Clipboard | Font | Paragraph | Styles

Options:

a) Cleft vertebra
b) Omphalocele
c) Polydactyly
d) Sirenomelia
e) Spina bifida cystica

Key: e

Page: 92 of 108 | Words: 15,215

Question Stem (Scenario not > 100 words).

Q92) Neural tube defects include:

Options:

a) Cleft vertebra
b) Omphalocele
c) Polydactyly

Options:

a) External acoustic meatus is supplied by auriculotemporal nerve
b) Eustachian/auditory tube connects middle ear with the oropharynx
c) Oval & round windows are present in the posterior wall of middle ear
d) Tensor tympani muscle is supplied by facial nerve
e) Membranous labyrinth of internal ear is filled with perilymph

Key: a

Date:	19-10-19	Venue:	Q-Bank
Writers Name:	Dr. Maria Khan	Employee ID:	5429
Designation:	Assistant professor	Institution:	DUHS
Reference of book with edition:	B.D Chaurasia's Human anatomy,	Chapter: 18	Page No. 2

DR FARRUKH MUSTAFA MCQs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Pens

Times New Rom 14 | Paste | Font | Paragraph | Styles: AaBbCcI Normal, AaBbCcI No Spaci..., AaBbC Heading 1, AaBbCc Heading 2

Q91) Regarding ear, choose the correct statement:

Options:

a) External acoustic meatus is supplied by auriculotemporal nerve
b) Eustachian/auditory tube connects middle ear with the oropharynx
c) Oval & round windows are present in the posterior wall of middle ear
d) Tensor tympani muscle is supplied by facial nerve
e) Membranous labyrinth of internal ear is filled with perilymph

Page: 91 of 108 | Words: 15,215

QJMax. Sinus ?

Options:

a) Ethmoidal bulla of middle meatus
b) Hiatus semilunaris of middle meatus
c) Inferior meatus
d) Spheno-ethmoidal recess
e) Superior meatus

Key: b

Options:

a) Anterior & middle ethmoidal sinuses
b) Maxillary sinus
c) Nasolacrimal duct
d) Sphenoidal sinus
e) Posterior ethmoidal sinus

Key: c

Date:	19-10-19	Venue:	Q-Bank	Employee ID:
Writers Name:	Dr. Maria Khan			
Designation:	Assistant professor		Institution:	DUHS
Reference of book with edition:	B.D Chaurasia's Human anatomy, vol. 3, 4th Ed.	Chapter:	15	Page No.

Q89) Inferior meatus of the lateral wall of nose receives the opening of:

Options:

a) Anterior & middle ethmoidal sinuses
b) Maxillary sinus
c) Nasolacrimal duct
d) Sphenoidal sinus
e) Posterior ethmoidal sinus

Q88) Thyrohyoid membrane is pierced by:

Options:

a) External laryngeal nerve
b) Internal laryngeal nerve
c) Pharyngeal nerve
d) Recurrent laryngeal nerve
e) Superior laryngeal nerve

Key: b

Q87) Abduction of vocal cord is brought about by:

Options:

a) Aryepiglotticus
b) Cricothyroid
c) Lateral cricoarytenoid
d) Posterior cricoarytenoid
e) Thyroarytenoid

Key: d

DR FARRUKH MUSTAFA ECGs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Peas

Paste | Clipboard | Times New Rom | 14 | Font | Paragraph | AaBbCcI

Q86) Stylopharengeus muscle is supplied by:

Options:

a) Accessory nerve (cranial part)
b) Accessory nerve (spinal part)
c) Glossopharyngeal nerve
d) Hypoglossal nerve
e) Vagus nerve

Key: c

Page: 86 of 105 | Words: 15,215

Clipboard | Font | Paragraph | Styles | Normal | No Spac... | Heading 1 | Heading 2

Question Stem (Scenario not > 100 words).

Q85) Which of the following is not a tributary of internal jugular vein?

Options:

a) Common facial vein
b) Inferior thyroid vein
c) Lingual vein
d) Middle thyroid vein
e) Superior thyroid vein

Key: b

Page: 85 of 100 | Words: 15,235

Search the web and Windows

Q84) Contents of carotid sheath do not include:

Options:

a) Common carotid artery
b) External jugular vein
c) Internal carotid artery
d) Internal jugular vein
e) Vagus nerve

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Pens

Clipboard | Font | Paragraph | Styles

Q83) Climbing/afferent fibers of cerebellar cortex:

Options:

a) They branch repeatedly at their termination
b) They originate in the inferior olivary nucleus of medulla oblongata
c) They originate in the superior olivary nucleus medulla oblongata
d) They terminate in the granular layer of cerebellar cortex
e) They terminate in the Purkinje cell layer of cerebellar cortex

Key: b

Page: 83 of 108 | Words: 15,215

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM (2) - Microsoft Word

Home Insert Page Layout References Mailings Review View Pens

Times New Rom 14

Font Paragraph Styles

3) Climbing/afferent fibers of cerebellar cortex:

otions:

They branch repeatedly at their termination

✔ They originate in the inferior olivary nucleus of medulla oblongata

They originate in the superior olivary nucleus medulla oblongata

They terminate in the granular layer of cerebellar cortex

They terminate in the Purkinje cell layer of cerebellar cortex

File | Home | Insert | Page Layout | References | Mailings | Review | View | Design | Layout | Pens

Paste | Clipboard | Arial | 12 | Font | Paragraph | AaBbCcI ¶ Normal | AaBbCcI ¶ No Spaci... | AaBbC Heading 1 | AaBbCc Heading 2 | Styles

Options:

a) Lymph node paracortex
b) Splenic cortex
c) Splenic medulla
d) Thymic cortex
e) Thymic medulla

Key: e

Date:	19-10-19	Venue:	Q-Bank
Writers Name:	Dr. Maria Khan	Employee ID:	
Designation:	Assistant professor	Institution:	DUHS

Q82) Hassall corpuscles are found in:

Options:

a) Lymph node paracortex
b) Splenic cortex
c) Splenic medulla
d) Thymic cortex
e) Thymic medulla

Q81) Smooth muscle fibers:

Options:

a) Are linked together by intercalated discs
b) Contain caveolae for calcium storage
c) Have poor mitotic activity
d) Have well-organized sarcoplasmic reticulum & T-tubule system
e) Show striations

Key: b

Options:

a) Contain thick filaments only
b) Contain thin filaments only
c) Contain both thick & thin filaments
d) Bisected by Z-disc
e) Are also called light bands

Key: c

Date:	19-10-19	Venue:	Q-Bank

Question Stem (Scenario not > 100 words).

Q80) A-bands of skeletal muscle fiber:

Options:

a) Contain thick filaments only
b) Contain thin filaments only
c) Contain both thick & thin filaments
d) Bisected by Z-disc

Options:

a) Also called cortical bone
b) Characteristic feature is the presence of Haversian system
c) Contains type-II collagen
d) Matrix is organized in the form of lamellae
e) Usually found in the diaphysis of long bone

Key: c

Q79) Regarding compact bone, mark the incorrect statement:

Options:

a) Also called cortical bone
b) Characteristic feature is the presence of Haversi
c) Contains type-II collagen
d) Matrix is organized in the form of lamellae
e) Usually found in the diaphysis of long bone

Font Paragraph Styles

Options:

a) Chondrocytes are arranged in the form of rows
b) Contains type-II collagen
c) Extracellular matrix is homogenous & glassy
d) Found in trachea
e) Perichondrium is usually present

Key: a

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM (4) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Pens

Paste | Clipboard | Font | Paragraph | Styles

Q78) Choose the correct statement regarding histology of fibrocartilage:

Options:

a) Chondrocytes are arranged in the form of rows
b) Contains type-II collagen
c) Extracellular matrix is homogenous & glassy
d) Found in trachea
e) Perichondrium is usually present

Options:

a) Collagen fibers form supportive stroma of bone marrow & other lymphoid organs
b) Collagen type-III is found in fetal membranes
c) Elastic fibers are easily digestible by proteases
d) Elastic fibers are thicker than type-I collagen
e) Reticular fibers are characteristically stained with Silver

Key: e

Topic / Chapter / Theme: General Histology

Sub Topic / Subtheme: Connective tissue

Objective:. To define different types of connective tissue cells & fibers

Question Stem (Scenario not > 100 words).

Q77) Regarding connective tissue fibers, choose the correct statement:

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Perio

Paste | Clipboard | Times New Rom | 14 | Font | Paragraph | Styles | AaBbCcI Normal | AaBbCcI No Spac... | AaBbC Heading 1

Q76) Stereocilia are found in:

Options:

a) Fallopian tube

b) Internal ear, epididymis, vas deferens

c) Large & small intestine

d) Trachea & bronchi

e) Proximal convoluted tubule of kidney

Q75) Transitional epithelial cells lining the urinary bladder are held together by:

Options:

a) Fascia adherens
b) Macula adherens
c) Nexus junctions
d) Zonula adherens
e) Zonulae occludens

Key: e

Options:

a) Simple cuboidal epithelium
b) Simple columnar epithelium
c) Stratified cuboidal epithelium
d) Stratified columnar epithelium
e) Stratified squamous non-keratinized epithelium

Key: d

Date:	19-10-19	Venue:	Q-Bank
Writers Name:	Dr. Maria Khan		Employe
Designation:	Assistant professor	Institution:	DUH
Reference of book	Junqueira's Basic	Chapter:	4

Q74) Conjunctiva of the eyelid is lined by:

Options:

a) Simple cuboidal epithelium
b) Simple columnar epithelium
c) Stratified cuboidal epithelium
d) Stratified columnar epithelium
e) Stratified squamous non-keratinized epithelium

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Pens

Paste | Font | Paragraph | Styles

Q73) Cell organelle responsible for sequestration and release of calcium as a rapid response to a stimulus in skeletal muscle is:

Options:

a) Endoplasmic reticulum
b) Golgi apparatus
c) Lysosome
d) Mitochondrion
e) Ribosome

Key: a

Page: 73 of 108 | Words: 15,215

Search the web and Windows

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM (4) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Pens

Times New Rom 14 | Paste | Font | Paragraph | Styles

Question Stem (Scenario not > 100 words).

Q72) Revolving nose-piece of a bright-field (light) microscope usually contains how many objective lenses?

Options:

a) 2

b) 3

c) 4

d) 5

Q71) Which of the following layers of epidermis is the characteristic feature of 'thick skin'?

Options:

a) Stratum basale
b) Stratum corneum
c) Stratum granulosum
d) Stratum lucidum ✓
e) Stratum spinosum

Question Stem (Scenario not > 100 words).

Q70) Which of the following cells of skin belong to mononuclear phagocyte system?

Options:

a) Kertinocytes
b) Langerhan cells
c) Melanocytes
d) Merkel cells
e) Squames

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Design | Layout

Q69) Which of the following veins are usually valveless?

Options:

a) Azygous
b) Cerebral
c) Intercostal
d) Mesenteric
e) Testicular

Key: b

Date:	19-10-19	Venue:	Q-Bank
Writers Name:	Dr. Maria Khan		Employ

Page: 69 of 108 | Words: 15,215

Question Stem (Scenario not > 100 words).

Q68) Continuous capillaries are found in:

Options:

a) Dental pulp
b) Kidney Fenestrated
c) Liver sinosoidal capillaries
d) Lung ✓
e) Spleen sinusoidal capillaries

Key: d

Date: 19-10-19 Venue: Q-Bank

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Design | Layout

Paste | Clipboard | Font | Paragraph | Styles

Sub Topic / Subtheme: Oral cavity (tongue)

Objective:

Question Stem (Scenario not > 100 words).

Q67) Which of the muscles of tongue is not innervated by hypoglossal nerve?

Options:

a) Genioglossus. → Protudes of tongue.
b) Styloglossus.
c) Palatoglossus. → SA
d) Hyoglossus.
e) Intrinsic muscles of tongue.

Key: (C)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-D
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA		

Objective:

Question Stem (Scenario not > 100 words).

Q66) Protrusion of tongue is brought about by :

Options:

a) Genioglossus.

b) Styloglossus.

c) Palatoglossus.

d) Hyoglossus.

e) Intrinsic muscles of tongue.

Key: (a)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS
Writers Name:	PROFESSOR DR. FARRUKH MUSTA MEMON		

DR FARRUKH MUSTAFA MCQs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Design | Layout | Pens

Paste | Clipboard | Font | Paragraph | Styles

Question Stem (Scenario not > 100 words).

Q65) Which process of maxilla is not seen on norma frontalis?

Options:

a) Alveolar Process.

b) Palatine Process. ✓

c) Zygomatic Process.

d) Frontal Process.

e) Anterior nasal spine.

Key: (b)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-DUHS
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA MEMON		Employee
Designation:	PROFESSOR & H.O.D ANATOMY DIKIOHS-DUHS	Institution:	DIKIO
Reference of book with edition:	Snells clin anatomy	Chapter:	

Page: 65 of 100 | Words: 15,215

Sub Topic / Subtheme: Mediastinum

Objective:

Question Stem (Scenario not > 100 words).

Q64) Select the incorrect statement regarding contents of middle mediastinum:

Options:

a) Phrenic nerve.

b) Ascending aorta.

c) Lower part of superior vena cava.

d) Bifurcation of trachea.

e) Vagus nerve. ✓

Key: (e)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-DUHS

Question Stem (Scenario not > 100 words).

Q63) Bones of Face develop from:

Options:

a) Viscerocranium.

b) Chondrocranium.

c) Prechordal chondrocranium .

d) Chordalchondro cranium.

e) Neurocranium

Key: (a)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-DUHS
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA MEMON		Employee
Designation:	PROFESSOR & H.O.D	Institution:	DIKIO

Sub Topic / Subtheme: Spinal cord

Objective:

Question Stem (Scenario not > 100 words).

Q62) Choose the false statement regarding substantia gelatinosa group of neurons?

Options:

a) Present at apex of posterior grey horn.

b) Act as second order neuron of lateral spinothalamic tract.

c) Concerned with pain and temperature pathway .

d) Nucleus dorsallis lies immediately anterior to it.

e) Send its efferents to contralateral white matter.

Key: (d)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-DUHS
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA		

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM (4) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Design | Layout | Pens

Paste | Clipboard | Font | Paragraph | Styles

Sub Topic / Subtheme: Skull (Cranial cavity)

Objective:

Question Stem (Scenario not > 100 words).

Q60) The nerve carrying preganglionic parasympathetic fibers to parotid glands passes through which foramen of cranial cavity?

Options:

a) Foramen magnum.
b) Foramen rotundum.
c) Foramen lacerum.
d) Jugular foramen.
e) stylomastoid foramen.

(d)

ANATOMY DIKIOHS-DUHS

Question Stem (Scenario not > 100 words).

Q59) choose the false statement regarding adrenal medulla?

Options:

a) Contains anastomosing cords of epitheloid cells.

b) Develops embryologically from mesoderm.

c) Cells are also called chromaffin cells.

d) Secretes epinephrine and norepinephrine.

e) Innervated by preganglionic sympathetic nerve fibers.

Key: (b)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-DUHS
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA MEMON		Employee
Designation:	PROFESSOR & H.O.D ANATOMY DIKIOHS-DUHS	Institution:	DIKIOH

Sub Topic / Subtheme: Ureter

Objective:

Question Stem (Scenario not > 100 words).

Q58) choose odd statement regarding gross anatomy of ureter?

Options:

a) Conveys urine from kidney to urinary bladder.
b) Opens into neck of urinary bladder.
c) Renal artery supplies its upper one third.
d) Has constriction at pelvi-ureteral junction,
e) Upper part is funnel shaped called renal pelvis.

Key: (b)

Objective:

Question Stem (Scenario not > 100 words).

Q57) Regarding development of pancreas, which part of it not develops from dorsal bud ?

Options:

a) Upper part of head of pancreas.

b) Uncinate process .

c) Neck of pancreas.

d) Body of pancreas.

e) Tail of pancreas.

Key: (b)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-DUHS
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA MEMON		Employee
Designation:	PROFESSOR & H.O.D	Institution:	DIKIO

Sub Topic / Subtheme: Histology of testes

Objective:

Question Stem (Scenario not > 100 words).

Q56) Which of spermatogenic cells contain haploid number of chromosomes in its nucleus?

Options:

a) Types A spermatoginia.
b) Types B spermatoginia.
c) Primordial germ cell.
d) Secondary spermatocyte.
e) Primary spermatocyte.

Key: (d)

Objective:

Question Stem (Scenario not > 100 words).

Q55) Select the incorrect statement regarding the derivatives of "Ureteric Bud"?

Options:

a) Ureter.
b) Renal pelvis .
c) Renal corpuscles.
d) Major calyces.
e) Minor calyces.

Key: (C)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-DUHS
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA	Employee ID:	609

Topic / Chapter / Theme: Embryology

Sub Topic / Subtheme: Development of Heart.

Objective:

Question Stem (Scenario not > 100 words).

Q54) Remanant of left horn of sinus venous is ?

Options:

a) Smooth part of right Atrium.
b) Valve of coronary sinus.
c) Right auricle.
d) Oblique vein of left atrium.
e) Left Auricle.

Key: (d)

DR FARRUKH MUSTAFA MCQs FOR ANNUAL EXAM (A) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Pens

Paste | Clipboard | Font | Paragraph | Styles | Change Styles

Subject:

Question Stem (Scenario not > 100 words).

Q53) Right coronary artery choose odd statement?

Options:

a) Arise from Anterior aortic sinus..

b) Branch of ascending Aorta.

c) Gives infundibular branch to infundibulum.

d) Supply sinoatrial node.

e) Anterior interventricular artery is its largest branch .

Key: (e)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-DUHS
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA MEMON	Emplo	

Page: 53 of 108 | Words: 15,215

Sub Topic / Subtheme: Tracheobronchial tree

Objective:

Question Stem (Scenario not > 100 words).

Q52) Which of the following statement regarding trachea is incorrect?

Options:

a) Begins as continuation of larynx.
b) Ends at sternal angle by dividing into right and left principal bronchus.
c) Supplied by inferior thyroid artery.
d) Venous blood drain into external jugular vein.
e) Its lymph drain into pre and para tracheal lymph nodes.

Key: (d)

Sub Topic / Subtheme: Lungs

Objective:

Question Stem (Scenario not > 100 words).

Q51) Which of the following statement mismatches with description regarding left lung?

Options:

a) Have two lobes.

b) Only have oblique fissure.

c) Contain cardiac notch in its anterior border.

d) Related to Azygous vein superiorly at its root.

e) Lingula respresent middle lobe.

Key: (d)

File Home Insert Page Layout References Mailings Review View Design Layout Pens

Paste Clipboard Arial 12 Font Paragraph Styles

AaBbCcI ¶ Normal AaBbCcI ¶ No Spaci... AaBbC Heading 1 AaBbCc Heading 2

Objective:

Question Stem (Scenario not > 100 words).

Q50) The vein which is not the tributary of coronary sinus is?

Options:

a) Great cardiac vein.
b) Middle cardiac vein.
c) Small cardiac vein.
d) Anterior cardiac vein.
e) Oblique vein of left atrium.

Key: (d)

10-2019 | Venue: ANATOMY DIKIOHS-DUHS

PROFESSOR DR. FARRUKH MUSTAFA | Employee ID: 609

DR FARRUKH MUSTAFA MCQs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Pens

Clipboard | Font | Paragraph | Styles

Sub Topic / Subtheme: Thyroid and Parathyroid gland

Objective:

Question Stem (Scenario not > 100 words).

Q49) Choose the incorrect statement regarding blood vessels of thyroid and parathyroid glands?

Options:

a) Superior thyroid vein drains into internal jugular vein.
b) Superior thyroid artery is branch of external carotid artery.
c) Inferior thyroid vein drain into left brachio cephalic vein.
d) Para thyroid gland are supply by inferior thyroid artery.
e) Thyroidia ima may arise directy from ascending aorta.

✓

↳ aortic arch
hota

Key: (e)

Page: 49 of 105 | Words: 15,215

Development of Eye

Objective:

Question Stem (Scenario not > 100 words).

Q48) Retinal pigment epithelium is embryologically derived from?

Options:

a) Pars optica retinae.
b) Pars ceca retinae
c) Pars celiaris retinae
d) Pars iridia retinae
e) Outer layer of optic cup

Key: (e)

DR FAROUKH MUSTAFA MCQs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Fent

Arial | 18 | Font | Paragraph | Styles | Change Styles | Find | Replace | Select | Editing

Sub Topic / Subtheme: Eyeball

Objective:

Question Stem (Scenario not > 100 words).

Q47) The extra ocular muscle responsible for moving the chornea downwards and laterally is?

Options:

a) Superior oblique.
b) Inferior oblique.
c) Superior rectus.
d) Inferior rectus.
e) Lateral Rectus.

(a)

108 | Words: 15,215

Print layout and Windows

Question Stem (Scenario not > 100 words).

Q46) structure with in parotid gland includes all the following except?

Options:

a) Parotid lymph nodes.
b) Retromandibular vein.
c) Auriculo temporal nerve.
d) External carotid Artery.
e) Facial nerve.

Key: (C)

-10-2019	Venue: ANATOMY DIKIO
:	PROFESSOR DR. FARRUKH MUSTAF MEMON

DR FARRUKH MUSTAFA BLOG FOR ANNUAL EXAM (4) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Design | Layout | Pens

Paste | Clipboard | Font | Paragraph | Styles

Objective:

Question Stem (Scenario not > 100 words).

Q45) Choose the False statement regarding important relation of temporomandibular joint?

Options:

a) Medially maxillary nerve ..

b) Laterally parotid gland.

c) Anteriorly masseteric nerve.

d) Posteriorly tympanic plate of temporal bone.

e) Auriculotemporal nerve lies medially.

Key: (a)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-DU
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA		

Words: 15,215

Objective:

Question Stem (Scenario not > 100 words).

Q44) Which branch of facial nerve is the content of infratemporal fossa?

Options:

a) Greater petrosal nerve.
b) Nerve to stepedius.
c) Cervical branch.
d) Chorda tympani nerve.
e) Posterior Auricular nerve.

Key: (d)

Date:	14-10-2019	Venue:	ANATOMY
iters Name:	PROFESSOR DR. FARRUKH MU		

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Pens

Paste | Clipboard | Arial | 18 | Font | Paragraph | Styles | Change Styles | Find | Replace | Select | Editing

Sub Topic / Subtheme: Temporal fossa

Objective:

Question Stem (Scenario not > 100 words).

Q43) Regarding action of temporalis muscle anterior fibers elevate mandible and posterior fibers?

Options:

a) Retract mandible.
b) Elevate mandible.
c) Depress mandible.
d) Protrude mandible.
e) Help in chewing.

Key (a)

Question Stem (Scenario not > 100 words).

Q41) Which of the following statement does not match with features of treacher collins syndrome?

Options:

a) Malar hypoplasia.
b) Epicanthal folds.
c) Downward slanting palpebral fissure.
d) Mandibular hypoplasia.
e) Lower eyelid coloboma.

Key: (b)

Date:	14-10-2019	Venue:	ANATOMY DIK
Writers Name:	PROFESSOR DR. FARRUKH MUST MEMON		
Designation:	PROFESSOR & H.O.D		

Page: 41 of 108 | Words: 15,315

DR FARRUKH MUSTAFA MCQs FOR ANNUAL EXAM [2] - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Design | Layout | Pers

Paste | Clipboard | Font | Paragraph | Styles | Change Styles

Sub Topic / Subtheme: Neuro Anatomy (Brainstem)

Objective:.

Question Stem (Scenario not > 100 words).

Q40) In the transverse section of mid brain, nucleus responsible for concentual pupillary reflex is.?

Options:

a) Inferior colliculus nucleus.

b) Edenger westphal nucleus.

c) Occulomotor nucleus.

d) Pretectal nucleus. ✓

e) Trochear nucleus.

Key: (d)

14-10-2019 | Venu

Words: 15,215

Question Stem (Scenario not > 100 words).

Q39) At which level of transverse section of brain stem show motor and sensory nucleus of trigeminal nerve?

Options:

a) Level of medical Leminiscus.
b) Level of facial colliculus.
c) Level just inferior to pons.
d) Level of olives.
e) Cranial level of pons.

Key: (e)

te: 14-10-2019	Venue: AN
Writers Name:	PROFESSOR DR. FAR MEMON
Designation:	PROFESSOR & H.O

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Design | Layout | Pens

Paste | Clipboard | Font | Paragraph | Styles

Question Stem (Scenario not > 100 words).

Q38) Choose the structure not seen on posterior surface of pons?

Options:

a) Vestibular area.
b) Medial eminence .
c) Facial colliculus .
d) Sulcus limitans.
e) Vagal triangle

Key: (e)

14-10-2019	Venue: ANAT
Name:	PROFESSOR DR. FARRU MEMON
ion:	PROFESSOR & H O.D

DR FARRUKH MUSTAFA MCQs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Design | Layout | Pens

Paste | Arial | 11 | Clipboard | Font | Paragraph | Styles

Objective:

Question Stem (Scenario not > 100 words).

Q37) Choose the odd statement regarding Broadmans cortical area responsible for formation of words:

Options:

a) Present in left dominant hemisphere.

b) Called wernicke sensory speech area.

c) Its broadman number is 44,45.

d) Located in lower part of post central gyrus.

e) Lesion produce motor aphasia.

Key: (b)

Date:	14-10-2019	Venue:	ANATOMY DI

Page: 37 of 108 | Words: 15,315

Objective:_____

Question Stem (Scenario not > 100 words).

Q36) White matter of cerebral hemisphere have all true statement except?

Options:

a) Corpus callosum is largest commissure .

b) Fornix connect the hippo campal formation of two sides .

c) Anterior commissure is olfactory in function.

d) Internal capsule is example of Association fibers.

e) Associated fibers connect two gyri is same hemisphere.

(d)

ate:	14-10-2019	Venue:	ANATOMY
	Name:	PROFESSOR DR. FARRUKH MEMON	

DR FARRUKH MUSTAFA MCQs FOR ANNUAL EXAM (2) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Design | Layout | Pens

Paste | Arial | 12 | Clipboard | Font | Paragraph | Styles

Question Stem (Scenario not > 100 words).

Q35) Choose the incorrect statement regarding fourth ventricles of brain?

Options:

a) Floor is called rhomboid fossa.

b) Foramen Megandie is lateral aperture in its roof.

c) Lateral wall is form by superior and inferior cerebellar puduncle.

d) Communicates with third ventricle through Aqueduct of sylvius.

e) It is cavity of hind brain.

(b)

	14-10-2019	Venue:	ANATOMY DIK
	me:	PROFESSOR DR. FARRUKH MUST MEMON	
		PROFESSOR & H.O.D ANATOMY DIKIOHS-DUHS	

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM (A) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Design | Layout

Paste | Clipboard | Font | Paragraph | Styles

Objective:

Question Stem (Scenario not > 100 words).

Q34) Which of dural venous sinus is not related to tentorium cerebelli?

Options:

a) Straight Sinus .
b) Right Transverse sinus.
c) Left Transverse sinus.
d) Inferior saggital sinus.
e) Superior petrosal sinus.

Key: (d)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-DUHS
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA	Employee ID:	

106 | Words: 15,215

Question Stem (Scenario not > 100 words).

Q33) Select the odd statement regarding inner most layer of meninges of brain and spinal cord?

Options:

a) Called lepto meninges along with Arachnoid matter.,
b) Bridges the sulci of cerebral hemisphere.
c) Forms ligamentum denticulatum in spinal cord region.
d) It is vascular layer.
e) Take part in formation of choroid plexus.

Key: (b)

ate:	14-10-2019	Venue:	ANATOM
riters Name:	PROFESSOR DR. FARRUKH MEMON		

Question Stem (Scenario not > 100 words).

Q32) Choose the incorrect statement regarding human placenta?

Options:

a) Fetal portion is called chorion frundosum..

b) Hemochorial type.

c) Contain 15 to 20 bulging areas called cotyledons on fetal side.

d) IgG immunoglobulin are transported from mother to fetus. .

e) Progesterone is secreted by end of fourth month.

7-8 hote hain

Key: (C)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-DUHS
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA MEMON	Employee ID:	608
Designation:	PROFESSOR & H.O.D	Institution:	DIKIOHS DUHS

Objective:

Question Stem (Scenario not > 100 words).

Q31) Maternal portion of placenta is formed by?

Options:

a) Chorion frondosum.
b) Chorion leave
c) Decidua basalis.
d) Decidua caspularis
e) Decidua peritalis.

Key: (C)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-DUHS
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA		

Sub Topic / Subtheme: 9-20 weeks of development (fetal period)

Objective:

Question Stem (Scenario not > 100 words).

Q30) Pupillary light reflex begins at?

Options:

a) 28th week .

b) 7th week.

c) Embryonic period.

d) 12th week.

e) After birth.

Topic / Chapter / Theme: Embryology

Sub Topic / Subtheme: 9-20 weeks of development (fetal period)

Objective:

Question Stem (Scenario not > 100 words).

Q29) Primary Ossification center are present in skull and in long bones by?

Options:

a) 4th week .
b) 12th week.
c) Embryonic period.
d) At birth.
e) After birth.

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM, (4) - Microsoft Word

File | Home | Insert | Page Layout | References | Mailings | Review | View | Pens

Paste | Clipboard | Font | Paragraph | Styles

Sub Topic / Subtheme: 4th-8th weeks of development (Organogenetic period)

Objective:

Question Stem (Scenario not > 100 words).

Q28) Choose the correct statement regarding ectodermal derivative in tooth development?

Options:

a) Cementum .
b) Dentine.
c) Enamel.
d) Periodontal ligament.
e) Dental pulp.

(c)

Words: 13,215

Objective:

Question Stem (Scenario not > 100 words).

Q27) Pigment cells present in epidermis ,retina ,iris and substantia nigra are d

Options:

a) Ectoderm.

b) Paraxial Mesoderm.

c) Neural crest cell. ✓

d) Intermediate Mesoderm.

e) Endoderm.

Key: (C)

Date:	14-10-2019	Venue:	ANATOMY DIK
Writers Name:	PROFESSOR DR. FARRUKH MUST/ MEMON		

Objective:

Question Stem (Scenario not > 100 words).

Q26) Neural crest cells give rise the which one of following structure in skin.

Options:

a) Epidermis of trunk.

b) Dermis of face.

c) Sweat glands.

d) Sebaceous glands.

e) Hair of scalp.

Key: (b)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-DUHS
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA		

Question Stem (Scenario not > 100 words).

Q25) An ultrasound scan detects a large mass near the Sacrum of a 28 week female fetus, what might be the origin of such mass:

Options:

a) Primitive node.
b) Primitive Streak.
c) Epiblast.
d) Hypoblast.
e) Prechordal plate.

Key: (b)

Date:	14-10-2019	Venue:	ANATOMY DIKIOHS-DUH
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA MEMON		
nation:	PROFESSOR & H O.D ANATOMY DIKIOHS-DUHS	Institution:	

DR FARRUKH MUSTAFA BCQs FOR ANNUAL EXAM (2) - Microsoft Word

File Home Insert Page Layout References Mailings Review View Design Layout Pens

Paste Clipboard Arial 11 Font Paragraph Styles

Topic / Chapter / Theme: Embryology

Sub Topic / Subtheme: 3rd week of development

Objective:.

Question Stem (Scenario not > 100 words).

Q 24) The fate of notochord is?

Options:

a) Nucleus pulposus form intervertebral Disc.

b) Annulus fibrosus froms intervertebral Disc.

c) Neural tube .

d) Spinal cord .

e) Vertebral column.

Sub Topic / Subtheme: 2nd week of development

Objective:

Question Stem (Scenario not > 100 words).

Q 23) Select the incorrect statement regarding trophoblast?

Options:

a) Forms outer wall of blastocyst.
b) Cytotrophoblast is mitotically active.
c) Syncytotrophoblast is mononucleated zone.
d) Cytotropholast forms primary villi.
e) Trophoblastic lacunae are form in syncytotrophoblast.

Key: (C)

Date:	14-10-2019	Venue:	
Writers Name:	PROFESSOR DR. FARRUKH MUSTAFA		

Office of the Registrar

Dow University of Health Sciences, Karachi.

Baba-e-Urdu Road
Karachi-74200
Pakistan
Phone: 021-99216901
Facsimile: 021-99215763
registrar@duhs.edu.pk

Ref. No. DUHS/Reg./2020/-26 *Dated: 9th January, 2020.*

NOTICE

Annual Sports 2020 of Dow University of Health Sciences will be held from **03rd February, 2020 to 08th February, 2020**, in which 13 Colleges / Institutes of DUHS will be participating at Ojha Campus, Karachi.

All classes will remain suspended during DUHS Annual Sports-2020.

The Junior Faculty Members must present at venue in Ojha Campus during the above period for coordination and support of Students. Camera attendance will be taken in the ground.

All point buses will run on same route and timings from 03rd February, 2020 to 08th February, 2020.

The Inaugural Ceremony of DUHS Annual Sports-2020 will be held on **Monday, 03rd February, 2020** at Gymnasium, Ojha Campus at 10:30 a.m. sharp.

The Prize Distribution Ceremony of DUHS Annual Sports-2020 will be held on **Tuesday 18th February, 2020** at Muin Auditorium Dow Medical College Campus at 11:00 am sharp.

All Faculty Members, Staff and Students are requested to attend the Inaugural Ceremony of DUHS Annual Sport-2020.

(Professor Amanullah)
Registrar,
Dow University of Health Sciences
Karachi.

Copy to:

1. All Heads of Constituent Institutions of DUHS, Karachi. You are advised to display on the Notice Board of your Institute / College and ensure the attendance of Students as well as Faculty Members.
2. The Director Finance, DUHS.
3. The Director Sports, DUHS.
4. The Incharge, Transport Section, DUHS.
5. The Incharge, Gymnasium Dow Sports Complex, DUHS.
6. P.A. to the Vice Chancellor, DUHS.
7. P.A. to the Pro-Vice Chancellor(s), DUHS.
8. Office Record File.

10. The right lymphatic duct drains which part of the body?

a) Upper left quadrant
b) Lower left quadrant
c) Upper right quadrant
d) Lower right quadrant
e) Left side of the body

11. Most commonly used dye for tissue preparation for microscopy is:

a) Methylene blue
b) Hematoxylin and eosin
c) Orange g
d) Acid Fuscin
e) Silver stain

12. Simple columnar epithelium

a) Choroidal plexus of ventricles
b) Ovary
c) Epidermis
d) testis
e) lips

13. Epithelium of ovary is

a) Simple cuboidal
b) Simple columnar
c) Simple squamous
d) stratified cuboidal
e) statified columnar

14. Compact bone contains:

a) Osteocytes in the lacunar space
b) large number of medullary cavities
c) Covered by spongy bone
d) does not have haversion canal system
e) By periostium internally

99. Sertoli cells and leydig cell are present in:

a) Prostate
b) Testes
c) Vas deferens
d) Epididymis
e) Ejaculatory duct

100. Lymphatic drainage of supra-renal gland is carried via:

a) axillary nodes
b) Inguinal nodes
c) lumbar nodes
d) Messenteric nodes
e) Thoracic nodes

Paper "Anatomy"

Time Allowed: Two Hours | Max. Marks: 100

Q1) Where are the vestibular nuclei located:
a) Beneath the lateral part of floor of fourth ventricle
b) In the cerebellum
c) In the olive
d) Beneath the medial part of floor of fourth ventricle
e) In the midbrain

Q2) Ostium of sphenoidal sinus opens into
a) Middle meatus
b) Superior meatus
c) Spheno - ethmoidal recess
d) External auditory meatus
e) Inferior meatus

Q3) The dorsal root ganglion contains cells bodies of
a) Dorsal column of spinal cord
b) Anterior spino vestibular tract
c) Anterolateral tract
d) Lateral spino thalamic tract
e) Anterior spino thalamic tract

Q4) The derivatives of alar plate of the neural tube are the
a) Basal ganglia of cerebrum
b) Pre vertebral sympathetic ganglia
c) Para vertebral sympathetic ganglia
d) Trigeminal ganglia
e) Dorsal root ganglia of spinal cord

Q5) The Thalamus forms the following boundary of 3RD ventricle:
a) Lateral
b) Medial
c) Superior
d) Anterior
e) Posterior

Q6) Regarding the tympanic cavity
a) Tensor tympani is the only muscle which is present in the tympanic cavity
b) It is the air containing part of ear
c) A cranial nerve is related to tympanic cavity
d) It contains small bones
e) Auditory tube extends from the anterior wall of tympanic cavity to naso pharynx

Q7) The roots of first cervical spinal nerve corresponds to the
a) level of formen magnum
b) atlas vertebra
c) upper edge of spinal cord
d) junction of medulla and spinal cord
e) lower edge of medulla oblongata

Q8) The following fibre lies immediately beneath the cortex and connect the adjacent gyri:
a) Long association fibres
b) Uncinate fasciculus
c) Inferior longitudinal fasciculus
d) Short association fibres
e) Fronto occipital fasciculus

Q9) During developments of tongue, the copula contributes to
a) Filiform papillae
b) posterior 1/3rd of the tongue
c) Incisive foramen
d) Frenulum of the tongue
e) Anterior 2/3rd of the tongue

Q10) Regarding Retina (point out the odd statement)
a) Nuclei of cones are dispersed near the limiting membrane
b) The anterior part of retina is photo sensitive
c) External plexiform layer is present between layer of rods and cones and bipolar cells
d) Basal region of pigment epithelium rests firmly on Bruch's membrane
e) The rods and cones are polarized by neurons

Q11) Concerning nerve fibers pick out the correct statement:
a) Unmyelinated nerve fibers posses nodes of ranvier.
b) The central nervous system is rich in unmyiliated axons.
c) In adult nervous system single layer of mydin sheath is present.
d) Axons of small diaimeties are usually myelinated.
e) Group of nerve fibres are seldomly present in CNS.

Q12) Atresia of external auditory meatus is always associated with:
a) Absence of the middle ear.
b) Absence of the auricle.
c) None of these.
d) Absence of the inner ear.
e) 8th cranial nerve deafness.

Page 1 of 8

25 (E)
24 (C)
21 C
22 (C)
2 (A ~~d both~~)
4 (e)
(3) (A)
23 (C)
43 (B)
44 A
45 A
42 D
47 A
46 D
49 (A)
50 (E)
42 (B)
24 (A)
27 (-d)
28 (B)
29 (D)
30 B
31 B
19 (A)
18 (E)
17 (C)
16 D
15 D
14 D
13 D — Yello page

35 (a)
33 (d)
32 (a)
31 (A)
30 (B) (A)
26 (A)
27 (A)
28 (C)
29 (A)
34 (B)

1 (d) 20 (B)
2 (C) 19 (D)
3 (A) 18 (D)
4 (A) 17 (B)
5 (A) 16 C - Ahas
6 (C) 15 (B)
7 (A) 14 (B)
8 (B) 11 (C)
9 (B) 12 ( ) A, B
10 (B) 13 ( )

48 → scalp - (E)
46 → A → Middle Meningeal
44 → A Parotid gland
47 (A) Infratemporal fossa
43 (C) Paranasal sinus
41 (B) Skin
20 (B)
56 (C) → Muscle of Face.
55 (D)
54 (E)
53 (A)
57 (B)
52 (D)
58 ( )
59 (A)
66 (B)
64 (C)
65 (D)
62 (D)
63 (A) (E) Both correct

91 (B)
92
93 (C)
94 (E)
95 (Ed)
96 (E)
97 (A)
98 (E)
99 (A)
100 (E)

65 B
66 (C)
67
68 D
69 A
70 (D)
71 (D)

72 B
73 C
74 E
75 B
76 (E)
77 (B)
78

Q65) Select odd statement regarding lumbar puncture (CSF)
a) Positive Quenkenstedt's sign when pressure rises
b) In Prone position
c) For histopathological examination
d) Vertebral column is well extended
e) Normal pressure is about 60 to 150 mm of water

Q66) Select a wrong statement regarding the structure of external ear
a) Ceruminous glands are found in the submucosa
b) External auditory meatus is lined by stratified squamous epithelium
c) Ceruminous glands are a type of modified sebaceous gland
d) External surface of eardrum is lined with epidermis
e) Pinna is composed of a plate of elastic cartilage

Q67) Select an odd statement regarding the structure of nose:
a) Superior conchae are lined by olfactory mucosa.
b) Smell bodies are more prominent over the inferior conchae.
c) Poor population of goblet cells is present in the mucosa.
d) Vibrissae are present in the skin vestibule.
e) Many simple branched tubulo-alveolar glands are present in the lamina propria of mucosa.

Q68) The important characteristic feature of mossy fibres in the cerebellum is
a) They are terminal fibers of all cerebral afferent tracts
b) They have multiple branches
c) They exert a much more diffuse excitatory effect
d) The deep cerebellar nuclei receive afferent information from them
e) A single mossy fibre may stimulate thousands of Purkinje cells

Q69) All the structures contain fibers of corticospinal tracts except
a) Posterior limb of internal capsule
b) Tegmentum of medulla
c) Pyramids of medulla
d) Crus cerebri of mid brain
e) Lateral white column of spinal cord

Q70) Which of the following structure does not take part in formation of cleft lip
a) Left maxillary Proces
b) Medial nasal proiminences
c) Lateral nasal proiminences
d) Right maxillary process
e) The upper jaw

Q71) Select an odd statement regarding the structure of cerebellum.
a) Unmyelinated axon of a basket cell ascends toward the molecular layer.
b) Mossy fibers originate from the inferior olivary nucleus of the medulla oblongata.
c) Four or more branching dendrites pass outward from the base of the perikaryon of the Purkinje cell.
d) Axons of Golgi type II cells end by making synapses with terminal branches of the mossy fibers.
e) Cytoplasm of a granule cell contains large number of Nissl granules, which are arranged concentrically around the nucleus.

Q72) Pulsation of facial artery can be easily felt at
a) Body of masseter
b) Posterior border of buccinator
c) Anterior border of temporalis
d) Posterior border of masseter
e) Anterior border of masseter

Q73) The pterion is the point
a) Is 1.5 inches above the mid point of zygomatic arch
b) It is marked by an eminence
c) It is ,marked by a depression
d) Where lesser wing of sphenoid bone meets with parietal bone
e) Posterior branch of middle meningeal artery is related to it

Q74) Which of following level of spinal cord involve in parasympathetic out flow
a) S_1 and S_2
b) L_2 and S_1
c) S_3 , S_4 And S_5
d) S_1 , S_2 And S_3
e) S_2, S_3 And S_4

Q75) Which type of cells is not present in the structure of cerebellum?
a) Pyramidal cells
b) Golgi type II cells
c) Basket cells
d) Granule cells
e) Stellate cells

Q76) Select the odd statement regarding structure of larynx
a) Vocal segments are elastic in nature
b) The number of cartilages lie at out side the mucus membrane
c) The upper fold of mucosa constitute false vocal cords
d) The lingual surface of epithelium of epiglottis is stratified squamous epithelium
e) Vocalis muscles are skeletal in nature

Q77) Which of the following nerve gives parasympathetic fibres to parotid gland
a) Facial
b) Glossopharyngeal
c) Trigeminal
d) Vagus
e) Accessory nerve

...y of Health Sciences Karachi

...partment

...inns 2010

Q91) **Select the correct statement regarding neuropores.**
a) Rostral neuropore closed after the closure of caudal neuropore
b) Closed prior to three months of developments
c) Neuropores must be closed prior to one month of development
d) Closed prior to two months of developments
e) Remains opened

Q92) **Occulusion of middle cerebral artery may produce contra lateral homonymous hemianopia because of damage to**
a) Visual cortex (area 17)
b) Optic chiasma
c) Lateral geniculate body
d) Optic radiation
e) Isual association cortex (areas 18 & 19)

Q93) **Which of the following statement is incorrect about lateral Medullary syndrome**
a) Dysphonia and dysphargia
b) Ipsilateral loss of pain sensation of the face
c) Ipsilateral loss of touch
d) Ipsilateral Paralysis of vocal cord
e) Ipsilateral Horners syndrome

Q94) **The following cell lines the ventricles of brain and the central canal of spinal cord:**
a) Tanycytes.
b) Astrocytes.
c) Choroidal epithelial cell.
d) Oligodendrocytes.
e) Ependymocytes.

Q95) **The neural layer of retina is derived from the following**
a) Mesenchyme surroundings the optic cup
b) Optic stalk
c) Outer thinner layer of optic cup
d) Inner thickened layer of optic cup
e) Lens placode

Q96) **Sulcus limitans is the groove which separates the**
a) Alar and roof plate
b) Basal and roof plate
c) Basal and floor plate
d) Alar and floor plate
e) Basal and alar laminae

Q97) **In the development of eye, the structures which develop from optic cup include:**
a) Retina, Iris and ciiary body.
b) All layers of retina and ciliary muscles.
c) Cornea, choroid and retina.
d) Lense, cornea and retina
e) Ciliary muscles, Iris and retina.

Q98) **Select an odd statement regarding spinal nerve**
a) Anterior root contain only motor axon
b) They are formed by union of anterior and posterior nerve root
c) Posterior root ganglion contain unipolar neurons
d) There are 31 pairs
e) Posterior ramus contain one sensory axon

Q99) **Malformations of the auricle is most commonly associated with:**
a) Congenital deafness.
b) Maternal X-irridiation.
c) Defects of the lower jaw.
d) Thalidomide administration.
e) Anomalies of the sex chromosomes.

Q100) **Regarding blood supply of brain, the best statement is**
a) Medial and lateral central striate arteries supply the internal capsule
b) Cortical branches are the common site of thrombosis
c) Anastomosis frequently occur in central arteries
d) Thalamus is supplied by anterior cerebral arteries
e) Circle of willis is formed by two internal carotid and two spinal arteries

★★★★★★★★★★ THE END ★★★★★★★★★★

Q39) The structure of tongue reveal all the following features except
a) The mucous membrane is smooth on its lower surface
b) Filli form papillae epithelium contain taste buds
c) Is a mass of striated muscles
d) Groups of glands are gathered in between muscle fibers
e) Circum vafrate papillae are present near sulcus terminalis

Q40) The corticospinal fibres are absent in the following regions of white matter
a) Lateral white column of the spinal cord
b) Pyramids of medulla oblongata
c) Cerebral peduncle of the midbrain
d) Anterior limb of the internal capsule
e) Corona radiata

Q41) Regarding the skin of face
a) There is no fascia on the face
b) The skin of face has a rich blood supply
c) Boil on the face can be dangerous and lead to cavernous sinus thrombosis
d) Sensory supply of face is from cranial nerves
e) It possesses many glands

Q42) It is untrue to say about middle ear that
a) Oval and round windows are related to its medial bony wall
b) Posteriorly it communicates with mastoid air cells
c) Tympanic cavity is lined by simple squamous cells
d) The auditory tube connect it to pharynx
e) Is an irregular space in interior of temporal bone

Q43) The following paranasal air sinus develops during late fetal life
a) Frontal sinus
b) Posterior ethmoid sinus
c) Maxillary sinus
d) Sphenoid sinus
e) Anterior ethmoid sinus

Q44) The best statement about parotid gland is
a) It is pierced by facial artery
b) Glossopharyngeal nerve supply secretomotor fibers to it
c) Gland is covered only by superficial fascia
d) The duct of the gland opens in the oral cavity at the level of 3rd upper molar tooth
e) It is a mixed type of gland

Q45) In comparison to the amount of blood supplied by the capillaries to the gray matter and white matter:
a) Gray matter receives 70% amount of blood supply to the brain
b) White matter receives more supply than gray matter
c) Both white and gray matter receive equal amount of blood
d) Gray matter receives 40% amount of blood supply to the brain
e) Gray matter receives more supply than white matter

Q46) A player in the hockey ground was struck by a ball on head. After remaining unconscious for a while he regained consciousness, and become unconscious again .A diagnosis of extradural hemorrhage was made. Which of the following blood vessels is most commonly involved:
a) Middle meningeal artery
b) Superior longitudinal sinus
c) Transverse sinus
d) Anterior meningeal artery
e) Internal maxillary artery

Q47) Regarding the infra temporal fossa
a) Its medial boundary is the pterygoid plate
b) It is related to carotid sheath
c) It is a space in the skull
d) Maxillary artery and the temporalis muscles are the only contents
e) It communicates with the pterygo palatine fossa through pterygo maxillary fissure

Q48) Which one of the following is best statement about scalp
a) Spread of infection is a common phenomena
b) Scalp has very poor nerve supply
c) There are abundant emissary veins in frontal region
d) Epicranial muscles are supplied by mandibular nerve
e) Wounds of the scalp bleed profusely because the vessels do not retract

Q49) Ascending pathways leading to consciousness consist of
a) Three neurons
b) Four neurons
c) Five neurons
d) One neuron
e) Two neurons

Q50) The chorda tympani nerve courses through tympanic cavity, lying on its:
a) Roof
b) Anterior wall
c) Floor
d) Medial wall
e) Lateral wall

Q51) Clark's column extends between the following
a) Only the cervical segment
b) Only the thoracic segment
c) 1st thoracic segment to 9th thoracic segment
d) 10th thoracic segment to 1st sacral segment
e) 8th cervical segment to 3rd lumbar segment

Q26) Which of the statement concerning thalamus is incorrect

a) Joins to other side by thalamic adhesion
b) Forms anterior boundary of interventricular foramen
c) Seperated from lenitform nucleus by internal capsule
d) Serve as main relay station for all sensory impulse except olfactory
e) Largest part of Diencephlon

Q27) Neurons in the human body can be: (Choose the correct statement)

a) Golgi type one, if its axon is long some time up to or even more than a meter
b) Multipolar if it has many axons and one dendrite
c) Unipolar if it posses only one dendrite
d) Bipolar if it posses two dendrites
e) Golgi type two if it has short dendrons Less than few centimeters

Q28) Unique features in the development of skull is

a) It is mesodermal in origin
b) It is contributed by paraxial mesoderm
c) It encloses a cavity
d) Neural crest cells forms membranous portion
e) It has two layer of bone

Q29) The leptomeninges are derived from the following structure

a) Notochord
b) Neural crest cells
c) Denticulate ligament
d) Endoderm
e) Mesenchyme surrounding spinal cord

Q30) Regarding the nerve supply of extra ocular muscle:

a) Levotor palpeberae superioris is supplied by inferior division of the oculomotor nerve.
b) Superior oblique is supplied by the contra-lateral trochlear nerve.
c) Lateral rectus is supplied by trochlear nerve.
d) Medial rectus is supplied by the ophthalmic nerve.
e) Inferior oblique is supplied by the abducent nerve.

Q31) Following statements regarding the motor speech area of Broca are true except

a) Is connected to the sensory speech area of wernicke
b) Its damage will cause receptive aphasia
c) In most of the individuals it is present in left cerebral hemisphere
d) Is located in the inferior frontal gyrus
e) Is concerned with formation of words by its connections with the primary motor area

Q32) The vertebral artery arises from which of the following

a) 1st part of subclavian artery
b) 2nd part of subclavian artery
c) Thyrocervical trunk
d) 3rd part of subclavian artery
e) Costocervical trunk

Q33) Which statement is incorrect about cutaneous innervation of face

a) Parotid gland ---------mandibular nerve
b) Upper lip ---------- Maxillary nerve
c) Anterior part of temple --------mandibular nerve
d) Tip of nose ---------- ophthalmic nerve
e) Forhead ----------ophthalmic nerve

Q34) In the fourth ventricle

a) Nucleus of accessory nerve lies in its floor
b) Choroid plexus projects from the lateral walls
c) Roof contains one median and two lateral apertures (openings)
d) Lateral boundries are formed by inferior cerbellar peduncles only
e) Floor is formed by posterior surface of midbrain

Q35) Conus medullaris is the

a) Tapers off spinal cord
b) Cervical enlargement of spinal cord
c) Thickening of diameter in spinal cord
d) Lumbar enlargement of spinal cord
e) Enlargement of subarachnoid space

Q36) Mitosis of cells occurs in which layer of developing neural tube

a) Mantle layer
b) Marginal layer
c) Ependymal (neuroepithelial) layer
d) Mantle and marginal layers
e) Ependymal and mantle layers

Q37) Regarding the nasal cavity

a) Para nasal sinuses can not be visualized on the x-rays
b) Olfactory nerves are present in nasal cavity
c) The linning of nasal cavity and vestibule consists of keratinized stratified squamous epithelium .
d) It receives it's blood supply only from facial artery
e) Para nasal sinuses can normally be opaque on the x-rays

Q38) Regarding the congenital anomalies of development of nose , which one of the following statement is incorrect

a) Bifid nose means development of in separate noses
b) Single nostril results when only one nasal placode forms
c) Bifid nose results when medial nasal prominences do not merge completely
d) Nasal bridge is bifid
e) The nostrils are widely separated

Q13) The characteristic feature about the pericyte is
a) They have a contractile function
b) They are present in the basement membrane of vessels
c) These cells surround the arterioles
d) These cells are developed from ectoderm
e) They are spherical in shape

Q14) The anastomosis between external and internal carotid arteries include all of the following except
a) Dorsal nasal artery and facial artery
b) Greater palatine and superior labial artery
c) Anterior ethamoidal artery and facial artery
d) Lateral nasal artery and supratrochlear artery
e) Lacrimal artery and transverse facial artery

Q15) The clinical importance of anterior frontale is
a) It is the site of fusion of parietal bones with frontal bone
b) It bulges in case of raised intracranial pressure
c) Two parietal bone meet one another at this point
d) It is common site of meningeal herniation
e) It is on the scalp

Q16) Spinous process is absent in which of the following vertebra
a) 2nd cervical vertebra
b) 5th cervical vertebra
c) 1st cervical vertebra
d) 3rd cervical vertebra
e) 7th cervical vertebra

Q17) Lateral rectus of eye is supplied by
a) V cranial nerve
b) VI cranial verve
c) III cranial nerve
d) II cranial nerve
e) IV cranial nerve

Q18) Select an incorrect statement regarding the structure of layer of the cerebral cortex
a) Inner band of Baillarger is present in the external pyramidal layer
b) External granular layer contains large number of small pyramidal cells
c) Martinotti cells are present in the multiform and ganglionic layers
d) Horizontal cells are present in molecular layer
e) Outer band of Baillarger is present in the internal granular layer

Q19) Herniation of the intervertebral disc between the fifth and sixth cervical vertebrae will compress the
a) Fourth cervical nerve root
b) Sixth, seventh and eight cervical nerve roots
c) Seventh cervical nerve root
d) Fifth cervical nerve root
e) Sixth cervical nerve root

Q20) Select an odd statement regarding the structures of the oral cavity.
a) Superior surface of soft palate is lined by pseudostratified columnar ciliated epithelium.
b) Taste buds are located on the dorsal surface of the filiform papillae.
c) There are no sebaceous or sweat glands in the red area of lips.
d) Von Ebner glands of tongue are serous in nature.
e) In tongue, muscle bundles cross each other running in longitudinal, transverse and vertical directions.

Q21) Regarding the glial cells
a) Fibrous astrocytes are found in gray matter
b) Microglia are found in 'PNS'
c) Protoplasmic astrocytes form scar tissue in CNS, in case of any damage
d) Ependymal cells are of simple squamous variety
e) Schawn cells form myelin in central nervous system

Q22) Occulomotor nucleus is situated at which of the following level
a) Medulla oblongata
b) Tegumentum pones
c) Superior colliculus
d) Cerebello potine angle
e) Inferior colliculus

Q23) Which of the following tracts does not cross the midline
a) Rubro-spinal tract
b) Pyramidal Tract
c) Dento thalamic tract
d) Spinothalamic tract
e) Dorsal spinocerebellar tract

Q24) Considering the myelination of nerve fiber
a) Unmyelinated nerve fibers are not covered by Schwann cells
b) The nucleus of Schwann cell is present at the node of Ranvier
c) Myelin is formed by the cytoplasm of Schwann cells
d) Myline is stained black in routine histological stains i.e H & E
e) Internode is the distance between two nodes

Q25) Regarding mid brain
a) Origin to 4th cranial nerve in its upper part
b) Cerebral peduncle lies posterior
c) Closely related to free border of falx cerebelli
d) Superior colliculi receive auditory impulses
e) Contains cerebral aqueduct

Q52) Select a wrong statement regarding the filiform papillae of the tongue
a) Are finger like in shape
b) Are distributed over the entire anterior two third dorsal surface of the tongue
c) Taste buds are located on their dorsal surface
d) Are the most numerous of the lingual papillae
e) Covered by stratified squamous cornified epithelium

Q53) The importance of alar plates in the developing spinal cord is that
a) it is separate from basal plate by sulcus limitans
b) it is present bilaterally
c) it produces a longitudinal bulge
d) its cell bodies form the dorsal gray column of spinal cord
e) its enlargement on both the sides form dorsal median septum

Q54) Which of the following muscle plays major role in opening the Jaw
a) Temporalis muscle
b) Masseter
c) Buccinator
d) Medial pterygoid
e) Lateral pterygoid

Q55) The Passavant's ridge is formed when the posterior wall of pharynx is drawn forward during swallowing, due to the contraction of
a) Palatoglossus
b) Salpingopharyngeus
c) Levator veli palatini
d) Palatopharyngeus
e) Tensor veli palatini

Q56) Regarding the muscle of face:
a) Levator palpebrae superioris is supplied by facial nerve.
b) Muscles of facial expression are supplied by the maxillary nerve.
c) Buccinator is an accessory muscle of mastication so supplied by the mandibular division of trigeminal nerve.
d) Embryologically the muscles of facial expression are developed from the mesoderm of the second pharyngeal arch.
e) Occipitofrontalis helps in the movement of skin of face.

Q57) The most common site for spina bifida occulta is
a) Upper thoracic region
b) Lumbosacral region
c) Cervical region
d) Mid thoracic region
e) Lower thoracic region

Q58) It is true to say about the structure of nasal cavity that
a) The inner surface of nares are devoid of sebaccous and sweat glands
b) Superior concha are covered by respiratory epithelium
c) The chemo receptor of Schnell are located with in inferior corcha
d) The epithelium with in the vestibule remain stratified squamous epithelium
e) Concha has large swell bodies in its mucous membrane

Q59) The important feature of Arnold chiari malformation through advance imaging is
a) Herniation of tonsils of cerebellum in to vertebral canal
b) Spina bifida
c) Blockage of cerebrospinal fluid
d) Internal hydrocephalus
e) Cranio vertebral anomaly

Q60) The vallate papillae in the oral part of tongue are innervated by nerve of third pharyngeal arch because
a) The mucosa of posterior third of tongue is pulled slightly anterior as tongue develops
b) Papillae appear towards the end of 8th week
c) Vallate papillae are the first to appear
d) The merged distal tongue buds form the anterior 2/3rd of tongue
e) The median tongue bud forms no recognizable part of adult tongue

Q61) Which of the following statement is correct about lingual artery
a) It is crossed superficially by hypoglossal nerve
b) It runs through substance of submandibular salivary gland
c) It is a branch of subclavian artery
d) It arises at the level of cricoid cartilage
e) It runs superficial to hyoglossus muscle

Q62) The striking feature of oligodendrocytes is that
a) They may surround nerve cell bodies
b) There are no fiaments in their Cytoplasm
c) They are frequently found in rows
d) They are responsible for formation of myelin sheath in the central nervous system
e) They have small cell bodies

Q63) The cervical spinal nerves lack
a) Connective tissue sheaths
b) Preganglionic sympathetic fibres
c) Motor fibres to smooth muscles
d) Post ganglionic sympathetic fibres
e) Motor fibres to skeletal muscles

Q64) Internal structure of spinal cord shows
a) Anterior Grey horn which contains mainly sensory neurons
b) Lateral Grey horn in thoracic region which contain sympathetic neurons
c) Lateral spinothalamic tracts carrying fibers for the sensation of temperature
d) Spinocerebellar tracts are located in posterior white column
e) Fasciculus cuneatus lies in anterior white column






Fig. 4.7: Fascicular architecture of muscles


Anterior communicating artery
Anterior cerebral artery
Middle cerebral artery
Ophthalmic artery
Internal carotid artery
Anterior choroidal artery
Posterior communicating artery
Posterior cerebral artery
Superior cerebellar artery
Pontine arteries
Basilar artery

dentips_



Maxillary artry divides into 3 parts

1st part	2nd part	3rd part
1_ Deep auricular artry	6_ Deep temporal artry	11_ artry of pterygoid canal
2_ Anterior tympanic artry	7_ Lateral pterygoid artry	12_ Pharyngeal artry
3_ Middle meningeal artry	8_ Medial pterygoid artry	13_ Descending (greater) palatine a.
4_ Accessory meningeal artry	9_ Masseteric artry	14_ posterior Superior alveolar a. (dental)
5_ Inferior alveolar artry	10_ Buccal artry	




Fig. 1.21: Terms used for describing muscles

The two terms, origin and insertion, are sometimes interchangeable, when the origin moves and the insertion is fixed.

(c) **Belly:** The fleshy and contractile part of a muscle.

(d) **Tendon:** The fibrous noncontractile and cord-like part of a muscle.

(e) **Aponeurosis:** The flattened tendon.

(f) **Raphe:** A fibrous band made up of interdigitating fibres of the tendons or aponeuroses. Unlike a ligament, it is stretchable. Ligaments are fibrous, inelastic bands which connect two segments of a joint.

Blood Supply

Masseter :
Masseteric branch of Maxillary artery

Temporalis :
Deep temporal part of Maxillary artery

Lateral & Medial Pterygoid :
Pterygoid branch of 2nd part of Maxillary artery

- Inferior petrosal sinus

Maxillary artery: branches

"**DAM I AM P**iss **D**runk **B**ut **S**tupid **D**runk **I** **P**refer, **M**ust **P**hone **A**lcoholics **A**nonymous":

- **D**eep auricular
- **A**nterior tympanic
- **M**iddle meningeal
- **I**nferior alveolar
- **A**ccessory meningeal
- **M**asseteric
- **P**terygoid
- **D**eep temporal
- **B**uccal
- **S**phenopalatine
- **D**escending palatine
- **I**nfraorbital
- **P**osterior superior alveolar
- **M**iddle superior alveolar
- **P**haryngeal
- **A**nterior superior alveolar
- **A**rtery of the pterygoid canal

Scalp: layers

Table 2.3 reveals the comparison between three types of cartilages.

Table 2.3: Comparison of three types of cartilages

	Hyaline Cartilage	Fibrocartilage	Elastic cartilage
Location	In the articular cartilages of long bones, sternum, ribs, nasal and some laryngeal cartilages	In the intervertebral disc of pubic symphysis, temporomandibular joints, sterno-clavicular joint	In the pinna, external auditory meatus, Eustachian tubes, epiglottis, vocal process of arytenoid cartilage
Colour	Bluish white	Glistening white	Yellowish
Appearance	Shiny or translucent	Opaque	Opaque
Fibres	Very thin, having same refractive index as matrix, so these are not seen	Numerous white fibres	Numerous yellow fibres
Elasticity	Flexible	More firm strongest	Most flexible




Fig. 2.16: Hyaline and elastic cartilages