

REM INSERTING into MKD.ADMIN\_MASTER

SET DEFINE OFF;

Insert into MKD.ADMIN\_MASTER (ADMIN\_ID,PASS,UNAME) values (1,'mkd','mkd');

Insert into MKD.ADMIN\_MASTER (ADMIN\_ID,PASS,UNAME) values (21,'vsm','vsm');

REM INSERTING into MKD.CANTEEN\_MASTER

SET DEFINE OFF;

Insert into MKD.CANTEEN\_MASTER

(CANTEEN\_ID,WALLET1,OPEN\_TIME,CLOSE\_TIME,RATING,ORDER\_LIMIT,PH\_NO,UNAME,PASS,EMAIL,CANTEEN\_NAME,FEEDBACK\_COUNT) values (24,200,to\_timestamp('06-11-17 09:00:08.000000000 AM','DD-MM-RR HH12:MI:SSXFF AM'),to\_timestamp('06-11-17 10:00:08.000000000 PM','DD-MM-RR HH12:MI:SSXFF AM'),0,10,919876543210,'mkd','mkd','mkd@gmail.com','MKD Kitchen',0);

Insert into MKD.CANTEEN\_MASTER

(CANTEEN\_ID,WALLET1,OPEN\_TIME,CLOSE\_TIME,RATING,ORDER\_LIMIT,PH\_NO,UNAME,PASS,EMAIL,CANTEEN\_NAME,FEEDBACK\_COUNT) values (25,500,to\_timestamp('07-11-17 12:01:45.000000000 AM','DD-MM-RR HH12:MI:SSXFF AM'),to\_timestamp('07-11-17 12:01:45.000000000 AM','DD-MM-RR HH12:MI:SSXFF AM'),0,20,919876540010,'vsm','vsm','vsm@gmail.com','VSM Kitchen',0);

Insert into MKD.CANTEEN\_MASTER

(CANTEEN\_ID,WALLET1,OPEN\_TIME,CLOSE\_TIME,RATING,ORDER\_LIMIT,PH\_NO,UNAME,PASS,EMAIL,CANTEEN\_NAME,FEEDBACK\_COUNT) values (26,500,to\_timestamp('07-11-17 12:02:36.000000000 AM','DD-MM-RR HH12:MI:SSXFF AM'),to\_timestamp('07-11-17 12:02:36.000000000 AM','DD-MM-RR HH12:MI:SSXFF AM'),0,20,918346540010,'sn','sn','sn@gmail.com','SN Kitchen',0);

REM INSERTING into MKD.CANTEEN\_NOTIFICATION\_MASTER

SET DEFINE OFF;

Insert into MKD.CANTEEN\_NOTIFICATION\_MASTER (CANTEEN\_ID,NOT\_DATE,MESSAGE) values (24,to\_timestamp('07-11-17 12:00:00.000000000 AM','DD-MM-RR HH12:MI:SSXFF AM'),'Cancellation Request');

Insert into MKD.CANTEEN\_NOTIFICATION\_MASTER (CANTEEN\_ID,NOT\_DATE,MESSAGE) values (25,to\_timestamp('07-11-17 12:00:00.000000000 AM','DD-MM-RR HH12:MI:SSXFF AM'),'Cancellation Request');

REM INSERTING into MKD.FOOD\_MASTER

SET DEFINE OFF;

Insert into MKD.FOOD\_MASTER (FOOD\_ITEM\_ID,NAME) values (27,'Pani Puri');

Insert into MKD.FOOD\_MASTER (FOOD\_ITEM\_ID,NAME) values (28,'Pav Bhaji');

Insert into MKD.FOOD\_MASTER (FOOD\_ITEM\_ID,NAME) values (29,'Pizza');

Insert into MKD.FOOD\_MASTER (FOOD\_ITEM\_ID,NAME) values (30,'Chole Bhature');

Insert into MKD.FOOD\_MASTER (FOOD\_ITEM\_ID,NAME) values (31,'Noodles');

REM INSERTING into MKD.MENU\_MASTER

SET DEFINE OFF;

Insert into MKD.MENU\_MASTER (CANTEEN\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (24,28,30,50);

Insert into MKD.MENU\_MASTER (CANTEEN\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (24,31,40,60);

Insert into MKD.MENU\_MASTER (CANTEEN\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (24,27,40,40);

Insert into MKD.MENU\_MASTER (CANTEEN\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (25,29,20,100);

Insert into MKD.MENU\_MASTER (CANTEEN\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (26,30,30,40);

Insert into MKD.MENU\_MASTER (CANTEEN\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (26,31,10,20);

Insert into MKD.MENU\_MASTER (CANTEEN\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (25,28,20,35);

Insert into MKD.MENU\_MASTER (CANTEEN\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (24,29,10,45);

REM INSERTING into MKD.ORDER\_DETAIL

SET DEFINE OFF;

Insert into MKD.ORDER\_DETAIL (ORDER\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (55,31,2,20);

Insert into MKD.ORDER\_DETAIL (ORDER\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (51,28,1,50);

Insert into MKD.ORDER\_DETAIL (ORDER\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (51,31,2,50);

Insert into MKD.ORDER\_DETAIL (ORDER\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (52,29,3,45);

Insert into MKD.ORDER\_DETAIL (ORDER\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (52,27,2,40);

Insert into MKD.ORDER\_DETAIL (ORDER\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (53,29,1,100);

Insert into MKD.ORDER\_DETAIL (ORDER\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (54,29,1,100);

Insert into MKD.ORDER\_DETAIL (ORDER\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (54,28,1,35);

Insert into MKD.ORDER\_DETAIL (ORDER\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (55,30,2,40);

Insert into MKD.ORDER\_DETAIL (ORDER\_ID,FOOD\_ITEM\_ID,QTY,RATE) values (55,31,1,20);

REM INSERTING into MKD.ORDER\_HEADER

SET DEFINE OFF;

Insert into MKD.ORDER\_HEADER (ORDER\_ID,STU\_ID,CANTEEN\_ID,AMOUNT,STATUS,ORDER\_DATE) values (51,45,24,170,'placed',to\_timestamp('07-11-17 10:24:08.000000000 AM','DD-MM-RR HH12:MI:SSXFF AM'));

Insert into MKD.ORDER\_HEADER (ORDER\_ID,STU\_ID,CANTEEN\_ID,AMOUNT,STATUS,ORDER\_DATE) values (52,45,24,215,'prepared',to\_timestamp('07-11-17 10:27:54.000000000 AM','DD-MM-RR HH12:MI:SSXFF AM'));

Insert into MKD.ORDER\_HEADER (ORDER\_ID,STU\_ID,CANTEEN\_ID,AMOUNT,STATUS,ORDER\_DATE) values (53,46,25,100,'can\_request',to\_timestamp('07-11-17 10:30:35.000000000 AM','DD-MM-RR HH12:MI:SSXFF AM'));

```
Insert into MKD.ORDER_HEADER (ORDER_ID,STU_ID,CANTEEN_ID,AMOUNT,STATUS,ORDER_DATE)
values (54,46,25,135,'can_app',to_timestamp('07-11-17 10:41:42.000000000 AM','DD-MM-RR
HH12:MI:SSXFF AM'));
```

```
Insert into MKD.ORDER_HEADER (ORDER_ID,STU_ID,CANTEEN_ID,AMOUNT,STATUS,ORDER_DATE)
values (55,48,26,140,'can_deny',to_timestamp('07-11-17 10:46:03.000000000 AM','DD-MM-RR
HH12:MI:SSXFF AM'));
```

```
REM INSERTING into MKD.STUDENT_MASTER
```

```
SET DEFINE OFF;
```

```
Insert into MKD.STUDENT_MASTER
(ID,NAME,COLLEGE,UNAME,PASS,WALLET,BDATE,PH_NO,EMAIL) values (45,'Manav
Desai','Dharmsinh Desai University','mkd','mkd',400,to_date('18-04-97','DD-MM-
RR'),917894562130,'manavdesai1997@gmail.com');
```

```
Insert into MKD.STUDENT_MASTER
(ID,NAME,COLLEGE,UNAME,PASS,WALLET,BDATE,PH_NO,EMAIL) values (46,'Vidhan
Mehta','Dharmsinh Desai University','vsm','vsm',500,to_date('23-09-97','DD-MM-
RR'),918894562130,'manavdesai1997@gmail.com');
```

```
Insert into MKD.STUDENT_MASTER
(ID,NAME,COLLEGE,UNAME,PASS,WALLET,BDATE,PH_NO,EMAIL) values (47,'Abhay Naik','Nirma
University','an','an',350,to_date('25-09-97','DD-MM-RR'),918894562130,'an@gmail.com');
```

```
Insert into MKD.STUDENT_MASTER
(ID,NAME,COLLEGE,UNAME,PASS,WALLET,BDATE,PH_NO,EMAIL) values (48,'Saurabh
Nikam','Dharmsinh Desai University','sn','sn',450,to_date('25-10-97','DD-MM-
RR'),918894563330,'sn@gmail.com');
```

```
REM INSERTING into MKD.STUDENT_NOTIFICATION_MASTER
```

```
SET DEFINE OFF;
```

```
Insert into MKD.STUDENT_NOTIFICATION_MASTER (STUDENT_ID,NOT_DATE,MESSAGE) values
(47,to_timestamp('07-11-17 12:00:00.000000000 AM','DD-MM-RR HH12:MI:SSXFF
AM'),'Cancellation Request Approved');
```

```
Insert into MKD.STUDENT_NOTIFICATION_MASTER (STUDENT_ID,NOT_DATE,MESSAGE) values
(48,to_timestamp('07-11-17 12:00:00.000000000 AM','DD-MM-RR HH12:MI:SSXFF
AM'),'Cancellation Request Denied');
```

```
Insert into MKD.STUDENT_NOTIFICATION_MASTER (STUDENT_ID,NOT_DATE,MESSAGE) values
(45,to_timestamp('07-11-17 12:00:00.000000000 AM','DD-MM-RR HH12:MI:SSXFF AM'),'Order
Prepared');
```