



Pestalozzistrasse 16
3400 Burgdorf
Switzerland

Tel. +41 79 781 04 11
info@swant.com
www.swant.com

Product Description

Monoclonal anti-Calbindin

CB300

Concentrated supernatant

Product: Monoclonal anti Calbindin D-28k

Code No.: CB300

Form: Lyophilized concentrated supernatant (no preservatives).

Quantities available: 200 µl, 500 µl, and 1 ml

Reconstitution: with corresponding amount of bi-distilled water

Description:

Monoclonal anti-calbindin D-28k 300 is a mouse IgG1 produced by hybridization of mouse myeloma cells with spleen cells from mice immunized with calbindin D-28k purified from chicken gut (1). The antibody was evaluated for specificity and potency: a) by indirect immunofluorescence or immunoperoxidase labelling as well as Biotin-Avidin labeling of cryostate or vibratome-sections of 4 % paraformaldehyde fixed tissue; b) by immunoenzymatic labelling of immunoblots; c) by radioimmunoassay.

The product is a monoclonal antibody (McAB) against calbindin D-28k, a calcium-binding protein of the EF-hand family related to calmodulin and troponin-C.

McAB 300 reacts specifically with calbindin D-28k on immunoblots of extracts of tissue originating from human, monkey, guinea pig, rabbit, rat, mouse and chicken (but probably not fish, Fig. 1). McAB 300 does not cross-react with calretinin or other known calcium binding-proteins. McAB 300 specifically stains the ⁴⁵Ca-binding spot of calbindin D-28k (MW 28'000, IEP 4.8) in a two-dimensional gel. In radioimmunoassay it detects calbindin D-28k with a sensitivity of 10 ng/assay and an affinity of 1.6×10^{12} L/M.

McAB 300 against calbindin D-28k specifically localizes calbindin using free-floating or mounted sections of brain, kidney and pancreas of probably all vertebrates with the exception of fishes.

Calbindin D-28k is an attractive neuroanatomical tool and this McAB guarantees the continued production of a constant titer of anti-calbindin D-28k antibody with the same specificity and chemical identity.

Immunoblot of brain extracts:




Fig. 1 Immunoblot of brain homogenate of various species with the monoclonal antibody CB300
1: Mouse; 2: Rat; 3: Guinea pig; 4: Rabbit; 5: *Macaca fascicularis*; 6: Zebrafish; 7: recombinant calbindin D-28k. In all species (except fish) only a band at 28 kDa is detected.

Immunohistochemistry on Calbindin D-28k knock out mice

Antibody CB300 immunolabels a subpopulation of neurons in the brain with high efficiency (Fig. 2a) but does not stain in the brain of calbindin D-28k knock out mice (Fig. 2).




Fig 2a: Immunohistochemical staining with McAB300 in the hippocampus of a control mouse. Notice the strong staining of the dentate gyrus (DG) and of the pyramidal cells (Py) of the hippocampus. X100




Fig 2b: Lack of specific immunohistochemical staining with McAB 300 in the hippocampus of a Calbindin D-28k knock out mouse (6). Non-specific staining of the vessel walls due to the anti-mouse secondary antibody. DG: dentate gyrus, Py: pyramidal cells X 100

Working dilution:

Immunohistochemistry: 1:3'000 - 1:10'000, when performed with the avidin-biotin method.

Immunoblots: 1:100 - 1:1'000 with an indirect peroxidase method.

We recommend that the optimal dilutions be determined by titration experiments.

Storage:

For long storage, keep at - 80°C (or at least - 20°C). For continuous use, keep at 4°C (with 0.01% Na-azide). Avoid repeated freezing and thawing.

References:

1. Celio M.R. et al., Cell Calcium 11:599-602, 1990
2. Kretsinger R.H. (1981) Neurosci. Res. Progr. Bull. 19/8, MIT-Press
3. Garcia-Segura L.M. et al. (1984) Brain Res. 296: 75-86.
4. Airaksinen M.S., et al, (1997), PNAS 94(4) : 1488-1493